

As original as you'd like it to be.

"Is that photo on the cover a picture of George Washington's interior?" It's not an entirely unreasonable question. The handle has been replaced many times, but the blade only once or twice.

When first shown the photos for our latest round of catalog covers, my knee-jerk reaction was to say no, because our customers wouldn't like a set of aspirational photos showing highly visible, "not original" parts. But I had to ask myself, what is incorrect, and by who's standard?

I'm the guy who says I've never tried to make a car original because someone else would always do a better job. And, if held to the same standard above, my whole collection would fail. The thing is, it's not someone else's car, it's yours, and you should do with it as you please.

We cannot count the number of spectacularly flawless and accurate restorations we have seen. There are seemingly no limits to the quality of workmanship one may find at a car show. Sometimes, however, this fact can be daunting to those of us less able, or willing, to go the originality route.

With that in mind, this round of covers celebrates individual tastes. Go ahead and slap that SpongeBob sticker over the speedo. Old British cars aren't that fast anyway.

Happy Motoring,
Robert Goldman

Robert Goldman Chairman, Moss Motors, Ltd.

Vist Our Showrooms

Eastern Showroom

25651 Simpson Rd. Petersburg, VA 23803

Ph: 800-431-2496

Hrs: Mon – Fri 9:00am – 4:30pm

Sat - 9:00am - 3:00pm • March 1 - September 30

Western Showroom

440 Rutherford St. Goleta, CA 93117

Ph: 800-667-7872

Hrs: Mon - Fri 8:30am - 4:30pm

Sat - 9:00am - 3:00pm

Place a single order of \$1,500 or more and you will automatically receive 10% off regular priced parts for 12 months! You will also be paired with a dedicated Sales Person who will give you personalized service.

Extend your time on the Customer Loyalty Program - While a member of the Loyalty Program, order a total of \$1,000 or more within 12 months and we will extend your 10% discount for an additional year! Only one extension per year is allowed.

For more information, visit MossMotors.com/Loyalty





You can provide exactly what your favorite British car enthusiast needs when you give a Gift Certificate. Gift Certificates are available in one dollar increments, and shipped USPS 1st Class or UPS Next Day or 2nd Day if you need faster delivery. Order by phone 800-667-7872 or online MossMotors.com.



Your Favorite Brands




































Sprite-Midget



Join Us Online



Check out Moss-TV for the latest Tech How-To's MossMotors.com/MossTV



Regular british sports car history and Moss Updates Facebook.com/MossMotors



Get inspiration for your next restoration project or build Pinterest.com/Moss Motors



Photos of British sports cars at your fingertips Instagram.com/Moss_Motors



Regular industry news, sales announcements, and more Twitter.com/Moss_Motors

Follow all of our social media updates in one place!

MossMotors.com/Social

Moss/Moionin

Moss Motoring is our magazine and also a website dedicated to British car enthusiasts. Visit MossMotoring.com for volumes of information and stories, and to sign up to receive the magazine.





Place your order by 3 p.m. your local time and we will ship it the same day. See website for latest up to date information and details.



Free Shipping Over \$700.

Orders over \$700 that go by UPS that are shipping to an address in the 48 States go free.

Contents

| Featured Products A4-A6 |
|-------------------------|
| Accessories A7-A54 |
| Restoration1-89 |
| Order & Ship Info A55 |
| Order Form A56 |
| Terms and Conditions |
| & Privacy Policy 90 |
| Index 91 |

2-Year WARRANTY

We stand behind the products we sell by offering the Longest Warranty in the business. Every Classic British Part is backed by our 2-Year warranty to be free from defects in material and workmanship.

See website for full details.







































PHONE ORDERS US 800-667-7872 INTL 805-681-3400 **FAX ORDERS**

ONLINE ORDERS

MossMotors.com

CUSTOMER SERVICE

800-689-9313





MUS 4.3 Battery Test & Charge by CTEK

The MUS 4.3 Test and Charge combines an advanced microprocessor controlled battery charger with a battery and alternator test function to provide the ultimate in battery testing, charging and maintenance.

Testing - Three easy to use programs to test battery voltage, starting power and alternator performance to provide a complete picture of battery and vehicle charging system health.

Charging - MUS 4.3 Test and Charge provides excellent charging performance. The charger solves a broad range of battery problems. It features include a patented automatic desulphation program and a special reconditioning function that revives and restores deeply discharged and stratified batteries. The patented Float/Pulse maintenance makes the charger ideal for long-term maintenance.

Features & Technical Info:

- Input 110-120VAC, 50-60Hz, 0.6A max
- Output 14.4V/14.7V/15.8V, 4.3A max
- Fully automatic 'connect and forget' 8 step 12V charging cycle
- 3 voltage test programs
- Battery types: All types of lead-acid batteries, 12V, WET, MF, Ca/Ca, AGM, GEL
- Insulation: IP65 (splash and dust proof)
- Patented float/pulse maintenance for batteries up to 160Ahh
- 5 Year Limited Manufacturer Warranty

| MUS 4.3 Battery Test & Charge | 386-290 | \$119.99 |
|-------------------------------|---------|----------|
| Accessories | | |
| Silicone Bumper Cover | 386-292 | \$9.99 |
| Mounting Bracket | 386-293 | 9.99 |
| Comfort Connect Cable | 386-294 | 5.99 |
| 8.2 ft Extension Cable | 386-295 | 9.99 |



MXS 5.0 Battery Charger by CTEK

The MXS 5.0 is an advanced microprocessor controlled battery charger which gives unrivalled performance for batteries from 1.2-110Ah. It comes with automatic temperature compensation built in which ensures the best charging performance, even in the most extreme conditions. The MXS 5.0 also includes battery



diagnosis to establish whether your battery can receive and retain a charge, patented automatic desulphation program, an AGM option which maximizes the performance life of most Stop/Start batteries and a special Recondition mode for reconditioning deeply discharged batteries. The MXS 5.0 uses CTEK's patented float/pulse system, which is the most efficient maintenance mode when a battery is connected for long periods.

Features & Technical Info:

- Input 110-120VAC, 50-60Hz, 0.6A max
- Output 14.4V/14.7V/15.8V, 4.3A max
- Fully automatic 'connect and forget' 8 step 12V charging cycle
- Battery types: All types of lead-acid batteries, 12V, WET, MF, Ca/Ca, AGM,GEL
- Insulation: IP65 (splash and dust proof)
- Patented float/pulse maintenance for batteries up to 160Ah
- 5 Year Limited Manufacturer Warranty

New Feature offered with the MXS 5.0 Charger:

 Built in charge voltage temperature compensation according to ambient temperature

| MXS 5.0 Battery Charge | 386-296 | \$92.99 |
|------------------------|---------|---------|
| Accessories | | |
| Silicone Bumper Cover | 386-292 | \$9.99 |
| Mounting Bracket | 386-293 | 9.99 |
| Comfort Connect Cable | 386-294 | 5.99 |
| 8.2 ft Extension Cable | 386-295 | 9.99 |







Car Care by Jay Leno's Garage

Jay Leno's Garage started with a modest mission, develop detailing chemicals, tools and accessories that work and are easy to use. Their focus has been to produce detail supplies for the discerning automotive enthusiast rather than the discount-driven, big-box retailers. The JLG development process stems from real-world experience and necessity. So whether you're a professional detailer prepping for the next car show, or a weekend warrior detailing your daily driver out on the driveway, JLG products perform when it matters most.

| Vehicle Wash - 16oz | 220-850 | \$9.99 | Leather Cleaner - 16oz | 220-858 | \$9.99 |
|----------------------------|---------|--------|-----------------------------|---------|--------|
| Eco Wash - 16oz | 220-851 | 9.99 | Leather Conditioner - 16oz | 220-859 | 17.99 |
| Wash & Wax - 16oz | 220-852 | 14.99 | Odor Eliminator - 16oz | 220-860 | 12.99 |
| Wheel Cleaner - 16oz | 220-853 | 14.99 | Fabric Cleaner - 16oz | 220-861 | 9.99 |
| Quick Detailer - 16oz | 220-854 | 9.99 | Metal Polish - 16oz | 220-863 | 19.99 |
| All Purpose Cleaner - 16oz | 220-855 | 9.99 | Tire & Trim Care - 16oz | 220-866 | 17.99 |
| Spray Wax - 16oz | 220-856 | 14.99 | Vehicle Care Kit | 220-869 | 59.99 |
| Evaporate - 16oz | 220-857 | 14.99 | Interior & Quick Detail Kit | 220-870 | 34.99 |
| | | | 9" Wheel Brush | 220-871 | 9.99 |





GB40 Lithium Jump Starter by NOCO

The GB40 is a portable lithium-ion battery jump starter pack that delivers 1,000amps (7,000 J3S) for jump starting a dead battery in seconds. It features a patented safety technology that provides spark-proof connections and reverse polarity protection making safe and easy for anyone to use. It's a powerful battery booster that doubles as a portable power source for recharging USB devices, like a smartphone, tablet and more.

Features:

- A lithium battery jump starter rated at 1,000 Amps (7,000 Joules3S).
- Spark-proof connections and reverse polarity protection.
- Recharges USB devices, like smartphones, tablets, and more.
- 100 lumen LED flashlight with multiple modes, including SOS.
- Jump starts gas engines up to 6 liters, and diesel up to 3 liters.
- Provides up to 20 jump starts on a single

GB40 Lithium Jump Starter 386-420 \$124.99



Rover Mobile Task Light by Striker

The Rover is compact, lightweight (395grams / 0.87lbs), and of course is extremely durable. It features a aluminum head that acts as a fully functional heat sink. Unlike halogen shop lights, the Rover is always cool to the touch. The Rover is surrounded by a tempered steel exoskeleton, which has been drop tested extensively. The steel exoskeleton also acts as a stable base, or frame to hang the light. There is a universal tripod mount on the bottom of the Rover so users can elevate the light if necessary. It is powered by dual lithium-ion rechargeable batteries that boast 4000mAh ensuring you will have plenty of power, and long run times. Recharge by simply inserting the supplied USB cable into the plug on the back. If you need longer run times, the Rover can be used while plugged in. Once aimed, cycle through the 4 modes (High, Low, Strobe and SOS) until you find the one that is right for your needs at the time.

Features:

- 1200 lumens
- Dual focus lens
- Dual Lithium-ion battery technology
- Steel ExoSkeleton



H4 Style Headlamp LED Conversion Kit

Developed for H4 (Semi-Sealed) style headlamps a Stella Lux LED conversion represents a technological breakthrough for classic car owners. With modern vehicle lighting levels of 3000 Lumens per bulb, three times brighter than a standard H4 halogen bulb. These emit a bright white 6000K color and deliver vastly improved road presence and visibility for a safe confident driving experience whatever the conditions. The kit comes with a pair of premium quality 25W LUMILEDS LUXEON Z ES LED H4 light units with a 10,000+ hour lifespan and low load plug-and-play dual polarity drivers. Instructions included for a straightforward installation.

7" H4 Lucas Style - LED 171-250 \$169.99



• Universal camera tripod mount

• 4 light modes (high, low, SOS, strobe)

Rover Mobile Task Light 386-475 \$49 99



Universal Fuel Pump Kit by Lucas

The Lucas universal fuel pump kit is an extremely quiet and reliable steel cased sealed unit with zinc plating. It includes attached filter, mounting bracket, push-on fuel pipe unions, two 3.4" lengths of fuel line and hose clips. This dual polarity 12v electric fuel pump is a direct replacement for AUA66 & AUA25 (Positive and Negative Earth). Suitable for all single, twin and triple carburettor installations and does not require an additional fuel pressure regulator.

Technical specs:

FEATURED PRODUCTS

- E85/ethanol compatible
- 6.77" Long
- 2.13" Dia
- 5 amps Current Draw
- Inlet and outlets threaded 1/8 NPT

377-186 \$99.99



Oil Cooler Duct by Revotec

Supplied with laser cut aluminium mounting brackets and all fittings. Formed from HDPE to ensure reliability. Stepped inlet to accommodate two sizes of ducting. Supplied with Pull Through Kit for mounting.

| Oil Cooler Duct - 13 Row | 235-926 | \$89.99 |
|--------------------------|---------|---------|
| Oil Cooler Duct - 16 Row | 235-996 | 89.99 |
| Oil Cooler Duct - 19 Row | 235-846 | 89.99 |
| Hose Mount - 63mm | 235-999 | 18.99 |
| Neoprene Hose - 3ft | 363-440 | 26.99 |
| Neoprene Hose - 6ft | 363-441 | 49.99 |







FEATURED PRODUCTS

A6



Exhaust Wrap by DEI

Wrapping headers and down pipes is an important first step in reducing unwanted and power-robbing under hood heat. Less under hood heat results in a cooler air charge for improved performance and keeping exhaust gases hotter within the exhaust system helps in decreasing exhaust density and increases exhaust flow.

| Tan - 1" x 50' | 231-920 | \$35.99 |
|------------------|---------|---------|
| Tan - 2" x 50' | 231-921 | 57.99 |
| Black - 1" x 50' | 231-922 | 39.99 |
| Black - 2" x 50' | 231-923 | 62.99 |



Cool Tape by DEI

Cool Tape is a flexible and super strong selfadhesive thermal insulating tape capable of protecting up to 2000°F of radiant heat. Made of one mil aluminized material bonded to a woven glass fiber heat resistant matting, Cool Tape is an ultra light weight heat reflective solution for wrapping wires, cables, hoses, fuel lines, covering seams and many other uses.

| 15ft | 231-940 | \$19.99 |
|------|---------|---------|
| 30ft | 231-941 | 36.99 |






Exhaust Wrap and Tie Kit by DEI

DEI Pipe Wrap is used in many types of applications for reducing unwanted and harmful heat under the hood and from entering the driver compartment while improving horsepower. Kit includes one roll of 2in x 25ft exhaust wrap and four 8" stainless steel locking ties to secure wrap.


| Black | 231-930 | \$32.99 |
|----------|---------|---------|
| Tan | 231-931 | 31.99 |
| Titanium | 231-932 | 36.99 |



Quick Fix Tape by DEI

High performance Quick Fix Tape bonds to itself and is self-curing, forming a waterproof permanent seal. It's ideal for emergency hose repair, non-slip grip surface for tools, electrical splices and connections, serves as a temporary leak sealer, and does not leave a sticky residue after removal. Just a few of its many uses. Extruded from a special high performance grade silicone compound and engineered at 700psi tensile strength, Quick Fix Tape has insulating capabilities up to 8,000 volts and stretches to three times its length for a simple stretch-and-wrap application. The triangular profile of the tape (the center is thicker than the edges) provides a smooth edge when over lapping tape. Sold in 1" wide x 12' long rolls.

Quick Fix Tape 231-945 \$13.49



Billet Tappet Cover Kit

These billet aluminum tappet covers have been meticulously machined to fit your car. They are available either plain or with a machined Union Jack. The kit includes tappet cover, gasket, bushing, cup washer and bolt. Sold individually.

| Plain - each | 460-058 | \$39.99 |
|-------------------|---------|---------|
| Union Jack - each | 460-059 | 79.99 |



Hi-Temp Silicone Coating Spray by DEI

The High Temperature (HT) Silicone Coating provides lasting protection for any hot surface up to 1500 degrees. DEI recommend the use of this coating with their exhaust wrap because it seals the material and provides lasting protection from oil, dirt and road grime. Don't limit the use to exhaust header wrap, because this products works well on headers, blocks, starters and even on your grill at home. HT Silicone Coating is VOC (Volatile Organic Compounds) compliant in all 50 states. Recommended for use with DEI non-Titanium exhaust wraps, HT Silicone Coating penetrates, seals and protects to help extend the lifespan of exhaust wrap.

| Black | 231-935 | \$11.99 |
|----------|---------|---------|
| Aluminum | 231-936 | 11.99 |
| White | 231-937 | 11.99 |



und











Vintage Style Radio by RetroSound

RetroSound radios deliver superb sound and the latest audio features without compromising the original style of your dash. We carry a variety of their head units so you can choose the perfect solution for your audio needs. Add their Hide-Away Antenna #230-555 to install an amplified antenna behind your dash or in your trunk. Negative ground only. Knobs sold separately.

| Laguna (Chrome) | 230-355 | \$219.99 |
|-----------------------------------|----------------------|----------|
| Hermosa Radio (Chrome) | 230-390 | 289.99 |
| Hermosa Radio (Black) | 230-395 | 289.99 |
| Long Beach (Chrome) | 230-381 | 399.99 |
| Long Beach (Black) | 230-386 | 399.99 |
| SiriusXM Direct Connect Tuner | 230-3791 | 69.99 |
| Chrome Surround w/Chrome Knobs | 230-326 | 42.99 |
| Black Surround w/Chrome Knobs | 230-329 | 42.99 |
| Black Surround w/Black Knobs | 230-327 | 42.99 |
| Knob Set – Chrome | 230-331 | 20.99 |
| Knob Set – Black | 230-332 | 20.99 |
| USB/AUX Cable with Mount - Black | 230-356 ² | 32.99 |
| USB/AUX Cable with Mount - Chrome | 230-3572 | 32.99 |
| Hide-Away Amplified Antenna | 230-555 | 29.99 |
| | | |

¹Long Beach radios only.

²Long Beach and Hermosa radios only.











| FEATURES | LAGUNA | HERMOSA | LONG BEACH |
|---|---------------------|-------------------|-----------------------------------|
| Made for iPod charge & play operation | NO | NO | YES |
| Bluetooth w/handsfree mic input | NO | YES | YES |
| AM/FM tuner w/RDS & 30 Presets | YES | YES | YES |
| Tuner Country Compatibility | US/EU | US/EU | US/EU/JAPAN/AUS/LATIN AMERICA/RUS |
| Remote Control | NO | NO | TBA (VIA MOBILE APP, BLUETOOTH) |
| LCD Illumination Color | WHITE | WHITE/GREEN | 32,000 BACKLIGHT COLOR CHOICES |
| High-Resolution LCD display | YES | YES | YES |
| Built-in amplifier | YES, 50 X 4 RMS | YES, 25 X 4 RMS | YES, 25 X 4 RMS |
| Auxiliary Inputs | 2 (1 FRONT, 1 REAR) | 2, REAR | 2, REAR |
| USB Input for MP3/WMA Playback | NO | YES | YES (VIA USB/SD BOX) |
| External USB/SD card reader | NO | NO | YES |
| Pre-amp RCA outputs | YES, 2 PAIR | yes, 2 pair | YES, 2 PAIR |
| Subwoofer Output | NO | NO | YES W/XOVER & LEVEL CONTROL |
| DSP EQ | YES | YES | YES |
| Clock w/clock priority | YES | YES | YES |
| A2DP wireless streaming | NO | NO | YES |
| New rear knob/shaft functions | NO, FRONT ONLY | YES, FRONT & REAR | YES, FRONT & REAR |
| Available w/chrome radio face | YES | YES | YES |
| Available w/black radio face | NO | YES | YES |
| Compatible w/all RetroSound knob/bezel/plate kits | YES | YES | YES |
| Warranty | 1 Year | 1 Year | 2 Years |

RetroMod Speakers by RetroSound

When British sports cars encounter modern technology, sometimes there is a standoff. Technology doesn't always turn microscopic. Take car speakers for example: just try stuffing new ones into your little car. RetroMod speakers are different. They're more than able to meet today's high performance amplifiers and yet they are ultra thin. 1.77" mounting profiles fit virtually any installation application. The secret is neodymium magnets that are 5x more powerful than standard speaker magnets. Also, if you want to keep accessories to a minimum, Dual Voice Coil design (DVC) lets you connect 2-channels from your radio to one single speaker, providing full stereo sound.

Speaker, DVC N-Series, 6.5" 230-505 diameter, 3-way - each \$79.99 Speakers, SVC N-Series, 4.5"

230-535 94.99 diameter, 2-way - pair



Amplified Hide-Away Antenna by RetroSound

Don't compromise the beauty of your classic when adding an antenna for an upgraded stereo. The Hide-Away amplified antenna from RetroSound comes with a 105-inch antenna cable and power lead so it can be mounted in hidden places such as behind your dash or in your trunk. Installs to standard Motorola antenna plug and radio power lead. Small box is 4" x 1" x 1".

Amplified Hide-Away Antenna 230-555



\$29.99











Seat Kits

No matter what else you do to your car, one thing everyone notices is the condition of the seats. Put your seats in tip top condition with a "just as it came from the factory" vinyl kit, or upgrade your car's interior with one of our luxurious leather kits. All of the Sprite and Midget seat kits we sell are made of the very best materials and patterned exactly like the originals. All front seat kits include covers for both front seats. Don't forget pads and cushions - we stock a complete selection to properly fill out your new covers, and make your "new" seats as comfortable as can be.

Note: Headrest covers available separately.







Seat Towels

Don't toss any old towel over your seat to protect your upholstery! This Seat Towel is designed especially for your seats, and features the Union Jack flag in full color or black and white. Made from cotton terrycloth, this cover is easily removed and installed, and machine washable.

| Union Jack (A) Red/White/Blue | 216-590 | \$49.99 |
|--|---------|---------|
| Black (B) Checkered & Union Jack | 216-592 | \$49.99 |

Seat Slides, Foams, **Door Seals & Hardware**

You'll find a complete listing of all the interior components you need to restore your Sprite or Midget in the Replacement Parts section of this catalog.

| | Black w/White Piping | Black | Red w/White Piping | Navy w/Lt. Blue Piping | Navy w/Navy Piping | Navy | Blue w/White Piping | Blue w/Lt. Blue Piping | Autumn Leaf | Price |
|--------------------------------|-------------------------|----------------------|-----------------------|---------------------------|-----------------------|----------------------|------------------------|---------------------------|----------------------|----------|
| (A) Bugeye Sprite, 948 Sprite | MkII 1958-6 | 2 | | | | | | | | |
| Vinyl Seat Kit | 640-777 | 640-771 | 640-778 | 640-776 | 640-772 | - | 640-773 | 640-779 | - | \$429.99 |
| Leather Seat Kit | 640-781 ¹ | 640-783 | 640-782 | 640-784 | 640-786 | - | - | - | - | 699.99 |
| B) 948 Midget MkI 1961-62 | | | | | | | | | | |
| Vinyl Seat Kit | 640-700 | - | 640-702 | 640-703 | 640-704 | - | 640-705 | 640-706 | - | \$429.99 |
| Leather Seat Kit | 640-710 | - | 640-712 | 640-713 | 640-714 | - | - | - | - | 699.99 |
| (C) 1098 Sprite MkII & MkIII, | Midget Mkl | & MkII 196 | 3-64 | | | | | | | |
| Vinyl Seat Kit | 640-720 | 640-721 | 640-722 | 640-723 | 640-724 | - | 640-725 | 640-726 | - | \$429.99 |
| Leather Seat Kit | 640-740 | 640-741 | 640-742 | 640-743 | 640-744 | - | - | - | - | 699.99 |
| (D) 1098 Sprite MkIII & 1275 | MkIV, Midge | t MkII & MI | kIII 1965-68 | | | | | | | |
| Vinyl Seat Kit | 640-910 | 640-931 | 640-936 | 640-932 | 640-933 | - | 640-934 | 640-937 | - | \$379.99 |
| Leather Seat Kit | 640-965 | 640-964 | 640-966 | 640-963 | 640-962 | - | - | - | - | 599.99 |
| (E) 1275 Sprite MkIV, 1275 N | lidget MkIII 1 | 969 | | | | | | | | |
| Vinyl Seat Kit, fixed back | - | 640-945 ² | - | - | - | - | - | - | - | \$474.99 |
| Vinyl Seat Kit, reclining back | - | 640-950 ² | - | - | - | - | - | - | - | 499.99 |
| Leather Seat Kit, fixed back | - | 640-800 ² | - | - | - | - | - | - | - | 1,049.00 |
| (F) 1275 Sprite MkIV, 1275 N | idget MkIII & | Midget 15 | 00 1970-on | | | | | | | |
| Vinyl Seat Kit | - | 640-960 ² | - | - | - | 640-930 ² | - | - | 640-980 ² | \$489.99 |
| Leather Seat Kit, fixed back | - | 640-805 | - | - | - | - | - | - | 640-810 ² | 1,149.00 |



²Headrest covers not included.



















Midget Headrest Assemblies & Headrest Covers

Black

649-100

640-140

These faithfully crafted headrest assemblies and headrest covers offer a perfect solution to the often missing or weather-ruined headrest issue. Offered in both "Eared-type" or "Teardrop-type", you can select from a variety of factory colors. Sold individually.

640-150

0chre

Autumn Leaf Champagne

\$109.99

3ed

Nav

649-130

| 1370-70 Laieu-type Mon-renorateu neaurests | 043-140 | 043-130 | - | 043-170 | | 105.55 |
|--|---------|---------|---------|-------------|-----------|---------|
| 1977-80 "Teardrop-type" Non-perforated Headrests | 641-605 | 641-615 | - | 641-635 | - | 104.99 |
| | | | | | | |
| Headrest Covers | Black | Navv | Ochre | Autumn Leaf | Champagne | Price |
| nouurour cororo | | , | | | | |
| 1970-76 "Eared-type" Non-Perforated Headrests | 640-200 | 640-210 | 640-220 | 640-225 | - | \$51.99 |

¹Special order, allow 6-10 weeks for delivery.

1970-76 "Eared-type" Perforated Headrests

1070-76 "Egrad-type" Non-Porforated Headrecte

Bugeye Rear Deck & Trunk Liner Set

The Bugeye was originally supplied with a rubber mat type of material on the wheel arches, rear deck and vertical panel leading from the floor to the rear deck. In the trunk area was a hardura mat and with grey side panels.

Our trunk liner set includes the trunk floor in black Hardura and side panels made from fiber board that need to be painted in the original grey color. (Use this kit when you order the 1961-63 carpet set which will cover the rear deck area in carpet).

Our deck and trunk liner set includes the trunk liner set and all the pieces to cover the rear deck, wheel arches and vertical panel between the floor and rear deck in black Hardura. (Use this kit when ordering the Bugeye specific carpet set that only covers the floors in carpet).

Trunk Liner Set, Bugeye 242-500 \$109 99 Deck & Trunk Liner Set, Bugeye 242-501 199.99



\$279.99

279.99

279.99

279.99

\$299.99

299.99

299.99

\$289.99

289.99

242-531

242-532

242-533

242-578

242-5411

242-5421

242-543¹

242-551

242-552

| 967-74 (Sprite Mk IV, I | Vidget Mk III) | | |
|-------------------------|----------------|----------|--|
| lack | 242-560 | \$319.99 | |
| led | 242-570 | 319.99 | |
| utumn Leaf | 242-580 | 319.99 | |
| lavy | 242-555 | 319.99 | |
| | | | |

N: 1975-80 (Midget 1500) Black 242-571 \$319.99 Red 242-572 319.99 242-573 Autumn Leaf 319.99

¹Can be used on bugeye if you want rear deck and riser covered

For **Free Samples** of our carpet material, order sample card #878-915







Carpet Sets

1958-61 (Sprite Mkl) -

Covers floors & tunnel

1961-63 (Sprite Mk II, Midget I)

1964-66 (Sprite Mk III, Midget Mk II)

Black

Red

Navy

Black

Red

Navy

Black

Red

Honey Tan

INTERIOR **A10 ACCESSORIES**





Before LED Dash Bulb

Negative Ground

Positive Ground

Short Profile

Negative Ground - Short Profile

Positive Ground - Short Profile

Wedge Type - Positive or Negative

Wedge Type - Positive or Negative -

Oil Pressure/Water

Temperature Gauge

This genuine Smith's

combination gauge is a

instrument in your car. Sprite to MkIV, Midget MkI-1500

direct replacement for the

obsolete originals. Gauge has

black face with white lettering and needles, and a 82" capillary tube. Fits Sprite

through MkIV, Midget MkI through 1500. Lettering and the scales may differ from the

LED lighting in cars is becoming increasingly

your gauges very well, and are a replacement

000. A bit more expensive at the outset, but

LEDs burn cooler and last much longer than

dimmable. LEDs should not be used as turn signal indicators or for the red generator/ alternator light on the dash. Sold individually.

standard incandescent bulbs. LED light is not

170-972

170-971

170-975

170-973

170-976

170-977

9.99

9.99

9.99

3.99

3.99

popular, and your classic can benefit too.

Bright white LED dash bubs illuminate

for the standard incandescent bulb #171-

Velour Door Seals After

Originally fitted to early cars, this velour material door seal is a more luxurious option for later cars. Featuring a steel wire core that clamps securely and a correctly sized bulb to ease installation and improve sealing. Sold by the yard, 4-yards required. Black Furflex Seal 249-609 \$16.99



Festoon Style LED Interior Bulb

Our LED festoon style interior bulbs illuminate your interior with bright white light. LEDs are more efficient than standard incandescent bulbs, burning cooler and lasting longer. This bulb replaces the standard festoon style incandescent bulb (#170-010). It is directional, so it must be properly aligned in sockets. Positive and negative ground. Sold individually.

Festoon Style LED Interior Bulb 170-996 \$10.99



OEM Style Cigarette Lighter

To replace a defective original, or add an electrical outlet to earlier cars. This kit includes a complete illuminated lighter assembly as fitted to many British cars.

| Cigarette Lighter Kit | 142-270 | \$8.69 |
|-----------------------|---------|--------|
| Underdash Bracket | 142-271 | 10.79 |



361-761

\$209.99

Original keys are extremely rare. Keys are blank and must be cut locally. Order by the series number of your original locks.

| | | \$9.89 | \$5.49 | BL \$15.89 |
|------------------|----------|---------|---------|---------------|
| MRN Series | | 163-310 | 163-510 | - |
| FA Series | | 163-320 | 163-535 | - |
| FS Series | | 163-330 | 163-545 | - |
| FP Series | | 163-340 | 163-550 | - |
| AA Series | 2 | 163-370 | - | 163-375 |
| MG Series | 22 | - | - | 163-365 |
| RV Series | 42 | 163-380 | - | 163-355 |
| WS Series | \simeq | - | - | 163-345 |
| BL Series | | - | - | 163-335 |
| | | | | |

1968-80 Dash Pad Cover

Revitalize your old cracked dash top pad with this molded ABS cover. Comes complete with adhesive and instructions.

Dash Pad Cover 453-950 \$62.99 🚥



Glare Shield

The glare shield attaches to any vehicle visor in just seconds. It offers protection for either driver or passenger and doesn't obstruct the view of the road ahead. Solid visors obscure vision - this shield allows the user to view the whole picture! The glare shield conveniently fits on all vehicle visors, folds up and away on top of your visor when not in use and can easily be removed for cleaning. Designed for safety, it is lightweight, smooth-edged and shatterproof.

Glare Shield



Center Console & Armrest

Similar to vintage aftermarket consoles made by Amco some years ago. Black grained ABS thermoplastic base with leather covered armrest. A large storage compartment is located under the armrest pad and a cup holder is located in the forward portion.

Center Console & Armrest 453-805 \$139.99



Ribbed Aluminum Trim Plates

Sprite Logo Threshold Plates

Our threshold plates are easy to install. Add a custom touch while protecting your door sills from scuffs and scratches. Set of two.

Ribbed Aluminum Frame Cover Plates

Four piece set to cover the exposed frame sections in your interior.

| Logo Threshold Plates | 240-660 | \$66.99 |
|------------------------|---------|---------|
| For ¼ Elliptic Springs | 240-510 | 107.99 |
| For ½ Elliptic Springs | 240-550 | 99.99 |

Stalk Caps

Caps for the ends of your wiper and turn signal stalks finish off your interior. Sold in pairs.



1968-80 Stainless Steel 141-775

Steering Wheels by **Tourist Trophy**

Tourist Trophy offers a complete selection of wood and leather steering wheels for most British cars, and they are the best-looking wheels we have found. Your choice of finish, material, grain, width and feel. It's the perfect way to personalize your interior. Made to the highest standards using aluminum frames for lightweight strength Because the wood is unique to every piece, final stain color and grain patterns may vary. Requires adapter hub sold separately.

TOURIST

Solid Wood Rimmed Steering Wheels 14" 3-spoke Matte/Drilled 489-095 \$289 99

| 15" 3-spoke Matte/Drilled | 489-090 | 289.99 | | | | |
|---------------------------------------|---------|----------|--|--|--|--|
| Laminated Wood Rimmed Steering Wheels | | | | | | |
| 14" 3-spoke Matte/Drilled | 489-070 | \$289.99 | | | | |
| 15" 3-spoke Matte/Drilled | 489-060 | 289.99 | | | | |
| 14" 3-spoke Matte/Slotted | 489-085 | 289 99 | | | | |

| 15" 3-sp | oke Matte/Slotted | 489-080 |
|----------|-------------------|----------|
| Leather | Rimmed Steering | y Wheels |

| Leather Rimmed Steering \ | Nheels | |
|---------------------------|---------|----------|
| 14" 3-spoke Black/Drilled | 489-040 | \$229.99 |
| 14" 3-spoke Matte/Drilled | 489-030 | 229.99 |
| 15" 3-spoke Matte/Drilled | 489-020 | 229.99 |
| 15" 3-spoke Black/Slotted | 489-050 | 229.99 |
| Accessories | | |

Matte Ring Kit 489-077 \$7.99







INTERIOR



905-654

Billet Horn Push by Tourist Trophy

Engineered specifically for our Tourist Trophy and Moto-Lita Adapter Hubs and machined from aircraft-quality aluminum, you will enjoy the precision feel and crisp appearance of this Billet Aluminum Horn Push Assembly. Comes complete with a 46mm MG or Austin-Healey emblem.

905-653 MG Logo Austin-Healey Logo 905-654 89.99





289 99

Moto-Lita

NEW DISHED STYLE AVAILABLE





Shown mounted on wheel adapter hub: 905-468

Complete Wheel Adapter Kits

Includes hub, horn push and emblem.

| Midget Mkl 1961-63 | 905-348 | \$109.99 |
|--------------------------|---------|----------|
| Midget MkII, III 1964-67 | 454-366 | 109.99 |
| Midget MkIII 1968-69 | 905-468 | 179.99 |
| Midget MkIII 1970-77 | 905-482 | 89.99 |
| Midget 1500 1978-79 | 905-486 | 99.99 |
| Sprite Mkl, II 1958-63 | 905-346 | 109.99 |
| Sprite MkIII, IV 1964-67 | 454-368 | 109.99 |
| Sprite MkIV 1968-69 | 905-478 | 179.99 |
| Horn Push and Emblem 0 | nly | |
| With 46 mm Healey Emblem | 905-648 | \$29.99 |
| With 46 mm MG Emblem | 905-646 | 29.99 |

Coheekkins

Leather Steering Wheel Cover by Wheelskins

These premium-grade black leather covers are custom tailored to fit your

wheel. Simple installation results in a quality factory-fitted appearance. Made in the USA.

| Dia: 16 ½"-17"; Grip: 2 %" | 222-310 | \$69.99 |
|-----------------------------------|---------|---------|
| Dia: 16 ½"-17"; Grip: 2 ½" | 222-315 | 69.99 |
| Dia: 15"-16"; Grip: 2 ¾"-3 1/8" | 223-610 | 69.99 |
| Dia: 16 ½"-17 ½"; Grip: 2 ¾"-3 ½" | 223-620 | 69.99 |

Shift Knobs

You're not going to throw any random knob on your shifter. Yours will be a natural fit for you and your sports car. Our gearshift knob is just the right size and feel, and is made of elegant walnut wood or trimmed in black leather and topped with a medallion displaying the logo.

Wood Crested

| Midget | 234-010 | \$27.99 |
|-----------------|---------|---------|
| Sprite | 234-040 | 27.99 |
| Leather Crested | | |
| Midget | 234-015 | \$27.99 |
| Sprite | 234-045 | 27.99 |

Moto-Lita Steering Wheels

Moto-Lita steering wheels employ attractive bicolored wood laminations or black leather over aircraft aluminum frames. Requires additional adapter hub sold separately.

499-530

\$399.99

Wood Rimmed Wheels

13" 3-spoke Polished/Drilled - Flat


| 13" 3-spoke Polished/Drilled - Dished | 499-585 | 399.99 |
|---------------------------------------|---------|----------|
| • | | |
| 14" 3-spoke Polished/Drilled - Flat | 499-560 | 399.99 |
| 14" 3-spoke Polished/Drilled - Dished | 499-590 | 399.99 |
| 15" 3-spoke Polished/Drilled - Flat | 499-540 | 399.99 |
| 15" 3-spoke Polished/Drilled - Dished | 499-595 | 399.99 |
| 15" 3-spoke Polished/Teardrop - Flat | 499-580 | 399.99 |
| 15" 4-spoke Polished/Solid - Flat | 454-245 | 499.99 |
| Leather Rimmed Wheels | | |
| 13" 3-spoke Polished/Drilled - Flat | 905-145 | \$399.99 |
| 13" 3-spoke Polished/Drilled - Dished | 905-075 | 399.99 |
| 14" 3-spoke Polished/Drilled - Flat | 499-520 | 399.99 |
| 14" 3-spoke Polished/Drilled - Dished | 905-080 | 399.99 |
| 15" 3-spoke Polished/Drilled - Flat | 499-500 | 399.99 |
| 15" 3-spoke Polished/Drilled - Dished | 905-085 | 399.99 |
| Accessories | | |
| Polished Ring Kit | 905-635 | \$31.99 |







INTFRIOR **A12** FLOOR MATS



Amco-Style Rubber Floor Mat Sets

Protect your carpets from dirt, wear and fading. If mats get dirty, hose them down and return them to the car. Sold in pairs. Black.

| (A) Side Curtain Cars | 241-870 | \$37.99 |
|-----------------------|---------|---------|
| (B) Midget MkII-1500 | 241-860 | 37.99 |
| (C) Sprite MkII-IV | 241-880 | 37.99 |



Floor Mat Sets

Custom tailored for a perfect fit, these mats are made with an ultra-dense plush carpet and non-slip rubber backing. Features embroidered logos.

| Sprite | 240-471 | \$149.99 |
|----------------|---------|----------|
| Midget 1961-74 | 240-481 | 149.99 |

231-904 \$11.99 24"x21" 231-901 45.99 48"x21" 231-902 91.99 48"x42" 231-903 181.99

Ultra Plush Embroidered

| · · | | |
|----------------|---------|----------|
| prite | 240-471 | \$149.99 |
| lidget 1961-74 | 240-481 | 149.99 |

Reduce Heat & Noise with Hushmat

Custom Sound & Heat Insulation Kits by Hushmat

HushMat sound deadening & thermal insulation material leads the automotive industry in performance and ease of installation. Packaged specifically for your Sprite/Midget to provide 100% insulation coverage. No holes in the material - no puzzle pieces to put together - simply apply the HushMat Ultra material, as shown in the Installation Guides. Kits available for your Firewall, Doors, Floorpan, Trunk Floor or Complete Vehicle. Reduce road noise, exhaust noise and insulate your vehicle. Superior performance and adhesion is guaranteed.

| Complete Vehicle Kit | 409-250 | \$469.99 |
|----------------------|---------|----------|
| Trunk Kit | 409-270 | 229.99 |
| Floorpan Kit | 409-255 | 249.99 |
| Door Kit | 409-265 | 79.99 |
| Firewall Kit | 409-260 | 79.99 |



Complete Kit Trunk Kit Floor Pan Kit Door Kit Firewall Kit

HushMat Ultra & Ultra II Insulation Kits

Hushmat is easy-to-install butyl damping pads reduce road noise and vibration, creating a solid and quieter environment. It will also allow you to stay warmer in the winter and cooler in the summer by reducing thermal transfer by over 40% when compared to other products. The HushMat Ultra II Hoodliner Kit is made from the same material, only slightly thicker for increased insulation. It trims easily with a just standard razor knife or household scissors making installation a snap. Adhesion is guaranteed with it self-adhesive peel and stick. Manufactured only in the United States of America.

| HushMat Ultra Door Kit | | | |
|--------------------------------|---------|----------|--|
| 10 - 12" x 12" sheets | 409-009 | \$99.99 | |
| HushMat Ultra II Hoodliner Kit | | | |
| 6 - 12" x 23" sheets | 409-007 | \$129.99 | |
| HushMat Ultra Interior Kit | | | |
| 8 - 12" x 23" sheets | 409-013 | \$149.99 | |



Heatshield Material

minimal clearance areas.

Floor & Tunnel Shield by DEI

Designed to provide the best

possible heat protection in areas where high temperatures are always present and problematic, Floor & Tunnel Shield II limits

heat transfer on fire walls, transmission tunnels, floor boards, fuel cells and other

areas where heat is an issue. It provides

provides sound deadening as well.

Constructed with an embossed 10 mil aluminum face bonded to 1/8" composite glass-fiber core and backed with a high temp super strong pressure sensitive backing, it withstands up to 1750°F of direct continuous

excellent light weight thermal protection, acts

as a guard against track and road debris, and

heat. The adhesive side holds past 450°F. Its improved multifaceted modern aluminum surface offers improved reflectivity and

rigidity and allows for ease of installation. At

only 3/16" thick, this product can be shaped

and trimmed for a custom fit and is ideal for

This foil-covered insulation reduces unwanted heat, cold and sound inside the vehicle when installed under carpets, over the transmission tunnel and against the firewall. The closed-cell insulating material has a layer of foil on both sides, and will not absorb moisture like its jute or cotton counterparts. Lightweight and easily managed, it is sold in 4' x 6' sheets which can be cut to fit with scissors or a sharp knife.

| Heat Shield Material | 409-016 | \$39.99 🚥 |
|-----------------------------------|---------|-----------|
| Heat Shield Adhesive - 12 fl. oz. | 409-037 | 19.99 |

Sound & Heat Control Insulation

Install on doors, floors and firewall. This insulation consists of an 80 mil. thick butyl rubber core covered by a 2.4 mil. aluminum coating. It deadens body panel vibrations and reduces heat transfer. The kit consists of nine 29" x 20" sheets (36 sq. ft.).

409-027 Insulation \$159 99





Footwell Light Kit

Illuminating the footwell area of your car for entering and exiting makes the transition much safer. Can be wired to any 12V source. Kit includes two lights, wiring and instructions.

Footwell Light Kit 903-651 \$34.99



Vintage Competition Belt

Quick release buckle with mounting hardware included. Sold individually.

Vintage Comp. Belt 222-211 \$134.99



Seatbelt Shoulder Pads

Comfort, with a dash of color.

Pad with Red MG Logo, pair 231-300 \$27.99 Pad with White MG Logo, pair 231-301 27.99

Seat Heater

A little warmth in the right place can really make driving more comfortable. This therapeutic seat heater has dual

zones and two settings to keep your bottom and lower back toasty. Designed to be installed under existing upholstery or seat covers, this kit is suitable for alternator equipped cars. Sold as a set for one seat.

Seat Heater Kit 903-251





Beams seatbelts are made in the USA and exceed federal safety standards. Fire departments and amusement parks trust them, and we at Moss would not offer our customers anything less.



to correctly and safely mount new retractable 3-point seatbelts into the 1973-80 MG Midget. This is not a generic kit, or replacement belt, but a properly engineered kit with correct mounting hardware for the car.

1973-80 Midget 222-030 Emblem, MG - Each 905-696



Standard Seatbelt

Sold individually with alloy steel mounting hardware.

Standard Seatbelt 222-215



3-point Inertia Reel Seatbelt

Strapping on a seatbelt should be simple, but replacement inertia reel belts for pre-1976 Sprites and Midgets had short receivers. If the seat was moved forward, buckling was a struggle. Our new belt—officially wife approved—has a correct-sized receiver for all drivers. Belts are sold individually and include mounting hardware.

Black 3-point seatbelt 222-216 \$149.99

Vintage Style Seatbelt

Black webbing with solid steel, chromeplated aircraft style buckles. The substantial webbing length can be trimmed for safe operation. Mounting hardware included. Sold individually.

| 2-Point Belt, Short | | |
|----------------------------------|---------|---------|
| (38" adj. side, 20" tongue side) | 222-234 | \$28.99 |
| 3-Point Belt, Short | | |
| (93" shoulder, 12" lap) | 222-204 | \$46.99 |
| 2-Point Belt, Long | | |
| (38" adj. side, 30" tongue side) | 222-235 | \$29.99 |
| 3-Point Belt, Long | | |
| (93" shoulder, 20" lap) | 222-205 | \$46.99 |
| Emblem, Austin Healey - Each | 905-686 | 19.99 |
| Emblem, MG - Each | 905-696 | 19.99 |



Inertia Reel Seatbelt

Angle-sensitive belts are fussy, grabbing even if you're just parked on a hill. Inertia Reel Seatbelts grab when pulled rapidly—as they should. We have quality American-made inertia reel seatbelts, suitable for Sprites or Midgets. Black with a stalk mounted receiver similar to that originally fitted in 1973 and later cars, and will not fit earlier cars. Includes mounting hardware. Sold individually.

Black Seatbelt 222-025 \$99.99

Inflatable Lumbar Support

This manually operated adjustable pneumatic lumbar support fits easily under the seat back upholstery of most cars. Once it's in place, simply pump it up.

Lumbar Support















| F | eatures | STORMPROOF | SILVERGUARD PLUS | MOSOM PLUS | TRIGUARD |
|------------|-----------------|------------|---------------------|------------|----------|
| WAT RES | TER SISTANCE | **** | *** | **** | ** |
| BRE | ATHABILITY | **** | ** | *** | **** |
| CON | MPACTNESS | **** | **** | ** | *** |
| UV F | RESISTANCE | **** | **** | *** | ** |
| HAZ | ARDS | **** | **** | *** | ** |
| S0F | TNESS | **** | *** | **** | **** |



The culmination of over a decade of material engineering, it has only recently been possible to manufacture the microscopic yarns which go into this advanced micro-fiber cover material. Only one textile mill in the world was able to meet the specification - the results are truly a triumph for car cover users! Stormproof is uncoated and untreated, this means that even after months or years of use, it will retain the same properties as the day you purchased it! Stormproof has tested to be the most waterresistant and (because there are no coatings) the most breathable car cover material you can buy. You can't go wrong with Stormproof.

Sprite/Midget (not 1500) 237-465 Midget 1500 237-475 259.99



Mosom Plus

Mosom Plus is a four-layer material. The outer two layers are Spunbond Polypropylene, the middle layer is a special micro-porous film and the inside layer is super soft fabric. The middle layer is an excellent rain barrier, but still allows vapors to pass through. The special cotton flock inner layer pampers the most delicate paint finish. It is a great choice for all-around car cover use, suggested for most conditions except extreme sun, snow or ice. Mosom Plus is a non-woven material, so in the unlikely event a rip occurs in the material, it will not run.

Sprite/Midget (not 1500) 237-460 \$94.99 Midget 1500 237-470 109.99




| Grommet | 237-495 | \$0.69 |
|-------------|---------|--------|
| Cable Lock | 643-855 | 7.99 |
| Stowage Bag | 643-850 | 7.99 |



Silverguard Plus

Silverguard Plus is a 300 Denier polyester material with a reflective, water-resistant coating on the outer layer and a soft, nonabrasive layer on the inside. It is a great choice for areas that get harsh sunlight. It is not suggested for extreme rain, snow or ice. 300 Denier is a strong, heavy weave, which will not rip or tear easily. The silver coating on Silverguard Plus does an excellent job of reflecting sunlight, therefore protecting your top, rubber seals and interior from premature wear. The special soft inner layer pampers the most delicate paint finish.

Sprite/Midget (not 1500) 237-461 \$149.99 Midget 1500 237-471 149.99



Cost-effective, universal-fit car covers can be used both indoors and outdoors to protect against dust and debris.

Triguard Car Cover 236-446 \$59.99



Interior Cover

You don't have to raise the top or use your car cover. Slip on an interior cover and protect your interior from sun damage and heat build up. Saves your interior from cracking and fading.

\$66.99 Sprite/Midget 1969-78 237-815

Lamin-X Soft Top Window Repair Strip

If you have a cut or crack in the plastic window of your convertible top, then we have a perfect repair solution to keep it from getting worse. This 2" x 24" strip of 19 mil clear has 3.5 mils of adhesive that bonds to the clear plastic perfectly. It creates a strong, waterproof seal and is transparent enough that you won't notice it at a distance. Instructions are included.

Lamin-X Soft Top Window Repair Strip - 2" x 24" 910-475 \$12.99



Car Capsule

Keep your car dust free, clean, dry, and protected from rodents, insects, scratches and other dangers. Park the vehicle on the laminated rubber base mat (which is impervious to gas and oil), zip the clear 8 mil. PVC double-sewn cover over the car, and plug in the fan which provides continuous airflow to prevent corrosion, mildew, and musty odors. Short or long term storage. Car Capsule operates for under \$1.50 per month. Two year material and craftsmanship guarantee. Fan motor is rated for five years of continuous running.

| 14' Indoor Car Capsule | 238-600 | \$499.99 |
|------------------------|---------|----------|
| 16' Indoor Car Capsule | 238-610 | 519.99 |
| 18' Outdoor Capsule | 238-615 | 949.99 |



Aimed at professional installers, this tool would make a fine car club tool box addition. Punches center hole and prong holes for installation of Lift-the-Dot fasteners to make installation of tops and tonneau covers a cinch.

Hand Punch 226-105











\$5.79

Snap Installation Tool Install button snaps without damage.

Snap Tool

Tops

Includes all necessary snaps and fasteners. Header rail and rear anchor bar are not included.

| idow Windo | | | | | | | | | | | | |
|----------------------------|---|-------|----------------------|------------|----------------------|----------|---------|----------|----------|----------|----------------------|----------|
| ROBBINS* AUTO TOP, LLC | | 둉 | Stayfast Cloth | | | Vinyl | | | | | | |
| | | Zippe | Black | Price | Tan | Price | Black | Price | Tan | Price | White | Price |
| Bugeye w/shield studs | V | | 242-181 ¹ | \$723.99 🥮 | 242-182 ¹ | \$723.99 | 242-180 | \$349.99 | 242-183¹ | \$349.99 | 242-184 ¹ | \$349.99 |
| Bugeye w/shield rod | V | | 242-186 ¹ | 723.99 🥮 | 242-187¹ | 723.99 🥮 | 242-185 | 349.99 | 242-188¹ | 349.99 | 242-189¹ | 349.99 |
| 1962 on w/Side Curtains | V | | 242-191 ¹ | 699.99 | 242-192 ¹ | 659.99 | 242-190 | 359.99 | 242-193¹ | 359.99 | 242-194 ¹ | 359.99 |
| 1964-66 (winding window) | V | | 242-196¹ | 699.99 | 242-197¹ | 699.99 | 242-195 | 359.99 | 242-198¹ | 359.99 | 242-199 ¹ | 359.99 |
| 1967-69 (8 studs) | V | | 242-176¹ | 699.99 | 242-177¹ | 699.99 | 242-175 | 356.99 | 242-178¹ | 356.99 | 242-179¹ | 356.99 |
| 1969-80 (6 studs & velcro) | V | | 242-201 | 699.99 | 242-2021 | 699.99 | 242-200 | 359.99 | 242-203¹ | 359.99 | 242-204 ¹ | 359.99 |
| 1969-80 (6 studs & velcro) | | 1 | 242-375 | 799.99 🚃 | 242-376¹ | 799.99 💴 | 242-370 | 456.99 | 242-3721 | 456.99 | 242-371 ¹ | 456.99 |

¹Special order, allow 6-10 weeks for delivery.

| OEM Type Top w/Header Rail - | Vinyl | | | |
|------------------------------|-------------|----------|--|--|
| Made In England | Black Vinyl | Price | | |
| 1969-80 w/Header Rail | 242-205 | \$799.99 | | |





Side Curtains

Fit your Sprite or Midget with a set of our factory style side curtains, complete with sealing strips, brackets and screws. Just like the original, these side curtains look great while keeping out the wind, the cold and the rain.

| Side Curtain Set, Alloy Frame | 259-678 | \$559.99 |
|-------------------------------|---------|----------|
| Bracket Set with nuts & bolts | 259-675 | 34.99 |
| Outer Seal, L/H | 282-455 | 18.89 |
| Outer Seal, R/H | 282-465 | 18.89 |
| Screws, side curtain mounting | 401-690 | 5.79 |



Tonneau Covers

Tonneau covers are the time tested method of protecting your car's interior. Includes all necessary snaps and fasteners. Stayfast is an acrylic canvas which is flexible over a wide temperature range, yet is waterproof, and resistant to sagging, billowing, shrinking and fading.

| | Stayfast | Cloth | Vinyl | | | |
|----------------------------|----------------------|----------|----------------------|----------|---------|----------|
| ROBBINS* AUTO TOP, LLC | Black | Price | Tan | Price | Black | Price |
| Bugeye | 241-271 ¹ | \$686.99 | 241-272 ¹ | \$687.99 | 241-270 | \$299.99 |
| 1961-64 with Side Curtains | 241-281 ¹ | 646.99 | 241-282 ¹ | 646.99 | 241-280 | 329.99 |
| 1964-66 (winding window) | 241-286f | 709.99 | 241-287f | 709.99 | 241-285 | 365.99 |
| 1967-80 without headrests | 241-291 ¹ | 699.99 | 241-292 ¹ | 699.99 | 241-290 | 356.99 |
| 1967-80 with headrests | 241-301 ¹ | 709.99 🥮 | 241-302 ¹ | 709.99 🥮 | 241-300 | 365.99 |

¹Special order, allow 6-10 weeks for delivery.











Brooklands Racing Screen

Reproduction of the traditional Brooklands racing screen. Screen includes a polished aluminum frame, safety glass and chrome plated brass mounting hardware.

Brooklands Screen

224-100







Baby Turbo Mirror

High-quality new production of this popular mirror from the 80s. The design still looks fresh and gives an updated look. Reversible mount for LH or RH use.

Baby Turbo Mirror 165-350 \$129.99





Lucas Style Reproduction Mirrors

| Flat Fender Mount | 223-310 | \$24.79 |
|-------------------|---------|---------|
| R/H Flat Lens | 165-400 | 19.49 |
| L/H Flat Lens | 165-500 | 19.49 |
| R/H Convex Lens | 165-210 | 22.99 |
| I /H Convey Lone | 165-300 | 22 99 |



Raydyot **Racing Mirrors**

Raydyot mirrors were often bolted to racing and performance cars in the 1950s and 1960s. Their brushed aluminum design was extremely lightweight and strong. Less weight will forever be the aim of speed seekers. The mirror's low mass led to another important advantage, too: they were stable and vibration-free. Moss has captured not only the distinctive look and character of the original Raydyot mirror, our aluminum reproductions also share the performance advantage of being light and strong. You may select mirrors with either the traditional flat lenses, or wide angle convex.

Raydyot Mirrors - Flat 222-355 \$49.99 Raydyot Mirror - Convex 222-356 49.99



Leather Bonnet Straps

and are a cinch to install.

Tan Leather, Pair

Tan Leather Fach

Black Leather, Pair

Black Leather, Each

Bonnet Straps began life as a safety measure for racers. Daily drivers loved the look and added them to their sports cars. Our authentic reproductions are sold individually or in pairs

222-728

222-729

222-602

222-601

\$56.99

35 99


56.99

35.99

This popular option can be clamped to a quarter light, windshield frame or roof lip to give better visibility.

Quarter Light Mirror 165-175 \$42.99







222-390

Bullet Mirrors

The combination mirror has two base options. Short base is 21/4" with bolt holes 1" apart. Long base is 47/8" with bolt holes 31/2" apart. The oversize lens mirror has a base 3" long, bolt holes 1" apart.

Combination Mirror 222-372 \$59.99 Oversize Lens 222-390 59.99



BODY RUBBER KITS, ATENNAS & ACCESSORIES



Thwart possible gas thieves and look great in the process! Add some security to your Midget while infusing style with this beautifully chromed gas cap adorned with the MG logo. This modern day gas cap uses the best materials to ensure it lasts longer than you do! The outside base is chromed stainless steel while the swiveling MG emblem is cast from Zinc-Aluminum for superb chrome adhesion and shine. This cap has been tested in a mixture of 75% gasoline and 25% methanol to ensure compatibility with all fuels. Supplied with 2 keys.

Midget 1970 On 202-780 \$129.99

Locking Gas Cap

by Tourist Trophy

Chrome locking fuel filler cap. Includes two keys. Fits thru 1969.

Locking Gas Cap 202-760 \$37.99

Aston Gas Cap

Features include quick release and easy installation. This chrome Aston gas cap is theft proof. Fits thru 1969.


1962-69 - Chrome 117-462 \$154.99



Three Piece Master Lock Set

Replaces both doors and trunk lock assembly with matching key.

Three Piece Master Lock Set 470-458 \$99.99



It's no longer a chore to track down all the rubber bits and pieces commonly replaced during a repaint or moderate restoration. Start with the base kit, which contains the pieces common to all Sprite/Midgets, then add the supplemental kit specific to your year. That's all there is to it. See tables for specific content.

| Base Kit - Roll-Up Window Cars | 282-835 | \$79.99 |
|--|---------|---------|
| Base Kit - Side-Curtain Cars (Except Bugeye) | 282-834 | 36.99 |
| Supplement Kit - 1961-69 | 282-836 | 19.99 |
| Supplement Kit - 1970-74 | 282-837 | 46.99 |
| Supplement Kit - 1975-80 | 282-838 | 39.99 |

| Body Rubber Kit Contents | | | | |
|--|---|--|--|--|
| Base Kit - Side Curtain (Except Bugeye) | A, B, C (x2), I, J, K, M, N | | | |
| Base Kit - Roll-up Windows | A, B, C (x3), D, E, F, G, H, I, J, K, L, M, N | | | |
| 1961-69 Supplemental Kit | 0, P, Q, S | | | |
| 1970-74 Supplemental Kit | 0, P, Q, R, S | | | |
| 1975-80 Supplemental Kit | I, O, P, R | | | |



Radio Antennas

386-960

Electric Retractable Antenna: Our electric antenna kit wires into your radio for fully automatic operation. Requires 13½" depth to mount.


386-971

900-716

Flush-Fit Antenna: This collapsible antenna locks when down. Requires 11½" depth to mount.

14" Rubber Antenna: Black. Includes 54" lead cable.

| Electric Antenna | 386-960 | \$109.99 |
|-------------------|---------|----------|
| Flush-Fit Antenna | 386-971 | 15.99 |
| Dubbor Antonno | 000.716 | 1470 |





Raked Shorty Antenna

Small and powerful-that's the right combination. At a mere 7 inches tall and with a swept back look, our amplified antenna is a major design improvement over an unsightly standard mast or a noisy old power antenna. Comes with a 195" detachable cable, and the mast easily unscrews if you have a car cover without a hole.

7" Amplified 906-185 \$32.99











EXTERIOR

RACKS & ACCESSORIES







License Plate Frames

High-quality license plate frames to show off your car's heritage.

| Union Jack, Black | 222-735 | \$44.99 |
|---------------------------|----------------------|---------|
| Union Jack, Stainless | 222-725 | 46.99 |
| MG Safety Fast, Stainless | 222-776 | 46.99 |
| Sprite, Stainless | 222-880 ¹ | 46.99 |
| Midget, Black | 222-850 ¹ | 44.99 |
| Morris Garage, Stainless | 222-830 | 46.99 |
| Midget, Stainless | 222-875 ¹ | 46.99 |
| Checkerboard, Black | 222-737 | 39.99 |
| | | |

 $^{^1\}mathrm{Standard}$ mounting hardware included.



229-730

License Plates

229-735

Display your loyalty with one of our regulation size license plates. Embossed aluminum plates with crisp screen printing.

| Union Jack | 229-730 | \$9.99 |
|------------|---------|--------|
| MG Octagon | 229-735 | 9.99 |



Bugeye Luggage Rack

Factory style rear luggage rack. Features strap mounting tabs. Measures 30½" x 16".

Bugeye Luggage Rack 244-720 \$409.99



Sprite/Midget Luggage Rack

This stainless steel beauty measures 34½" x 15". Fits all except Bugeye.

Luggage Rack 244-730

MOSS Pressed English License Plates

Regulation British plates are identical to those used in England in the 40s, 50s and early 60s. Semi-sheared raised letters. Up to seven letters and numbers of your choice.

English Plates 307-073 \$89.99



Stainless License Plate Support

Add a touch of sparkle to your ride. Polished stainless steel resists corrosion and brightens up later rubber bumper Midgets.

License Plate Support 49

451-296 \$43.99



License Plate Mount Badge Holder

Have a license plate on your car? Want to run a badge or two? This badge holder is designed to mount to the upper or lower license plate mounting screws, and accepts both standard back mount and magnetic badges!

Badge Holder - License Plate Mount 244-105 \$28.99



Twin Air Horns

\$349.99

Our twin tuned air horn set includes two tuned air horns, heavy duty die cast compressor, air hose, mounting hardware and installation instructions.

Horns 545-080 \$54.99



Lucas Style Windtone Horns

A Moss exclusive - our reproduction of the original Lucas Windtone horns is the best available. As originally fitted to many early MGs, Triumphs and Jaguars. Set of two horns includes high and low note. Requires bracket #405-800 for an easy installation. Set of two.

Windtone Horns 165-708 \$99.9

Decal & Plate Kit

Sprite MkI (pictured)

Includes chassis, valve cover and heater plates. Screen washer reservoir, coil, air filter and wiring harness decals.

Midget 1961-66

Includes chassis and heater plates. Screen washer reservoir, valve cover, trip odometer, and air filter decals.

Midget 1967-69

Includes chassis and heater plates. Screen washer reservoir, valve cover, trip odometer, convertible top, radiator and air filter decals.


| Sprite Mkl | 410-110 | \$33.99 |
|----------------|---------|---------|
| Midget 1961-66 | 410-190 | 24.99 |
| Midget 1967-69 | 410-195 | 24.99 |
























Grille Badges

Solid baked enamel finish on a polished stainless steel back.

| (1) Great Britain | 408-506 | \$23.99 |
|----------------------------------|---------|---------|
| (2) England | 408-507 | 23.99 |
| (3) U.S.A. | 408-527 | 23.99 |
| (4) RAC | 408-547 | 23.99 |
| (5) U. S. Coat of Arms | 408-529 | 23.99 |
| (6) MG | 408-487 | 23.99 |
| (7) Austin-Healey | 408-457 | 23.99 |
| (8) Abingdon-On-Thames | 408-186 | 34.99 |
| Badge Bar Mounting Backing Plate | 408-577 | 8.99 |
| Badge Mounting Kit - 1" Bar | 408-001 | 6.99 |
| Badge Mounting Kit - 3/4" Bar | 408-002 | 7.99 |
| | | |



Badge Bars & Mounting Hardware

Dress up the front of your car. Badge bars do not fit Bugeye or Midget 1500.

| Sprite/Midget | 451-085 | \$84.99 |
|----------------------------------|---------|---------|
| Sprite/Midget w/fog lamp mounts | 451-075 | 154.99 |
| Badge Bar Mounting Backing Plate | 408-577 | 8.99 |
| Badge Mounting Kit - 3/4" Bar | 408-002 | 7.99 |
| Badge Mounting Kit - 1" Bar | 408-001 | 6.99 |





470-686

470-687

British Leyland Badges

We took original samples and matched both the color and the design to get accurate reproductions of the two most popular versions of these emblems. Both feature selfadhesive backing for easy installation on the original fender location. In 1972 the cast version was introduced and was typically seen on the left hand fender of LHD cars.

| Silkscreened, 1970-71 | 470-687 | \$5.89 |
|-----------------------|---------|--------|
| Cast. 1972 on | 470-686 | 9.99 |







408-001 408-002

Badge Bar Badges

| (1) Cloisonné RAC | 408-517 | \$54.99 |
|-------------------------------|---------|---------|
| (2) RAC Badge | 408-695 | 79.99 |
| (3) St. Christopher | 408-435 | 106.99 |
| (4) Brooklands | 408-175 | 66.99 |
| Badge Mounting Kit - 3/4" Bar | 408-002 | 7.99 |
| Badge Mounting Kit - 1" Bar | 408-001 | 6.99 |
| | | |





Twin Trumpet Horn Kit by Hella

The Twin Trumpet Horn Kit by Hella produces a full harmonious and wide sound radiation. They are noticeably louder than stock horns and have been manufactured to the highest standard. This kit includes both a high and low note horn, relay, mounting brackets and instructions.

Twin Trumpet Horn Kit 545-095 \$28.99

Super Tone Horn Kit by Hella

Compact and powerfully loud, a proper horn is more than an accessory, it's a safety measure all British cars should have. Our high quality horn upgrades are simple to install, sound great and definitely turn heads with their volume.

Super Tone Horn Kit 545-090

Compact Air Horn Kit

Very compact yet very loud! Tired of modern (huge) traffic

not noticing your classic (small) sportscar on the highway? This kit fits in a space 5½"x 4½"x 4" (LxWxD) and produces deep tones of 115 db at 6 feet. A perfect solution for your compact classic. Kit comes with a relay, mounting bolt and nut and instructions.

Compact Air Horn Kit \$62.99











A20

Chrome Reverse Lamp Rims

The original reverse lamp lenses have never been a thing of beauty, now that can be changed. These chrome plated brass rims fit over the original lens to brighten the rear of the car. Available individually or as a set of two with new lenses, and installation screws.

Chrome Rim 164-862 \$19.89 Chrome Rim & Lens, Complete Car Set 164-868 49.99



3rd Brake Light Kit

Center-mounted 3rd brake lights reduce accidents, so much so that they have been required on all passenger autos built since 1984. Our old cars, with two dim, low mounted brake lights, aren't exactly easy to see. With a little creative wiring, you can mount one of our brilliant accessory 3rd brake light kits and improve the safety of your British classic. The base can be removed for flush mounting.

Chrome Brake Light Kit 116-115 \$89.99



Before

LED Tail Light Kit

By owning older cars, we make compromises with modern safety in several ways, often with no apparent regret. One risk, however, no one would compromise on: getting hit from behind because our brake lights weren't visible enough. LEDs are a modern technology we can all get behind. Other than the need to drill a couple small holes, there are no drawbacks. And the immediate, intense light LEDs produce transform your brake lights and turn

signals from wispy candles to high-powered beams. For negative ground vehicles only.

Bugeye Sprite 143-810 \$99 99



Rear Fog and Reverse Lamps

These matched lamps have polished stainless steel cases, glass lenses and 20W H3 type halogen light bulbs. 41/2" wide, 21/4" high. 5/16" mounting hole required. Suitable for mounting below the rear bumper. Check your local regulations to make sure they are legal for street use. Sold individually.

| Reverse Lamp, Clear | 162-842 | \$49.99 |
|---------------------|---------|---------|
| Rear Fog Lamp, Red | 162-843 | 49.99 |

Headlamp **Stone Guards**

Heavy duty chrome-plated wire mesh stone guards protect your headlights. May not be street legal. Includes hardware not shown.

Stone Guards



LED Exterior Lighting

We've had our eyes on these for a while now. We couldn't help it, they're so bright! Our LEDs have the advantage of a wide-angle light distribution design. And, best of all, you can install these yourself. These bulbs fit factory sockets, but require that your car be negative ground. After much searching and testing of different products, we can now say that Moss offers an LED lighting solution that measures up to our requirements.

Our LEDs come in three colors

White, red and amber—to match the color of the lens application. Trust us, you don't want a white light behind a red lens. Pink is not the universal color for "stop," last we checked.

Upgraded Electronic Flasher

If you are upgrading any of your turn signals you will need to upgrade to an electronic flasher. The LED bulbs draw so little current that they won't trigger a mechanical flasher to blink.

Do I need ballasts with my LED turn signals?

This is not an issue in all Classic British cars. Because of the LEDs low current draw, the tiny amount of current circulating from one side of the car to the other will be enough to let the LEDs on the second side of the car come to life. Blinking turns to hazard lighting and that's not what you want. The fix is simple. The power flowing through the blinker indicator lamp is looking for a ground. We give it one. A ballast resistor is a simple electronic device designed to give the indicator the ground it's looking for without leaving any extra for the opposite LEDs to feed on. You will need one for each side of the car. The application data in our catalog and on our website will tell you if your car needs a pair of ballasts.

| Industry # | 57 | 89 | 1157 | 1156 |
|-----------------|------------------|---------|---------|---------|
| Replaces Moss # | 170-100, 170-250 | 170-300 | 170-700 | 170-800 |
| White | 170-906 | 170-920 | 170-931 | 170-946 |
| Amber | 170-911 | 170-921 | 170-936 | 170-951 |
| Red | 170-916 | 170-925 | 170-941 | 170-956 |
| Price | \$18.99 | \$15.99 | \$24.99 | \$25.99 |

Electronic Flashers 2-Prong 141-667 \$20.99 3-Prong 141-668 22.99 **Ballast Resistor** Spridget 1972-on 170-965 \$15.99





After



170-906 170-920



Hella 500 Light Kits

Light up the road with these Hella 500 Light Kits. The Driving Light kit emits a focused beam for long-range illumination, while the Fog Light kit projects a wide, low, illumination perfect for foggy or dusty conditions. Kits include: 2 halogen lamps, two H3 12V/55W bulbs, 2 protective stone shields, plug-n-play harness, 1 switch, 1 12V relay, and instructions. Lamp dimensions: 6.8"h x 6.4"w x 2.6"d.

Driving Lights 162-780 \$114.99 Fog Lights 162-785 119.99



Crystal Clear Headlamp

For a modern look, we offer Crystal Clear headlights with halogen H4 bulbs. These are DOT and SAE approved and deliver a strong focused light. The cast aluminum housing is corrosion-resistant and the lens is vented to prevent fogging. Sold individually.

Crystal Clear Headlamp, each 156-875 \$39.99 Replacement H4 Bulb 902-998 5.99



P700 Tripod Headlamp Set

The P700 was a step up from the standard headlamp and featured an internal tripod reflector with round center cap; our reproductions capture the look and vintage design of these lamps at a much lower price. These lamps are an entry-level alternative to our 156-898 PL700.

P700 Tripod Set 156-878 \$139.99 Replacement Bulb, each 170-600 8.99

Lucas

Lucas 7" Halogen Headlamp

Made by Lucas, these highquality headlamps come with replaceable H4 bulbs. Fits all regular 7" headlamp applications.

Lucas Headlamp, each Replacement H4 Bulb



162-726 \$46.99 902-998 5.99

Hella Halogen Headlamp

Accurate optics and reflector put the light where it is needed. Safe for all vehicles originally equipped with 7" sealed beam headlamps. Sold individually.

Hella Halogen Headlamp, each Replacement H4 Bulb



902-969 \$74.99 902-998 5.99



Headlamp Relay Kit

Any British classic can benefit from adding headlamp relays. Your headlights will be significantly brighter, and the useful life of the lighting switch will be extended considerably with this easy-to-install kit. Relays are especially beneficial (and strongly recommended) if you have fitted halogen headlamps.

Headlamp Relay Kit 117-515 \$38.99



Lamin-X Headlamp Shield

No matter where you lie on the spectrum of LBC upkeep, we offer the security of Lamin-X, a thin, invisible layer that protects headlamps from stone chips and scratches, and keeps your lights looking new for years to come. Installation takes 10 minutes. Fits all 7" round headlamps. Sold in pairs.

Headlamp Shield, pair 162-695 \$24.99





Fog and Driving Lamps

Quality reproductions of the classic 5½" Lucas 500 series SLR and SFT lamps as originally fitted to many cars of the 50s and 60s. Lamps are sold individually.

| Driving Lamps | 400 700 | 01.40.00 |
|-------------------------------|---------|----------|
| Stem Mount | 162-700 | \$149.99 |
| Back Mount | 162-760 | 149.99 |
| Fog Lamps | | |
| Stem Mount | 162-800 | \$149.99 |
| Back Mount | 162-770 | 149.99 |
| Lamp Covers | | |
| 6" dia. fits above 500 series | 162-705 | \$89.99 |
| 7" dia. fits Lucas 700 series | 162-865 | 84.99 |
| Replacement Bulbs | | |
| Driving Lamp Bulb | 170-500 | \$5.89 |
| Fog Lamp Bulb | 170-510 | 4.19 |

PL700 Tripod Headlamp Set

The PL700 was fitted to many high-end sports cars.
The unique lens design and prominent PL badge give a distinct look that is part of the historical heritage of our cars. These lamps are reputed to have been made on original tooling, but the quality of the lens silvering and detailing is not as crisp as original samples we have of the PL lamp.

| PL700 Tripod Set | 156-898 | \$179.99 |
|----------------------------|---------|----------|
| Replacement Bulb, each | 170-450 | 3.49 |
| Bulb, quartz halogen, each | 170-675 | 6.79 |



Driving Lamp Clamp

These clamps can be used to mount 500 and 700 series fog or driving lamps to ¾" badge bars. Plus they can be used for mounting antennas or other accessories.

Chrome Lamp Clamp 408-579 \$19.99

1962-74 Alloy Headlamp Rim

For the weight conscious, or just to be different, we now offer lightweight alloy headlamp rims. Sold individually.

Alloy Headlamp Rim 560-211 \$41.99









Knockoffs

Choose the original 2-eared style, or the more exotic 3-eared style. Earlier cars have fine 12 threads per inch, later cars use a coarser 8 threads per inch. Our MG crested knockoffs were original equipment on MGT and MGA, but would look great on your Midget.

MG Crested 2-Eared Knockoffs

| Fine Thread 12 t.p.i Left Hand | 200-220 | \$47.99 |
|----------------------------------|---------|---------|
| Fine Thread 12 t.p.i Right Hand | 200-210 | 47.99 |
| Coarse Thread 8 t.p.i Left Hand | 200-225 | 47.99 |
| Coarse Thread 8 t.p.i Right Hand | 200-215 | 47.99 |



Standard 2-Eared Knockoffs

| Fine Thread 12 t.p.i Left Hand | 200-280 | \$47.99 |
|----------------------------------|---------|---------|
| Fine Thread 12 t.p.i Right Hand | 200-290 | 47.99 |
| Coarse Thread 8 t.p.i Left Hand | 674-680 | 47.99 |
| Coarse Thread 8 t.p.i Right Hand | 674-670 | 47.99 |



3-eared Knockoffs

| Fine Thread 12 t.p.i Left Hand | 200-315 | \$86.99 |
|----------------------------------|---------|---------|
| Fine Thread 12 t.p.i Right Hand | 200-325 | 86.99 |
| Coarse Thread 8 t.p.i Left Hand | 200-335 | 89.99 |
| Coarse Thread 8 t.p.i Right Hand | 200-345 | 89.99 |



Wheel Trim Rings

Polished stainless steel to provide an attractive accent to your rims. Sold in a set of 4. For Rostyle wheels only.

13" Trim Rings - Set of 4 453-048 \$113.99



Knockoff Hammers

All types, weights and sizes for every possible application.

| 1 lb. Copper/Copper | 386-000 | \$46.99 |
|----------------------|---------|---------|
| 2 lb. Copper/Copper | 386-850 | 49.99 |
| 2 lb. Copper/Rawhide | 386-110 | 57.99 |
| 4 lb. Lead Allov | 386-180 | 64.99 |



Inner Tubes & Rim Bands

Designed for use with radial tires. Can be used with bias-ply tires. Features rubber covered valve stems. Rim bands prevent spoke and nipple ends from chafing your inner tubes. All sold individually.

| Inner Tubes 145 x 13" | 452-736 | \$19.99 |
|--------------------------|---------|---------|
| Rim Bands | | |
| 13" Rim Band | 452-730 | \$9.69 |



Long Handle Knockoff Wrench

Long handle wrench allows you to tighten or remove spinners without a hammer.

| = | | |
|---------------------|---------|---------|
| Octagon Knockoffs | 386-120 | \$53.99 |
| Eared Knockoffs | 386-125 | 53.99 |
| Fabric Wrench Cover | 386-115 | 21.99 |



Wire Wheel Spoke Wrench

With its wide face and long handle, this wrench is perfect for adjusting most spoke nipples without rounding them off.

Spoke Wrench 385-800 \$10.29



Protective Knockoff Wrenches

Prevent damage to knockoffs with multiply wooden wrenches. Fits all 42 mm conventional British two eared knockoffs.

Protective Wrench 386-165



\$29.89

Solid brass precision gear movement. Push button valve to bleed air to the desired pressure. U.S. and metric scales.

Brass Gauge 225-715 \$19.99





Valve Stem Caps

Further dress up those chrome wheels with a set of valve stem caps with logos. Set of 4.

Union Jack - Non-Locking 101-161 \$13.99 Checkerboard - Non-Locking 101-167 13.99



MG Embossed Valve Stem Cap

Subtle and elegant, these nickel-plated steel valve stem caps feature an MG crest embossed in the top. Sold individually.

MG Valve Stem Cap 215-825 \$9.99

Spare Tire Cover

Sturdily constructed from high-quality vinyl,


this spare tire cover will not only clean up the look of your trunk, but stand up to pretty much everything you throw at it.


Spare Tire Cover - Black 2

242-856 \$

\$84.99









Minilite Style Sport Wheels

Manufactured using the latest techniques and testing procedures to ensure the highest quality. These wheels carry on the race and rally tradition of the marque.

| 13" x 5" Sprite/Midget - Silver | 453-065 | \$159.99 |
|-------------------------------------|---------|----------|
| 13" x 5" Sprite/Midget - Anthracite | 453-066 | 169.99 |
| Replacement Hub Cap - Metal | 455-367 | 16.99 |
| Replacement Hub Cap - Chrome | 456-049 | 10.99 |
| Lug Nut, Chrome | 264-155 | 2.79 |
| Lug Nut, Stainless Steel | 264-156 | 8.99 |
| Lug Nut, MG Crest | 264-465 | 3.79 |
| A-H Emblem for Center Cap | 453-067 | 2.99 |
| MG Emblem for Center Cap | 455-377 | 2.99 |

Wire Wheel Conversion Kit

Owners have been converting disc wheels to wire wheels for decades. Our kit makes that conversion a snap!

The kit includes 4 hubs (2 left, 2 right), 4 chrome knockoffs, 16 nuts, 1 hammer and 2 spacers for Bugeye Sprites.

Wire Wheel Conversion Kit 111-425 \$594.99



Minilite Style Knockoff Wheels

Designed to replicate the famous racing wheel of the past, this 13" knockoff "Minilite" replica wheel will fit wire wheel hub equipped cars with round rear wheel arches. Please note tire clearance will be tight with some tire sizes.

13" x 5" Bugeye & Round Arch Cars 453-081 \$464.99



A24

SUPERCHARGERS




1275cc Supercharger System

The Moss Motors designed supercharger system uses the same Eaton positive displacement Roots type supercharger found on contemporary applications such as Jaguar and Mercedes Benz. Designed to fit the 1275cc engine, the kit will work with either generator or alternator equipped applications. The

extra loading will reduce the life of generator bearings, so we also offer an alternator upgrade kit. Our engineers designed an intake manifold that provides equal airflow, pressure and fuel mixture to each cylinder. This careful design works with the supercharger to increase torque even at idle. The latest generation Eaton





blower features an internal bypass system that improves operating efficiency and reduces fuel consumption by allowing the boosted mixture to re-circulate under low load conditions, cutting down on drag. The supercharger system is very complete and includes a 4 rib serpentine belt drive system with automatic adjustment. Carburetion is provided by the latest version of the SU HS6 and a K&N air filter is included to make the package complete. A new water pump, NGK spark plugs and very detailed instructions make installation a breeze.

A dramatically linear increase in torque and power produce a driving sensation without the drivability, cooling and fuel consumption problems normally found with traditional performance modifications. A competent mechanic or hobbyist can install the kit in about 8 hours.

1275cc Supercharger System

150-080 \$3,895.00





Alternator Conversion for Supercharged Engines

If you have invested in a supercharger for your generator equipped car, but would now like to convert to alternator, this kit has all the parts and detailed instructions to make the conversion.

Alternator Conversion Kit

130-108 \$239.99

Supercharger Heat Shield Kit

Heat is the enemy when compressing the intake charge. We have developed a kit of high tech heatproof material and stainless steel shields to reduce the intake temperature dramatically. Installation requires removal of the supercharger from the engine. Fits supercharger kit 150-088

Heat Shield Kit 150-086 \$209.99



Big Boost Kit

Our supercharger kit was designed to get the most out of a stock engine. If you are ready to explore the boundaries of power, this upgrade kit has the parts necessary to step up a notch. Please note, installation of the included pulley will void the manufacturers warranty of the rotor group bearings.

Big Boost Kit 150-084 \$189.99

ADD MUSCLE TO YOUR MIDGET AND SPIRIT TO YOUR SPRITE!

Our Supercharger kit adds power to your Sprite or Midget - but what if you're looking for even more power? How about almost twice the power as stock? It's easy to bolt on the extra parts outlined below and get numbers that are close to our test mule. With twice as much power it's more like a jack rabbit than a mule! Follow our setup and put that same super-power into your Sprite or Midget:

ADDITIONAL UPGRADES



Aluminum Cylinder Head \$1,399.00



\$459.99 461-005 Sprite/Midget 1275 459.99



Vernier Cam Gear Kit \$164.99



Pertronix Electronic Ignition \$124.99



ARP Head Rocker Stud Kit \$184.99

ARP Rod Bolt Kit \$162.99

322-888

ARP Main Stud Kit \$73.99







235-925 13 Row Oil Cooler \$52.99



PERFORMANCE


A26



1275 Alloy Crossflow Cylinder Head


Similar to the crossflow head from the '60s, this has an improved design, while using standard valve gear and valve guides. Larger diameter inlet ports (4) and crossflow design overcome the 'A' series engine breathing problems by increasing the inlet manifold air flow by as much as 20%, over an original 5 port head. Aluminum alloy is lighter, runs cooler and allows for higher compression ratios. Designed to fit in cramped engine bays when assembled with Webers, two #378-675 recommended. Bare heads come with siliconbronze valve guides and hardened valve seats. Assembled heads also have valves and springs installed. Use 10mm Autolite 4303 spark plugs.

Crossflow Cylinder Head - Assembled 451-808 \$1,649.00 Crossflow Cylinder Head - Bare 451-807 1,549.00 👑



Head Gasket

These are .032" thick solid copper. They can be modified for overbored engines and have been a secret ingredient of many high performance racing engines. Copper head gaskets are not recommended for use with alloy heads.



Competition Gaskets

Highly recommended for use with high compression pistons and modified heads, the copper and asbestos head gasket is made to original British Leyland specifications. The special manifold gasket has enlarged holes to match inlet and exhaust ports on modified cylinder heads.

Head Gasket (1275) \$17.99 694-555 Manifold Gasket (948-1275) 296-645 11.99



Midget 1500 Bushed Rocker Arms

Originally the rocker arms were not bushed and tended to wear quickly. We have had bushed arms made for us by a UK supplier which are available individually ready to be honed to fit your rocker shaft, or as a matched honed set with rocker shaft. The rocker arms have a tip hardness of 50-52 HRC, as original and should have a clearance after honing of 0.002".

| Arms (8) & Shaft Set | 839-138 | \$219.99 |
|---------------------------|---------|----------|
| Odd Numbered Rocker Arms | 839-115 | 16.99 |
| Even Numbered Rocker Arms | 839-125 | 16.99 |



1275 Alloy Cylinder Head

Light-weight (9 lbs.) high strength aluminum alloy cylinder heads run cooler, allow higher compression ratios, and have a greater than 35% increase in flow rate. Includes siliconbronze valve guides and hardened valve seats. Requires 1275 valves, springs, retainers, and 12 mm spark plugs (use NGK #451-890) not included. Quantities required are in parentheses. These heads do not have air injection ports, and therefore may not be used for street use on cars originally fitted with air pumps.

| Alloy Cylinder Head | 451-875 | \$1,399.00 |
|----------------------------|---------|------------|
| Head Gasket, Black - Payen | 694-527 | 19.49 |
| Intake Valve (4) | 423-190 | 4.79 |
| Exhaust Valve (4) | 423-330 | 6.99 |
| Valve Spring Set (1) | 423-470 | 25.89 |
| Valve Cotter (16) | 460-535 | 2.09 |
| NGK Spark Plug (4) | 451-890 | 4.99 |

Valve Cover Thumb Nuts

Improve the appearance and functionality of your engine compartment. For A-series engines only, not 1500. Set of two. Can't be used with alloy valve covers.

Chrome Thumb Nuts, pair \$12.99

1275 Alloy Valve **Spring Cap**

Half the weight of steel.

Alloy Valve Cap - Each



\$29.99

460-557

Alloy Valve Covers

| (A) 1961-74 Polished Ribbed | 224-530 | \$69.99 |
|---------------------------------|---------|---------|
| (B) Midget 1500 Polished Ribbed | 224-550 | 74.99 |
| (C) Midget 1500 Black Ribbed | 224-560 | 99.99 |
| Replacement Cap for A & B | 460-145 | 12.39 |
| Replacement Cap for C | 852-120 | 27.99 |
| | | |



Silicone Valve Cover Gaskets by **Gasket Innovations**

These premium silicone valve cover gaskets are stronger and more resilient than traditional cork. They will tolerate re-use far better as well, allowing you to remove these covers repeatedly without having to replace your gaskets every time. Two types of gaskets are offered, one for Stock covers, and one for Alloy covers. Select your application below. Instructions included.

Note: Red RTV Sealant is needed for proper installation.

| Sprite/Midget w/ Stock Valve Cover | 296-006 | \$18.99 |
|------------------------------------|---------|---------|
| Sprite/Midget w/ Alloy Valve Cover | 296-007 | 22.99 |
| A-Series Side Cover Gasket - Pair | 296-377 | 27.99 |
| Midget 1500 w/ Stock Valve Cover | 694-101 | 19.99 |
| Midget 1500 w/ Alloy Valve Cover | 694-102 | 25.99 |
| RTV Sealant - Red - 3oz. | 221-305 | 7.49 |
| | | |



Manufactured from top grade 8740 chromemoly steel. Tensile strength in the range of 200,000 psi. Threads rolled after heat treat to provide up to 10 times longer fatigue strength. Precision CNC machined to exact specifications.

| Head Stud Kit 948-1275 | 322-998 | \$184.99 |
|------------------------|---------|----------|
| Rod Bolt Kit 1275 | 322-838 | 162.99 |
| Main Stud Kit 948-1275 | 322-888 | 73.99 |





A-Series Performance Tappet Sets

The tappet takes the brunt of the punishment in the engine as it rides on a thin film of oil on the cam lobe. In an effort to offer the engine builder alternatives we carry a range of tested and uprated tappets for the 948 to 1275cc engines.

Tested Tappet Sets

These tappets are inspected for dimensional accuracy, and then hardness tested to ensure a hardness of HRC 54-58. The face of the tappet is crowned slightly to ensure rotation and then polished. Finally the tappet is Parkerized for improved oil retention during startup. The lifter set is supplied with installation instructions and #221-565 assembly lube. These processes are time intensive, but result in a tappet that meets all known original specifications.

APT Super Duty Tappet Sets

These tappets have a typical surface hardness above HRC 60 and feature an oil lubrication hole and precision ground face.

Lightened Tappet Sets

These tappets are machined for a thinner sidewall and are drilled to reduce oil retention. Lightening the tappet reduces load on the cam and makes them suitable for high lift cams and/or high rpm.

Tappet Set, Tested, with Lube 460-604 \$199.99 Tappet Set, Super Duty, APT 460-601 199.99

Super Duty Tappet Sets

Super duty tappets to fit Midget 1500 motors. Heat treated chilled cast iron with a manganese phosphate break-in coating. Hardness rated at 62-65 HRC. Drilled for oil drainage to reduce operating mass.



Midget 1500 838-306 \$169.99

Alloy Rear Engine Plate

Light weight, high strength alloy plate reduces nose weight for competition use.

Midget 1500 832-545 \$99.99



induction hardened steel billets with a finish ground hardness of 56-58 Rc. All cam lobes and the distributor drive gear are drilled for improved oil delivery. Both cams require upgrading to the latest slot type oil pump, which gives improved oil flow. Both cams incorporate the latest valve timing theory to give the best performance for your driving style. The Fast Road cam gives a smooth idle and is suitable for supercharged engines and use in city traffic. The Road/Rally cam is more suitable for open road driving, but can still be used around town.

Note: For comparison purposes, duration is given at two different lifts. In the UK, .0158" cam lift is often used. In the US, cam lift of .050" is usually used.

| Duration @ .0158" cam lift | Duration @ .050" cam lift | Cam lobe lift | Valve lift gross (1.26 ratio) | Power Band | Part # | Price |
|-------------------------------|------------------------------|------------------|----------------------------------|---------------|---------|----------|
| 257/257° | 214/214° | 0.270" | 0.340" | 1500-5500 rpm | 114-160 | \$569.99 |
| 270/270° | 224/224° | 0.280" | 0.353" | 1900-5800 rpm | 114-165 | 569.99 |

Matching Oil Pumps

 High Output Slot Drive, 1275
 114-039
 \$56.99

 Standard Slot Drive, 1275
 114-034
 33.99

 Standard Slot Drive, 948-1098
 114-040
 29.99



Adjustable Cam Sprocket Kit

Cam timing adjustment is crucial to performance. This adjustable cam sprocket kit built with unparalleled craftsmanship allows cam timing adjustments to your performance specifications. The kit, which converts your vehicle to a duplex timing chain, includes a heavy-duty adjustable cam sprocket, heavy-duty crank sprocket, a pre-stretched duplex timing chain, seal, locktab and timing cover gasket. Everything you need for a job well done.

948, 1098, 1275 460-386 \$249.99

Vernier Cam Sprocket Kit

If you're serious about your engine rebuild, this is one upgrade you should be sure to install! Our kit includes the double row chain, crank sprocket, and fully adjustable cam sprocket.

948-1098-1275 460-385 \$164.99



A-Series Rear Oil Seal Conversion Kits

Complete oil seal conversion kits for the A- Series engines. These kits require careful fitting to ensure that the rear cap packing piece is leak tight. The seal rides on the outer flywheel mounting flange and this must be smooth. No drilling or cutting is required and the crank does not have to be removed. Installation does require removal of the flywheel and engine back plate.

| 948, 1098 w/1.75" Mains | 297-665 | \$269.99 |
|------------------------------------|---------|----------|
| 1098 with 2" Mains | 297-660 | 259.99 |
| 1275 | 297-655 | 269.99 |
| Repl. Oil Seal - 948, 1098 - 1.75" | 297-666 | 29.99 |
| Repl. Oil Seal - 1098 - 2" | 297-661 | 35.99 |
| Repl. Oil Seal - 1275 | 297-656 | 31.99 |

Magnetic Oil Drain Plug

Magnetic drain plugs help protect your engine by collecting metallic particles before they get fed through the oil system.





PERFORMANCE

A28

FNGINE



5 Speed Conversion Kits

If you plan on driving your classic, installing a 5 speed transmission will make the car much more enjoyable at highway speeds. Using the popular Ford T9 gearbox, the installation is reversible with minimal modifications to the frame or transmission tunnel. Get better fuel economy, less engine wear and easier shifts.

The 5 speed kits come complete with the following components:

- Reconditioned Ford T9 Gearbox
- New Bellhousing (or adaptor plate on 1500cc models)
- Spigot Bushing
- Clutch Plate
- Clutch Plate Cover
- Clutch Release Bearing
- New Clutch Arm Pivot
- New Propshaft
- Chassis Cross Member and Strengtheners
- Speedometer Cable
- Standard Gear Lever

- Gear Lever Gaiter
- All Bolts and Fasteners
- Detailed Instructions

Note: Speedo will need to be recalibrated

| Sprite/Midget 948 | 440-145 | \$5,350.00 | ı |
|-----------------------|---------|------------|---|
| Sprite/Midget 1098 | 440-155 | 5,185.00 | |
| Sprite/Midget 1275 | 440-165 | 5,185.00 | į |
| Midget 1500 1975-77 | 440-175 | 4,995.00 | |
| Midget 1500 1978-on | 440-177 | 4,995.00 | |
| Shift Knob - 7mm | 041-546 | \$36.99 | |
| Clutch Alignment Tool | 041-620 | \$2.89 | |
| | | | |



Shift Lever Anti-Rattle Kit

As a Sprite/Midget owner, you will at some point experience that irritating, revdependent, rattle resonating from your shift lever. Shift-rattle is the result of worn or missing anti-rattle components. Fortunately, with our complete anti-rattle kit, you can quickly put an end to this common annoyance. Our kit contains the plunger, bushing, both springs and the O-ring.

Sprite/Midget 1958-74 462-850 \$14.99



Spin-On Oil Filter Adapters

Cleaner oil changes will result if you change your engine from the messy original canister filter to a modern spin-on filter. Each kit includes all necessary pieces for installation, filter not included.

| Adapter (not 1500) | 235-875 | \$99.99 |
|-----------------------|---------|---------|
| Spin-On Filter - Fram | 235-880 | 7.99 |
| Spin-On Filter - Wix | 235-855 | 10.99 |
| Spin-On Filter - K&N | 235-830 | 19 00 |



Alloy Flywheel by Fidanza

Fidanza Performance lightweight aluminum flywheels are designed, engineered and manufactured right here in the USA. These flywheels have been CAD designed/ engineered and precision CNC machined from top quality billet 6061 T6 aluminum to deliver optimum performance and reliability. All flywheels are balanced and thoroughly inspected for quality and fitment.

Fidanza aluminum flywheels deliver:

- Faster throttle response and quicker acceleration
- Additional horsepower to the wheels (reduced parasitic losses)
- Smoother, faster shifting
- Easier braking, better slowing (due to reduced rotational mass)
- Reduced clutch wear and improved efficiency (from better heat dissipation)
- Replaceable friction plate

Sprite/Midget 948 460-505 \$459.99 Sprite/Midget 1275 461-005 459 99




Uprated 1275cc Clutch Disc

This uprated clutch disc should be used for supercharged applications or if engine power is increased above 90 hp. This disc has stronger springs and center diaphragm and an improved lining material.

Uprated Clutch Disc 190-891 \$289 99

K&N Performance Oil Filter

For spin-on adapter kit. K&N filter technology is the leader for your spin-on oil filter conversion. Resin impregnated filter element traps even the tiniest contaminants and isn't



K&N Oil Filter



A running engine creates blow-by, which is an oil mist that is routed either back to your intake manifold or to the atmosphere under your engine. Not only does that make a mess of the underside of your sports car, it can also lead to carbon build-up in your combustion chamber which reduces performance. By installing an oil catch can between the engine and either your intake manifold or the atmosphere, you can trap all that oil and dispose of it properly. Much more information online.

Oil Catch Can - 16 oz

223-075 \$139 99



Midget 1500 Oil Cooler **Installation Kit**

This kit allows the fitment of a 13 row oil cooler (not included) on a 1500 Midget. Cooler oil means longer engine life.

1500 Oil Cooler Instl. Kit 235-922¹ \$179.99 13 Row Oil Cooler 235-925 52.99

¹May require relocation of air pump hose.





Double Ended Fuel Pump

Non Polarized



Double ended SU pumps have been standard equipment for years on Aston Martins, Bentley and late model E-Types. Delivering twice the capacity of a standard type pump, these units will keep on pumping even if one side fails. Well suited for all high performance

engines running SU carbs, as no pressure regulator is required. **Standard Points Solid State**

\$449 99



377-036

SU Solid State Fuel Pump

Solid State electric fuel pumps with modern, reliable electronics eliminate the use of contact breaker points. Now you can have a vintage looking SU fuel pump with peace of mind that only an electric fuel pump can offer. Plus the characteristic ticking is retained.

Positive Ground 377-295 \$167.99 **Negative Ground** 377-285 167 99



ECCO Plastic Body Fuel Pump

The ECCO electric fuel pump is a direct replacement for the SU pump. It is made from mostly plastic materials with the main coil housing assembly being made from Glass Reinforced Poly. There is a decades old, lingering misconception that the plastic will crack at the banjo. Rest assured, this is not the case with the modern pump. The ECCO pump is hand built, and the quality of the end product is heavily scrutinized during production. This pump will operate trouble free for years to come. Works on positive and negative ground vehicles.

1098 (10CC), 1275 377-176 \$139.99



Facet Solid State Fuel Pump

Solid state electric fuel pumps can be used in conjunction with, or in place of your original pump. The solid state pump will push or pull fuel from a hidden location under the car, through your original pump, or put it in line with a power switch and use it as a backup. Works on positive or negative ground cars.

Solid State Fuel Pump 377-420 \$89.99 Facet Filter 377-424 10.99



Fuel Filter/Regulator

High quality universal fuel pressure regulator with integral filter comes with 1/4" and 5/16' fittings. Pressure adjustment is 3psi to 9 psi. Pre-set to 3-3.5 PSI for SU & ZS carbs. For carburetor equipped cars (not for fuel injection). Made in Italy.

Fuel Filter/Regulator 377-435 \$119.99 Replacement Filter 377-436 13 79 Replacement Bowl Gasket 377-437 6.39





Billet Fuel Filter Kit

The clean lines of this filter assembly will add a touch of custom brightness to the engine compartment. The filter is easily disassembled for cleaning. The chromed hose barbs can be removed and 5/16" AN-6 fittings attached directly to the body of the fuel filter giving a high degree of fitment flexibility.

| Billet Fuel Filter | 377-305 | \$69.99 |
|-------------------------|---------|---------|
| Repl. O-Ring, %" OD | 772-815 | 2.19 |
| Repl. 0-Ring, 1 1/4" OD | 772-816 | 0.99 |



Manual Choke Conversion Kit

Designed in England by Zenith-Stromberg. Includes all mounting hardware and detailed instructions. Easy installation.

386-325¹ \$119.99 Midget 1500

¹May not be legal on emission controlled vehicles. Check your local laws for compliance.



1962-74 Oil Cooler Installation Kit

A-Series engines were never intended to operate at the speeds and temperatures we experience on American highways. Water may cool the cylinder head and block, but your oil needs cooling as well. Overheated oil leads to increased wear and shorter engine life. Low oil pressure could be a sign of a worn engine, but it also happens when the oil gets too hot. Our bespoke oil cooler fitting kit includes braided stainless lines, all hardware, instructions and correct factory fittings. Combined with our 13 row oil cooler, it's an affordable life insurance policy for your expensive motor.

Stainless Steel Hoses 235-878 \$189 99 **Rubber Hoses** 235-879 159.99 13 Row Oil Cooler 235-925 52.99





Performance Intake Systems

One of the best ways to improve the performance from any engine is to make sure the gas enters the cylinder head as quickly and efficiently as possible. To ensure this we have selected the most respected and popular range of intake manifolds on the market today.

High Flow Alloy Intake Manifold

High flow alloy intake for a single 1¾" carb, the larger ports make this manifold ideal for large capacity engines e.g. 1380 cc.

High Flow Allov Intake Manifold



Twin SU Alloy Intake Manifolds

These intake manifolds are for twin SUs. The manifold for larger HS4 or HS6 carbs is reproduced to the original Abingdon ST

(A) Twin SU Manifold for HS2/4 \$259.99 114-289 (B) Twin SU Manifold for HS4/6 114-286 169 99



Knurled SU Idle Screw Kit

tune your idle without having to reach for a screwdriver. Made specifically for the SU carburetor, this upgrade is quick and easy.

Knurled SU Idle Screw Kit

372-835 \$9.99

SU H-Type 'Superdry' Jet **Bearing Kit**

The seals used until now have consisted of two small and one large cork seal. There is some evidence which suggests that ethanol may degrade these. A new set of rubber seals and the required new jet bearings have been developed to overcome this problem.

SU H-Type, sold individually Superdry Seal Kit - Replacement 370-396 \$64.99 370-397 10.99



Racing SU Ram Pipe Sets

A racing tradition, now available in long (3") and short (11/4"). Set of two. Check with your salesperson if you are unsure which carburetor you have. For 11/4" carburetors. Sold as a pair.

| Short | 372-425 | \$69.99 |
|-------|---------|---------|
| Long | 372-405 | 69.99 |

Ram Pipes for SU Carburetors

These fully radiused ram pipes improve air flow into the SU carburetor, ideal for use with or without filters (space permitting). The K&N ram stack is designed for its own filter assembly.

| HS4 Ram Pipe - Silver | 114-427 | \$52.99 |
|---------------------------|---------|---------|
| HS6 Ram Pipe - Silver | 114-424 | 52.99 |
| 40 DC0E Ram Pipe - Silver | 117-291 | 47.99 |



Twin SU Stainless Steel Heat Shields

These new mirror finish stainless steel heat shields not only look great, they also redirect some of the heat from the exhaust manifold.

Twin SU S/S Shields HS4 117-180 \$29.69

Dashpot Covers for SU Carburetors

Polished or anodized dashpot covers are an easy way to brighten the engine bay. Sold individually.

| 117-167 | \$22.99 |
|---------|---------|
| 374-575 | 19.99 |
| 114-473 | 29.99 |
| | 374-575 |

MG Crested Carburetor Caps

These very distinctive solid brass caps make any engine compartment unique! Your original damper rod must be reused and pressed into the new cap.

Dashpot Caps, pair



SU HS4 Twin Carburetors

This kit is designed to allow more fuel and air into the engine, while keeping that distinctive period look of a pair of classic SU carburetors. For the best results these carbs require a sports exhaust system. The kit includes all the parts you'll need for installation: manifold, heat shields, carbs, linkages, etc. Air filters not included.

HS4 (11/2") Twin Carburetor Kit

114-494 \$1,575.00



Weber DCOE Conversion

Sprite/Midget 948/1098

Accessories Stainless Steel Heatshield

High performance DCOE carburetors are still the enthusiast's choice to extract maximum power. The kit includes manifold, linkage and carburetor with ram pipes. Our Weber DCOE kits come pre-jetted for the listed applications. However, fine tuning will be necessary. We recommend that tuning be performed by an experienced tuner. Please note that there is no provision for emission connections and some modification will be required for best operation.

| Single 40DC0E | 222-440 ¹ | \$879.99 |
|--|----------------------|----------|
| Sprite/Midget 1275 Single 45DCOE | 222-450 ¹ | 879.99 |
| K&N Air Filter (1¾" deep) | 222-245 | 104.99 |
| K&N Air Filter (3" deep) Sprite/Midget 1500 | 222-240 | 91.99 |
| Single 40DC0E | 222-480 ¹ | 769.99 🌉 |

¹May not be legal on emission-controlled vehicles. Check your local laws for compliance.

865-220

26.99



Weber DCOE Soft Mount Kit

Vibration plays havoc with fuel level, so any Weber DCOE installation works better when the carburetor is isolated from the manifold. This kit solves the problem and, following up on customer requests, we now have it in stock.

Weber Soft Mount Kit 222-251 \$32.99



K&N Air Filter for 11/4" SU

11/4" tall filter with offset mounting. Suitable for use on Sprite & Midget 948-1275cc (except Bugeye). Cleanable and reusable, K&N filters carry a 1 million mile warranty.

Filter, for 11/4" SU



Weber Downdraft Carb Kits

The Weber DGV two barrel progressive carburetor has proven to be the most popular replacement for worn out or damaged stock carburetors and gives a good combination of performance and economy on stock engines. Our Weber DGV kits come pre-jetted for the listed applications. Kits include instructions, carburetor(s), manifold/adapters, linkage and air filter(s). Please note that there is no provision for emission connections and some modifications will be required for best operation.



The traditional performance washable foam filters.

| Round for 11/4" SU | 223-260 ¹ | \$42.99 |
|----------------------|----------------------|---------|
| Oval for Midget 1500 | 223-280 ¹ | 42.99 |

¹May not be legal on emission controlled vehicles. Check your local laws for compliance.



K&N Chrome Air Filters

K&N air filters are designed to be washed and reused for the life of your engine. Ten year K&N warranty or one million miles (noncomp. use). All sold individually.

| Flat Assembly for Zenith-Stromberg | | | |
|------------------------------------|----------------------|----------|--|
| 1¾" deep | 222-9251 | \$122.99 | |
| Assemblies for Weber DC | 0E | | |
| 1¾" deep | 222-245 ¹ | \$104.99 | |
| 3" deep | 222-240 ¹ | 91.99 | |
| Assembly for Weber DGAV | | | |
| 1¾" deep | 222-366 ¹ | \$122.99 | |
| Elements for Stock Applications | | | |
| Sprite/Midget HS2 | 373-435 | \$61.99 | |
| Accessories | | | |
| Filter Cleaning Fluid | 231-480 | \$12.99 | |
| Filter Oil Bottle (250 mL) | 231-490 | 7.79 | |
| Filter Recharging Kit | 001-130 | 14.99 | |

¹May not be legal on emission controlled vehicles. Check your local laws for compliance.



PERFORMANCE

| Sprite/Midget 948-1275 | 222-275 ¹ | \$529.99 |
|-----------------------------------|----------------------|----------|
| Midget 1500 (Water Choke) | 222-255 ² | 559.99 |
| Midget 1500 (Electric Choke) | 222-256 ² | 559.99 |
| Midget 1500 (Manual Choke) | 222-257 ² | 529.99 |
| Chrome Filter Assembly | 222-365 | 43.99 |
| Repl. Element for 222-365 | 222-364 | 15.89 |
| K&N Air Filter Assembly | 222-366 | 122.99 |
| Carb Rebuild Kit - w/ Power Valve | 222-266 | 49.99 |
| | | |

Will not fit Bugeye Sprite with original exhaust manifold. May not be legal on emission controlled vehicles. Check your local laws for compliance.

²May not be legal on emission controlled vehicles. Check your local laws for compliance.



New SU Carburetor Sets

Genuine SU carburetors produced in the UK from new and original tooling

| mom men uma originar to | ···8· | |
|-----------------------------|----------------------|----------|
| Sprite MkII, Midget MkI | 370-708 ¹ | \$944.99 |
| Sprite/Midget 1098, 1963-66 | 370-718 | 944.99 🥮 |
| Sprite/Midget 1275, 1967 | 370-728 | 944.99 🌉 |
| Sprite/Midget 1275, 1968-69 | 370-908 | 949.99 🥮 |
| Sprite/Midget 1275, 1969-71 | 370-928 | 949.99 🥌 |
| Sprite/Midget 1275, 1972-74 | 370-948 | 949.99 |

¹Special order.



Chrome Air Filters

Ultra-thin design beautifully plated.

Filter for 11/4" SUs each 223-100 \$44.99









PERFORMANCE

EXHAUST

Stainless Steel Exhaust System by Falcon

Constructed entirely of top-quality stainless steel, ideal system for your car if you live where winter road conditions are harsh. Includes all pipes from the man

winter road conditions are harsh. Includes all pipes from the manifold flange back. Clamps, hangers and (when required) catalytic converters not included.

| 948 to 1098 10CG | 452-000 | \$269.99 🚥 |
|------------------|---------|------------|
| 1098 10CC | 452-010 | 229.99 🚥 |
| 1275 (1967) | 452-010 | 229.99 🚥 |
| 1275 (1968-69) | 452-015 | 246.99 🚥 |
| Midget 1500 | 452-030 | 449 99 05 |



452-030



Mufflers that increase both horsepower and gas mileage by reducing exhaust gas back-pressure. Heavy gauge steel, black with chrome tipped ends. Front down pipe not included.

These tubular exhaust headers are suitable for vintage racing or the sporting enthusiast. The three into one and four into one design gives the best top end power and the large collector can be routed to a custom big bore

racing exhaust for track use, or hooked to the stock or sport exhaust using the included adapter. Some hand fitting and port matching may be required. Headers supplied with anti-corrosive protection paint, header should be trial fitted before final paint. The 1500cc header has no provisions for e.g.r. valve or catalytic converter, so it is not legal for use on emission controlled cars.

Sprite/Midget 1275 459-014 \$199.99 Midget 1500 459-017 199.99





Header and Manifold Blanket

This flexible heat shield clips into place on your manifold or headers and retains exhaust heat, reducing under hood temperatures. Designed for use on a V8 engine, this kit has enough material to cover most four cylinder manifolds with enough left over to protect the starter motor and bulkhead. Two sheets 20" x 24".

Header Manifold Blanket 337-445 \$146.99



Performance Exhaust Headers

These tubular exhaust headers are sourced from the UK and are designed to increase torque in street and vintage race motors. The smaller bore size, long center branch header is optimal for street use where a large bore race header would reduce low end torque making the car no fun to pull away from stop lights. Some hand fitting and port matching may be required. Headers supplied with anti-corrosive protection paint, header should be trial fitted before final paint. The 1500cc header has no provisions for e.g.r. valve or catalytic converter, so is not legal for use on emission controlled cars.

| Sprite/Midget 948 | 452-060 | \$379.99 |
|-------------------------|----------------------|----------|
| Sprite/Midget 1098/1275 | 452-065 | 399.99 |
| Midget 1500 | 452-070 ¹ | 399.99 |

¹Does not fit with ZS manifold. For use with Carb. Conversions



459-017

Stainless Steel Band Type Exhaust Clamps

We now carry a full range of these band type stainless steel exhaust clamps.

| 1½" | 412-025 | \$4.39 |
|-------|---------|--------|
| 1%" | 412-026 | 4.39 |
| 1¾" | 412-027 | 5.39 |
| 11/8" | 412-029 | 6.49 |
| 2" | 412-030 | 6.49 |

Stainless Steel U-Bolt Type Exhaust Clamps

These Stainless Steel U-Bolt type exhaust clamps are strong, durable, and best of all, will not rust.

| 15/8" | 412-200 | \$4.99 |
|-------|---------|--------|
| 1¾" | 412-201 | 5.49 |
| 11/8" | 412-202 | 5.79 |
| 2" | 412-203 | 5.99 |
| 21/8" | 412-204 | 6.29 |
| 23/8" | 412-205 | 7.99 |



Hayden Electric Fans

Designed to be set up to run in either "pusher" (in front of the radiator) or "puller" configuration. The 10" fan requires a clear mounting area of at least 10%" x 11%", while the 12" requires at least 11½" x 12½". The 14" requires at least 13%" x 14¾". The preset temperature control will turn the fan on at 185°F and off at 170°F.

| 10" Electric Fan Kit | 231-678 | \$149.99 |
|----------------------|---------|----------|
| 12" Electric Fan Kit | 231-688 | 159.99 |
| 14" Electric Fan Kit | 231-658 | 179.99 |

Failsafe Thermostat

Manufactured from high-grade stainless steel and copper, this thermostat locks open during overheating for added safety.

| 180° Thermostat | 434-205 | \$16.99 |
|-----------------|---------|---------|
| 160° Thermostat | 434-206 | 16.99 |

DESIGN ENGINEERING, INC.



Form-A-Shield by DEI

Made from 10mil dimpled aluminum with a $\frac{1}{4}$ " high temperature basalt insulation, Form-A-Shield can withstand direct temps to +1400°F. Form-A-Shield can be applied directly to hot surfaces and molds easily to exhaust manifolds, pipes and mufflers.

Form-A-Shield 231-905 \$91.99

Positive Lock Tie Kit by DEI

Stainless Steel Positive Locking Ties are designed for high heat applications.

They are great for any application where a high strength tie is needed. UV and corrosion

resistant they will last

for many years under severe use. Perfect for securing exhaust wrap, cables, wires or hoses that are close to a heat source.

Positive Lock Tie Kit includes 8 - 9" Locking Ties (Up to 2" diameters), 4 - 14" Locking Ties (Up to 4" diameters) and Locking Tie Tool

Features:

- Made from 316 stainless steel
- Tensile Strength. 5/16" 200 lbs. 1/2" 350 lbs.
- Capable of withstanding in excess of 2500 F

Positive Lock Tie Kit 231-910 \$28.99



Muffler Shield Kit by DEI

The best muffler shield/wrap on the market. Based off DEI's proven Floor and Tunnel II heat shield, this new Muffler Shield is designed to wrap around just about any size muffler. Includes tough Stainless Steel positive locking ties for a tight secure installation. Made from 10mil dimpled aluminum with a 1/8" needle glass insulator, it can be easily trimmed to fit most mufflers. Greatly reduces radiant heat coming off your muffler resulting in a cooler interior and protection from damaging heat.

Muffler Shield Kit 231-900 \$55.99

Stainless Steel Locking Tie by DEI

Locking Ties are perfect for securing wrap to pipes with its self-locking design. Locking Ties offer many other uses including bundling wires, hoses, and other forms of insulation products. Just slide end into locking mechanism and pull tight.

Features

- Constructed of high grade 304 stainless steel
- Capable of withstanding heat in excess of 2500°F
- Strong 100 lb tensile strength

| 8" | 231-911 | \$1.89 |
|-----|---------|--------|
| 14" | 231-912 | 2.49 |
| 20" | 231-913 | 2.69 |



Remote Heater Valve Conversion Kit

When the novelty of having to open the bonnet to turn on the heat in the cockpit wears thin or becomes a source of contention between spouses—it's time to look into a solution. A Remote Heater Valve connected with a cable and a control knob within reach of the driver does just the trick. Plus, it's a conversion you can easily do yourself. For 948, 1098 and 1275 engines only.

Conversion Kit 635-375 \$68.99









speed, such as racing conditions, it is

advantageous to remove the thermostat, but

434-135

\$11.89

only when this thermostat bypass blanking

sleeve is fitted.

Blanking Sleeve

Thermostat

Blanking Sleeve

For maximum power and

PERFORMANCE

IGNITION & ELECTRICAL

Flame Thrower Electronic Distributors by **Pertronix**


A34

A modern electronic ignition unit already installed in a brand new distributor body that includes the drive dog. Two wire hookup to the coil makes wiring easy and the improved advance

curve gives great performance and drivability. The vacuum advance is calibrated for use on carburetors that have ported vacuum, but in many cases will work well with manifold vacuum. The distributor is the 45D style.

| 4-Cylinder, Neg. Ground | 143-116 ¹ | \$254.99 |
|---------------------------|----------------------|----------|
| 4-Cylinder, Pos. Ground | 143-125 | 259.99 |
| 4-Cyl. Repl. Cap | 143-117 | 9.19 |
| 4-Cyl. Repl. Rotor | 143-126 | 8.19 |
| Repl. Module, Pos. Ground | 143-127 | 112.99 |
| Repl. Module, Neg. Ground | 143-118 | 91.99 |

¹Not for use with solid core ignition wires.





- No external control boxes to mount
- No points to set or change
- Hall effect sensor is impervious to dirt and moisture and retains stock advance curve
- Locate Lucas model number stamped in housing by the vacuum advance
- 30-month manufacturer's warranty

| ruiits type | | |
|-----------------------------|----------------------|----------|
| Negative Ground, DM2 | 222-605 ¹ | \$135.99 |
| Positive Ground, DM2 | 222-615 ¹ | 147.99 |
| Negative Ground, 25D | 222-405 | 112.99 |
| Positive Ground, 25D | 222-555 | 124.99 |
| 1500 | | |
| w/Elec. Ign., 45DE4 & 45DM4 | 222-475 | \$134.99 |

¹Not for use with solid core ignition wires.

Pertronix Ignition Coils

The Pertronix Ignition Coil isn't called the "Flame-Thrower" for nothing. Matched to the Pertronix Ignitor ignition and with a voltage of 40,000, this coil will deliver a smoother response and better fuel economy, along with enhanced power during acceleration. Ballasted ignition system was used from 1975 on.

| Non-ballasted systems - Black | 143-265 | \$44.99 |
|--------------------------------|---------|---------|
| Non-ballasted systems - Chrome | 143-266 | 49.99 |
| Ballasted systems - Black | 143-270 | 44.99 |
| End Clip for solid core wire | 571-037 | 0.79 |
| Boot for push-in wire end | 571-047 | 1.49 |

Pertronix Ignitor II for Mallory Dual Point Distributors

We now carry a Pertronix Ignitor system designed to retrofit Mallory dual point distributors. Offers the longevity of the Mallory distributor with the ease and accuracy of electronic ignition.

143-181¹ 4-Cyl Negative Ground 143-182¹ 4-Cyl Positive Ground 132.99

¹Not for use with solid core ignition wires.



Race Distributor

This points-type distributor has an advance curve designed for use with long duration race cams. Centrifugal advance only, for the serious racer.

| 143-165 ¹ | \$199.99 |
|----------------------|-------------------------------|
| 153-915 | 2.99 |
| 151-855 | 2.39 |
| 151-865 | 6.99 |
| 151-875 | 6.59 |
| | 153-915 151-855 151-865 |

¹May not be legal on emission controlled vehicles. Check your local laws for compliance.





Dummy Voltage Regulators

A Dummy Voltage Regulator can be installed to retain original look after converting your vehicle to an alternator. They appear exactly as the old regulators, but have had their internals removed then bridged with a fuse. Extra fuse and instructions are included.

| Screw Terminal | 142-004 | \$69.99 |
|---------------------------|---------|---------|
| Lucar Spade Terminal | 542-104 | 69.99 |
| Late Style Spade Terminal | 142-054 | 69.99 |



XR700 Electronic Ignition

Replace your troublesome points and condenser with this easily installed kit. FAST (formerly Crane) electronic ignition systems are famous for their reliability. Expect faster starts, cleaner running and better performance at all engine speeds.

For Lucas Points-type Distributors 222-680 \$179.99 For Lucas Electronic Distributors 222-325 159 99

Smiths Voltmeter

This 2" gauge can be easily wired into your car to give an indication of battery condition. Includes installation instructions and bulb holder with bulb for illumination.

Voltmeter 360-975 \$99 99





Solid State Voltage Stabilizers

We have developed a replacement voltage stabilizer that combines modern electronics inside a vintage Smiths style housing. Instructions provided which include a gauge troubleshooting section.

Negative Ground 131-555 \$12.99 Positive Ground 131-556

Premium Ignition Rotors

The carbon content in the plastic of most ignition rotors today is way too high and will actually rob your engine of precious spark energy. Don't let your ignition rotor ruin your Sunday drive; replace yours with one that is manufactured correctly.

| 948-1098-1275 25D | 151-805 | \$6.99 |
|-------------------|---------|--------|
| 1500 45D | 151-865 | 6.99 |



output provides reliable

greater performance at

higher RPM. Made in

England.



starting power, along with Intermotor 2

Note: These coils require a push-in type coil wire.

| Non-ballasted systems | 143-201 | \$42.99 |
|------------------------------|---------|---------|
| Ballasted systems | 117-264 | 42.99 |
| End Clip for solid core wire | 571-037 | 0.79 |
| Boot for push-in wire end | 571-047 | 1.49 |



Alternator Conversion Kit

Complete kit of all parts and instructions to convert from generator to alternator. Does not have provision for Bugeye tach drive.

A Dummy Voltage Regulator can be installed to retain original look. They appear exactly as the old regulators, but have had their internals removed then bridged with a 50amp fuse. Extra fuse and instructions are included.

| Alternator Conversion Kit | 130-068 | \$259.99 |
|---------------------------------|---------|----------|
| Dummy Voltage Regulator - Screw | | |
| Terminal | 142-004 | 69.99 |
| Dummy Voltage Regulator - Lucar | | |
| Spade Terminal | 542-104 | 69.99 |
| Dummy Voltage Regulator - Late | | |
| Style Spade Terminal | 142-054 | 69.99 |



Universal Coil Mounting Brackets

Replace missing, bent or corroded coil brackets. Also useful if you are upgrading or relocating the coil.

| Chrome | 143-255 | \$11.29 |
|-----------------|---------|---------|
| Stainless Steel | 117-265 | 13.99 |
| Zinc Plated | 143-256 | 4.99 |



Bumblebee Ignition Wire

This type of distinctive competition wire was a very popular performance accessory with the BMC/BL Competitions Department from the 50s to the 70s. Sold per foot.

Bumblebee Wire 571-020

Battery Tray Liner

Tough, corrosion-proof battery tray liner protects precious sheet metal. Fits through 1967.

1958-67



241-020 \$49.99

CAUTION SILICONE BRAKE FLUID

> IMPORTANT POSITIVE EARTH


Warning Labels

These warning labels can help protect your vehicle from people who aren't quite as familiar with these cars as you are. Capture their attention, before potentially expensive mistakes, with these traditionally styled, 4"x1", glossy decals.

| Positive Earth | 215-010 | \$3.49 |
|----------------------|---------|--------|
| Silicone Brake Fluid | 215-005 | 4.49 |

Battery Acid Neutralizing Mat


Made from a special acid absorbent material which neutralizes acids as they leak from your



Battery Mat 241-025 \$7.69

Racing Battery Switch

Primarily intended for competition use, this rugged switch can be used on any car. The removable key deters theft. Attached rubber cap keeps dirt and water out when the key is



Racing Battery Switch 145-785 \$29.99

PERFORMANCE

IGNITION & ELECTRICAL | A35



High Performance Plug Wire Sets by Cobalt

These wire sets are made to our specifications using the highest quality materials. These require a #163-810 plug-in distributor cap be used on early cars in place of the side entry cap.

- 8mm Silicone Jacket resists high temperatures, fuel and oil
- Compact Silicone Boots with Locking Terminals
- Spiral Magnetic Core to suppress RFI/EMI Interference

| 948-1098-1275 | 171-662 | \$39.99 |
|-----------------|---------|---------|
| Midget 1500 | 171-663 | 39.99 |
| Distributor Cap | 163-810 | 8.99 |



Magnecor competition spark plug cable sets work great on street cars with either conventional or electronic ignition systems. Low resistance, yet also shielded to reduce radio noise interference.

Midget 1500 143-556 \$109.99





Battery Cut-Off Switches

Battery cut-off switches simplify servicing and long-term auto storage. A strategically placed remote switch deters theft. A negative post mount switch is quickly accessed.

| Remote Switch - 1" shaft | 145-770 | \$49.99 |
|----------------------------|---------|---------|
| Remote Switch - 1/2" shaft | 145-771 | 49.99 |
| Negative Post Mount | 145-795 | 5.99 |







PERFORMANCE

A36

BRAKES





Front Disc Brake Kits

When your Sprite/Midget needs a brake job, ordering one part number and getting everything you need at once makes the job so much simpler.

There are two options available, Stock Replacement and Stage 1 Upgrade. See below for option details.

All Kits Include:

- 2x pad retaining clips
- 2x pad cotter pins



- 2x Stock front rotors
- 1x Classic Gold semi-metallic front pad set

Stage 1 Upgrade:

- 2x Slotted & drilled front rotors
- 1x Classic Gold ceramic front pad set

| Stock Replacement - w/ Wire Wheels | 182-161 | \$54.99 |
|------------------------------------|---------|---------|
| Stock Replacement - w/ Disc Wheels | 182-157 | 51.99 |
| Stage 1 Upgrade - w/ Wire Wheels | 182-695 | 159.99 |
| Stage 1 Upgrade - w/ Disc Wheels | 182-690 | 159.99 |






Cross-Drilled & Slotted Brake Rotors

These cross-drilled & slotted rotors are a performance upgrade option for your Sprite/Midget. Under hard use the brake pad surface emits gasses which cause the pads to plane over the surface of the rotors. The grooves in these rotors channel the gasses away from the braking surface and reduce brake fade, while the cross-drilled holes assist with heat dispersion. The grooves also reduce pad material build-up on the rotor surface and minimize glazing. Sold in a left-hand/right-hand pair.

| Disc Wheels | 586-601 | \$92.99 |
|-------------|---------|---------|
| Wire Wheels | 586-602 | 129.99 |







Cross-Drilled & Slotted Rotors

Get the stopping power you need with a Moss Motors exclusive. Cross-drilled holes lower brake temperatures and reduce rotational mass and out-gassing, while slots allow excess water, dirt and dust to dissipate. Sold as a pair.

Disc Wheels Only 586-600 \$199.99







CLASSIC GOLD®
AUTHENTIC REPRODUCTION



Premium Ceramic Brake Pads by Classic Gold

- Withstands High Braking Temps
- Less Fade
- Quicker Recovery
- Ultra Quiet Braking
- Nearly Dust Free
- Wheels Stay Cleaner Longer
- Anti-Squeal Compound bonded to brake pad backing plate

Ceramic Pad Set 071-533 \$35.99

Semi-Metallic Brake Pads by Classic Gold

- Shorter Stopping Distances
- Squeal Free
- Less Dusting than Organic Pads
- Asbestos Free Composition
- Best Value Priced Right
- Anti-Squeal Compound bonded to brake pad backing plate

Semi-Metallic Set 071-539 \$21.69

High Performance Front Disc Brake Pads

EBC Greenstuff Brake Pads

EBC Greenstuff is a high friction based pad compound designed to improve stopping power on sport cars for street use. The Greenstuff range emits less dust than equivalent semi metallic pads and has been proven in tests to stop a vehicle 20 feet sooner than using stock pads.

Hawk Brake Pads

Designed for the serious street and autocross enthusiast these pads are at home on both the track and street.

Note: due to the increased friction levels, brake rotor life may be decreased.

Greenstuff 585-625 \$76.99 Hawk 585-605 109.99 Pads are fully shimmed, chamfered and slotted for silent braking and feature the EBC brake-in surface coating to accelerate pad bed in after install. Greenstuff pads are designed for spirited street driving. Made in the UK.








Since the weak link in any hot rod Sprite or Midget is the rear axle, this is a component that really needs all the increased strength it can get. Nitridization is a process that surface hardens the outside surface of the steel to approximately 70 HRC. This results in decreased wear and improved fatigue life.

Axle Shaft, Disc Wheels 265-302 \$359.99



Stainless steel brake hoses provide a more direct and consistent brake feel. They won't expand like rubber hoses can. Order this complete set of long-lasting braided steel hoses for your next brake job. DOT approved.

Sprite-Midget (with front and rear drum brakes) 180-358 \$74.99 Sprite-Midget (with front disc brakes) 180-378 74.99



Brake Servo Kit-Single Line System

If your single-line brakes are working as they should but you'd like the pedal to require less foot pressure, install this servo manufactured to the highest standards. Includes detailed instructions for proper fitment of the servo.

Single Line System Brake Servo 117-312 \$165.99



Tapered Front Wheel Bearing Kit

The standard front hub bearings are angular contact ball bearing type, which works well but does not allow for any adjustment as the bearings wear. Taper bearings provide better support. Our tapered bearing kits includes high quality bearings, seals, spacer ring, split pin and nut and utilizes the standard spacer for a simple installation. The larger bearing has the correct 2mm fillet radius to allow proper fitment on the stub axle and has been specially manufactured to allow the hub to sit in the correct position so the caliper does not interfere with the disc.

We offer two types of tapered front wheel bearing kits. The first (125-822) is the complete car kit, which consists of all the bearings, seals, spacer rings, shims, split pin, nuts and grease required for both wheels. The other kit (125-821) consists of the bearings, seals, spacer ring, split pin, nut and grease for a single wheel only and does not include the shims.

 Front Wheel Bearing Kit - complete car kit
 125-822
 \$69.99

 Front Wheel Bearing Kit - 1 side
 125-821
 35.99

 Wheel Bearing Shim Set
 263-508
 6.89



Braided Stainless Steel Teflon Brake Hose Sets by Goodridge These competition-inspired brake hose sets

meet all DOT safety standards and are street

legal in all 50 states. Each set includes all brake hoses used on your car, with any required



Rear Disc Brake Kit by Frontline

This kit delivers the ultimate braking for the rear of your Spridget! The kit uses 8" discs with alloy calipers to allow rapid heat dissipation and reduced fade under continued heavy use and eliminates wheel lock under heavy braking. The system has been designed to work in conjunction with any of Frontline's front brake conversions to give the optimum and most balanced braking set-up for your car.

1964-79 w/13" Wheels 586-647¹ \$2,299.00 U1964-79 w/14" Wheels 586-648¹ 1,999.00 U1964-79 w/14" Wheels

¹Kits are made to order. Please allow six to ten weeks for delivery.



Face Adjusted Wheel Bearing Kit

Original size wheel bearings have completely disappeared from the marketplace, leading to the proliferation of inferior replacements that almost fit but cannot be adjusted to remove play in the mounted wheel. To solve this serious problem, these new wheel bearing kits are specially machined for your Sprite or Midget and can be installed with absolute confidence that they will work straight out of the box and provide the proper amount of endplay. Two required per vehicle.

Wheel Bearing Kit - Face Adjusted 125-825 \$119.9

moss







PERFORMANCE

A38

SUSPENSION

Frontline Tube Shock Conversion Kits

The Frontline suspension conversion has been developed in conjunction with specialist suspension engineers to give what is probably the single biggest improvement to the Sprite/Midget's handling. The specially developed telescopic dampers provide progressive damping - as suspension movement increases, the shock absorbers increase resistance - which lever shocks are not able to do.

To maintain front and rear continuity, adjustable AVO shocks are used allowing you to adjust the ride to your personal requirements and driving style.

| Front Conversion Kit | | |
|--------------------------|----------------------|------------|
| 1958-80 | 268-168 | \$1,295.00 |
| Replacment Shocks - Pair | 268-169 | 549.99 |
| Rear Conversion Kits | | |
| 1958-63 | 268-171 ¹ | \$599.99 |
| 1964-74 | 268-172 | 599.99 |
| 1975-80 | 268-173 | 599.99 |
| Replacment Shocks - Pair | 268-174 | 449.99 |

¹Requires some welding.





Moss Rear Tube Shock Conversion Kit

EXCLUSIVE

Modern tube shocks provide better ride comfort and handling than the old lever arm style. When was the last time you checked your rear shock fluid? Most people don't, and this leads to premature wear and leaks, which render the shocks worthless. The Moss R&D shop has come up with a specially modified set of rear tube shocks which, along with a few simple mounting bolts, gives your car a better, maintenance free ride. Can be installed on Midget 1500; sheet metal shrouding upper mounting must be trimmed.

1964-74 Rear Conversion Kit 268-288 \$299.99

Rear Tube Shock Conversion Kits

These kits contain the Spax adjustable gas filled shocks (adjustable from the outside). Includes new lower spring plates that incorporate an angled mounting flange. Installation is easy and instructions are included.

| 1964-74 | 264-675 | \$499.99 |
|---------|---------|----------|
| 1975-80 | 264-676 | 489.99 |



An Australian-based company, SuperPro began manufacturing replacement bushings made from polyurethane after they realized that OE rubber couldn't withstand the tough and extreme conditions found in the notorious outback. Rubber has been a traditional material for comfort, but is prone to vulnerabilities and deterioration. Polyurethane bushings ensure the suspension components will retain their desired geometry and last longer than rubber. SuperPro has tuned their bushings to work together on each car as a set. Each location may be stiffer or softer than another location on the same car. This ensures the car as a whole has the absolute best handling possible.

| Complete Car Suspension Kit | | | |
|-----------------------------|---------|----------|--|
| 1964-on | 683-137 | \$179.99 | |
| Front Suspension | | | |
| Complete Kit - 1964-on | 683-135 | \$89.99 | |
| Upper Trunion Bushing Set | 683-040 | 19.99 | |

| Rear Suspension | | | |
|----------------------------|---------|---------|--|
| Complete Kit - 1964-on | 683-136 | \$89.99 | |
| Sway Bar Center Mount Kits | | | |
| %6" w/ original strap | 683-060 | \$19.99 | |
| %" w/ original strap | 683-027 | 23.99 | |
| ¾" w/ original strap | 683-062 | 19.99 | |

¾" Anti Sway Bar

The 3/4" anti sway bar is an excellent compromise for both fast road, and competition use. Increased front sway bar diameter reduces body roll and understeer which in turn gives better handling control.

| 3/4" Anti Sway Bar, front | 264-555 | \$189.99 |
|--------------------------------------|---------|----------|
| Solid Sway Bar Mounts (Pair) | 263-435 | 79.99 |
| Rubber Mounting Bushing (Individual) | 280-915 | 2.19 |
| Polyurethane Mounting Bushing (Pair) | 683-062 | 19.99 |
| Mounting Strap (Individual) | 263-430 | 0.89 |

Heavy Duty Front Shock Valve

The higher spring pressure used in this valve is suited for use with heavy duty springs and larger than stock sway bars. Sold each, two required per vehicle.

Heavy Duty Valve 264-027 \$32.99









Roll Bar

Our bolt-in roll bar looks great and causes minimum restriction of cockpit space. They're even designed to fit inside the convertible top. The optional pad is vinyl covered and uses snaps and velcro fasteners to keep it firmly in place. Includes mounting hardware.

| 1961-69 Roll Bar | 453-325 | \$679.99 🚐 |
|------------------|---------|------------|
| 1970-79 Roll Bar | 453-326 | 679.99 🚐 |
| Roll Bar Cover | 236-000 | 98.99 |



Camber Adjusting A-Arm Bushing Sets

Offset nylon bushings allow for fine tuning of camber. Set of 4. Two sets required.

Camber Adj. Bushings

282-308 \$29.99



Front Suspension Lowering Kit

This kit contains special spacers which install between the wishbone/spring pan and the spring seat to lower your front suspension ½". Works with all springs. Kit includes spacers and bolts for both sides.

264-665 \$21.99 Front Susp. Lowering Kit



These rugged axle straps were engineered to last and are a substantial upgrade over the rubber straps currently on the market. Made from a nylon webbing, they offer some stretch properties, yet provide a tensile strength of over 4500 lbs. Sold in pairs. Metal tubes/sleeves should be reused on vehicles that originally required them.

Sprite/Midget 1958-74 267-611 \$34.99 Midget 1500 267-616 34.99

Steering Rack

If you're tired of your Midget wandering across the road, install a new, factory-fresh rack and stop those wandering ways. Give your Midget the crisp steering you crave, our rack bolts right in for that new steering feel all over again. Don't forget Moss has all of the bushings, trunnions and hardware you need for a front end refresh.

Midget mid-1973-on 668-000 \$219.99



Prothane Bushings

Superb engineering design details differentiate these from other polyurethane replacement bushings. Grooved bores in some bushings to hold a special Teflon grease (included) make these bushing sets long-lasting and quiet.

| Front Suspension Kit includes 4 upper | | |
|---|---------|---------|
| and 8 lower bushings | 280-938 | \$48.99 |
| %" Sway Bar Mount Kit | 280-935 | 14.99 |
| Rear Spring Kit (1/2 elliptic spring cars only) | 266-418 | 84.99 |

Nylatron Upper Trunnion Bushings

Nylatron bushings firmly locate your front suspension. Standard camber





trunnion bushings are a direct replacement for your original bushings. The negative camber bushings are designed primarily for competition purposes and give improved steering and braking control. Sold individually, 4 required per car.

Standard Camber Bushing 264-585 \$24.99 **Negative Camber Bushing** 264-595 24.99



Lowered Rear Springs

Significant gains in cornering ability can be achieved with lowered rear springs. Sold each.

| 1964-74 1" Lower | 264-685 | \$199.99 |
|------------------|---------|----------|
| 1964-74 2" Lower | 264-705 | 209 99 |



Front Spring Set by Suplex

We're asked what the big deal is with "those pricey Suplex springs." Here's the deal: They're that good. Simply put, they are made from pricey material that make them lighter, smaller and more durable than conventional springs. One of the great advantages of a smaller diameter spring is that it can compress further—in some applications giving you an inch more suspension travel. Five-year warranty. Chrome bumper only.

| Chandand | Rate lb./in. | Ride Height | Part # | Price |
|----------------------------------|-----------------|----------------|---------|----------|
| Standard 1958-64, pair | 300 | 9.5" | 265-591 | \$154.99 |
| Uprated Fast Road, pair | 340 | 8.5" | 264-606 | 154.99 |
| Race, pair | 400 | 8" | 264-616 | 154.99 |



Rear Spring Lowering Kit 1964-80

Easy to install kit lowers the rear of the car by 11/4". \$91.99 Rear Spring Lowering Kit














A40

BOOKS











A.

В.


D.

E.














A. SU Workshop Manual

Factory workshop manual for SU carburetors and fuel pumps.

SU Workshop Manual 211-305 \$29.99

B. SU High Performance Manual

Who wouldn't benefit from knowing the secrets that SUs hold? If you are looking to increase your SU repertoire, this is the book for you. Lots of pictures and illustrations. 96 pages.

SU High Performance

211-466 \$34.99

C. SU Tuning Tips & Techniques by G.R. Wade Factory information to help you solve all standard SU problems.

SU Tips and Techniques 211-345 \$28.99

D. Weber Carburettors: Tuning Tips & Techniques

A distillation of many years' experience of working with Weber carbs. Setting the carburetor to suit a particular engine, fault-finding and the maintenance and repair of older carburetors are all topics which receive detailed attention. 128 pages, 200 b&w illustrations.

Weber Carbs, Tuning 213-431 \$27.99

E. Haynes Carburetor Manuals

An excellent guide to tune up and maintenance of SU, Zenith-Stromberg and Weber carbs.

Carburetor Manual 211-430 \$29.99

F. Lucas Fault Diagnosis

For professional technicians; easily understood by the non-professional. Softbound, 8½" x 11", 46 pages.

Lucas Fault Diagnosis 990-035 \$7.99

G. Robert Bentley's Repair Manual for British Cars

Written in 1970, this book is a wealth of fault-finding and repair references for the British car owner. Covering a wide range of cars from Minis to Cortinas and all the sports car range, this book explains how the cars work and how to repair them. Softcover, 7" x 9". 380 pages, 225 b&w photos, 152 illustrations and diagrams.

Bentley Repair Manual 213-785 \$52.99

H. How to Restore Automotive Interiors

A major part of any auto restoration is bringing the interior back to life. With nearly 200 pages and 500 color photos, this step-by-step guide walks you through restoring seats, door panels, floor coverings and headliners, as well as adding sound dampening and thermal insulation.

Interior Restoration Guide 213-865 \$29.99

I. Aspects of Abingdon by Ken Smith

This is the 2nd edition reprint of a tribute to the workers who built the MGBs, MGCs and Midgets at the MG factory in Abingdon-on-Thames. With updated text, revised chapters and new photos. Learn how the cars were assembled and the changes needed to meet Federal safety and smog requirements.

Aspects of Abingdon 213-025 \$21.79

J. Original Sprite/Midget Restoration Guide

This looks like a coffee table book and reads like one too - but its easily accessible information is nothing less than what you want. Loaded with original specifications, color schemes and factory options and dates. This book may be written for easy reading and may be readable by anyone - but the serious (or 'soon-to-be serious') enthusiast will recognize how valuable this information is.

Original Sprite/Midget Restoration

Guide 211-406 \$49.99

K. Sprite/Midget Essential Buyer's Guide by Terry Horler

This book is the perfect companion for the first-time or even more experienced buyer. All the information is here to help make a clear and balanced decision, to counter the vendor's claims, and even negotiate a better price. The author has bought and sold many MG Midgets & A-H Sprites over the years, and his knowledge and enthusiasm will prove a vital resource for potential buyers. 5.5" x 7.5", 64 pages, 100 color photos.

Sprite/Midget Essential Buyer's Guide213-671 \$19.99

L. Bentley Shop Manual

Robert Bentley manuals contain reprints of the factory workshop manual, plus the owner's manual. The most complete and authoritative manual available.

 948-1098
 212-330
 \$79.99

 1275
 212-340
 79.99



























M. Restoring Sprites & Midgets

Written with technical expertise and wit, this manual is packed with photos and illustrations covering all aspects of restoration.

Restoring Sprites & Midgets 213-305 \$49.99

N. Haynes Workshop Manual

A Haynes workshop manual is an excellent guide to the tune up and maintenance of your car.

Sprite-Midget 212-380 \$29.99

O. Tuning A-Series Engines by David Vizard

This is the Bible for anyone wanting to improve their A-Series engine, be it for performance or economy. Covering every area of the engine, from crank to valve guides, with examples of modifications. 488 pages.

Tuning A-Series Engines 212-160 \$51.99

P. Factory Workshop Manual Reprints

Everything from basic tuning data, to torque settings and complete component rebuilding.

| Bugeye Sprite | 212-465 | \$59.89 |
|-----------------------------|---------|---------|
| Sprite MkII on/Midget to 74 | 212-475 | 64.89 |
| Midget 1500 | 212-415 | 69.99 |

Q. Glovebox Workshop Manual

This manual is packed with information. Tune-up data, repair and rebuilding information, dimensions and torque specs are in these compact 5½" x 8½" book. For all 1958-80.

Workshop Manual 212-480 \$34.99

R. Your Expert Guide to Common Problems & How to Fix Them

Learn to identify all the things you need to be aware of to avoid mechanical trouble with your Spridget. This book walks you through the main components of your car and identifies potential problem areas to help keep you from being stranded or facing a major repair bill.

Buyers Guide 213-855 \$24.99

S. Owner's Manual Reprints

Reprints of the manuals originally supplied with your car. From basic tuning and maintenance to putting up the top. An essential book for your library.

| Bugeye Sprite | 212-690 | \$19.89 |
|----------------|---------|---------|
| 0, 1 | | |
| Midget MkIII | 212-705 | 22.99 |
| Midget 1975-78 | 213-310 | 22.99 |
| Midget 1979-80 | 213-320 | 21.99 |

T. MG Competition Cars and Drivers

MG established its winning reputation through competition. This epic story by Knudsen, documents every competition car in extreme and careful detail, starting with Old Number One and finishing with MG record cars. Includes time-period photographs, many never published before.

MG Competition Cars and Drivers 210-240 \$34.99



U. Frogeye Sprite: The Complete Story

Frogeye Sprite - The Complete Story covers the full story of the design, development and manufacture of the Mark 1 Austin Healey Sprite, including the considerable success of the car in racing and rallying. The title covers topics such as racing success and drivers, model variations, new builds and restoration, owners experiences as well as information and support for new owners.

Frogeye Sprite: The Complete Story 210-235 \$54.99

V. MG Record Breakers from Abingdon Photo Archive

MG established its reputation as a world-class sports car manufacturer by winning races and breaking class speed records. This is the first book to provide in-depth coverage on these record-breaking cars. Including International Class Record Summary charts for the EX 120, EX 127, EX135, EX 179, and EX181 as well as driver summaries.

MG Record Breakers from Abingdon 210-245 \$29.99



SU Carb Rebuild DVD

Tune or rebuild SU carbs with this easy-to-follow 2 hour 40 minute video.

SU Rebuild DVD 211-036 \$52.99













A42

BOOKS & TOOLS

Rule Britannia

When British
Sports Cars Saved a
Nation, celebrates
this compelling story
with authoritative
text from John Nikas
and his team of
dedicated researchers
and contributors;
historic imagery
from archives
maintained by



marque clubs, manufacturers, and museums; and modern portraits artfully captured in a studio setting by Michael Furman, the world's most renowned automotive photographer. 300 pgs; Hard Bound; Color Images, 10"x12".

Rule Britannia 215-105 \$89.00

SU Maintenance Tool Sets



Mixture adjustments on SU H and HS carburetors are much easier with the proper tool. 1/16" W (.600" nut) fits original carbs. 17 mm (.669" nut) fits new upgraded carbs.

(A) 5%" W Wrench 386-400 \$2.29 (B) 17 mm Wrench 386-401 5.99



An assortment of handy tools for the home mechanic. Instructions included. Suitable for all cars with SU carbs. Includes jet wrench #386-400.

SU Tool Kit 386-300 \$21.99

SU Jet Centering Tool

Jet centering is critical on older fixed needle SU carbs. This simple tool makes it a snap.

Centering Tool 386-500 \$34.99

BMC Competitions Department Secrets

The inside story of a legendary works, Competition Department is told by the three competition managers of the highly successful BMC/British Leyland race and rally teams based at Abingdon. This



book reveals the inner workings of one of the most successful motorsport teams Britain has ever seen. Based on previously unpublished internal factory memos, other documents, and the recollections of the prime movers, it describes the ups and downs and the politics of big-time competition. An excellent and entertaining read, no motorsport enthusiast should be without this book. 192 pgs; Soft Bound; 8"x10".

BMC Competitions Department

Secrets 210-250 \$39.99

Bezel Remover Tool Set

The round bezels on most Lucas Switches have two slots, and nobody has the special tool you need to take them off. Using a screwdriver results in a scratched dash and colorful language. These tools have two teeth for the slots in the bezels and are made from hard steel so the teeth will last; critical for this application so you don't mar your bezels. The set includes tools for ¾" diameter and 1" diameter bezel nuts.

1958-67 Toggle & Ignition Switches 384-960 \$29.99

King Pin Reamer Tool

If you want to install new king pin bushings, they must be carefully reamed in perfect alignment after installation. This tool will help assure that your suspension is done right.

948 (Drum Brakes) 021-600 \$999.99 1098, 1275, 1500 (Disc Brakes) 386-380 359.99



Lift-the-Dot Hand Punch

Aimed at professional installers, this tool would make a fine car club tool box addition. Punches center hole and prong holes for installation of Lift-the-Dot fasteners to make installation of tops and tonneau covers a cinch.

Lift-the-Dot Hand Punch 226-105 \$74.99

Mechanical Ignition Handbook

Mechanically timed ignition is easy to understand and wonderfully straightforward to diagnose and repair, which is good because it's one of the most likely things on an older car to die and leave you in the lurch.



Author Rob Siegel explains how mechanical ignition works and discusses in detail how to set timing and advance. There is also a full chapter on troubleshooting mechanical ignition problems. Illustrated with over 100 photos and diagrams and supported by clear, step-by-step instructions, the Mechanical Ignition Handbook features sections on: Mechanical ignition basics and components, common repairs and recommended tools, adjusting point gap, finding top dead center, using both a standard and an advance timing light and much more. 150 pgs; Soft Bound; Color Images; 8"x10".

Mechanical Ignition Handbook 215-110 \$22.99

Sprite/Midget Rear Axle Hub Nut Wrench

This wrench fits the unique axle nut found on the Sprite and Midget. A standard ½" drive socket wrench can then be used to remove and reinstall the nut.

Sprite & Midget 384-959 \$53.99



Clutch Alignment Tool

Accurately aligns your clutch disc for easy engine/transmission assembly.

 948-1275
 387-320
 \$2.89

 1500
 387-330
 2.89



Steering Wheel Nut Socket

An absolute necessity for removing steering wheel retaining nuts. A worthwhile investment - 2-sided, 11/6" and 11/2".

Wheel Nut Socket 384-906 \$32.99



Grease Gun

For all those maintenance tasks.

Grease Gun 386-710 \$34.99







Ignition Wrench Set

High quality ignition wrench set by King Dick. Sizes 0 to 10 BA will handle most fasteners smaller than 1/4" on the car.

Wrench Set

385-000

\$66.99



Phillips/Pozidriv All-In-One Screw **Driver Set by King Dick**

Our revolutionary all-in-one screwdriver set features a patented tip design optimized for both Phillips head and Pozidriv patterns. All four screwdrivers are made from hardened and plated high-grade steel, and have soft-feel grips for comfort and control. Take the guesswork out of your British car tasks and save yourself the frustration of stripped screw heads. Works with PH1-2-3 & PZ1-2-3.

Phillips/Pozidriv 384-850 \$58.99



7-Piece Ratcheting Combination Wrench Set

Make quick work of tough jobs with this professional quality ratcheting combination wrench set. Made in England these wrenches have all the quality, performance and reliability you've come to expect from King Dick Tools.

Whitworth Sizes:

¹/₈"w, ³/₁₆"w, ¹/₄"w, ⁵/₁₆"w, ³/₈"w, ⁷/₁₆"w, ¹/₂"w

7-Piece Ratcheting Wrench Set 383-308 \$279.99



8-piece Wrench Sets

These quality Whitworth and Standard wrench sets were manufactured from a satin finished chrome vanadium, and feature a traditional oiled leather tool roll.

Whitworth Set sizes:

¹/₈"w, ³/₁₆"w, ¹/₄"w, ⁵/₁₆"w, ³/₈"w, ⁷/₁₆"w, ¹/₂"w, ⁹/₁₆"w

Standard Set Sizes:

1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 11/16", 3/4"

Whitworth Wrench Set 384-800 \$86.99 Standard Wrench Set 384-805 56 99

Drum Brake Adjusting Wrench

Get a better grip on brake adjusters with our specially designed wrench. It has 1/4" and 5/16" square box end, and a long handle for improved leverage.

Adjusting Wrench 386-160 \$9.89

No-Mar Tool Set

Using the right tool for the job is a must if you don't want broken parts or scratched paint. This set of 5 pieces is perfect when you're removing fasteners, trim or molding and don't want to damage your paint or those expensive fasteners. No-Mar means the tools won't hurt your car or the parts you're removing. The small price is great insurance, and every tool box is incomplete without this set.

No-Mar Tool Set 231-830 \$23 99



Clikadjust Valve Adjuster

Adjusting tappets is never a pleasant chore. This British tool takes much of the effort out of this necessary job. Turn the handle, click and tighten. Your clearance is set! Replaces the clumsy screwdriver/wrench combination with a single easy to use tool. Requires a ½" drive socket to fit tappet adjustment nut.

► WATCH

Clikadjust

Tube Bender

Bend fuel and brake lines exactly where you need them to go. This Tube Bender works great for brass, copper, steel and aluminum tubes of the following diameter: 3/16", 1/4", 5/16" and 3/8".

Tube Render 385-905 \$20.99



Ball Joint Puller & Separator

These heavy-duty forged tools are the easiest way to split ball and taper joints, such as track rod ends from steering arms.

386-025 \$36.99 Separator, Scissors Type 386-026 69.99



Snap Installation Tool

Install button snaps without damage.

Snap Tool 386-980 \$5.79









GARAGE & TOOLS

Brake Piston Resetting Tool

The right tool for the job makes life much easier. The Brake Piston Resetting Tool allows easier installation of brake caliper pistons, seals, and seal retainers.

Brake Piston Resetting Tool

386-285

\$41.99

Scissor Type Ball Joint Separator



This scissor type ball joint separator has a 19mm jaw capacity and has a chemically blackened forged steel body with thrust bolt.

Scissor Type Ball Joint Separator

386-027

\$25.99

Circlip Installation Tool

The wheel cylinder circlip is notoriously difficult to install. This easy-to-use tool changes all of that. You can now change wheel cylinders in a snap, while avoiding damage to parts or yourself.

Circlip Installation Tool

386-185



Cooling System Air Purge Tool

Ensuring all the air is purged out of the later cooling systems can be tricky without this handy tool. Tool threads into the filler plug hole and allows easy topping off of the cooling system to ensure all air is evacuated.

1275-1500

384-965

\$53.99

Carburetor Synchronizer

Used to synchronize airflow between multiple carbs, this is an indispensable tool for the serious home mechanic.

Carb Synchronizer





This popular vacuum/pressure pump is perfect for bleeding hydraulic systems. Includes: vacuum/pressure pump, vacuum gauge, 1/4" tubing, automotive and brake bleeding adapter packages, reservoir jar and manual. Detailed instructions and ideas for additional uses.

386-215 \$79.99 Mityvac



Professional Air Powered Bleeder

Air powered hydraulic bleeder uses siphon to bleed hydraulic systems. Hook the unit to air source, set air pressure to desired power, open the bleed screw and squeeze the handle.

Air Power Bleeder 386-225

Carburetor Air Flow Meter

An Airflow Meter

allows you to quickly tune your engine's carburetion. These precision instruments are designed to measure the airflow directly on the air intake of the carburetor and can be used at low and high RPM on down draft and side draft engines. The sensitivity and accuracy of the Airflow Meter is much greater than any other type of synchro tool or gauge. And the range of indication is very broad on the lower end of the scale to ensure precise adjustment at idle RPM. While a single instrument is sufficient, the use of one per carburetor is advantageous. The airflow of each carburetor can be constantly observed until the tune-up is completed. Made in Germany the BK Model is supplied with an adapter that is ideal for all ram pipes and intake bores of 11/4" to 21/4" (32 to 55mm Diameter) and provides an easy-toread indication from 1 to 30 kg/h.

Carburetor Air Flow Meter 375-324 \$84.99



Eezibleed Kit

Kit includes a pressure vessel and caps to fit 1958-67 master cylinders. Instructions included.

Eezibleed Kit

386-860

\$59.99



Vizibleed Bleeder

Place the hose over a bleeder screw, put the check valve in an empty container, open the bleed screw and pump the pedal until clean, air-bubble-free fluid flows through the hose.

386-885 Vizibleed



Gunson's Colortune

A glass topped spark plug allows

\$229 99

you to see the color of combustion in your cylinders. Comes with special glass topped spark plug, viewing system for difficult plug locations and tuning procedure complete with troubleshooting guide.

Gunson's Colortune

386-210

\$84.99



Kleenguard Disposable Coveralls

Remove some of the pain of roadside repairs with these disposable, convenient coveralls. Liquid and particle protection means you won't get grease on your clothes, and when your repairs are done, you can just throw the coveralls away and keep on motoring. Keep a spare in the trunk and you'll be covered.

Disposable Coveralls

219-481

\$14.99





Tire Flat Spot Protectors

Flat Spot Protectors are essential for any owner looking to protect the lifespan and performance of their tires. Designed to increase the tire contact area and spread vehicle load, flat spot protectors minimize stress exerted on the tire, preventing sidewall cracks and flat spots forming during storage; offering additional benefits their ramped design also means that flat spots protectors function as effective vehicle chocks, avoiding the need to apply the handbrake (which can lead to binding of the rear brakes) and can also be secured to the floor to provide a garage parking stop function. Suitable for vehicles up to 8800lbs with 10"-18"x 7" wide wheels. Our Flat Spot Protectors benefit from a durable, high visibility, interlocking design and are supplied in pairs.

Tire Flat Spot Protectors - Pair 221-600 \$24.99



Engine Roll Around Stand

If you have a spare engine to store, this stand makes it easy to move and keeps it off the ground. Dismantled, the engine stand stores easily until next needed.

Fits 948-1275 384-925 \$134.99



Oberg Tilt Lift

Allows easy adjustment of an engine's lift angle through a full 90° of movement. Adjust with ½" ratchet; 2,000 pound capacity with a 3:1 safety load factor. A positive lock ensures the engine stays put. All steel construction and small size.

Oberg Tilt Lift 386-730 \$99.99



Wire Harness Repair Kit

Our Wiring Harness Repair Kit makes fast, secure wiring connections a snap. Just crimp a bullet to each wire end using the included Bullet Crimping Tool. Push bullet ends into the connector sleeve. Snap firmly into place with the Closing Tool for a permanent repair.

The high quality, Bullet Crimping Tool ratchets closed to put a secure hexagonal crimp in bullets. The Closing Tool presses bullets firmly into both single and two-wire connectors.

161-751 Repair Kit with Tools Includes:

- Bullet Crimping Tool
- Closing Tool
- 30 each 18GA, 16GA, 14GA Crimp Bullets
- 10 Single-sleeve Connectors
- 6 Double-sleeve Connectors

161-752 Repair Kit without Tools Includes:

- 30 each 18GA, 16GA, 14GA Crimp Bullets
- 10 Single-sleeve Connectors
- 6 Double-sleeve Connectors

| Repair Kit with Tools | 161-751 | \$199.99 |
|-------------------------------------|---------|----------|
| Repair Kit No Tools | 161-752 | 38.99 |
| Crimp Bullets - 18GA Wire (10 Pack) | 161-771 | 5.99 |
| Crimp Bullets - 16GA Wire (10 Pack) | 161-772 | 5.99 |
| Crimp Bullets - 14GA Wire (10 Pack) | 161-773 | 5.99 |
| Bullet Crimp Tool | 161-759 | 129.99 |
| Closing Tool | 161-761 | 39.99 |



Auto Dolly

Wide heavy duty rollers and 6000 lb. capacity makes maneuvering your car easy.

Set of 4 Dollies 900-163 \$189.99

ACCESSORIES

GARAGE & TOOLS

Chrome Halon Fire Extinguisher

Every classic car should have an affordable onboard insurance policy in the form of a functional fire extinguisher. Carrying one is just common sense. Halon is an extremely effective fire suppressant and causes the least amount of residual damage and is safe for human exposure. Our compact 10" chrome extinguisher can be easily mounted to many surfaces with the included bracket.

Extinguisher

220-383 \$239.99



Seat Rail Fire Extinguisher Bracket & Quick-Release Mount

A fire extinguisher is a common sense necessity for any LBC owner. Having it both stationary and close at hand is critical. A lot of damage can occur in the time it takes you to retrieve it from the trunk, or fish it out from beneath the seat. Mounting your extinguisher to the front of the passenger seat rail frame keeps it secure, visible and accessible, while at the same time tucked conveniently out of the way of everyday use.

The Fire Extinguisher Seat Rail Bracket Set was designed to accept most fire extinguisher manufacturer metal brackets or the Quick-Release Mount. Premium hardware, L-Brackets and a purpose-made center bracket, allow for adjustment in both height and lateral positions. Installation instructions are included.

The Quick-Release Fire Extinguisher Mount attaches readily to the seat rail bracket, or will bolt to any flat surface. It is machined from billet aluminum, and has been anodized black. The quick-release mount uses a stainless steel lock pin (5 lbs release) with a red lanyard for better visibility and grabbing. The mount will accept extinguishers ranging from 2-%" to 3-1/4" in diameter. Installation instructions are included.

| Fire Extinguisher Seat Bracket | 220-386 | \$69.99 |
|-------------------------------------|---------|---------|
| Fire Extinguisher Quick-Release | | |
| Mount | 220-387 | 64.99 |
| Chrome Fire Eytinguisher - HalGuard | 220-383 | 230 00 |













GARAGE & TOOLS



Mini Jumper Cables

Just like our cars our jumper cables are small but surprisingly practical—they're 8-feet long. You may want to order a few of these. When you pull the pint-sized cables from their sturdy plastic case, the new road-side friends you're helping will want one of their own.

Mini Jumper Cables

900-061 \$22 99

Battery Filler

Correct topping up of your battery is ensured with this vintage style battery filler. Simply insert the nozzle into the battery and press down onto the separators. The valve opens and automatically fills the battery cell to the correct level.

Vintage Battery Filler

163-400

\$8.99

On-Board Battery Charger

Every sports car owner who only uses his car part of the year needs one of these, because deep discharge appreciably shortens battery life.

- Attaches permanently to battery tray or fender well, mounting hardware included
- Molded plastic sealed case resistant to water, gasoline, oil, solvents and acids
- Charges and maintains 12 volt batteries
- Totally automatic, if the battery drops 1 volt, the charger switches on, when fully charged it switches itself off
- Operates from any regular 110 volt outlet
- Dimensions: 5½" x 3½" x 1½"

Battery Charger 386-245 \$68.99

Logo Shop Apron

Logo shop apron with adjustable straps and three deep pockets.



217-200 \$23.99







Striker products have been designed, engineered and deliver to our professional customers innovation, technology and the best functionality. Striker products produce a crisp bright white light that illuminates a large surface area making them the most versatile of task lights.

TriLight Motion-Activated LED - The TriLight screws into a regular light bulb socket, but is 3.8 times brighter than a conventional bulb. It has three individually adjustable panels, each delivers 3,000 lumens, and has a life of 50,000 hours. You can use it with a wall switch or its built-in ultra-sensitive motion sensor.

FLEXIT LED Light - The FLEXIT Light is a hands free, flexible LED task light. The base holds two large magnets for attaching the light to metal surfaces. Or hang it or wrap FLEXiT to an object. FLEXiT uses 16 LEDs and can operate in low, medium and high settings. Includes 3 AAA batteries. Size: 0.85" x 7" x 13"

TriLight Motion-Activated LED 386-470 \$129.99 FLEXIT LED Light 386-460 39 99





Light Mine Professional Magnetic Light - A super-bright work light, a red beacon light, a magnetic pick up tool - all in the palm of your hand! The Light Mine Pro is about the size of a baseball, has 8 bright white LEDs on one side and 4 red LEDs on the reverse, and has 11 magnets. The 4 light functions are low power spot, high output flood, red night vision, and red signal beacon. Powered by 3 AAA batteries included.

Rover Mobile Task Light - The Rover is compact, lightweight, and of course is extremely durable. It features a aluminum head that acts as a fully functional heat sink. The steel exoskeleton also acts as a stable base, or frame to hang the light. There is a universal tripod mount. It is powered by dual lithium-ion rechargeable batteries for plenty of power, and long run times. Recharge by simply inserting the supplied USB cable into the plug on the back. Once aimed, it can be cycled through 4 modes (High, Low, Strobe and SOS).

Light Mine Professional Magnetic Light 386-455 \$27.99 Rover Mobile Task Light 386-475 49.99



Fender Covers

Our top quality fender covers are imprinted with the logo of your marque. Foam backing.

MG Logo 241-725 \$23.99 Austin-Healey Logo 241-735 23.99



Moss Gripper Fender Cover

Protective fender cover grips the paintwork and will not slip.

Moss Fender Cover \$38.99





X-Treme Quick Fix Tape

X-Treme tape was developed for the military and has some very unique properties. The silicone-based tape will stick only to itself, and only when placed under tension. Once wrapped around an object, it forms a non-conductive, air- and water-tight, insulating seal that remains flexible within a temperature range of -60°F to 500°F and has a tensile strength of 600 psi. The tape can be repositioned within two minutes of wrapping and will start to bond immediately upon application. Black roll is 1" wide and 10' long (stretches to 3 times its length).

X-Treme Quick Fix Tape

221-590 \$8.99

Form-A-Funnel

Patented tool diverts oil from the filter around skid plates, cross members, headers, or other obstacles for no-mess oil-changes. Quickly bends, molds and holds any shape so you can create the perfect channel for draining liquids.

- Moldable alloy core encapsulated in thick, pliable nitrile rubber can be reshaped and reused thousands of times
- Easy to clean and store
- Creates a leakproof seal around filters or
- Impervious to automotive fluids and works in temperatures from -30°F to 425°F
- Use with nearly any vehicle or equipment.

Form-A-Funnel 221-755 \$19.99



Convertible Top Maintenance

The textured surface of a convertible top is challenging to keep clean and protected from the elements. The professional strength of Raggtop products extends the life of your top and keeps it looking new.

| Top Cleaner | 221-505 | \$16.99 |
|-------------------|---------|---------|
| Fabric Protectant | 221-510 | 27.99 |
| Vinyl Protectant | 221-515 | 21.89 |



Novus Plastic Polish

#1 polish is for light scratches and aging. #2 polish is for restoring clarity by removing discoloration, haze and fine scratches. The #3 polish removes heavy scratches and abrasions. The #2 polish is required to finish after the #3 polish is used. Perfect for convertible top plastic windows.

| #1 Clean & Shine | 220-605 | \$6.99 |
|--------------------------|---------|--------|
| #2 Fine Scratch Remover | 220-610 | 9.99 |
| #3 Heavy Scratch Remover | 220-615 | 11.49 |



Castrol Oil Collectables

Classic Castrol oil cans look great in your den or garage.

| ½ Pint | 216-545 | \$14.79 |
|--------|---------|---------|
| 1 Pint | 216-555 | 21.99 |
| 2 Pint | 216-565 | 27 99 |

Oil Spill Mat

Don't let oil stain your garage or driveway. Roll out an absorbent Oil Spill Mat to catch the daily dribbles and engine maintenance spills.

Oil Spill Mat 221-605 \$23.99

Classic Color Spray Paints

Paints are ozone friendly. Bare metal must be primed to achieve satisfactory results. 12 oz. aerosol cans. Ground shipping only.

| Engine: Olive Green Engine to 1972 | 220-580 | \$21.69 |
|------------------------------------|---------|---------|
| Engine: Black 1972 on | 220-575 | 16.99 |
| Engine Primer | 220-576 | 14.99 |
| Wheel: Silver-Grey | 220-560 | 21.69 |
| Dash & Winer: Black Wrinkle | 220-570 | 19 99 |



Renovo Soft Top Care

ACCESSORIES

The best care you can give to your fabric or vinyl convertible top. Water-based Renovo products clean, waterproof and revive tired tops safely.

| Fabric Top Dry Cleaner | 220-260 | \$14.99 |
|--------------------------------|---------|---------|
| Water & Stain Proofer, 1 L | 220-265 | 26.99 |
| Water & Stain Proofer, 500 mL | 220-280 | 15.99 |
| Vinyl Top Cleaner, 500 mL | 220-285 | 13.99 |
| Vinyl Top Protector, 500 mL | 220-290 | 13.99 |
| Black Fab. Top Reviver, 1 L | 220-250 | 44.99 |
| Black Fab. Top Reviver, 500 mL | 220-270 | 24.99 |



Simichrome Metal Polish

Highly recommended polishing paste for brass, aluminum and chrome. Leaves a super shine with a protective film for lasting brightness.

225-350 Simichrome \$18.99



Connolly Hide Care

This is the famous "Hide Food," only the name has changed. Apply once a month to keep leather clean, soft and luxurious. Made in England.

Connolly Hide Care 220-210 \$38.99

Spray Adhesive

Our contact adhesive has a very high heat resistance and bonds firmly to insulation and sounddeadening material, carpet, headliners and many automotive surfaces. One advantage of this spray that we really like is that it goes on as a web rather than a stream for a more complete and consistent coverage. 12 fl. oz.

Spray Adhesive





\$19.99









CARE & MAINTENANCE



Water & Gas Don't Mix

If you use modern gas that has Ethanol blended in, and you don't drive your classic very often, the ethanol attracts water in your vented tank which in turn forms rust and sludge, impairing performance. We've got three products to help:

Prevent with PEP Fuel Treatment

PEP fuel treatment is a fuel preservative formulated with antioxidants and de-gumming agents to help fight sludge, resin deposits and gum from forming in your fuel tank. Modern ethanol-blended gasoline has a shelf life of 30-45 days in a vented tank, PEP fuel treatment increases that to 60 days. PEP fuel treatment should be mixed with the fuel every time you buy gas. Keep a bottle handy in your trunk. An 8 oz bottle treats 80 gallons. If you are storing your vehicle with gasoline in the tank, use 1 oz for every five gallons.

Test with Water Probe Indicator

Using a dip stick that will pass all the way to the bottom of your fuel tank, apply the Indicator to the very tip of the dip stick. The Indicator will turn red to show the exact level of water in your tank. Water collects at the very bottom of your tank.

Emulsify with E-Zorb Treatment

E-Zorb emulsifies the water you've found in the bottom of your fuel tank, and mixes the water and ethanol back into the fuel. The water will pass with the gasoline through your filter and into your engine, finally leaving as steam. E-Zorb should be mixed in the ratio 1 ounce to 20 gallons of gasoline, so one pint bottle of E-Zorb will treat 320 gallons. It will be necessary to agitate the fuel treatment in your tank by rocking your car from side to side and up and down.

| PEP Fuel Treatment | 220-361 | \$13.99 |
|-----------------------|---------|---------|
| Water Probe Indicator | 220-362 | 12.99 |
| E-Zorb Fuel Treatment | 220-355 | 29.99 |



Auto Dry Blade

This 111/2" water wand swipes away surface water. The soft silicone contours to your vehicle's shape and glides over any paint surface without scratching the finish. Produces 15% less friction than terrycloth.

Auto Dry Blade 231-674 \$18.99



Professional Car Duster

100% cotton dusting mop is treated with special wax to trap dust. Simply shake it out and it's ready to use again. 20" long. Comes with a protective carrying case.

Professional Duster \$20.99



Wire Wheel Brush

If your car has wire wheels, you need this brush! Shaped to get around the spokes without damaging your knuckles, this heavyduty brush makes light work of cleaning your wire wheels.

Wire Wheel Brush 386-940 \$6.89



Convertible Top Cleaning Brush

Natural horse hair brush is nonabrasive, naturally soft, durable and exclusively designed to gently remove exterior debris from fabric and vinyl convertible tops.

Horse Hair Cleaning Brush 221-530 \$19.99

Collector's Choice Engine Oil

Collector's Choice engine oil is a must for your classic engine. Contains higher zinc and phosphorus levels to help prevent premature camshaft lobe wear, additives to help prevent seals from becoming hard and leaking from infrequent use, and antioxidants to combat the effects of humidity changes during storage that can lead to moisture and even rust in an engine. 12 quarts in a case. Not for use with catalytic converters.

220-815 20W-50, quart \$9.99 20W-50, case of 12 220-810 \$99.99

Dashpot Oil

Specifically designed for both SU and Zenith carbs, this oil will ensure your car's proper performance. 125 mL.

Dashpot Oil 220-225



British Girling and Armstrong lever action shock absorbers. Convenient flip-open pouring spout for easy refills. 16 fl. oz.

Shock Fluid 220-304

Transmission Oil

Effective in all manual transmissions. Also improves copper corrosion protection to prolong the life of brass and bronze synchro rings, bushes, and thrust washers. 1 qt.

Transmission Oil (non-OD)



\$17.99

220-145 \$27.99

WaterWetter

A wetting agent that helps coolant "bond" to metal surfaces thus increasing heat transfer. Highly recommended for all climates.

WaterWetter





CARE & MAINTENANCE

"Ultra Slick" **Engine Assembly Lube**

Use "Ultra Slick" during assembly of camshafts, lifters, engine bearings, timing components, valves and guides and rocker shaft assemblies.

Assembly Lube

221-565



ReLead & Stor-N-Start

ReLead replaces the valve lubricating qualities of lead formerly used in gas. Stor-N-Start is an additive that prevents deposits from forming in fuel lines and carburetors.

Rel ead 220-390 \$24.99 Stor-N-Start 220-375 9.99

Lead Substitute with Octane Booster

Effective valve and valve seat protection plus a powerful octane booster that will raise octane rating by as much as five points depending on the type of gasoline.

Lead Substitute - 12 oz.

\$10.89



Brake Lube

This grease aids in the assembly of natural and/or synthetic rubber components.

Brake Lube, 5 g. 220-443 \$2.59 Brake Lube, 500 g. 220-444 19 99

Permatex Disc Brake Quiet

Apply to the back of your brake pads to eliminate brake squeal. Compatible with anti-lock brake systems and brake pads that do not have anti-squeal shims. Protects against corrosion. Comes in a package of two .25 oz. packets.

Disc Brake Quiet

Corroseal Rust Converter

Rust. Is there a more deplorable four-letter word? Corroseal is the best way to deal with rust because it is less expensive, less time consuming and is more environmentally friendly than sandblasting. Corroseal Rust Converter chemically alters rust (iron oxide) into magnetite, a stable substance. It also primes the surface with a high-quality latex metal primer at the same time. Corroseal truly provides one-step corrosion control.

- Water-based rust converter with highquality latex metal primer
- Non-flammable
- Non-corrosive
- Easy to apply (brush, roll or spray)
- Easy to clean-up with soap and water

Corroseal Rust Converter 232-205 \$33.99



Copaslip Anti-Seize Compound

This anti-seize is highly recommended for wire wheel splines and knockoff threads. The Molybdenum formulation reduces galling and corrosion to improve the life of wire wheels and hubs. Wheel and hub surfaces should be cleaned and relubricated at least once per year as part of a regular maintenance program.

221-405 57 g. (2 oz.) Tube \$13.99 250 g. (8.8 oz.) Jar 221-410 27 99

ZDDPlus Engine Oil Additive



After 70+ years of trouble-free, metal to metal engine protection, the E.P.A. is forcing ZDDP (Zinc Dialkyl Dithio Phosphate = Zinc and Phosphorus) out of domestic motor oil. If your engine was designed prior to the 1990s, your non-roller lifters require ZDDP in your motor oil to avoid premature deterioration. Don't let vour lifters run metalto-metal. Add the 4 fluid ounce contents of this ZDDPlus bottle at every 4 to 5 quart oil change. Not for use with catalytic converters.

ZDDPlus, each 220-805 \$12.99 ZDDPlus, case of 25 220-908 274 99



Hylomar Sealants & Assembly Adhesives

Hylomar Limited manufactures a wide range of high-performance sealants and adhesives used by some of the leading OEMs in the world. Hylomar products are also widely used and respected in the automotive, aerospace and industrial aftermarkets.

Hylomar M was originally the Racing Formulation. It is acetone-based, stiffens slightly over time and can be used in place of a gasket between finely machined surfaces. This product comes in a tube and an aerosol.

Hylomar Advanced Formulation (AF) is solvent-free, won't harden and is perfect for use with gaskets on parts that need to be removed regularly for service. AF fills imperfections on mating surfaces, thus forming a seal.

Hylotyte RED is a semi-hardening gasket and jointing compound offering improved gapfilling capabilities. The product is resistant to a wide range of fluids, especially water (including salt water and steam), anti-freeze and synthetic oils. It forms an instant seal, has a heat-activated curing system and is methylene chloride free.

Hylomar Exhaust Assembly Paste (EAP5) seals joints in exhaust systems and lubricates joints during fitting.

Hylomar Cleaner removes used Hylomar gasket and jointing compound from disassembled joints. The unique mix of solvents also make it perfect for cleaning and degreasing surfaces prior to use with any of Hylomar's range of adhesives and sealants. It is also very effective at removing uncured anaerobic adhesives, uncured silicone and uncured epoxy products.

| Hylomar M - 80ml Tube | 232-220 | \$21.99 |
|---------------------------------|---------|---------|
| Hylomar M - 200ml Aerosol | 232-225 | 29.99 |
| Hylomar AF - 85g Tube | 232-215 | 26.99 |
| Hylotyte RED - 80ml Tube | 232-230 | 23.99 |
| Hylomar EAP5 - 140g Tube | 232-235 | 7.99 |
| Hylomar Cleaner - 400ml Aerosol | 232-240 | 14.99 |
| | | |











CARE, MAINTENANCE & ACCESSORIES







Brake Fluids

Castrol LMA & Lockheed Brake Fluid:

Both LMA brake fluids exceed all factory DOT specifications. Compatible with all British brake systems.

Silicone Brake Fluid:

Will not absorb moisture from the air like ordinary brake fluids, resulting in longer life for brake cylinders and hoses. One quart is sufficient for fluid change in one car.

| Lockheed 500 mL | 220-400 | \$6.99 |
|--------------------------------|---------|--------|
| Castrol 12 oz. | 220-455 | 6.59 |
| Castrol gal. can | 220-505 | 64.99 |
| Silicone Brake Fluid - 1 liter | 220-412 | 24.99 |






Ultra-Torque Lubricant by ARP

ARP's Ultra-Torque lubricant has been specifically designed to reduce tension, preload scatter and eliminate the need to cycle high performance engine fasteners before final installation.

Ultra-Torque Lubricant - .5 oz. 322-815 \$3.89

ZDDP ZPaste™ Camshaft & Lifter Assembly Lube



Assembly Lube is specifically intended for the special break-in requirements of flat-tappet engines. ZPaste™ is a proprietary formulation of Zinc Dialkyl DithioPhosphate (ZDDP) types with a Molybdenum DiSulfide (MoS2) additive in a new

formulation Calcium Sulfonate base. It's extreme adhesion allows it to remain in place on critical engine parts for long periods of time. ZPaste™ is designed to be used along with ZDDPlus™ for initial engine break-in. Single use packets are enough paste for a single camshaft installation, paste is designed for use on cam lobes and tappets only.

Single Use, 1 Camshaft

220-806 \$8.99

SAE 90 GL4 Gear Oil by Dynolite

Our classic cars require special fluid and oil formulations, in particular, gear oil. Newer GL5 oils have too high of a sulfur content which erodes yellow metals such as bronze or

brass, which are commonly used in British applications. Our cars require a GL4 type oil and this Dynolite Gear Oil is perfect for our

SAE 90 GL4 - 1 Liter 225-306 \$9.99

Supercool by Dynolite

Supercool coolant additive is specially formulated to enhance cooling system performance.

- Improves heat transfer properties of your coolant
- Suitable for cast iron, aluminum, copper-brass and bronze cooling systems
- Formulated with a corrosion inhibitor
- Compatible with all water base coolants

Supercool 220-117



Fuel Tank Restoration

Step 1: Cleaner

We recommend using this bio-degradable cleaner in conjunction with the etching liquid when planning to seal a fuel tank. 1 gal.

Step 2: Etcher

Use this bio-degradable etcher as a prep to our slushing compound to give maximum adhesion of the sealer. Our tank cleaner should be used first to remove oils or grime. 16 fl. oz.

Step 3: Slushing

This slushing compound fluid puts a protective film on the entire inside surface of your fuel tank to prevent rust and eventual fuel line blockage. Tanks should be cleaned with #220-620, then etched with #220-630.

| Cleaner | 220-620 | \$48.99 |
|----------|---------|---------|
| Etcher | 220-630 | 22.99 |
| Slushing | 220-450 | 53.99 |

Expandable **Cup Holder**

Our retractable cup holder mounts nearly anywhere. The arms adjust in or out to the size of your container, and it folds up when not in use.



Black

DYNOLITE

DYNOLI

UPERCO

222-090 \$12.99

Drink Holder

Oversized 31/4" diameter opening will receive most any cup and hold it securely. Sturdily constructed and flocked in Charcoal Grey material to complement any interior. Best of all, it is secured in place by sliding over the edge of your floor mat, so you can use it in any automobile.

Large Drink Holder

100-785 \$27.99



Shoulder Strap Adjuster

Sliding clip adjusts a seat belt shoulder strap off of the neck and provides travel comfort for both drivers and passengers.

- Installs with a snap!
- Helps maintain upright position upon impact (U of Mich. Impact Tests)

Shoulder Strap Adjuster \$6.99



Logo Bar Stool

30" high, with padded 14" diameter seat covered with easy to clean vinyl. Chrome plated legs.

MG Logo \$129.99 Austin Healey Logo 231-810 129.99





APPAREL & REGALIA

ACCESSORIES



Desk Mug

Travel Mug

Thermal Mugs

Hot or cold drinks maintain their temperature in our new, British themed, brushed metal mugs. Spill and slip resistant, and available in travel and desktop styles.

Traval Mua

| MG Logo | 230-856 | \$23.69 |
|--------------------|---------|---------|
| Austin Healey Logo | 230-926 | 23.69 |
| Union Jack | 230-946 | 23.69 |
| Desk Mug | | |
| MG Logo | 230-857 | \$23.69 |
| Austin Healey Logo | 230-927 | 23.69 |
| Union Jack | 230-947 | 23.69 |
| | | |



Castrol Tin Coffee Cup

Branded with the period Castrol logo this classic style tin mug has an enamel coating in Castrol classic green with white inner. Great for the garage, camping or out at your next car show.

Features:

- Rugged Enamel Coating
- Chrome Polished Rim
- Dishwasher Safe
- 16 oz. Capacity

Castrol Coffee Cup 216-570 \$11.99



Classic Logo Knit Blankets





Keep the chill away while relaxing at home, or after a brisk night drive, with one of these heavy knit blankets. Made from an 80% cotton blend, their knit construction offers a feel as soft as a sweater. Yet, these heavy weights measure 50"x 60" and weigh in at 3 ½ pounds, providing you with a substantial buffer against the cold. These blankets are machine washable and made in the USA.

| Austin Healey Script | 231-315 | \$109.99 |
|----------------------|---------|----------|
| MG Octagon | 231-320 | 109.99 |



Classic Logo Wine Glass Set

When raising a toast with friends, share your Sprite or Midget passion etched in glass. A set of four wine glasses makes for an amazing gift.

MG Octagon Wine Glass Set - 4 pc. 230-969 Austin Healey Wine Glass Set - 4 pc. 230-989 29 99



Classic Logo Beer Glass Sets

This set of 4, full-pint, traditional beer glasses is great for those hot garage days from Guinness to Lemonade. The guys will appreciate your pub-like style and ample serving size.

| MG Octagon - 4 pc. | 230-951 | \$29.99 |
|------------------------------|---------|---------|
| Austin Healey Script - 4 pc. | 230-953 | 29.99 |







Waterproof Picnic Blankets

These waterproof blankets bring a touch of comfort to any roadside picnic. Folded into a parcel, it can be easily stored and transported using its durable handle. When opened up, this blanket spreads out to a respectable 51"w x 70"l. They are constructed of gray acrylic with a foam layer and waterproof PEVA backing. Offered with your choice of either the Austin-Healey, MG or Moss logo.

| Austin Healey Logo | 231-385 | \$29.99 |
|--------------------|---------|---------|
| MG Logo | 231-375 | 29.99 |
| Moss Logo | 231-370 | 29.99 |



Pendleton Motor Robe

Keep warm and cozy with our big 52" x 70" Pendleton Mills 100% virgin wool blanket. Woven in a traditional Scottish plaid, it will keep you free from drafts and provide a touch of comfort at roadside picnics.

Red Lap Robe 231-400 \$129.99



Heated Blanket

Keep your passenger toasty with this 12V heated blanket. 42" x 58". Requires negative ground lighter socket.

Electrically Heated Blanket

002-842

\$46 99

MOSS

as soft as a sweater. They are machine washable and made in the USA. Measures 8 1/2" x 80" MG Octagon 231-340 \$49.99 Austin Healey Script 231-341 49.99

Brave the elements while showing appreciation for your

LBC with one these knit scarves. Made from an 80% cotton blend, their sturdy knit construction offers a feel









Classic Logo Scarves



Premium Embroidered Hats

These superbly crafted embroidered hats provide a deep low fit which allows them to stay on at high speed. The adjustable velcro closure ensures a secure, personalized, fit. Offered in a variety of styles and colors, you're certain to find the perfect one to help keep the sun and wind from diminishing your fun!

Features:

- 100% Cotton Construction
- Contoured Visors
- Matching Color Sweatbands
- A. Tan/Navy MG Safety Fast
- B. Tan/Navy Austin Healey Script
- C. White with Navy Sandwich Visor MG
- D. Navy with White Sandwich Visor MG
- E. Tan with Green Sandwich Visor MG
- F. Black with White Sandwich Visor MG
- G. Navy with Red Sandwich Visor Sprite MkI Half-Jack
- H. Navy with Red Sandwich Visor Sprite MkII Half-Jack
- I. Navy with Red Sandwich Visor Midget Half-Jack
- J. Navy/Red Austin Healey Script

- Matching Fabric Adjustable Velcro Closure
- Premium Embroidered Designs

219-933 \$19.99 219-934 19 99 219-816 19.99 Rack J 219-819 19.99 219-817 19.99 219-818 19 99 219-938 19 99



Back A & B





Classic Logo Performance Polo's

Stay in your comfort zone with one of our light weight Performance Polo's. Moisture-wicking and highly breathable, they will keep you dry and cool whether

219-941

219-939

219-834 19.99

19 99

19.99

you're out for a drive, at a show or just working in the garage. These navy-blue polo's come sporting either the classic Austin Healey Script or MG Octagon logo. They feature tag-less construction and are machine washable.

| Austin | Healey | Script | Logo |
|--------|--------|--------|------|
| Modium | | | |

| Austin Healey Script Logo | | |
|---------------------------|---------|---------|
| Medium | 217-364 | \$49.99 |
| Large | 217-365 | 49.99 |
| X-Large | 217-366 | 49.99 |
| XX-Large | 217-367 | 49.99 |
| MG Octagon Logo | | |
| Medium | 217-360 | \$49.99 |
| Large | 217-361 | 49.99 |
| X-Large | 217-362 | 49.99 |
| XX-Large | 217-363 | 49.99 |
| | | |





Logo Earrings

dealership sign.

Medium

Large

XLarge XXLarge

Brightly enameled miniature marque logos.

MG Ocatgon 45mm **Chronograph Watches**

chronograph style watches have a 45mm precision machined silver alloy case, sport a mineral glass crystal face, stainless steel bezel and a stainless steel positive clasp band for great looks, easy viewing and durability. They come packaged in an elegant black tin presentation case for easy gift giving.

for accuracy and longevity. • Fully functional 1/10 second chrono capability up to 60 minutes that provides accurate timing at home or at the track. · Self-luminous hour markers, hour hand and minute hands with a red second hand for a

• High quality quartz movement from Japan

sporty look and great night-time visibility. • Logos are raised/embossed and high

polished to a jewelry finish for premium

• Includes a 3 year limited factory warranty.

specific details and conditions.

SERVICE

Back

BMC Service & Sales T-Shirt

The "retro style" is in fashion so show off

your BMC loyalties with this 100% cotton

t-shirt that features a logo based off a vintage

See the enclosed factory warranty papers for

231-311

\$139.99

These great looking

Features:

good looks.

MG Octagon Watch



013-705

013-706

013-707

013-708

\$21.99

21.99

21.99

24.99



Front

MG Logo 219-730









229-896

915-326

229-886

229-897

915-327

229-887

229-898

915-328

229-888



styles.

MG Logo

Union Jack

MG Logo

Union Jack

MG Logo

Solid Metal

Leather & Bar

Austin Healey Logo

Austin Healey Logo

Austin Healey Logo Union Jack

Leather & Teardrop



Engraved Metal Key Fobs

You'll love the sleek beauty of our latest Keychain Fobs. Engraved with your favorite British icon and available in three distinctive







\$13.69

13 69

13.69

\$13.69

13.69

13.69

\$13.69

13.69

13.69





9" x 12" silk-screened aluminum.

Sprite Logo 215-970 \$26.99 MG Logo 215-761 19.99

ALL STREET, WILL BE TIMED





Factory Dealer Signs

Multicolored and superbly screen printed, these signs look exactly like the rare originals!

| MG Service (12" x 16") | 214-321 | \$22.99 |
|------------------------|---------|---------|
| AH Service (6" x 24") | 214-310 | 28.89 |
| Austin-MG (12" x 48") | 214-210 | 48.99 |





| - | | |
|-----------------------------|---------|--------|
| Cloisonné Union Jack | 229-885 | \$6.79 |
| MG Brown | 229-802 | 8.99 |
| MG Black | 229-801 | 8.99 |
| Austin-Healey Brown Leather | 915-316 | 8.99 |
| Austin-Healey Black Leather | 915-315 | 8.99 |







Magnetic Country Oval Tags

Show your allegiance with a magnetic badge either to a country or to your frame of mind. Protective UV coating will protect your oval from fading or yellowing.

230-112 \$9.99



Cloisonné Union Jack

Designed to mount on flat surfaces. 21/4" x 13/8". Screws included.

Cloisonné Union Jack - Pair 229-308 \$27.99



Magnetic Union Jack

No holes required. 3" x 6".

Magnetic Union Jack 215-330 \$5.99

ACCESSORIES

APPAREL & REGALIA

A53







Lighted Signs

These distinctive lighted signs are sure to catch the eye of your fellow LBC enthusiasts. Their classic look and exceptional quality make them perfect for displaying anywhere from the den, office or garage. Their steel box housing is powder coated in a durable black satin finish. Backlit with modern LED's, the sign emits a clean and even light that will reservedly enhance these classic British designs. Measures: 21 3/4" x 6 3/4" x 3 1/4" with a 48" cord length. Made in the USA.

| MG Safety Fast | 231-350 | \$199.99 |
|----------------|---------|----------|
| MG Car Company | 231-352 | 199.99 |
| Austin Healey | 231-353 | 199.99 |



Classic Flying Helmet & Goggles

Reproduction of the helmets and flying goggles worn by WWII pilots of the Royal Air Force.

| RAF Goggles | 219-945 | \$179.99 |
|---------------------|---------|----------|
| RAF Helmet, Large | 219-990 | 179.99 |
| RAF Helmet, X-Large | 219-995 | 179.99 |



Union Jack Flag

Made of light-weight polyester with metal grommets on the hoist.

Union Jack Flag - 5' x 3' 217-070 \$21.99











A54

REGALIA



Road Racing at Brooklands 214-572



British Classics 214-570



RAC (12"x12") 214-567



Weber Carburetors 214-562

Vintage Metal Signs

Add a bit of nostalgia to your garage or den with any one of these classic British metal signs. Made by hand in the USA, these heavy duty signs are manufactured from 24 gauge steel, and printed using dye-sublimation for a durable and very detailed finish. Take your pick from several vintage designs. All signs measure 12" x 16" except where noted.

Only \$19.99





MG Safety Fast 214-556



Keep Calm and Motor On 214-568



ВP 214-561



Avon Tyres 214-566



Lucas 214-564



214-565



MG Sales & Service 214-555



Union Jack 214-552



Lockheed 214-563



Austin Genuine Parts 214-551



MG Service 214-553



MG Octagon Decorative Magnet

Bring some of your passion for the MG into your garage or home with this MG Octagon logo magnetic badge. Their classic charm makes these black and white enameled badges a great way to personalize your toolbox, refrigerator or whatever you like. Badges measure approximately 2 1/4" x 2 1/4".

MG Octagon 201-037 \$8.99













Add a splash of British pride to jackets, sweaters, caps, and anything else you can think of.

| Large MG - 5" | 229-505 | \$9.89 |
|------------------------------|---------|--------|
| Brown MG - 3" | 229-495 | 5.89 |
| Small MG - 2¾" | 229-500 | 6.89 |
| British Leyland - 21/2" x 3" | 229-560 | 7.49 |
| BMC Rondell - 2¾" | 229-570 | 6.79 |
| Union Jack - 3%" x 2%" | 229-510 | 5.89 |







Cloisonné Pins

Colorful cloisonné pin of your favorite marque or other cool logos, perfect for your hat or jacket.

| MG Octagon Pin - Red | 229-250 | \$8.99 |
|------------------------------|---------|--------|
| MG Octagon Pin - Black | 229-245 | 8.99 |
| Austin-Healey Wings | 229-710 | 8.99 |
| Austin-Healey Round Pin | 229-720 | 8.99 |
| Healey Castle Flag Pin | 229-230 | 8.99 |
| Lucas Prince of Darkness Pin | 229-255 | 6.99 |



ORDERING & Shipping

DELIVERY DAYS: Ground Preferred Ground Saver

SHIPPING

- · Shipping is calculated on the regular retail price before any discounts.
- Orders received by 3 p.m. local time are normally shipped same day when shipped by UPS Ground Preferred or UPS Air.
- We will ship by Ground Saver unless an alternate shipping method is specified.
- Alaska, Hawaii, Puerto Rico must choose either AK/HI/PR Saver or UPS Air (see info below shipping chart).

OVERSIZE PARTS FEE OS

Some items are oversized and are indicated by the oversize parts fee icon. An oversize parts fee (per item) will be applied to your order. This fee will still be charged on free shipping orders. You can find the amount of the fee by visiting MossMotors.com or calling 800-667-7872. The oversize parts fee will not be charged on orders that ship by truck freight (under \$1,400) or those that qualify for free truck freight (over \$1,400).

TRUCK SHIPMENT FEE

- Some parts must be shipped truck freight. Orders under \$1,400 will be charged a flat \$159 shipping
- ORDER OVER \$1,400 AND MOSS PICKS UP THE SHIPPING!

PO BOX, A.P.O. OR F.P.O.

. A.P.O., F.P.O. and P.O. Box orders are not guaranteed and will be shipped via USPS.

GUARANTEED UPS AIR DELIVERY SERVICE (48 STATES)

- · Moss guarantees that orders received before 3 p.m. your local time will arrive on time or shipping and handling charges will be refunded (barring weather problems, or "Acts of God").
- UPS 2nd Day Air Guaranteed to be delivered by end of day the second business day.

 • UPS Next Day Air - Guaranteed to be delivered
- by 10:30 a.m., noon or end of day the next business day, depending on destination.

 • Saturday Delivery - Available on UPS Next Day
- Air and UPS 2nd Day Air orders for an additional
- \$16.00 and is not available in all areas.

 Orders shipped by air that are over 40 lbs., by weight or dimensions, we reserve the right to charge actual shipping and will notify you in advance.

FOREIGN ORDERS

Foreign orders are charged actual shipping charges. Shipping quotes provided on request on orders over \$100. Duties and taxes are your responsibility. First time foreign orders may need to be paid by wire transfer. There is a \$10 charge to cover shipping and handling costs for catalogs shipped outside of the U.S. and Canada. One catalog per request.

CANADIAN ORDERS

Canadian orders are shipped by Air Post if possible. For shipping charges on orders under \$700 please see the last column of the shipping chart below. Orders under \$700 that are heavier than 40 lbs.(by weight or dimensions) and orders over \$700 will be charged actual shipping. If you require a shipping method other than Air Post we will provide a quote upon request on orders over \$100. Duties and taxes are your responsibility. First time Canadian orders may need to be paid by wire transfer.

AREAS / APPROXIMATE GROUND DELIVERY TIME (In Working Days)

- This map represents approximate working days for Ground Delivery (As quoted by our carriers, not guaranteed.)
- It also assumes we can ship from the nearest warehouse. Items shipped from an alternate warehouse will take longer.

| Shipping, Ir | Shipping, Insurance & Handling Chart US Rates - 48 States (AK*, HI* & PR*) | | | | |
|------------------|--|----------------------------------|-------------------------|--------------------------|----------------------|
| Order Total | Ground Saver [†] | Ground Preferred [™] | 2nd Business Day Air | Next Business Day Air | Canada Air Post** |
| \$10.00 to 20.00 | \$5.99 | \$12.49 | \$24.99 | \$42.99 | \$12.99 |
| 20.01 to 50.00 | 7.99 | 15.49 | 32.99 | 52.99 | 16.99 |
| 50.01 to 75.00 | 9.99 | 18.49 | 39.99 | 61.99 | 22.99 |
| 75.01 to 100.00 | 13.99 | 20.99 | 46.99 | 74.99 | 27.99 |
| 100.01 to 150.00 | 18.49 | 24.99 | 55.99 | 86.99 | 35.99 |
| 150.01 to 200.00 | 22.99 | 27.99 | 62.99 | 97.99 | 43.99 |
| 200.01 to 300.00 | 24.99 | 30.99 | 73.99 | 108.99 | 55.99 |
| 300.01 to 500.00 | 24.99 | 33.99 | 84.99 | 119.99 | 74.99 |
| 500.01 to 700.00 | 24.99 | 35.99 | 93.99 | 129.99 | 94.99 |
| 700.01 and Up | Free UPS (1) | Free UPS (1) | 73.99 | 108.99 | TBD |
| 1,400.01 and Up | Free Truck (2) | Free Truck (2) | 84.99 | 119.99 | TBD |

- † Ground Saver (default shipping method) Ships by most economical method. May add 1-2 days.
- †† Ground Preferred Ships by UPS and is normally shipped same day if ordered by 3pm local time.

 * Alaska, Hawaii and Puerto Rico

UPS Air - Add \$8 to the 2nd Business Day & Next Business Day Air Rates. AK/HI/PR Saver - Subtract \$9 from the 2nd Business Day Air Rates

- (Ships by most economical method and may take longer.)

 1 Free Ground UPS Shipping in the contiguous 48 states. Truck Shipments under \$1,400 will be charged a flat \$159 shipping fee.
- \$139 sinpping rec.
 2 Free Ground UPS/Truck Shipping in the contiguous 48 states only.
 **Canada Chart Shipping rate is for orders under \$700 and less than 40lbs. Orders under \$700 that are heavier than 40lbs. and orders over \$700 will be charged actual shipping.

PAYMENT

- We have a \$10 minimum parts order, excluding tax and shipping.
 We accept certified check, money order, and the following credit cards:
- CA and VA residents add sales tax.
- Due to increasing fraud, some foreign orders may require additional documentation to process your order.

WHEN YOUR ORDER ARRIVES

- Please remember to inspect your parts immediately upon receipt of your order.
- Should your order arrive in damaged condition, immediately inform a Moss Motors customer service representative at 1-800-689-9313.
- Claims for damage during shipping must be reported within 3 days of receipt of order.
 Keep original box and packing material.
- If your order was shipped truck freight, note damage on the bill of lading when signing the delivery receipt.
 If there are any other questions about your order, contact customer service within 10 days.

SPECIAL ORDER & DIRECT SHIP PARTS

Require pre-payment by cashiers check or credit card and may not be cancelled or returned.

BACKORDERS

- Occasionally, we are out of stock on some items, which we will ship to you as soon as available.
- Backorders are shipped free but carry a handling charge of \$2.29 per \$25 of value. (The combined total for original order shipping, and all backorder handling fees, shall never exceed the total shipping charges quoted on Typing chart on this page.
 You may request "No Backorders" or cancel backorders at any time prior to shipping.

- We do not backorder to any foreign countries, including Canada.
 Backorders are sent by the most cost effective method, not necessarily the same method as the original order.

WARRANTY - THE LONGEST IN THE BUSINESS!

- All Classic British products are warranted to be free from defects in material and workmanship for 2 years from the date of invoice.
- All superchargers, supercharger components, and supercharger hardware are warranted to be free from defects in material and workmanship for 1 year from date of invoice.
- · Moss Motors, Ltd. will, at its discretion, repair or replace any part that fails in service within the warranty period. This warranty does not cover labor, failure of related components, normal wear of brake or clutch components or failure resulting from alteration, misuse, accidental damage, faulty installation, or faulty repair.
- Warranty requests should be submitted to our sales department and must be supported by the original Moss Motors purchase invoice and documentation of the failure.

PRICES

We do everything possible to hold prices. Prices occasionally change without prior notice.

RETURNS

- You may return new and uninstalled products in resalable condition for a full refund excluding shipping and handling charges for up to 6 months from date of invoice.
- Returns over 6 months, but less than 12 months will be charged a 10% restocking fee to cover our processing costs, in-house credit will be given on account usable on future orders. We reserve the right to charge up to 20% when no invoice is supplied and/or there is substantial work involved to process your return back to stock.
- Items over 12 months old are not returnable.
- To return a part, follow the instructions printed on the back of the invoice.
 Make sure to package the products carefully to avoid damage during return and include all original packaging and a copy of the invoice and ship to our California address
- Refunds will not be issued for installed, damaged, incomplete, "Custom", or "Special Order" or "Direct Ship" items.
- If a return is due to our error, we will reimburse reasonable freight charges. We will not reimburse additional charges for shipping/packaging services. Electrical items that have been installed are not returnable.

CATALOG ERRORS

Every effort has been made to provide accurate information. We reserve the right to correct typographical errors and will not be held liable for inaccuracy of pricing, descriptions or applications.

TERMS AND CONDITIONS & PRIVACY POLICY

See inside back cover for more information.



FREE SHIPPING

Free Ground shipping in the contiguous 48 states. Oversize Parts Fee still applies. Truck shipments will be assessed a one time fee of \$159. Truck shipments over \$1,400 ship free.



SAME DAY SHIPPING

Orders received by 3 p.m. local time are normally shipped same day when shipped by UPS Ground Preferred or UPS Air. Does not apply to special orders and some oversized items.



OVERSIZE PARTS FEE

Some items are oversized and are indicated by the oversize parts fee icon or an underlined part number. An oversize parts fee (per item) will be applied to your order. This fee will be charged on free shipping orders. You can find the amount of the fee by visiting MossMotors.com or calling 800-667-7872. The oversize parts fee will not be charged on orders that ship by truck freight.

PHONE ORDERS US 800-667-7872 INTL 805-681-3400 **FAX ORDERS** 805-692-2525 **ONLINE ORDERS**

CUSTOMER SERVICE

MossMotors.com

MOSS 800-689-9313

ORDER WORKSHEET

| Please Print Customer No. Name | Mail To: Moss Motors 440 Rutherford St. Goleta, CA 93117 |
|----------------------------------|--|
| Street Zip | Fax To: 805-692-2525 Ship To |
| Daytime Phone Fax | Street Zip |

| | Part No. | | Description | Qty. | Unit Price | Ext. Price |
|----------|--|---------------------------|---|------|-----------------------------|------------|
| 1. | | | | | | |
| 2. | | | | | | |
| 3. | | | | | | |
| 4. | | | | | | |
| 5. | | | | | | |
| 6. | | | | | | |
| 7. | | | | | | |
| 8. | | | | | | |
| 9. | | | | | | |
| 10. | | | | | | |
| 11. | | | | | | |
| 12. | | | | | | |
| 13. | | | | | | |
| 14. | | | | | | |
| Charg | je My: □ Visa □ N | /lastercard □ Amex □ Disc | cover | | Parts Total | |
| | Number | | | | Sales Tax (CA & VA Only) | |
| Date (| Date Card Expires ———————————————————————————————————— | | | | Shipping | |
| Enclo | sed Is \$ | | for backordered items until they are shipped. | | Oversize Fee | |
| For Terr | For Terms and Conditions & Privacy Policy see inside back cover. | | | | Total | |

FREE CATALOGS

- Austin Healey 100
- Austin Healey 100-6
- Austin Healey 3000
- Austin Healey Sprite
- Triumph TR2, 3, 4 & 4A
- Triumph TR250 & TR6
- Triumph TR7 & TR8
- Triumph Spitfire & GT6
- MG TC, TD & TF
- MGA
- MGB & MGC
- MG Midget
- · Classic Mini (Online)
- Jaguar XK120-140-150,
 XJ6-12, XJS, E-Type (Online)
- Mazda Miata/MX-5

Get your FREE catalog by calling 800-667-7872 or request one online at www.mossmotors.com



Sprite / Midget Restoration Parts Catalog

TABLE OF CONTENTS

| MANUALS & BOOKS | | 2 |
|------------------------------|---|--|
| PRODUCTION DATA | Identifying your car | 3 |
| TECH. SPECIFICATIONS | Car information | 4-5 |
| ENGINE | Engine, 948-1275 Engine, 1500 Engine accessories | 6-13 14-16 17 |
| COOLING & HEATING SYSTEM | Radiator, fan, pump & hoses Heaters | 18-19 20-21 |
| ENGINE CONTROLS | Control cables | 21 |
| FUEL SYSTEM | Carburetors Pumps Tanks | 22-24 26 27 |
| EXHAUST / EMISSION CONTROL | Emission control Manifold, pipes, muffler | 25 28-33 |
| DRIVELINE | Clutch Gearbox, 948-1275 Gearbox, 1500 Differential & Driveshaft | 34-35 36-39 40 41 |
| STEERING | Steering wheels Steering rack assemblies | 42 41 |
| SUSPENSION & WHEELS | Front suspension Rear suspension Road wheels | 44-45 46 47 |
| BRAKES | Master cylinders Drum brakes Disc brakes Handbrake Pipes, fluid, tools | 48 49 50 50 51 |
| BODY PANELS & FITTINGS | Body panels, outer Body panels, inner Windshields Body fittings, Bugeye Body fittings, 1961-'80 Body mouldings, Miget Plugs, grommets, badges, mirrors Door windows / Sidecurtains Bumpers Door fittings | 52-53 54 55 56-57 58-60 61 62-63 64-65 66-67 |
| ELECTRICAL | Wipers / Washers Headlamps other Lamps Wiring harnesses & wiring fittings Distributors Ignition Battery, Misc. electrical Generator / Alternator Starter | 69 70 71-72 73 74-75 76 77 78 79 |
| DASHBOARD | Gauges & Cables Dashboard | 79 80-81 |
| SOFT TRIM | Panel kits & Carpets Cockpit fittings Seats Tonneau covers Tops | 82 83 84-85 86-87 88-89 |
| TERMS AND CONDITIONS & PRIVA | CY POLICY | 90 |

About This Catalog

This catalog covers parts for U.S.-specification left hand drive cars. In producing this catalog, our primary goal was to publish a listing of Sprite & Midget parts which was as comprehensive, accurate and informative as possible for the U.S. market. In doing this, we have made every effort to correctly identify and include every part likely to be needed to repair, restore or maintain your car. Although some of the parts listed are not currently available, our Product Development staff is constantly seeking new suppliers and manufacturers of quality reproductions of otherwise obsolete items. The current Moss Motors website (www.mossmotors.com) pricing is always the best indication of availability.

Local laws and regulations relating to pollution, safety and lighting equipment vary considerably from state to state and country to country. Since we distribute parts for these cars on a worldwide basis, we are not in a position to advise what laws are in effect in each locality. We strongly encourage anyone contemplating any modifications to a vehicle intended for street use, to check local regulations before proceeding. We strongly suggest that you save all old stock equipment should reinstallation be necessary at a future date.

NOTE: In the body of this catalog, items with indented descriptions are components of the non-indented kit or assembly above them. When an indented component is "NA", it is still included in the assembly, but not available separately.

Supersession and Rationalization of Parts

Most owners of British cars have, at one time or another, ordered an original "factory" part from an authorized dealer, only to find that the part received was different from the original, although it did work. This is the result of the supersession or rationalization of parts by the factory. Supersessions occur when a part is modified, and the original design or pattern is no longer produced. If old and new parts are interchangeable, even though they may appear slightly different, the old part is superceded by the new part. Rationalization is an attempt by the factory at efficiency in which one new part replaces several original parts, after which the original parts are no longer available.



This "no airplane" symbol indicates that the item(s) may not be shipped by air, and must be shipped by ground.



This truck symbol indicates that the item is shipped by truck, freight collect, payable on delivery.

123-456

<u>Underlined</u> part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

WARNING!

Working on automobiles is inherently dangerous. Moss Motors, Ltd. is not liable for injury or damage due to incorrect installation or use of their products. All products are sold with the understanding that the safe and proper installation and use of the products is the customer's responsibility. Follow factory workshop manual procedures and instructions, but use current shop safety standards and common sense. Some tasks will require professional advice or services which Moss Motors cannot provide.



BRITISH MOTOR HERITAGE APPROVED By special licensing agreement with British Motor Heritage Ltd., Moss Motors, Ltd., is a fully authorized manufacturer and distributor of British sports car spares. With official support from the original manufacturer, we are able to produce a wide range of reproduction spares which meet or exceed the original factory standard of quality. In conjunction with British Motor Heritage, Ltd., Moss Motors is dedicated to the preservation and restoration of British sports cars. The British Motor Heritage, Ltd. and marque trademarks, as well as some exploded view artwork included in this publication, are the property of British Motor Heritage, Ltd., and are reproduced under licensing agreement by Moss Motors, Ltd.



Sprite-Midget Parts Catalog

© Copyright Moss Motors, Ltd. April, 1979 Edition SPM-100 August, 2018 Printed in the USA

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, photocopying, recording, or otherwise without the prior written permission of Moss Motors, Ltd.





Manuals & Books

SPRITE BOOM MANUAL BOOK TENDO

Factory Workshop Manual Reprints

Bugeye Sprite 212-465 \$59.89

Sprite MkII on 212-475 \$64.89

Midget to '74

Midget 1500 212-415 \$69.99



Haynes Workshop Manual

Excellent guide to Sprite/Midget tune up and maintenance. 212-380 \$29.99

Glovebox Size Workshop Manual

Though not as complete as the full factory manuals, this clever new manual is packed with information. Tune up data, repair and rebuilding information, dimensions and torque specs are all here in this compact 5-1/2" x 8-1/2" book.

212-480 \$34.99



Bentley Workshop Manual Reprints

Bentley manual reprints are the ultimate shop reference, as the contain both the factory workshop and owners' manuals. The most complete and authoritative manuals available!

948 & 1098 212-330 \$79.99 1275 212-340 \$79.99



The Essential Buyer's Guide MG & ALSTIN-HEALEY MIDGET & SPRITE 4 Traces State 1972

Midget & Sprite Essential Buyer's Guide

This book is the perfect companion for the first-time or even more experienced buyer. All the information is here to help make a clear and balanced decision, to counter the vendor's claims, and even negotiate a better price. The author has bought and sold many MG Midgets & A-H Sprites over the years, and his knowledge and enthusiasm will prove a vital resource for potential buyers. 5.5" x 7.5", 64 pages, 100 color photos.

213-671 \$19.99



Owners' Manual Reprints

 Sprite MkI (Bugeye)
 212-690
 \$19.89

 MG Midget 1968-'72
 212-705
 \$22.99

 MG Midget 1975-'78
 213-310
 \$22.99

 MG Midget 1979-'80
 213-320
 \$21.99

Restoring Sprites & Midgets

by Grahame Bristow

Now you can restore Your Sprite or Midget with the help of this comprehensive and entertaining book. Packed with detailed practical information, photographs, illustrations, and technical specifications. Softbound, 8" x 10-3/4", 210 pages.

213-305 \$49.99





Original Sprite & Midget

This looks like a coffee table book and reads like one too - but its easily accessible information is nothing less than what you want. Loaded with original specifications, colour schemes and factory options and dates. This book may be written for easy reading and may be readable by anyone - but the serious (or 'soon-to-be serious') enthusiast will recognize how valuable this information is. Hardbound, approx. 9"x12", 144 pages, over 225 color photographs.

211-406 \$49.99



Tuning A Series Engines

by David Vizard.

New 3rd Edition. Highly detailed and complete coverage of building and tuning tips. Originally written for the Mini owner, this is a "must-have" for every A-Series Sprite and Midget owner. Hardbound, 8-1/2" x 11", 520 pages. 212-160 \$51.99




MOSS MOTORS, LTD. 1-800-667-7872

Identification Numbers

When ordering parts it is essential to identify your car exactly. Since the changes made by the factory in the course of production have been followed over the years by individual changes made by each owner, it can be extremely difficult in some cases to correctly identify some of the components of your car. To compound the problem, some states title a car by its year of sale rather than the year of its manufacture. In order to make it as easy as possible for you to give us the information we need to supply you with the proper parts, we have found that the common practice of referring to the car series by its engine size ("948, 1098, 1275, & 1500") works quite well and have adopted this system for our listings where possible. Where further detail seemed necessary, we have used the "Mark Series" and "model year" (which should not be confused with the build date). In a few cases, especially in the later cars, we have cited engine and body numbers.

For the sake of simplicity we delete the alpha numeric prefix from the change points in our application. Example G-AN4-72033 is (c)72033. These letters will pinpoint certain production features but will not affect the application of individual parts as listed. Considering the few remaining "original" Sprites and Midgets, this seems to be a rational system that covers most applications.



Note: The serial numbers on Sprite and Midget engines do not match the chassis or body numbers.


There are several good published sources of Sprite/Midget production data. Some variation occurs due to inconsistencies in factory record keeping and individual interpretation of available data. Production dates are sometimes confused with model year dates. The factory kept no running totals. The entire Sprite/Midget production came from Abingdon except for 489 Sprites and 476 Midgets which were built at Cowley in 1967. These "Cowley" vehicles may carry an "M" suffix.

Production Data

Chassis Numbers

The chassis number is stamped on a plate secured to the left-hand inner wheel arch valance under the hood and provides basic information about your car.





Note: An additional prefix was used from 1970 to indicate the model year.

Production Information (for USA)

| Model Year | Build Date | 1st Car of model year | Model |
|----------------|-----------------|----------------------------|-------------------|
| Midget | | | |
| | Jun 1961 | G-AN1-101 | MkI (948) |
| | Sep 1962 | G-AN2-16184 | Mkl (1098) |
| | Mar 1964 | G-AN3-25788 | MkII |
| 1967 | Oct 1966 | G-AN4-52390 | MkIII (1275) |
| 1968 | Nov 1967 | G-AN4-60441 | MkIII |
| 1969 | Dec 1968 | G-AN4U-66226 | MkIII |
| 1970 | Sep 1969 | G-AN5UA-74886 | MkIII |
| 1971 | Jun 1970 | G-AN5UB-89515 | MkIII |
| 1972 | May 10, 1971 | G-AN5UC-105501 | MkIII |
| 1973 | Jul 13, 1972 | G-AN5UD-123731 | MkIII |
| 1974 | Aug 23, 1973 | G-AN5UE-138801 | MkIII |
| 1975 | Nov 19, 1974 | G-AN6UF-154101 | 1500 |
| 1976 | Aug 1975 | G-AN6UG-166301G | 1500 |
| 1977 | Dec 14, 1976 | G-AN6UH-188001G | 1500 |
| 1978 | Aug 24, 1977 | G-AN6UJ-200001G | 1500 |
| 1979 | May 9, 1978 | G-AN6UL-212001G | 1500 |
| | Dec 7, 1979 | G-AN6-229526 | last Midget |
| (There seem to | have been no "o | fficial" 1980 model year N | Midgets, although |

(There seem to have been no "official" 1980 model year Midgets, although some USA cars are titled as such.)

Sprite

| | Mar 31, 1958 | H-AN5-501 | Mkl ("Bugeye") |
|------|----------------|-------------|------------------|
| | IVIAI 31, 1930 | 11-AN3-301 | iviki (bugeye) |
| | Feb 1961 | H-AN6-101 | MkII (948) |
| | Sep 1962 | H-AN7-24732 | MkII (1098) |
| | Mar 1964 | H-AN8-38829 | MkIII (1098) |
| 1967 | Oct 1966 | H-AN9-64735 | MkIV (1275) |
| 1968 | Nov 1967 | H-AN9-72034 | MkIV |
| 1969 | Dec 1968 | H-AN9-77591 | MkIV |

(Sprite exports were stopped for all foreign markets in early 1969, although production for the home market continued until July 6, 1971.)


Tech. Specs.

| | BUGEYE SPRITE | 948 SPRITE MKII,MIDGET MKI | 1098 SPRITE MKII,MIDGET MKI SPRITE MKIII,MIDGET MKII |
|------------------------------|------------------|------------------------------|---|
| | | HAN6,GAN1 | |
| | | LH FT FRAME | |
| | | RH FT | |
| | | TOP CASE | |
| Rear Axle Number Location | LH TUBE | LH TUBE | . LH TUBE |
| Tune Up | | | |
| | 13/12 | 1342 | 13/12 |
| Valve Bocker Clearance | 012 COLD | 012 COLD | 012 COLD |
| | | 4 BTDC | |
| | | | |
| | | BOTTOM TIMING COVER | |
| | | LUCAS DM2P4 | |
| Contact Breaker (points) Gap | 014 TO .016 | 014 TO .016 | 014 T0.016 |
| | | COUNTERCLOCKWISE | |
| Dwell Angle | 60 | 60 | . 60 |
| | | Positive | |
| Ignition Coil Make/Type | LUCAS LA 12 | LUCAS LA12 | . LUCAS LA12 |
| Spark Plug Make/Type | CHAMPION N5 | CHAMPION N5 | . Champion N5 |
| Spark Plug Gap | 024 TO .026 | 024 TO .026 | 024 TO .026 |
| | | SU HS2 | |
| | | 090 | |
| Carburetor Main Jet Needle | GG | V3 | . GY (HAN7,GAN2), AN (HAN8,GAN3) |
| Carburetor Piston Spring | NONE | LIGHT BLUE | . BLUE |
| W | | | |
| Vehicle & Engine | 441 5 4 /411 | 441.5.5/0" | 141 5 5 (0) |
| | | 11' 5-5/8" | |
| | | 4', 5" | |
| | | 4',1-3/4" | |
| | | 3' 9-3/4" | |
| | | 3' 8-3/4" | |
| | | | |
| | | 32' 1-1/2" LH, 31' 2-1/2" RH | |
| | | 0 TO 1/8" | |
| | | | . 1466 LBS (HAN7,GAN2), 1490 LBS (HAN8,GAN3) |
| | | 5.20 X13 | |
| | | 18 | |
| | | 20 | |
| | | 145 SR 13 | |
| Engine Type | OHV | OHV | . OHV |
| Engine Displacement | 948cc | 948 cc | . 1098 cc |
| Firing Order | 1342 | 1342 | . 1342 |
| Compresssion Ratio | 8.3:1 | 9:1 | . 8.9:1 |
| | | 2.478 | |
| | | 3.00 | |
| | | 4 | |
| | | 10 TO 25 | |
| | | 30 TO 60 | |
| | | POINT | |
| | | CARB | |
| Fuel Pump Make/Type | AU/SPHINX Y TYPE | AU/SPHINX Y TYPE | . AC/SPHINX Y TYPE mechanical (HAN7,GAN2), |
| Fuel Tank Conseils | 7.0 | 7.0 | . SU AUF 200 electric (HAN8,GAN3) |
| Fuel Tank Capacity | | 7.2 | . /.Z |
| | | 12 PINTS | |
| | | 7.8 PINTS | |
| | | 2.7 PINTS | |
| | | | |
| птаі Ахіт Сарасіцу | 0/4 FINIO | I.O FINI 3 | . 1.0 FINTO |

| | SPRITE MKIV,MIDGET MKIII | SPRITE MKIV,MIDGET MKIII | 1500 MIDGET |
|------------------------------|----------------------------|--------------------------------|---------------------------|
| Vehicle Identification | HAN9.GAN4 | . HAN10,GAN5 | . GAN6 |
| | | . LH B PILLAR,LH W/S | |
| | | . RH FT | |
| | | . LH CASE | |
| Rear Axle Number Location | LH TUBE | . LH TUBE | . LH TUBE |
| Tuna Un | | | |
| Tune Up | 1342 | . 1342 | 13/12 |
| Valve Rocker Clearance | 012 COLD | 012 COLD | . 1342 . 010 |
| | | . 1000 | |
| | | . 7 BTDC | |
| | | . 13 BTDC @ 1000 | |
| | | . BOTTOM TIMING COVER | |
| | | . LUCAS 25D | |
| Contact Breaker (points) Gap | 014 TO .016 | 014 TO .016 | |
| | | . COUNTER CLOCKWISE | |
| • | | . 60 | |
| | | . Negative | |
| Ignition Coil Make/Type | LUCAS 11C 12 [HA12 '68 ON] | LUCAS HA 12 | . LUCAS 15C6 |
| | | . 3 TO 3.4 OHMS | |
| Spark Plug Make/Type | | . CHAMPION N9Y | . CHAMPIUN N12Y |
| | | SU HS 2 | |
| | | 090 | |
| | | . AAC [ABC '72 ON] | |
| | | LIGHT BLUE | |
| | | | |
| Vehicle & Engine | | | |
| | | . 11' 4-1/2" | |
| | | . 4' 5-5/8" [4' 8-1/2" W/WHL] | |
| | | . 4' 1/4" | |
| | | . 5" | |
| | | . 3' 9" [3FT 9-1/4" W/WHL] | |
| | | . 6' 8" | |
| | | . 32' 1-1/2" LH, 31' 2-1/2" RH | |
| | | . 0 TO 1/8" | |
| Unladen Weight | 1,510 LBS [1,519 '68,'69] | | |
| | | . 1.701 LBS | , |
| | | | |
| | | . 145SR 13 | |
| | | . 22 | |
| | | . 24 | . 24 |
| | 145SR 13 | . OHV | OUV |
| | | . 1275 cc | |
| | | . 1342 | |
| | | . 8.8:1 [8.0:1 '72 ON] | |
| | | . 2.78IN | |
| Engine Stroke | 3.2 IN | . 3.2 IN | . 3.44 |
| | | . 4 | |
| Oil Pressure Idle | 20 | . 20 | . 20 |
| | | . 40 TO 70 | |
| Ignition Type | POINT | . POINT | . ELECTRONIC |
| | | . CARB | |
| | | . SU AUF216 | |
| | | . 7.2 [8.6 '72 ON] | |
| Cooling System Capacity | 12 PINTS [/ PINTS '68 UN] | . 7 PINTS | . 11.4 PINTS |
| Sump Capacity | 7 DINITO | . 7.8PINTS | . 9.0 MINTO 1 75 DINTO |
| Rear Avie Canacity | 2.1 PINTS | . 2.7 PINTS | 2 1 PINTS |
| ποαι πλιο σαρασίτη | I INTO | . 2.1 I IIVIO | . 2.1111110 |



External Engine 948 - 1098




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------|--------------------|-------------------|--|------------------------------------|------------------|
| | 220-580 | \$21.69 | PAINT, correct olive green (sp | oray can) | 1 |
| 1 | 296-655 | \$5.89 | SUMP GASKET (2 pcs.) | • , | 1 |
| | 296-661 296-662 | | GASKET SET, lower engine, GASKET SET, lower engine | Payen } 948, early 1098 (10 | CG) ₁ |
| | 296-671 | | | | 1 |
| | 296-672 | | GASKET SET, lower engine, GASKET SET, lower engine *** Products of various manufa | • | 1 |
| 2 | 328-248 | \$2.69 | CORE PLUG SET, steel | }thru (e)10CC/H3495 | 1 |
| | 328-249 328-253 | \$19.29 \$3.79 | CORE PLUG SET, brass CORE PLUG SET, steel | 10CC/H3496 on | 1 |
| 2a | 328-230 | \$0.79 | CORE PLUG, steel | ٦ | 4 |
| | 328-231 | \$4.99 | CORE PLUG, brass | thru (e)10CC/H3495 | 4 |
| | 328-235 | \$0.99 | CORE PLUG, steel | }10CC/H3496 on | 4 |
| ^ | 328-236 | \$3.99 | CORE PLUG, brass |] 1000/110 100 011 | 4 |
| 3 1 | 114-000 | NA ¢5.70 | PLUG, oil pressure PLUG, oil gallery | | 2 4 |
| 4 5 | 114-105 461-300 | \$5.79 \$0.59 | RESTRICTOR, camshaft oil fee | 2d | 1 |
| 6 | 325-080 | \$1.49 | DOWEL, lower | Ju | i |
| 7 | 116-151 | NA | DOWEL, upper | | 1 |
| 8 | 322-890 | NA | BOLT, main bearing cap |] | 6 |
| 9 | 114-015 | \$0.99 | LOCK TAB | 948, 1098 (10CG) | 6 |
| 10 11 | | NA NA | COLLAR STUD, main bearing cap | ί, | 6 6 |
| 12 | 021-634 | \$0.69 | NUT (all metal, self-locking) | 1098 (10CC) | 6 |
| 13 | 329-715 | \$5.69 | CYLINDER HEAD STUD, long | • | 4 |
| | 329-725 | \$6.59 | CYLINDER HEAD STUD, short | | 5 |
| 14 | 310-280 | \$0.59 | NUT, cylinder head, stock typ | | 9 |
| | 114-122 | \$2.99 | NUT, cylinder head, flanged up | ograde replacement | 9 |
| 15 | 324-725 | \$0.89 | WASHER, head stud | | 9 |
| 16 17 | 413-160 413-170 | \$5.19 \$4.59 | ENGINE MOUNT, R/H & L/H TRANSMISSION MOUNT, R/H | & I /H | 2 |
| 18 | 413-180 | \$2.29 | TRANSMISSION MOUNT, center | | 1 |
| 20 | 328-605 | \$1.49 | STUD, fuel pump / blanking p | | 2 |
| 21 | 296-220 | \$0.69 | GASKET, fuel pump / blanking | g plate | 1 |
| 22 | 310-140 | \$0.24 | NUT | | 2 |
| 23 24 | 365-730 | \$0.25 | WASHER BLANKING PLATE | care w/alactric fuel num | 2 p 1 |
| 24 25 | 460-095 470-240 | \$6.89 \$19.79 | TAP, water drain | cars w/electric fuel pum | ν ι 1 |
| 26 | 324-671 | \$0.89 | WASHER, fiber | | i |
| 27 | 328-180 | | PLUG, drain tap | | 1 |
| 28 | 324-626 | \$0.79 | WASHER, plug | | 1 |
| 30 | 116-153 | \$4.49 | PLUG, oil primer hole | | 1 |
| 31 35 | 116-154 | \$0.89 NA | WASHER, copper REAR COVER, crankcase | | 1 1 |
| 36 | 116-155 | \$0.99 | GASKET, rear cover | | i |
| 37 | 322-230 | \$0.19 | BOLT, rear cover to block | | 3 |
| 38 | 324-020 | \$0.20 | WASHER, locking | | 3 |
| 39 | 116-159 | \$1.39 | GASKET, back plate | 0.40 | 1 |
| 40 | | NA | ENGINE PLATE, rear ENGINE PLATE, rear | 948 | 1 |
| | | NA NA | ENGINE PLATE, rear | 1098 (10CG) 1098 (10CC) | 1 1 |
| 41 | | NA | COVER, oil pump | 1000 (1000) | i |
| 42 | 322-880 | \$0.49 | BOLT, back plate to block | | 7 |
| 43 | 365-730 | \$0.25 | WASHER, locking | | 7 |
| 45 46 | 114-004 | \$1.89 | GASKET, front plate | | 1 |
| 46 47 | 322-040 | NA \$0.49 | ENGINE PLATE, front BOLT, front plate to block | | 1 2 |
| 48 | 365-730 | \$0.45 | WASHER, locking | | 2 |
| 49 | 365-720 | \$0.29 | WASHER, plain | | 2 |
| 50 | 114-032 | \$1.49 | BOLT, front plate to bearing of | ap | 2 |
| 51 | 114-005 | \$3.19 | LOCK TAB | | 1 |
| 55 56 | 460-475 | | LOCK PLATE, camshaft | nto. | 1 |
| 56 57 | 322-230 462-385 | \$0.19 \$0.19 | BOLT, lock plate to engine pla WASHER, locking | ale | 3 |
| 60 | 296-510 | \$1.69 | GASKET, timing cover | | 1 |
| 61 | | NA | TIMING COVER | 948-1098 | 1 |
| 62 | 121-500 | \$1.89 | OIL SEAL, felt | 948 to (e)9C-H37646 | |
| 00 | 120-000 | \$1.49 | OIL SEAL, rubber | from 948 (e)9C-H376 | |
| 63 64 | 320-990 | \$0.69 | BOLT, timing cover to engine | piate | 6 |
| 64 65 | 324-020 324-765 | \$0.20 \$0.79 | WASHER, locking WASHER, oval | | 6 6 |
| 66 | 322-880 | \$0.79 | BOLT, cover to block | | 4 |
| 67 | 365-730 | \$0.25 | WASHER, locking | | 4 |
| 68 | 460-360 | \$0.89 | WASHER, oval | | 4 |
| 73 | 004.040 | NA no no | HOUSING, distributor | | 1 |
| 74 | 264-943 | \$0.29 | O-RING | | 1 |

948 - 1098 External Engine

| 75 322-230 76 462-385 77 836-566 78 116-154 79 451-410 80 451-430 82 460-155 83 329-185 84 324-800 85 460-870 87 88 021-467 90 326-052 91 435-150 92 435-560 93 435-570 94 329-205 96 021-439 97 116-152 | \$0.19 \$0.19 \$13.49 \$0.89 NA \$5.19 \$1.79 \$1.59 \$0.49 \$3.99 NA NA \$1.79 NA \$12.99 \$0.69 \$0.59 \$2.19 \$1.89 \$5.89 | DIPSTICK DIPSTICK TUBE VALVE, oil pressure release SPRING, oil pressure release WASHER, cap nut CAP NUT HEAD, filter, Purolator HEAD, filter, Purolator SEAL, bowl to head CIRCLIP, center bolt retaining PLATE WASHER, felt WASHER, felt WASHER, steel SPRING, pressure plate SEAL, center bolt COLLAR, center bolt | 948-1098 (10CG) 1098 (10CC) Purolator Filters |
|--|--|---|--|
| 177 296-370 296-375 296-377 178 322-105 320-695 | \$1.69 \$2.99 \$27.99 \$0.99 \$0.69 | WASHER, flat SPRING SEAL, lower BOLT OIL FILTER, felt, various manufact OIL FILTER, paper, var. manufact ADAPTOR, filter head to block ADAPTOR, filter head to block GASKET BOLT, filter head BOLT, filter head WASHER, locking BOLT, adaptor to block WASHER, locking PIPE, oil filter head to block PIPE, oil filter head to block ADAPTOR, pipe to oil filter head BOLT, banjo SEAL, copper OIL PUMP, pin drive GASKET, oil pump LOCK TAB, oil pump BOLT, oil pump SUMP, oil SUMP SEAL, rear (neoprene) SUMP SEAL, front (cork) FITTING KIT, sump (oval washers PLUG, oil drain, stock type PLUG, oil drain, magnetic WASHER, drain plug COVER, side, front, orig. type GASKET, rubber GASKET, rubber GASKET PAIR, silicone BOLT BOLT | urers 948 to (e)5066 948 from (e)5067, 1098 1 948 to (e)5066 948 from (e)5067, 1098 2 948 to (e)5066 948 from (e)5067, 1098 2 948 to (e)5066 948 from (e)5067, 1098 1 upgrade from cork incl. in lower engine gasket set lockwashers, & bolts) (option) 948-early 1098 (10CG) late 1098 (10CC) all (see note) lelow for replacement cover original covers replacement rear cover all original covers replacement rear cover |
| 179 324-315 324-335 324-345 183 184 322-880 185 365-730 186 117-569 187 325-245 | \$0.29 \$1.39 \$1.19 NA \$0.49 \$0.25 \$2.89 \$0.89 | WASHER, fiber SEAL, rubber CUP WASHER PIPE, vent BOLT LOCKWASHER ENGINE NUMBER PLATE (blank) RIVET, engine number plate | |

External Engine 1275





This Moss-designed filter head & pipe enables the use of a high capacity and economical spin-on filter.

235-875 \$99.99 Spin-on Adaptor 235-830 \$18.99 Filter, K&N 235-855 \$10.99 Filter, Wix 235-880 \$7.99 Filter, Fram



1275 External Engine

| No. | Part No. | Price (each) | Description | Application F | Qty. Req. | | | | | | |
|----------|--------------------|-------------------|--|--|--------------|-------|---------------------|-------------------|---|--|----------|
| | 220-580 | \$21.69 | PAINT, correct olive green (spray c | an) 12CC engines | 1 | 87 | | NA | HEAD, filter | | 1 |
| | 220-550 | | PAINT, metallic green (spray can) | 12CD engines | 1 | 88 | 021-467 | \$1.79 | SEAL, bowl to head | | 1 |
| | 220-575 | | PAINT, black (spray can) | 12V engines | 1 | 89 | 950-540 | \$6.79 | OIL FILTER, felt, various manufac | | 1 |
| 1 | 220-576 296-665 | \$14.99 \$3.49 | PRIMER, high temp. (use with engi SUMP GASKET (2 pcs.) | ne pann) | 1 | 90 | 950-520 326-052 | \$5.89 NA | OIL FILTER, paper, var. manufacti CIRCLIP, center bolt retaining | urers | 1 |
| | 296-681 | | GASKET SET, lower engine, Payer | 1 | 1 | 91 | 435-150 | \$12.99 | PLATE | | i |
| | 296-682 | | GASKET SET, lower engine ** | | 1 | 92 | 435-560 | \$0.69 | WASHER, felt | | 1 |
| _ | | | ** Products of various manufacture | ers supplied. | | 93 | 435-570 | \$0.59 | WASHER, steel | | 1 |
| 2 | 328-268 114-000 | \$5.99 | CORE PLUG SET PLUG, oil pressure | | 1 2 | 94 | 329-205 021-439 | \$2.19 \$1.89 | SPRING, pressure plate SEAL, center bolt | | 1 |
| 3 4 | 114-000 | NA \$5.79 | PLUG, oil gallery | | 4 | 96 | 116-152 | \$1.69 \$5.89 | COLLAR, center bolt | | 1 |
| 5 | 461-300 | \$0.59 | RESTRICTOR, camshaft oil feed | | 1 | 98 | 110 102 | NA | BOLT, center | | i |
| 6 | 325-080 | \$1.49 | DOWEL, lower | | 1 | 115 | | NA | ADAPTOR, filter head to block | | 1 |
| 7 | 116-151 | NA | DOWEL, upper | | 1 | 1 | 296-565 | \$0.99 | GASKET | | 2 |
| 8 | 322-895 | NA \$3.59 | | arly 12CC, early 12CD om late 12CC/CD - on | 6 6 | | 116-161 324-040 | \$1.99 \$0.29 | BOLT, filter head WASHER, locking | | 2 |
| 9 | 022 030 | NA | | arly 12CC, early 12CD | 6 | | 114-563 | \$0.59 | BOLT, adaptor to block | | 2 |
| | 114-027 | \$9.99 | | om late 12CC/CD - on | | | 324-040 | \$0.29 | WASHER, locking | | 2 |
| 10 | 114-015 | \$0.99 | | arly 12CC, early 12CD | 6 | 125 | | NA | OIL FILTER HEAD, original | | 1 |
| 11 | 322-998 329-715 | \$184.99 | HEAD STUD KIT, Uprated ARP | | 1 4 | | 296-565 | \$0.99 | GASKET, filter head to block BOLT, filter head (3 1/2") | | 1 2 |
| 11 12 | 329-715 | \$5.69 \$6.59 | CYLINDER HEAD STUD, long CYLINDER HEAD STUD, short | | 5 | 121 | 116-161 116-160 | \$1.99 NA | BOLT, filter head (3 1/4") | | 2 |
| 13 | 310-280 | \$0.59 | NUT, cylinder head, stock type | | 9 | 128 | 324-040 | \$0.29 | WASHER, locking | | 2 |
| | 114-122 | \$2.99 | NUT, cylinder head, flanged upgrad | de replacement | 9 | 130 | 114-063 | \$39.99 | OIL FILTER HEAD, original | | 1 |
| 14 | 324-725 | \$0.89 | WASHER, head stud | | 9 | | 114-061 | \$1.59 | GASKET, filter head to block | | 1 |
| 16 17 | 413-160 413-170 | \$5.19 \$4.59 | ENGINE MOUNT, R/H & L/H TRANSMISSION MOUNT, R/H & L/H | | 2 | | 116-162 324-040 | \$1.69 \$0.29 | BOLT, filter head to block (1 1/8" WASHER, locking | long) | 2 |
| 18 | 413-170 | \$2.29 | TRANSMISSION MOUNT, center | | 1 | | 324-860 | \$0.29 | WASHER, plain | | 2 |
| 25 | 470-240 | | TAP, water drain | | 1 | | 950-045 | NA | OIL FILTER, spin-on, "Crosland" I | orand | 1 |
| 26 | 324-671 | \$0.89 | WASHER, fiber | | 1 | | 950-545 | \$4.49 | OIL FILTER, spin-on, var. manufa | | 1 |
| 27 | 328-180 | · . | PLUG, drain tap | | 1 | | | | DIDE ILCU I II II I | | |
| 28 30 | 324-626 116-153 | \$0.79 \$4.49 | WASHER, plug PLUG, oil primer hole | | 1 1 | 136 | | NA NA | PIPE, oil filter head to block ADAPTOR, pipe to filter head | Canister filter | 1 |
| 31 | 116-154 | \$0.89 | WASHER, copper | | 1 | - 137 | | IVA | ADAI TOIL, pipe to litter flead | , | |
| 35 | | NA | REAR COVER, crankcase | | 1 | 138 | | NA | PIPE, oil filter head to block |) | 1 |
| 36 | 116-155 | \$0.99 | GASKET, rear cover | | 1 | 139 | 116-163 | NA | ADAPTOR, pipe to filter head, original | J. Spin-on filter | 1 |
| 37 | 322-230 | \$0.19 | BOLT, rear cover to block | | 3 3 | | 116-164 | NA OO OO | ADAPTOR, replacement † | - - - - - - - - - - | 1 |
| 38 39 | 324-020 116-159 | \$0.20 \$1.39 | WASHER, locking GASKET, back plate | | ა 1 | | 324-740 | \$0.99 | WASHER, copper, for 116-164 † Replacement adaptor 116-164 | ע must use washer 324-7 | |
| 40 | 116-156 | | ENGINE PLATE, rear | | i | — | | | 1 Hopiadomient adapter 110 101 | made add wadnor dz r r | |
| 41 | 116-157 | | COVER, oil pump | | 1 | | 114-045 | | BOLT, banjo | | 1 |
| 42 | 322-540 | | BOLT, back plate to block | | 7 | | 324-805 | \$1.99 | SEAL, copper | | . 2 |
| 43 45 | 365-730 114-004 | \$0.25 \$1.89 | WASHER, locking GASKET, front plate | | 7 1 | | 435-640* 114-059 | \$34.99 \$0.89 | OIL PUMP, star drive * GASKET, oil pump | mounts w/ 2 bolts, fits | an 1 |
| 46 | 114-004 | NA | ENGINE PLATE, front | | 1 | | 114-005 | φυ.υσ | dAGRET, oil pullip | | |
| 47 | 322-040 | \$0.49 | BOLT, front plate to block | | 2 | 159 | 116-150 | \$0.89 | LOCK TAB, pump upper | 4 bolt pumps* | 1 |
| 48 | 365-730 | \$0.25 | WASHER, locking | | 2 | 160 | 114-005 | \$3.19 | LOCK TAB, pump lower | f 4 boil pullips | 1 |
| 49 | 365-720 | \$0.29 | WASHER, plain | | 2 | 160 | 114-687 | ድብ ድብ | DOLT oil numn | | 4/2 |
| 50 55 | 114-032 460-475 | \$1.49 \$10.49 | BOLT, front plate to bearing cap LOCK PLATE, camshaft | | 2 1 | 1 | 324-020 | \$0.69 \$0.20 | BOLT, oil pump WASHER, locking | 2 bolt pumps* | 4/2 2 |
| 56 | 322-230 | \$0.19 | BOLT, lock plate to engine plate | | 3 | 165 | | NA | SUMP, oil | 2 bott pampo | 1 |
| 57 | 462-385 | \$0.19 | WASHER, locking | | 3 | 166 | 297-645 | \$11.49 | SUMP SEAL, rear (neoprene) | upgrade from cork | 1 |
| 60 | 296-510 | \$1.69 | GASKET, timing cover | | 1 | 107 | 297-646 | \$1.09 | SUMP SEAL, rear (cork) | incl. in lower | 1 |
| 61 62 | 120-000 | NA \$1.49 | TIMING COVER OIL SEAL, rubber | | 1 1 | | 297-640 322-675 | \$6.99 \$12.89 | SUMP SEAL, front (cork) FITTING KIT, sump (oval washers, | f engine gasket set | 1 1 |
| 63 | 320-990 | \$0.69 | BOLT, timing cover to engine plate | | 6 | | 328-280 | \$1.79 | PLUG, oil drain, stock type | lockwasiicis, & boitsj | 1 |
| 64 | 324-020 | \$0.20 | WASHER, locking | | 6 | | 328-282 | | PLUG, oil drain, magnetic | (option) | 1 |
| 65 | 324-590 | \$0.19 | WASHER, plain | | 6 | | 324-626 | \$0.79 | WASHER, drain plug | | 1 |
| 66 67 | 322-880 365-730 | \$0.49 | BOLT, cover to block WASHER, locking | | 4 4 | | 117-569 325-245 | \$2.89 \$0.89 | ENGINE NUMBER PLATE (blank) RIVET, engine number plate | | 1 |
| 67 68 | 460-360 | \$0.25 \$0.89 | WASHER, plain | | 4 | | | | fferent oil pumps for the 1275cc ei | ngine. The 'Concentric' I | |
| 69 | 314-265 | \$0.49 | BOLT, bracket to cover | | 1 | | | | four bolts, whereas the 'Hobourn I | | |
| 70 | 324-590 | \$0.19 | WASHER, plain | | 1 | On t | he four bol | t pump, a | pair of lock tabs are used under th | | |
| 71 | 324-020 | \$0.20 | WASHER, locking | | 1 | bolt | pump simp | oly uses tv | vo locking washers. | | |
| 72 73 | 310-760 | \$0.39 NA | NUT HOUSING, distributor | | 1 1 | | | | | | |
| 73 74 | 264-943 | \$0.29 | O-RING | | 1 | | | | | gine Bolts and | |
| 75 | 322-230 | \$0.19 | BOLT, housing to block | | 1 | | | | Stud Kits | | |
| 76 | 462-385 | \$0.19 | WASHER, locking | | 1 | | | 180 | | ther with these heavy duty | |
| 77 78 | 836-566 | | UNION, oil pressure gauge pipe (in | ci. washer) | 1 | | - 0 | | | recision ground engine ha de special hardened wash | |
| 78 79 | 116-154 451-430 | \$0.89 \$5.19 | WASHER, sealing | | 1 | | 011 | 1111 | | ue speciai narueneu wasi nium quality fastener kits | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com

VALVE, oil pressure release

SPRING, oil pressure release

DIPSTICK TUBE

DIPSTICK, bent

SEAL

CAP NUT

 ${\bf DIPSTICK}, \ straight$

WASHER, cap nut

451-430

451-410

451-420

031-220

460-155

329-185

324-800

460-870

\$5.19

\$1.99

\$1.79

\$1.59

\$0.49

\$3.99

NA

NA

79

80

81

82

83

84

85

80a




2

Keep your engine together with these heavy duty, high tensile strength precision ground engine hardware kits which include special hardened washers and nuts. These premium quality fastener kits are perfect for the racer, road warrior, or anyone who wants added insurance against mechanical failure. The head stud kit includes 11 studs. While factory engines used 9, some engines have been modified to use two more. Head studs and main cap studs are

rated at 190,000 p.s.i., rod bolts at 180,000 p.s.i. Main bearing cap stud kit replaces original bolts.

948, 1098, 1275 Head Stud Kit 948, 1098, 1275 Main Bearing Cap Stud Kit 1275 Connecting Rod Bolt Kit 322-998 \$184.99 322-888 \$73.99 322-838 \$162.99

Internal Engine 948 - 1098 - 1275



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|------|-------------|-----------------|---------------------------------|-------------------------|--------------|
| | 328-635‡ | \$31.99 | ENGINE LOCKTAB SET | 948 & 1098 (10CG) | 1 |
| | 328-620‡ | \$31.99 | ENGINE LOCKTAB SET | 1275 | 1 |
| ‡ No | te: Locktal | sets incl | ude all items marked ‡ below. | | |
| 1 | 460-435 | \$24.99 | CRANK SPROCKET, single | 948 - 1098 | 1 |
| | 460-445 | \$16.89 | CRANK SPROCKET, double | 1275 | 1 |
| 2 | 327-210 | \$8.49 | KEY | | 1 |
| 3 | 433-890 | \$3.39 | OIL THROWER | | 1 |
| 4 | 460-455 | NA | PULLEY (may use 1275 pulley) | 948 - 1098 | 1 |
| | 460-465 | \$122.99 | PULLEY with damper | 1275 | 1 |
| 5 | 460-470‡ | \$0.79 | WASHER, lock tab | | 1 |
| 6 | 322-120 | \$16.99 | BOLT | | 1 |
| 7 | 451-565 | NA | CRANKSHAFT | 948 | 1 |
| | 451-570 | NA | CRANKSHAFT | 1098 (10CG) | 1 |
| | 451-575 | NA | CRANKSHAFT | 1098 (10CC) | 1 |
| | 451-585 | NA | CRANKSHAFT | 1275 | 1 |
| 11 | 425-105 | \$37.99 | MAIN BEARING SET, standard | 948,1.75" crank diar | notor 1 |
| | 425-110 | \$37.99 | MAIN BEARING SET, .010" | (orig. 1.192" brg. wi | |
| | 425-115 | \$37.99 | MAIN BEARING SET, .020" | (see note below) | 1 |
| | 425-120 | \$37.99 | MAIN BEARING SET, .030" | Bi-metal | 1 |
| | 425-125 | \$37.99 | MAIN BEARING SET, .040" | J Di-Illetai | 1 |
| Note | : We and o | ur supplie | rs now have only 1.067" wide be | arings for 948 engines, | which |

wor

| | | is now have only 1.007 while bearings for 946 engines, while he original width are no longer available. | Ш |
|--|--|---|-----------|
| 425-161 425-166 425-171 425-176 425-181 425-160 425-165 425-170 425-175 425-180 | \$45.99 \$45.99 \$45.99 \$45.99 \$45.99 \$28.49 \$28.49 \$28.49 \$28.49 \$28.49 | MAIN BEARING SET, std., tri-metal MAIN BEARING SET, .010", tri-metal MAIN BEARING SET, .020", tri-metal MAIN BEARING SET, .030", tri-metal MAIN BEARING SET, .040", tri-metal MAIN BEARING SET, .040", bi-metal MAIN BEARING SET, .010", bi-metal MAIN BEARING SET, .020", bi-metal MAIN BEARING SET, .030", bi-metal MAIN BEARING SET, .030", bi-metal MAIN BEARING SET, .040", bi-metal | |
| 425-131 425-136 425-141 425-146 425-156 425-130 425-135 425-140 425-145 | \$49.99 \$49.99 \$49.99 \$49.99 \$49.99 \$27.69 \$27.69 \$27.69 \$27.69 \$27.69 | MAIN BEARING SET, std., tri-metal MAIN BEARING SET, .010", tri-metal MAIN BEARING SET, .020", tri-metal MAIN BEARING SET, .030", tri-metal MAIN BEARING SET, .040", tri-metal MAIN BEARING SET, std., bi-metal MAIN BEARING SET, .010", bi-metal MAIN BEARING SET, .020", bi-metal MAIN BEARING SET, .030", bi-metal MAIN BEARING SET, .030", bi-metal MAIN BEARING SET, .040", bi-metal | |
| 425-505 425-520 425-525 425-530 | \$9.99 \$6.79 NA NA | THRUST WASHER SET, standard THRUST WASHER SET, standard THRUST WASHER SET, .003" THRUST WASHER SET, .010" 948 1098 (10CG) Fed. Mogul "Glyco" brand | 1 1 1 1 1 |

| No. | Part | Price | Description | Application Qty. |
|-----|--------------------|----------------------|--|---------------------------------|
| | No. | (each) | | Req. |
| | 425-535 | \$9.79 | THRUST WASHER SET, standa | ard) |
| | 425-540 | NA | THRUST WASHER SET, .003" | 1098 (10CC) & 1275 |
| | 114-074 | \$19.99 | THRUST WASHER SET, .005" | J |
| 13 | 425-806 | | ROD BEARING SET, standard | 7 Tri-metal |
| | 425-811 | | ROD BEARING SET, .010" | (copper-lead-tin with |
| | 425-816 | | ROD BEARING SET, .020" | babbit overlay, on |
| | 425-821 | \$52.99 | ROD BEARING SET, .030" | steel backing) |
| | 425-805 | | ROD BEARING SET, standard |] |
| | 425-810 | | ROD BEARING SET, .010" | Bi-metal |
| | 425-815 | | ROD BEARING SET, .020" | (aluminum-tin, on |
| | 425-820 425-825 | | ROD BEARING SET, .030" ROD BEARING SET, .040" | steel backing) |
| | 420-020 | ֆ24.09 | NUD DEARING SET, .040 | , |
| 15 | 190-060 | \$33.99 | RING GEAR | 948 |
| | 190-065 | \$20.89 | RING GEAR | 1098 |
| | 190-070 | \$20.59 | RING GEAR | 1275 |
| 16 | 460-405 | | LOCKTAB, flywheel | 948 & 1098 (10CG engines) 2 |
| | 460-406 | | LOCKTAB, flywheel | 1098 (10CC engines) 2 |
| 17 | 460-415 | | LOCKTAB, flywheel | 1275 |
| 18 | 322-500 | | BOLT, flywheel | 948 & 1098 |
| | 322-505 | \$3.69 | BOLT, flywheel | 1275 |
| 19 | 330-475 | \$1.89 | BUSHING, spigot | ¶ 948 thru early 12CC |
| | 000 405 | | | ((5/8" U.D.) |
| | 330-465 | \$12.49 | NEEDLE BEARING, spigot | later 1275 (3/4" 0.D.) |
| 20 | 420-100 | \$249.99 | PISTON SET, standard |) |
| | 420-105 | \$249.99 | PISTON SET, .020" | 1 |
| | 420-110 | \$249.99 | PISTON SET, .030" | 948 C.R. 8.3:1 |
| | 420-115 | \$249.99 | PISTON SET, .040" | 1 |
| | 420-120 | \$249.99 | PISTON SET, .060" | J 1 |
| | 420-125 | \$249.99 | PISTON SET, standard |) 1 |
| | 420-130 | \$249.99 | PISTON SET, .020" | 1 |
| | 420-135 | | PISTON SET, .030" | 1098 C.R. 8.9:1 |
| | 420-140 | | PISTON SET, .040" | 1 |
| | 420-145 | \$249.99 | PISTON SET, .060" | J 1 |
| | 420-150 | | PISTON SET, standard |) 1 |
| | 420-155 | | PISTON SET, .020" | 1275 C. R. 8.8:1 |
| | 420-161 | | PISTON SET, .030"(aftermark | (^{EL)} Nüral-AE brand |
| | 420-165 | \$229.99 \$229.99 | PISTON SET, .040" PISTON SET, .060" | Nurai-AL brailu |
| | | | | |

moss

MOSS MOTORS, LTD. 1-800-667-7872

12

| No. | Part No. | Price (each) | Description | Application Qt | |
|----------------------|--|--|---|---|-----------------------------|
| | 420-156 420-161 420-166 | \$219.99 \$219.99 \$219.99 \$219.99 \$219.99 | PISTON SET, standard PISTON SET, .020" PISTON SET, .030" PISTON SET, .040" PISTON SET, .060" | 1275 C. R. 8.8:1 aftermarket | 1 1 1 1 |
| 21 | 421-620 421-625 421-630 421-635 421-640 | \$64.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | 948 4-ring (.070" & .125" width) Hastings brand | 1 1 1 1 |
| | 421-645 421-650 421-655 421-660 421-665 | \$89.99 \$89.99 \$89.99 \$89.99 \$103.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | 948 5-ring (.070" & .125" width) Hastings brand | 1 1 1 1 |
| | 421-670 421-675 421-680 421-685 421-690 | \$55.99 \$55.99 \$55.99 NA \$55.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | 1098 4-ring Hastings brand | 1 1 1 1 1 |
| | 421-695 421-700 421-705 421-710 421-715 | \$84.99 \$84.99 \$84.99 \$84.99 \$84.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | }1098 5-ring | 1 1 1 1 1 |
| | 421-720 421-725 421-730 421-735 421-740 | \$59.99 \$59.99 \$59.99 \$59.99 \$59.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | 1275 4- ring These fit only original factory pistons. Hastings brand | 1 1 1 1 |
| | 421-750 421-755 421-760 421-765 421-770 | \$69.99 \$69.99 \$69.99 \$69.99 \$69.99 | RING SET, standard RING SET, .020" RING SET, .030" RING SET, .040" RING SET, .060" | 1275 3- ring These fit replacement AE pistons #21251 | 1 1 1 1 1 |
| 22 | 426-090° 426-110° 426-120° | | CYLINDER LINER CYLINDER LINER CYLINDER LINER | 948 1098 1275 | 4 4 4 |
| | inder liner | s are used | to repair damaged bores. Block is b | ored to accept the liner, line | er . |
| 23 24 25 | 837-310 837-300 8322-480 365-730 | \$54.99 \$48.99 \$2.89 \$0.25 | imed flush with block deck, then bor CONNECTING ROD, # 1 & 3 CONNECTING ROD, # 2 & 4 BOLT, wrist pin LOCKWASHER | ed and noned to fit the piston | on. 2 2 4 4 |
| 26 26a | 837-350 837-360 422-085 | NA NA \$8.29 | CONNECTING ROD, # 1 & 3 CONNECTING ROD, # 2 & 4 BUSH SET (4) | } 1098 | 2 2 1 |
| 27 28 | 837-330 837-335 | \$18.69 ‡ \$1.89 | BOLT, connecting rod LOCK TAB | }948 & 1098 | 8 4 |
| 29 32 33 39 | 837-320 837-340 837-345 435-670 | \$179.99 NA \$4.29 NA | CONNECTING ROD BOLT, connecting rod NUT, connecting rod FLANGE, star drive | 1275 | 4 8 8 |
| 40 | 451-442 | NA | CAMSHAFT, stock, pin drive e" color pages at the front of this o | 948** catalog for more camshafts | 1 |
| 41 | | NA | CAM BEARING, single able. Use cam bearing set 424-980 for | 948 (9C engine) | 1 |
| 42 | 424-975 424-980 327-190 327-005 327-015 327-025 | \$16.89 \$16.89 \$0.99 | CAM BEARING SET KEY, camshaft, stock KEY, camshaft, 2 degree offset KEY, camshaft, 3 degree offset KEY, camshaft, 4 degree offset | 948 (9CG) & 1098 1275 | 5. 1 1 1 1 1 |
| 40 | 327-035 | \$30.99 | KEY, camshaft, 5 degree offset | | 1 |
| 43 44 | | \$10.49 † \$29.99 | PLATE, cam locating CAM SPROCKET, single row † † This does not use the origina CAM SPROCKET double row | • | 1 1 1 |
| 45 46 | 833-430 460-550 311-500 | \$18.89 ‡ \$0.89 \$2.19 | CAM SPROCKET, double row LOCK PLATE NUT | 1275 | 1 |

LOCAL & OVERSEAS: 805-681-3400


FAX: 805-692-2525

mos

www.mossmotors.com

948 - 1098 - 1275 - **ntern**al

| 47 | 460-596 | \$32.99 | TIMING CHAIN, heavy duty upg | grade \ 948 & 1098 | 1 |
|----|----------|---------|-------------------------------|------------------------------------|---|
| | 460-595 | \$5.99 | TIMING CHAIN, single row | \boldsymbol{J} single row chains | 1 |
| | 460-591 | \$43.99 | TIMING CHAIN, heavy duty upg | grade] 1275 | 1 |
| | 114-077 | \$13.89 | TIMING CHAIN. orig. manufact | iirer 🗲 🗀 🗀 | 1 |
| | 460-590 | \$8.49 | TIMING CHAIN, aftermarket | double row chains | 1 |
| 48 | 460-495 | \$2.79 | TENSIONER RING | 948 & 1098 | 2 |
| 49 | 460-640 | \$76.99 | SPINDLE, distributor drive | | 1 |
| 50 | 322-890 | NA | BOLT, main bearing cap | 948, 1098 (10CG) | 6 |
| | | NA | BOLT, main bearing cap | early 12CC, early 12CD | 6 |
| | 322-895 | \$3.59 | BOLT, main bearing cap | from late 12CC/CD - on | 6 |
| 51 | 114-015‡ | \$0.99 | LOCK TAB | 948, 1098 (10CG) | 6 |
| | 114-015‡ | \$0.99 | LOCK TAB | early 12CC, early 12CD | 6 |
| 52 | | NA | COLLAD | ∫ 948, 1098 (10CG) | 6 |
| 32 | | NA | COLLAR | early 12CC, early 12CD | U |
| | 114-027 | \$9.99 | COLLAR | from late 12CC/CD - on | 6 |
| 53 | | NA | STUD, main bearing cap | } ₁₀₉₈ (10CC) | 6 |
| 54 | 021-634 | \$0.69 | NUT (all metal, self-locking) | J 1098 (10CC) | 6 |
| 55 | 320-990 | \$0.69 | BOLT, oil pick-up | | 4 |
| 56 | 462-385 | \$0.19 | LOCKWASHER | | 4 |
| 57 | 114-003 | \$29.99 | OIL SUCTION PIPE & BRACKET | 1098, 1275 | 1 |
| | | | | | |



Heavy Duty Bolt and Stud Kits

These premium quality fastener kits are perfect for the racer, road warrior, or anyone who wants added insurance against mechanical failure. The head stud kit includes 11 studs. While factory engines used 9, some engines have been modified to use two more. Head studs and main cap studs are rated at 190,000 p.s.i., rod bolts at 180.000 p.s.i. Main bearing cap stud kit replaces original bolts.

948.1098.1275 Head Stud Kit 322-998 \$184.99 948,1098,1275 Main Bearing Cap Stud Kit 322-888 \$73.99 1275 Connecting Rod Bolt Kit 322-838 \$162.99

Engine Locktab Sets

Save the hassle of ordering all the separate locktabs on your engine with these sets, which include all locktabs in the listings to the left marked ‡.

948-1098 Locktab Set 328-635 1275 Locktab Set 328-620

\$31.99 \$31.99





Vernier Cam Sprocket Kit

If you are serious about making your engine run "just right", this is one upgrade you should be sure to install. This adjustable cam sprocket enables you to time your cam perfectly to factory specifications, or to change the factory cam timing on seriously modified engines. Kit includes adjustable cam sprocket, duplex crank sprocket, and duplex chain.

460-385 \$164.99

Aluminum Flywheels

Improved throttle response is a main benefit of using this high strength but light weight steel-faced alloy flywheel. 460-505 \$459.99 948

1275 461-005 \$459.99



Speedi-Sleeve

Timing Cover Seal. (use on illustration #4) When a new seal cannot compensate for excessive damage, this utra-thin sleeve provides a "new" sealable surface. Instructions and installation tool are included.

520-515 \$53.99



Identifying the BMC Engine

The BMC "A" series engine is of venerable lineage. Adapted from the Austin A35 it appeared in the Austin-Healey Sprite as the "948", then went through minor revisions as the "1098". A major revision, the "1275", the strongest engine of the series, appeared in late 1966.

A "950" was cast in the left side of the "948" block. The "1100" (1098) and "1275" had metal tags riveted to the left side of the block just behind the bearer plate. All of these engines had an aluminum tag riveted to the top of the block on the right front. The first number designates the series: 9 = 948cc; 10 = 1098cc; 12 = 1275cc. If the tags have been removed, measuring the piston bore and main cap journals will reveal its origination. The "948" came with a stamped steel backplate and the 1275 is easily identified by its lack of tappet covers.


948 9C, 9CG

10CG 1-3/4" main bearings 1098 10CC 2" main bearings

1275

12CC, 12CD, 12CE*, 12CF*, 12CG* 12CH*, 12CJ*, 12CK*, 12V (* = not USA)

Cylinder Head 948 - 1098 - 1275



| No. | Part No. | Price (each) | Description | | Qty. leq. |
|-----|---------------------|--------------------|---|-------------------------|--------------|
| 1 | 451-875\$ | 1399.00 | ALLOY CYLINDER HEAD, new | ORE INFO ONLINE 1275 | 1 |
| | 296-641 296-642* | \$26.99 \$23.99 | HEAD GASKET SET, Payen HEAD GASKET SET * | }948 & 1098cc | 1 |
| | 296-653 | \$35.99 | HEAD GASKET SET, Payen | آ) | 1 |
| | | | (with copper head gasket) | | |
| | 296-651 | \$42.99 | HEAD GASKET SET, Payen | 1275 | 1 |
| | | | (with composition head gasket) | 1 | |
| | 296-654* | | HEAD GASKET SET, w/ copper he | | 1 |
| | 296-652* | | HEAD GASKET SET, w/ compositi | on gasket * 🕽 | 1 |
| 2 | 296-630 | | MANIFOLD GASKET | | 1 |
| 3 | 296-005 | \$1.29 | GASKET, valve cover, stock typ | | 1 |
| | 296-006 | \$18.99 | GASKET, valve cover, silicone (| not in gasket sets) | 1 |
| 4 | 694-536 | \$16.49 | HEAD GASKET, copper, Payen |) | 1 |
| | 117-120* | | HEAD GASKET, upgraded/comp | etition * 🕇 948 - 1098 | 1 |
| | 694-535* | | HEAD GASKET, composition* | J | 1 |
| | 694-526 | \$21.99 | HEAD GASKET, composition, Pa | | 1 |
| | 694-525* | | HEAD GASKET, composition* | ∫ (not alloy head | |
| | 694-527 | \$19.49 | HEAD GASKET, composition, Paye | | 1 |
| | | | ious aftermarket manufacturers su | oplied. | |
| 8 | 460-110 | \$2.39 | CAP NUT, valve cover | | 2 |
| 9 | 460-115 | \$1.39 | SPACER | | 2 |
| 10 | 460-130 | \$0.69 | WASHER, cupped | | 2 |
| 11 | 460-120 | \$0.39 | BUSH, rubber | | 2 |
| 14 | 460-100 | \$10.19 | CAP, metal, w/ cable | 948 engines | 1 |
| | 460-145 | \$12.39 | CAP, chromed, without cable | all vented applications | 1 |
| 12 | | | | | |

| 25 \$4.89 NA 05 \$5.99 25 \$4.89 00 \$3.89 00 \$4.49 10 \$4.39 55 \$0.39 20 \$2.79 32 \$2.79 | CAP, plastic (vented), OE type CAP, plastic (vented), replace CAP, plastic (non-vented) VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | ement J 1275 (12CC, CD, CE) 1275 CJ eng. (1970-on) aluminum plates | 1 |
|---|---|---|--|
| NA | CAP, plastic (vented), OE type CAP, plastic (vented), replace CAP, plastic (non-vented) VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | e 1098 (10CC engines & ement 1275 (12CC, CD, CE) 1275 CJ eng. (1970-on) aluminum plates | 1 1 1 1 |
| \$5.99 \$5.84.89 \$0.00 \$3.89 \$0.00 \$4.49 \$0.00 \$4.39 \$5.00 \$2.79 \$2.79 | CAP, plastic (vented), replace CAP, plastic (non-vented) VALVE COVER PLATE, MG VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | ement J 1275 (12CC, CD, CE) 1275 CJ eng. (1970-on) aluminum plates | 1 1 1 1 |
| 25 \$4.89 90 \$3.89 90 \$4.49 10 \$4.39 95 \$0.39 90 \$2.79 92 \$2.79 | CAP, plastic (non-vented) VALVE COVER PLATE, MG VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | 1275 CJ eng. (1970-on) aluminum plates | 1 1 1 1 |
| \$3.89 \$00 \$4.49 \$00 \$4.39 \$55 \$0.39 \$20 \$2.79 \$2 \$2.79 | VALVÉ COVER PLATE, MG VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | aluminum plates | 1 1 1 |
| \$4.49 \$4.39 \$5 \$0.39 \$0 \$2.79 \$2 \$2.79 | VALVE COVER PLATE, Austin VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | J A | 1 |
| \$4.39 55 \$0.39 20 \$2.79 32 \$2.79 | VALVE COVER PLATE, patent RIVET for aluminum plates VALVE COVER PLATE, MG | J A | 1 |
| \$5 \$0.39 20 \$2.79 32 \$2.79 | RIVET for aluminum plates VALVE COVER PLATE, MG | J A | |
| 20 \$2.79 32 \$2.79 | VALVE COVER PLATE, MG | j | /R 1 |
| 32 \$2.79 | , . |) | 1 |
| | VALVE COVER PLATE Austin | † . | |
| | THETE OUTLITTE, HUGHIN | self adhesive mylar | 1 |
| 25 \$2.79 | VALVE COVER PLATE, patent | Sell autlesive mylai | 1 |
| 30 \$1.99 | STICKER, "British Leyland" | J | 1 |
| 15 \$5.79 | LIFTING BRACKET | | 2 |
|)5 \$1.49 | STUD, thermostat housing | for housings #27 & 29 | 3 |
| 06 \$0.89 | STUD, thermostat housing | for housing #28 | 3 |
| 10 \$0.24 | NUT | | 3 |
| 20 \$0.29 | WASHER | | 3 |
| 90 \$29.99 | ELBOW, water outlet @morein | FO ONLINE 948 (flat top) | 1 |
| 55 \$39.99 | ELBOW, water outlet | 1098 - 1275 vert. rad. | 1 |
| TE NIA | ELBOW, water outlet | 1275 cross-flow rad. | 1 |
| ıo NA | FLDOWt | 12CD. 12CJ & 12V | 1 |
| | 5 \$39.99 5 NA | 5 \$39.99 ELBOW, water outlet NA ELBOW, water outlet | 55 \$39.99 ELBOW, water outlet 1098 - 1275 vert. rad. 1275 cross-flow rad. |



MOSS MOTORS, LTD. 1-800-667-7872

948 - 1098 - 1275 Cylinder Head

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|--|--------------------------------|--------------|
| 30 | 296-380 | NA | GASKET, thermostat, stock type | cork | 1 |
| | 296-381 | \$1.99 | GASKET, thermostat, high streng | _ | |
| 31 | 434-180 | \$4.49 | THERMOSTAT, 160°, hot climate | | |
| | 434-189 | \$4.49 | THERMOSTAT, 180°, normal | 948 water elbows | |
| | 434-190 | \$4.69 | THERMOSTAT, 192°, cold climat | es J Will fit Moss 460- | 890. 1 |
| 35 | 434-535 | \$19.99 | ADAPTOR, bypass (also used on | | |
| 36 | 434-530* | \$6.79 | HOSE, bypass (with 2 original ty | pe type hose clamps) | 1 |
| 37 | 262-200 | \$1.89 | CLAMP, bypass hose | original band type | 2 |
| | " Inese h | oses are r | ibbed as original for easy installat | ion. | |
| 38 | | NA | AIR INJECTION TUBE | 1275 | 4 |
| 39 | 052-242 | \$1.29 | PLUG, air injection port (when ai | r injection disabled) | 4 |
| 40 | 328-900 | \$2.19 | STUD, manifold | | 6 |
| | 310-140 | \$0.24 | NUT, manifold stud, steel | laltarnativas | 6 |
| | 311-540 | \$0.59 | NUT, manifold stud, brass | } alternatives | 6 |
| | 324-365 | \$0.89 | WASHER, inlet manifold | | 4 |
| 42 | 372-371 | \$2.19 | FERRULE, inlet manifold locating | from 10CG 18628 thru | |
| 43 | 114-000 | NA | PLUG, oil hole at front of head | , | 1 |
| | 114-109 | \$10.99 | PLUG, water holes, at ends of he | ead 1275 | 2 |
| 44 | 114-110 | NA | PLUG, water holes, bottom of he | | 3 |
| 45 | 114-105 | \$5.79 | PLUG, oil holes, ends & top of he | | 5 |
| 46 | 117-010 | \$1.69 | STUD, heater valve | <u> </u> | 2 |
| 47 | 310-760 | \$0.39 | NUT | alternative to no. | |
| 48 | 324-020 | \$0.20 | LOCKWASHER | J | 2 |
| 49 | 322-230 | \$0.19 | BOLT (alternative to nos. 46, 47 | . 48) | 2 |
| 50 | 360-215 | \$8.49 | BLANKING PLATE | when heater not fitted | |
| 51 | 296-455 | \$0.69 | GASKET | | 1 |
| 55 | 361-065 | \$7.49 | ADAPTER, temperature gauge | 1 1968-'74 | 1 |
| 56 | 324-805 | \$1.99 | WASHER, temp. gauge adapter | (crossflow radiator) | 1 |
| 57 | 379-362 | \$8.99 | BLANKING PLUG | when using late hea | d on 1 |
| 58 | 324-145 | \$0.29 | WASHER, blanking plug | ∫ pre-1968 car | 1 |
| 60 | 329-700 | \$3.89 | STUD, pedestal & valve cover lo | | 2 |
| 61 | 328-745 | \$1.39 | STUD, pedestal, short (inner) | 948 - 1098 | 2 |
| 00 | 329-710 | \$3.99 | STUD, pedestal, short (inner) | 1275 | 2 |
| 62 | 310-290 | \$0.69 | NUT for pedestal studs | | 4 |
| 63 | 365-730 | \$0.25 | LOCKWASHER | | 4 |
| 64 | 114-136 | NA | PEDESTAL, tapped | }see note | 1 |
| 65 | 114-133 | . NA | PEDESTAL, oil hole | J | . 3 |
| | | | 1275 production had the front pedest | | |
| | | | oil hole. Later 1275 engines had a ta | | |
| | | | e front pedestal having a drilled oil hol sitions. Our pedestals are of the later | | |
| | | | cars, drill a 1/8" hole centered in the | | |
| | | | . The "oil hole" pedestals may be use | | |
| 66 | 460-270 | \$1.79 | SCREW, rocker shaft locating | | 1 |
| 67 | 433-880 | NA | PLATE, rocker shaft pedestal | see note * | 4/1 |
| | | | 68 (460-280) on front pedestal to | | ., . |
| 68 | 460-280 | \$3.39 | PLATE, screw retaining | | 1 |
| 70 | 451-455 | \$17.49 | SHAFT, rocker arm | | 1 |
| | 114-124 | \$30.99 | SHAFT, rocker arm, Tuftrided (ha | ardened against wear) | 1 |
| 71 | 328-080 | NA | PLUG, threaded | - ' | 1 |
| 72 | 328-290 | \$15.99 | PLUG, pressed in | | 1 |
| 75 | † | | ROCKER ARM, pressed † | use no. 76 or 78 | 8 |
| 76 | 433-840† | \$15.89 | ROCKER ARM, forged † | 1275, replacement fo | |
| 77 | 330. 40F | ¢1 50 | These are stock late 1275 rockers | • | |
| 77 | 330-495 | \$1.59 | BUSH Bushes must have oil holes dri | all forged rocker arms | rocke. |
| | | | arm, and must be reamed to f | | TOURE |
| 78 | 433-850† | \$24.00 | ROCKER ARM, sintered, replacer | | 8 |
| , 0 | 100-000 | ΨΔ-7.33 | These sintered rocker arms are | | |
| | | | self-lubricating once soaked in | | |

† Note: Early 948 had forged rockers (not identical to late 1275 forged rockers), followed by pressed steel rockers into 1275 production. Forged rockers 433-840 were originally supplied on many 1275 engines. Sintered rockers are stock for post-Sprite/Midget A-Series engines produced for other cars.

self-lubricating once soaked in oil. They are not bushed. Should be used with Thackery washer No. 88.

rs.com MOS

early forged & stamped rockers † 8

late forged & sintered rockers † 8

early forged & stamped rockers † 8

late forged & sintered rockers †

| Section | No. | Part No. | Price (each) | Description | | ity. eq. |
|---|-----|-------------|-----------------|---------------------------------------|---------------------------|-------------|
| 86 379-363 \$1.49 \$PACER (at ends of springs) 1275 only 6 2 | 05 | 11/ 12/ | ¢2 00 | CDDING | | 2 |
| Use also on 1275 when using sintered rocker arms 433-850. | | | | | 1275 only | |
| 14-135 | 87 | 329-860 | \$0.79 | | | |
| 235-330 | 88 | 114-135 | \$0.99 | • | ered rocker arms 433-8 | |
| 1 | | | | | | |
| Record R | 90 | | | | | |
| S4-58 HRC, crowned, etched, & micro-polished, with lube 1 | | 460-604 | \$199.99 | | erly sized, hardened to | 1 |
| G00+ HRC, crowned, phosphated, oil hole. Suitable for high lift cams and higher rpm. | | | | · · · · · · · · · · · · · · · · · · · | nicro-polished, with lube | |
| high lift cams and higher rpm. 1 | | 460-601 | \$199.99 | | oil hole. Suitable for | 1 |
| Suitable for high lift cams and higher rpm. Suitable for high lift cams and higher rpm. Suitable for high lift cams and higher rpm. | | | | high lift cams and higher rpm.) | | |
| 91 | | 460-608 | NA | | | 1 |
| 95 326-165 NA SPRING CLIP (not required) 96 460-485 \$10.99 VALVE COTTER 460-535 \$2.09 VALVE COTTER 97 460-552 \$3.99 COLLAR, valve retainer 98 297-650 \$0.29 SEAL, valve stem, o-ring 99 NA SHROUD (Shroud not required when using o-ring valve stem seal) (Shroud not required when using o-ring valve stem seal) 423-460 \$26.89 VALVE SPRING, single 423-460 \$26.89 VALVE SPRING SET, dual springs 100 114-106 \$2.99 VALVE SPRING SET, dual springs 423-470 \$25.89 VALVE SPRING SET 101 460-565 \$1.89 CUP 102 423-195 \$6.79 INTAKE VALVE 1.094" head dia.* 423-175 \$5.89 INTAKE VALVE 1.156" head dia.* 423-190 \$4.79 INTAKE VALVE 1.215" head dia.* 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-325 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 423-285 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, intake & exhaust 423-285 \$2.79 VALVE G | 91 | 460-625 | \$3.99 | , | | 8 |
| \$460-485 | | 460-635 | \$3.89 | PUSH ROD | 1275 | 8 |
| 460-535 \$2.09 | 95 | 326-165 | NA | SPRING CLIP (not required) | 1048 8 1008 | 8 |
| 97 | 96 | 460-485 | \$10.99 | VALVE COTTER | J 940 & 1090 | 16 |
| 460-556 \$7.79 COLLAR, valve retainer 1275 8 297-650 \$0.29 SEAL, valve stem, o-ring 948 & 1098 8 297-635 \$0.49 SEAL, valve stem, umbrella 1275 intake only 4 99 NA SHROUD early 948 8 8 (Shroud not required when using o-ring valve stem seal) early 948 8 423-460 \$26.89 VALVE SPRING SET, dual springs late 948, all 1098 1275 1 101 460-565 \$1.89 CUP | | 460-535 | \$2.09 | VALVE COTTER | 1275 | 16 |
| 98 297-650 \$0.29 SEAL, valve stem, o-ring 297-635 \$0.49 SEAL, valve stem, umbrella 1275 intake only 4 99 | 97 | | | | | |
| 297-635 | 98 | | | | | |
| 100 | 00 | | | , | | |
| 100 114-106 \$2.99 VALVE SPRING, single 423-460 \$26.89 VALVE SPRING SET, dual springs late 948, all 1098 1 1275 101 460-565 \$1.89 CUP double springs only 8 102 423-195 \$6.79 INTAKE VALVE 1.094" head dia.* } | 99 | | NA | | • | 8 |
| 423-460 \$26.89 VALVE SPRING SET, dual springs late 948, all 1098 1275 1 1 101 460-565 \$1.89 VALVE SPRING SET double springs only 8 1275 1 1 102 423-195 \$6.79 INTAKE VALVE 1.094" head dia.* } 948 (9C engine) 8 4 423-175 \$5.89 INTAKE VALVE 1.156" head dia.* } 948 (9CG) & 1098 4 to 10CG 14877 4 423-185 \$5.89 INTAKE VALVE 1.215" head dia.* } 1098 from 10CG 14878 & 10CC 4 423-190 \$4.79 INTAKE VALVE 1.313" head dia.* } 1275 4 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* } 948 & 1098 4 4 423-325 NA EXHAUST VALVE, of/S 1.098" head dia.* } 948 & 1098 4 4 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* } 1275 4 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 8 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 8 423-275 \$1.89 VALVE GUIDE, manganese-bronze 948 (9CG) & 1098 8 8 | 100 | 114-106 | \$2.99 | | | 8 |
| 101 460-565 \$1.89 CUP double springs only 8 | | | | VALVE SPRING SET, dual springs | | |
| 102 423-195 \$6.79 INTAKE VALVE 1.094" head dia.* \$\) \ 948 (9C engine) 4 423-175 \$5.89 INTAKE VALVE 1.156" head dia.* \$\) \ 948 (9CG) & 1098 4 423-185 \$5.89 INTAKE VALVE 1.215" head dia.* \$\) \ 1098 from 4 423-190 \$4.79 INTAKE VALVE 1.313" head dia.* \$\) \ 1275 4 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* 423-325 NA EXHAUST VALVE, 0/S 1.098" head dia.* \$\) \ 948 & 1098 4 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust \$\) \ 948 (9CG) & 1098 8 423-290 \$7.29 VALVE GUIDE, intake & exhaust \$\) \ \ 948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust \$\) \ \ \ \} \ \ \ \ \ \ \ \ \ \ \ \ \ | 101 | | | | | |
| 1.094" head dia.* 3 | | | · | | | |
| 1.156" head dia.* | 102 | 423-195 | \$6.79 | | | 4 |
| 1.156" head dia.* | | 423-175 | \$5.89 | INTAKE VAI VE | 1 948 (90G) & 1098 | |
| 1.215" head dia.* | | 120 170 | Ψ0.00 | | | • |
| 423-190 \$4.79 INTAKE VALVE 1.313" head dia.* } 1275 4 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* 423-325 NA EXHAUST VALVE, O/S 1.098" head dia.* } 948 & 1098 4 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-290 \$7.29 VALVE GUIDE, manganese-bronze \$\frac{9}{2} 948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust \$\frac{1}{2} 948 (9CG) & 1098 8 | | 423-185 | \$5.89 | INTAKE VALVE | 1 1098 from | 4 |
| 1.313" head dia.* 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* 423-325 NA EXHAUST VALVE, 0/S 1.098" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze 423-285 \$2.79 VALVE GUIDE, intake & exhaust | | | , | | | |
| 423-320 \$6.49 EXHAUST VALVE, stainless steel 1.000" head dia.* 423-325 NA EXHAUST VALVE, 0/S 1.098" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/ 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-290 \$7.29 VALVE GUIDE, manganese-bronze 948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust 3 | | 423-190 | \$4.79 | INTAKE VALVE | 1,275 | 4 |
| 1.000" head dia.* 423-325 NA EXHAUST VALVE, 0/S 1.098" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze 423-285 \$2.79 VALVE GUIDE, intake & exhaust | | | | 1.313" head dia.* | J 1275 | |
| 423-325 NA EXHAUST VALVE, 0/S 1.098" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 *Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze 423-285 \$2.79 VALVE GUIDE, intake & exhaust | | 423-320 | \$6.49 | EXHAUST VALVE, stainless steel | 1 | 4 |
| 1.098" head dia.* 423-330 \$6.99 EXHAUST VALVE, stainless steel 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 948 (9CG) & 1098 8 423-290 \$7.29 VALVE GUIDE, manganese-bronze } 423-285 \$2.79 VALVE GUIDE, intake & exhaust } 1275 8 | | 122-325 | NΑ | | 948 & 1098 | 1 |
| 1.156" head dia.* 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze 423-285 \$2.79 VALVE GUIDE, intake & exhaust 31275 8 | | 425-525 | IVA | | J | 4 |
| 423-335 \$18.89 EXHAUST VALVE, stainless steel/stellite tip J 4 * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze \$948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust 423-285 \$2.79 VALVE GUIDE, intake & exhaust 31275 \$8 | | 423-330 | \$6.99 | EXHAUST VALVE, stainless steel | 1 | 4 |
| * Valve head diameters may vary by .005" or more due to manufacturing tolerances. 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze } \$948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust } \$1275 8 | | 423-335 | \$18.89 | | | 4 |
| 103 423-286 \$2.79 VALVE GUIDE, intake & exhaust 948 (9C - Bugeye) 8 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze } 948 (9CG) & 1098 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust } 1275 8 | | | - | , | | — |
| 423-275 \$1.89 VALVE GUIDE, intake & exhaust 423-290 \$7.29 VALVE GUIDE, manganese-bronze \$\) 423-285 \$2.79 VALVE GUIDE, intake & exhaust \\ \begin{array}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | vaive iii | au ulalliele | ers may vary by .005 or more due to | manufacturing tolerances | . |
| 423-290 \$7.29 VALVE GUIDE, manganese-bronze \$\int \frac{948 (900) & 1098}{8}\$ 423-285 \$2.79 VALVE GUIDE, intake & exhaust \$\bigl_{1275}\$ 8 | 103 | 423-286 | \$2.79 | VALVE GUIDE, intake & exhaust | 948 (9C - Bugeye) | 8 |
| 423-290 \$7.29 VALVE GUIDE, manganese-pronze J 8 423-285 \$2.79 VALVE GUIDE, intake & exhaust \ ₁₂₇₅ 8 | | | | | \ 948 (9CG) & 1098 | |
| . · · · · · · · · · · · · · · · · · · · | | 423-290 | \$7.29 | VALVE GUIDE, manganese-bronze | J ' ' | 8 — |
| 423-290 \$6.99 VALVE GUIDE, MANGANESE-DIONZE J 8 | | | | | } 1275 | |
| | | 423-295 | ъ б.99 | VALVE GUIDE, manganese-bronze | J | 8 |
| | | | | | | |

Competition Gaskets

Highly recommended for use with high compression pistons and modified heads, the copper and asbestos head gasket is made to original British Leyland specifications. The special manifold gasket has enlarged holes to match inlet and exhaust ports on modified cylinder heads.

Contract of

Competition Head Gasket (1275) Competition Manifold Gasket (948 - 1275)

694-555 296-645 \$17.99 \$11.99

ADJUSTER (28 t.p.i.)

ADJUSTER (24 t.p.i.)

NUT, adjuster locking

NUT, adjuster locking

433-860 \$11.79

\$1.09

\$2.29

\$0.39


460-260

433-870

310-150

80

Midget 1500 Engine



| | | | 0 0 | |
|-----|-------------|-----------------|---|--------------|
| No. | Part No. | Price (each) | Description Application | Qty. Req. |
| | 694-151 | \$21.99 | GASKET SET, lower engine, "Payen" brand | 1 |
| | 694-152 | \$6.99 | GASKET SET, lower engine (various manufacturers) | 1 |
| | 694-143 | \$67.99 | HEAD GASKET SET, "Payen" brand | 1 |
| | 694-144 | \$36.99 | HEAD GASKET SET (various manufacturers) | 1 |
| 1 | 451-205 | NA | DIPSTICK | 1 |
| 2 | 697-020 | \$0.69 | SEAL, felt | 1 |
| 3 | 697-115 | \$1.59 | GASKET, timing cover | 1 |
| 4 | 520-430 | \$4.49 | OIL SEAL, timing cover | 1 |
| 6 | 695-105 | \$1.39 | GASKET, front engine plate | 1 |
| 10 | 325-215 | | DOWEL PIN | 2 |
| 11 | 328-205 | \$0.89 | CORE PLUG, steel, large | 1 |
| | 328-207 | \$3.29 | CORE PLUG, brass, large | 1 |
| 12 | 319-015 | \$0.89 | CORE PLUG, steel, small | 1 |
| | 319-016 | | CORE PLUG, brass, small | 1 |
| 13 | 328-654 | \$2.29 | STUD | 1 |
| 16 | 426-130 | | LINER, cylinder (requires machining | , |
| 18 | 310-045 | \$0.79 | NUT, head stud | 10 |
| 19 | 324-860 | \$0.19 | WASHER, head stud | 10 |
| 20 | 329-615 | \$14.79 | STUD, cylinder head | 10 |
| 23 | 328-205 | \$0.89 | CORE PLUG | 3 |
| 24 | 328-445 | \$9.99 | PLUG, drain | 1 |
| 25 | 324-671 | \$0.89 | WASHER for plug | 1 |
| 26 | 328-900 | \$2.19 | STUD | 3 |
| 27 | 328-215 | \$0.79 | CORE PLUG, steel, small | 1 |
| | 328-216 | | CORE PLUG, brass, small | 1 |
| 28 | 328-375 | \$0.79 | CORE PLUG, steel, large | 1 |
| 32 | 320-695 | \$0.69 | BOLT, seal housing to block | 7 |
| 33 | | NA | WASHER, copper | 1 |
| 34 | 365-730 | \$0.25 | LOCKWASHER | 6 |
| 35 | 322-040 | | BOLT | 7 |
| 36 | 365-730 | | LOCKWASHER | 7 |
| 40 | 520-320 | \$2.79 | OIL SEAL, rear | 1 |
| 41 | 697-485 | \$0.39 | GASKET, seal housing to block | 1 |
| 42 | 328-245 | | PLUG, oil gallery, rear | 1 |
| 43 | 322-345 | \$0.49 | PLUG, oil gallery, side | 4 |
| 44 | | NA | WASHER, copper | 4 |
| 45 | 328-654 | \$2.29 | STUD, fuel pump mounting | 2 |
| 46 | 328-215 | \$0.79 | CORE PLUG, steel | 2 |
| | 328-216 | | CORE PLUG, brass | 2 |
| 50 | 836-135 | | BUSH, distributor/oil pump drive | 1 |
| 51 | 328-654 | \$2.29 | STUD, distributor mounting | 2 |
| 52 | 950-525 | \$5.79 | OIL FILTER, with sealing ring, Classic Gold brand | 1 |
| 53 | 833-455 | \$4.99 | ADAPTOR, oil filter to filter head | 1 |

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|------------------------------------|----------------------|--------------|
| 54 | 520-400 | \$0.99 | SEAL, filter head to block | | 1 |
| 55 | | NA | BOLT, filter head | | 1 |
| 56 | 466-515 | \$0.59 | "O" RING | | 1 |
| 57 | 836-125 | \$83.99 | OIL PUMP with screen | | 1 |
| 58 | 836-545 | \$3.89 | PISTON, oil pressure relief valve | | 1 |
| 59 | 329-295 | \$4.49 | SPRING | | 1 |
| 60 | 315-005 | \$0.89 | WASHER, copper | | 1 |
| 61 | 328-065 | \$11.89 | HOUSING, oil pressure relief valve | | 1 |
| 65 | 694-160 | \$1.59 | GASKET, oil pan | | 1 |
| 66 | 328-340 | \$1.19 | PLUG, oil drain | | 1 |
| | 328-356 | \$7.99 | PLUG, oil drain, magnetic | (option) | 1 |
| | 328-341 | \$39.99 | DRAIN TAP | (option) | 1 |
| 70 | 328-425 | \$2.39 | PLUG | | 1 |
| 71 | 328-245 | \$4.29 | PLUG, oil gallery | | 1 |
| 72 | 266-580 | \$1.39 | BOLT, main bearing cap | | 6 |
| 73 | 324-250 | \$0.19 | LOCKWASHER | | 6 |
| 76 | 323-015 | \$1.79 | SCREW | | 2 |
| 78 | 320-815 | \$2.39 | SCREW | | 2 |
| 79 | 365-730 | \$0.25 | LOCKWASHER | | 2 |
| 80 | 697-490 | \$0.59 | GASKET, front sealing block | | 2 |
| 81 | 697-495 | \$1.79 | PACKING PIECE, wood | | 2 |
| 82 | 837-150 | | SEALING BLOCK, front | | 1 |
| 85 | 810-120 | | MOUNT, engine | | 2 |
| 86 | 810-140 | | MOUNT, transmission | | 2 |
| 87 | 832-545 | \$99.99 | BEARER PLATE, rear | aluminum alloy repl. | 1 |

Core Plug Set

All core plugs for the engine block and cylinder head.

328-278 \$8.99 CORE PLUG SET, steel



Oil Cooler Installation Kit

This kit allows fitment of a 13-row oil cooler on the Midget 1500. Uses stock filter and adaptor. Oil cooler and filter are not included. May require relocation of air pump hose.


1

Installation Kit 235-922 \$179.99 13-row Cooler 235-925 \$52.99



MOSS MOTORS, LTD. 1-800-667-7872

Midget 1500 Engine



| | | _ | | | |
|-----|-------------|-----------------|---------------------------------|-----------------------|--------------|
| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
| 1 | 851-330 | \$199.99 | CAMSHAFT | | 1 |
| 2 | 838-035 | \$27.99 | RETAINER, camshaft | | 1 |
| 3 | 322-540 | \$0.69 | BOLT for retainer | | 2 |
| 4 | 365-730 | \$0.25 | LOCKWASHER | | 2 |
| 5 | 832-111 | \$38.99 | TIMING CHAIN, heavy duty upgrad | de I More info online | 1 |
| | 832-110 | \$6.89 | TIMING CHAIN | 0 | 1 |
| 6 | 832-260 | \$4.89 | TENSIONER, timing chain | | 1 |
| 7 | 832-265 | \$4.79 | PIN, tensioner pivot | | 1 |
| 8 | 324-870 | \$0.49 | WASHER, plain | | 1 |
| 9 | 325-475 | \$0.29 | COTTER PIN | | 1 |
| 12 | 838-205 | \$23.89 | SPROCKET, camshaft | | 1 |
| 13 | 838-025 | \$0.49 | LOCKPLATE, cam sprocket | | 1 |
| 14 | 322-395 | \$2.89 | BOLT, sproket to camshaft | | 2 |
| 18 | 837-105 | \$24.99 | SPROCKET, crankshaft | | 1 |
| 19 | 837-025 | \$1.39 | SHIM, .004" | | A/R |
| | 837-035 | \$1.39 | SHIM, .006" | | A/R |
| 22 | 851-350 | NA | CRANKSHAFT | | 1 |
| 23 | 327-220 | \$17.99 | KEY | | 1 |
| 24 | 322-910 | \$36.99 | NUT, crankshaft | | 1 |
| 25 | 837-055 | \$7.79 | OIL DEFLECTOR | | 1 |
| 26 | 325-190 | \$8.99 | DOWEL, flywheel to crankshaft | | 1 |
| 28 | 828-030 | \$4.89 | THRUST WASHER SET, standard | | 1 |
| | 828-035 | \$4.89 | THRUST WASHER SET, .005" | | 1 |
| | 828-040 | \$8.39 | THRUST WASHER SET, .015" | | 1 |
| 29 | 822-041 | \$39.99 | MAIN BEARING SET, standard |) | 1 |
| | 822-051 | \$39.99 | MAIN BEARING SET, .010" | Tri-metal | 1 |
| | 822-061 | \$39.99 | MAIN BEARING SET, .020" | [TIT-IIICIAI | 1 |
| | 822-071 | | MAIN BEARING SET, .030" | J | 1 |
| | 822-040 | | MAIN BEARING SET, standard |) | 1 |
| | 822-050 | | MAIN BEARING SET, .010" | I | 1 |
| | 822-060 | | MAIN BEARING SET, .020" | Bi-metal | 1 |
| | 822-070 | | MAIN BEARING SET, .030" | I | 1 |
| | 822-080 | \$23.89 | MAIN BEARING SET, .040" | J | 1 |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




| Ç, | | | | | |
|-----|-------------|-----------------|------------------------------------|---------------------------------|--------------|
| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
| 30 | 824-051 | \$44.99 | ROD BEARING SET, standard |) | 1 |
| | 824-056 | \$44.99 | ROD BEARING SET, .010" | Tri-metal | 1 |
| | 824-061 | \$44.99 | ROD BEARING SET, .020" | Tri-metai | 1 |
| | 824-066 | \$44.99 | ROD BEARING SET, .030" | J | 1 |
| | 824-050 | \$27.99 | ROD BEARING SET, standard |) | 1 |
| | 824-055 | | ROD BEARING SET, .010" | 1 | 1 |
| | 824-060 | | ROD BEARING SET, .020" | Bi-metal | 1 |
| | 824-065 | | ROD BEARING SET, .030" | I | 1 |
| | 824-070 | | ROD BEARING SET, .040" | J | 1 |
| 31 | 837-740 | | CONNECTING ROD, reconditioned | | 4 |
| 32 | 320-455 | | BOLT, connecting rod | | 8 |
| 33 | 829-030 | | BUSH, wrist pin | | 4 |
| 34 | 837-745 | NA | TUBE, locating | | 8 |
| 36 | 814-451 | \$199.99 | PISTON SET, std., aftermarket |) | 1 |
| | | \$199.99 | PISTON SET, .020", aftermarket | 9:1 CR, thru 1976 | 1 |
| | 814-461 | \$199.99 | PISTON SET, .030", aftermarket | except CA | 1 |
| | 814-466 | \$199.99 | PISTON SET, .040", aftermarket | J | 1 |
| | 814-470 | \$199.99 | PISTON SET, std., aftermarket | 7.5:1 CR | 1 |
| | 814-475 | \$199.99 | PISTON SET, .020", aftermarket | | 1 |
| | 814-480 | \$199.99 | PISTON SET, .030", aftermarket | CA all years Federal 1977-on | 1 |
| | 814-485 | NA | PISTON SET, .040", aftermarket | J rederal 1977-oil | 1 |
| 37 | 817-650 | \$55.79 | PISTON RING SET, standard |) | 1 |
| | 817-655 | \$55.79 | PISTON RING SET, .020" | llastinas buond | 1 |
| | 817-660 | \$55.79 | PISTON RING SET, .030" | Hastings brand | 1 |
| | 817-665 | \$55.79 | PISTON RING SET, .040" | J | 1 |
| 40 | 836-640 | NA | GEAR, oil pump & distributor drive |) | 1 |
| 41 | 697-145 | \$0.79 | GASKET, .006" | | A/R |
| 45 | 330-510 | | PILOT BUSHING | | 1 |
| 46 | | \$459.99 | FLYWHEEL, aluminum | | 1 |
| | 590-030 | | RING GEAR | | 1 |
| 47 | 320-790 | | BOLT, flywheel to crankshaft | | 4 |
| 48 | 325-340 | \$1.29 | DOWEL, clutch locating | | 3 |

Speedi-Sleeve

Timing Cover Seal. For use on Crank Pulley When a new seal cannot compensate for excessive damage, this utra-thin sleeve provides a "new" sealable surface. Instructions and installation tool are included.

520-510 \$61.99

Midget 1500 Cylinder Head



| No. | Part | Price | Description | Application | Qty. |
|------|-----------|------------|---|----------------------|------|
| | No. | (each) | | | Req. |
| | 694-143 | \$67.99 | HEAD GASKET SET, "Payen" bra | nd | 1 |
| | 694-144 | \$36.99 | HEAD GASKET SET (various manu | | 1 |
| 1 | 694-110 | \$19.99 | HEAD GASKET, :"Payen" brand | , | 1 |
| 2 | 834-765 | NA | CAP, oil filler | | 1 |
| | 780-126 | \$5.99 | CAP, oil filler, replacement | | 1 |
| 3 | 310-105 | \$0.39 | NUT, valve cover | <u>)</u> | 2 |
| 4 | 365-720 | \$0.29 | WASHER, plain | thru 1976 | 2 |
| 5 | 324-680 | \$0.29 | WASHER, fiber | J | 2 |
| | 072-019 | \$3.89 | CAP NUT | 1 | 2 |
| | 072-020 | \$2.89 | WASHER | from 1977-on | 2 |
| | 071-092 | \$0.69 | "O" RING | J | 2 |
| 10 | 328-675 | \$2.89 | STUD, valve cover (4-1/8" long) | thru 1976 | 2 |
| | 313-020 | \$3.89 | STUD, valve cover (3-5/16" long) | from 1977-on | 2 |
| 12 | 694-100 | \$1.99 | GASKET, valve cover, stock type | | 1 |
| | 694-101 | \$19.99 | GASKET, valve cover, silicone | | 1 |
| 13 | 839-110* | \$10.89 | ROCKER ARM, stock |] #1 2 5 7 | 4 |
| | 839-115* | \$16.99 | ROCKER ARM, upgraded | } #1,3,5,7 | 4 |
| 14 | 839-120* | \$10.89 | ROCKER ARM, stock |] #0.4.0.0 | 4 |
| | 839-125* | \$16.99 | ROCKER ARM, upgraded | } #2,4,6,8 | 4 |
| *Not | correct h | nardness a | were not bushed. Upgraded rocker and are fitted with bushes which m ocker shaft. Instructions are include | ust be honed to 0.00 | |

ADJUSTER, valve

NUT for adjuster

ROCKER SHAFT

PEDESTAL, front

PEDESTAL, intermediate

SPRING, front & rear pedestals

END PLUG

| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|----------|--------------------|-----------------|---|--------------|
| 22 | 831-595 | \$26.99 | DEDECTAL room | 1 |
| 23 | 323-215 | | PEDESTAL, rear SCREW | 1 |
| | | | | |
| 25 26 | 310-050 324-860 | | NUT, rocker shaft pedestal WASHER | 4 |
| | | | | |
| 27 | 328-665 | | STUD, rocker shaft pedestal | 4 |
| 30 | 328-660 | | STUD, exhaust manifold (1-3/8" long) | 2 |
| 0.1 | 328-650 | | STUD, inlet & exhaust manifolds (1-7/8" long) | 6 |
| 31 | 328-340 | | PLUG, threaded | 1 |
| 32 | 830-000 | | VALVE GUIDE, inlet & exhaust, stock type | 8 |
| | 830-015 | | VALVE GUIDE, inlet & exhaust, manganese bronze | 8 |
| 35 | 821-250 | | VALVE, inlet | 4 |
| 36 | 821-260 | | VALVE, exhaust, stainless steel | 4 |
| 37 | 831-530 | | SPLIT COTTER, valve retaining | 16 |
| 38 | 821-210 | | COLLAR, upper, stock | 8 |
| | 839-150 | | COLLAR, upper, aluminum alloy use in sets of 8 only | 8 |
| 39 | 821-270 | | VALVE SPRING SET, double springs | 1 |
| 40 | 821-240 | | COLLAR, lower | 8 |
| 41 | 838-530 | + | PUSHROD | 8 |
| 42 | 838-306 | \$169.99 | TAPPET SET, APT brand | 1 |
| | | | (60 ⁺ HRC heat treated chilled cast iron, with oil hole) | |
| | 838-300 | | TAPPET, stock type | 8 |
| 45 | 328-215 | | CORE PLUG, steel, small | 1 |
| | 328-216 | \$3.19 | CORE PLUG, brass, small | 1 |
| 46 | 328-235 | \$0.99 | CORE PLUG, steel, large | 1 |
| | 328-236 | \$3.99 | CORE PLUG, brass, large | 1 |

Annlication

Core Plug Set

All core plugs for the engine block and cylinder head.



8

8

2

MOSS MOTORS, LTD. 1-800-667-7872

15

16

17

18

19

20

839-030

310-150

851-320

839-100

329-860

831-585

831-590

\$4.99

\$0.39

\$3.49

\$0.79

NA

NA

\$24.99



Oberg Tilt Lift

It never fails. No matter what angle you hang an engine from its sling, it will be wrong. Unfortunately, most cars require the engine to be installed in an arc. This chore is hard enough with help, but it's nearly impossible without. Tilt Lift is a product which enables you to remove or install an engine alone. Tilt Lift allows easy adjustment of an engine's lift angle through a full 90 degrees of movement. Adjustment is easy, employing your 1/2" ratchet, and the 2,000 pound capacity - with a 3:1 safety load factor - is more than enough for any modern engine/ tranny combination. A positive lock ensures the engine stays put. Tilt Lift's all steel construction ensures durability.

and its small size (weighing only four pounds) makes it perfect for small work areas. The mounting cleats are adaptable to any engine. Reduce the risk of personal injury, or damage to your car with a Tilt Lift.

386-730 \$99.99




"Ultra Slick" **Engine Assembly Lube**

The most critical time for dangerous wear during an engine's life is during initial start-up. Protect your rebuild (and all of those expensive parts) by using "Ultra Slick" during assembly of camshafts, lifters, engine bearings, timing components, valves & guides and rocker shaft assemblies. It's the best insurance available.

221-565 \$9.99

Hylomar Gasket Dressing

Hylomar "M" was originally the Racing Formulation, is acetone based, stiffens slightly over time and can be used in place of a gasket between finely machined surfaces. Hylomar Advanced Forumlation or "AF" is solvent-free,



won't harden and is perfect for use with gaskets on parts that need to be removed regularly for service. Both are perfect for shop use, and are ethanol and fuel proof.

232-215 \$26.99 Hylomar AF, 85 gram tube 232-220 \$21.99 Hylomar M, 80ml tube



Engine Paint



The right paint in the right color is the only kind to use on your freshly rebuilt engine. We invested a lot of time and effort to develop the correct shade of olive green for Sprigets. One can is enough to paint a properly prepared engine. (Black is not Moss "Classic Color") Our high temperature primer is specially selected for compatibility with our engine paints.

Dark Olive Green 220-580 \$21.69 Black (1972-'80) 220-575 \$16.99 Primer, high temp. 220-576 \$14.99

Magnetic Drain Plugs

Safeguard your engine! Our magnetic oil drain plug helps protect your engine by collecting metallic particles before they get fed through your oil system. Fits your gearbox, too!

948-1275 328-282 \$16.79 Midget 1500 328-356 \$7.99



Engine Accessorie



Use unleaded fuel with confidence, and increase your engine's efficiency and performance. These light-weight (9 lbs.) high strength aluminum alloy cylinder heads run cooler, allow higher compression ratios, and have a greater than 35% increase in flow rate over stock heads. Heads come with silicon-bronze valve guides and hardened valve seats. These require 1275 valves, springs, and retainers. 12mm spark plugs are required (use part # 451-890). All of which must be purchased separately. (Quantities required in parenthesis). These heads do not have air injection ports, and therefore may not be used for street use on cars originally fitted with air pumps.

| Alloy Cylinder Head | 451-875 | \$1399.00 |
|-----------------------------|---------|-----------|
| Intake Valve (4 req'd.) | 423-190 | \$4.79 |
| Exhaust Valve (4 req'd.) | 423-335 | \$18.89 |
| Valve Spring Set (1 req'd.) | 423-470 | \$25.89 |
| Valve Collar (8 req'd.) | 460-556 | \$7.79 |
| Valve Cotter (16 req'd.) | 460-535 | \$2.09 |
| Spark Plug (4 reg'd.) | 451-890 | \$4.99 |

Core Plug Sets

All core plugs for the engine block and cylinder head.

| 328-248 | \$2.69 | CORE PLUG SET, steel |
|---------|---------|----------------------|
| 328-249 | \$19.29 | CORE PLUG SET, brass |
| 328-253 | \$3.79 | CORE PLUG SET, steel |
| 328-278 | \$8.99 | CORE PLUG SET, steel |

948 thru (e)10CC/H3495 10CC/H3496, 1275 1500

Rocker Assembly Oil Feed Line

Fits Midget 1500. Provide much improved oil flow to your rocker assembly with Triumphtune's external bolt-on braided stainless steel oil line. This is an easily installed improvement that is practical for both stock and modified 1500 engines.

| Complete Assembly | 821-360 | \$79.99 | |
|--------------------|---------|---------|-----|
| Replacement Bolt | 821-375 | \$21.99 | |
| Replacement Washer | 821-365 | \$0.99 | ea. |




To get the best performance from your engine, it's essential to ensure exact camshaft timing. Use our handy plastic degree wheel to check timing when installing a new camshaft.

384-910 \$8.99










| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|------------------|--|---------------------------------------|---|---|------------------------------|
| Ver | tical-F | low Sys | stem 948-early 12 | 75 (thru 1967) | |
| 1 2 3 5 | 459-730 660-020 583-004 470-370 470-385 470-385 | \$4.79 \$4.49 \$5.99 \$22.99 | RADIATOR, vertical-flow DRAIN TAP CAP HOSE, top HOSE, top HOSE, bottom HOSE, bottom | to AH (c)72033 to MG (c)60440 948 & 1098 1275 to AH (c)72033 MG (c)60440 948 & 1098 1275 to AH (c)72033 | 1 |
| 9 | 434-180 434-189 434-190 296-380 296-381 | \$4.49 \$4.49 \$4.69 | THERMOSTAT, 160°, hot THERMOSTAT, 180°, norr THERMOSTAT, 192°, colo GASKET, thermostat, stoo | nal I climates | 1 1 1 1 0nline 1 |
| 11 11a Che | | \$1.89 | HOSE, bypass, with origin CLAMP, original band t | , , | 1 2 easy |

Check the bypass hose between the cylinder head and the water pump frequently. It is easy to mistake a leaky bypass for a faulty water pump as the leak in both cases will run down the side of the pump. Replace the bypass hose when replacing head gaskets or water pump.


| 12 | 434-550 | \$26.89 | FAN BLADE, sold individually | | 2 |
|----|---------|---------|------------------------------|-----------------------------|---|
| 13 | 460-990 | \$4.59 | FAN BELT | 948 | 1 |
| | 460-875 | \$4.29 | FAN BELT | 1098 & 1275 thru 1967 | 1 |
| 14 | 434-540 | \$22.99 | WATER PUMP | 948 thru 1275 (e)12CD/H1745 | 1 |
| | | | (May use later pump for upra | ted flow) | |
| | 434-545 | \$21.49 | WATER PUMP | 1275 from (e)12CD/H1746 | 1 |
| 15 | 296-620 | \$0.79 | GASKET, water pump | | 1 |
| 16 | 322-105 | \$0.99 | BOLT, long | | 2 |
| | 191-915 | \$1.39 | BOLT, short | | 2 |
| 17 | 365-730 | \$0.25 | LOCKWASHER | | 4 |
| 18 | | NA | PULLEY, water pump | | 1 |
| | | | | | |

Lining up the various parts that use the radiator mounting bolts as support is easy when a tapered line-up tool is placed through the top holes to support one side while the opposite side is bolted. Install the top bolts first. Do not tighten any of the bolts until all four bolts are in place. The top bolts can be started using a deep well socket on a long extension with a nut in the socket to keep the bolt to the end of the socket. Most Sprites and Midgets have the two lower bolts missing. Get rid of a rattle or two by replacing them.



Cross-Flow System (from 1968) 1275 from AH (c)72034 and MG (c)60441


| I | 19 | 459-765 | \$249.99 | COWL, radiator | 1 |
|---|-----|---------|----------|--|---|
| I | 20 | 459-735 | \$199.99 | RADIATOR, cross-flow | 1 |
| I | 21 | 459-760 | \$5.39 | PLUG | 1 |
| I | 22 | 328-485 | NA | WASHER (use 328-486 O-ring to replace washer) | 1 |
| I | | 328-486 | \$0.39 | O-RING (to replace washer) | 1 |
| I | 23 | 434-530 | \$6.79 | HOSE, bypass, with original type hose clamps | 1 |
| I | 23a | 262-200 | \$1.89 | CLAMP, original band type | 2 |
| I | 24 | 470-390 | \$5.79 | HOSE, top | 1 |
| I | 25 | 470-395 | \$13.79 | HOSE, lower tube to pump | 1 |
| I | 26 | 470-400 | \$2.19 | HOSE, radiator to lower tube | 1 |
| I | 27 | 470-345 | \$2.79 | HOSE, radiator to expansion tank | 1 |
| I | 30 | 459-690 | \$89.99 | EXPANSION TANK | 1 |
| I | 31 | 459-695 | \$3.79 | CAP, expansion tank | 1 |
| I | 32 | 459-691 | \$21.99 | STRAP, expansion tank | 1 |
| I | 32a | 459-692 | \$1.99 | PAD, rubber | 1 |
| I | 33 | 434-560 | \$35.99 | FAN, plastic | 1 |
| I | 34 | | NA | SPACER | 1 |
| I | 35 | 434-600 | \$3.99 | FAN BELT | 1 |
| I | 36 | 434-180 | \$4.49 | THERMOSTAT, 160°, hot climates | 1 |
| I | | 434-189 | \$4.49 | THERMOSTAT, 180°, normal | 1 |
| I | | 434-190 | \$4.69 | THERMOSTAT, 192°, cold climates | 1 |
| I | 37 | 296-380 | NA | GASKET, thermostat, stock type cork | 1 |
| I | | 296-381 | \$1.99 | GASKET, thermostat, high strength "Klingersil" MONGE INFO ONLINE | 1 |
| I | 38 | 434-545 | | WATER PUMP | 1 |
| I | 39 | 296-620 | | GASKET, water pump | 1 |
| I | 40 | 322-105 | | BOLT, long | 2 |
| I | | | \$1.39 | BOLT, short | 2 |
| I | 41 | 365-730 | | LOCKWASHER | 4 |
| I | 42 | 434-520 | | PIPE | 1 |
| I | 43 | 319-100 | NA | DRAIN PLUG | 1 |
| ı | | | | | |



| Wire | Hose | Clamps |
|---|---------|--------|
| ¹ ⁷ / ₁₆ " to ⁹ / ₁₆ " | 326-475 | \$1.69 |
| 9/ ₁₆ " to 3/ ₄ " | 635-100 | \$1.79 |
| 3/4" to 1" | 635-101 | \$1.89 |
| 1" to 1 1/4" | 326-410 | \$2.39 |
| 1 ¹ / ₄ " to 1 ⁷ / ₁₆ " | 326-465 | \$1.69 |
| 1 ⁷ / ₁₆ " to 1 ⁵ / ₈ " | 326-440 | \$2.19 |
| 1 11/16" to 1 7/8" | 635-102 | \$1.89 |
| 1 ⁷ / ₈ " to 2" | 031-724 | \$2.90 |
| 1 15/16" to 2 1/8" | 635-103 | \$4.49 |
| 2 ³ / ₁₆ " to 2 ⁷ / ₁₆ " | 326-230 | \$2.49 |
| 2 ⁷ / ₁₆ " to 2 ⁵ / ₈ " | 326-460 | \$2.49 |



MOSS MOTORS, LTD. 1-800-667-7872



| Cross-Flow | System | - | 1500 |
|-------------------|--------|---|------|

| 44 | 459-775 | | COWL, radiator | |
|-----|-----------|-------------|-------------------------------------|------------------------------|
| 45 | 459-740 | \$189.99 | RADIATOR | to (c)166303 (1975) |
| | 459-745 | NA | RADIATOR | from (c)166304 ('76 - on) |
| 46 | 459-750* | NA | EXPANSION TANK | to (c)166303 (1975*) |
| | 459-690 | \$89.99 | EXPANSION TANK (replacement) | from (c)166304 ('76 - on) |
| 47 | 459-695 | \$3.79 | CAP, expansion tank | |
| 47a | 459-691 | \$21.99 | STRAP, expansion tank | |
| 47b | 459-692 | \$1.99 | PAD, rubber | |
| 48 | 470-305* | \$3.39 | TUBE, to expansion tank | to (c)166303 (1975*) |
| | 470-345 | \$2.79 | TUBE, to expansion tank | from (c)166304 ('76 - on) |
| 49 | 470-340 | \$3.89 | TUBE, exp. tank to spill tank | |
| 50 | 470-345* | \$2.79 | HOSE, thermo. hsg. to radiator | to (c)166303 (1975*) |
| 51 | 470-405 | \$6.99 | HOSE, thermo. hsg. to radiator | from (c)166304 ('76 - on) |
| 52 | 470-410* | \$6.89 | HOSE, radiator to pump | to (c)166303 (1975*) |
| 53 | 470-420 | \$8.79 | HOSE, radiator to pump | from (c)166304 ('76 - on) |
| 54 | 470-415 | \$6.99 | HOSE, L/H, to thermo. hsg. | |
| 55 | 434-570 | \$97.99 | FAN | |
| 56 | 434-575 | \$184.99 | FAN CLUTCH | |
| 57 | 434-590 | \$4.99 | FAN BELT | |
| 58 | 835-655 | \$53.99 | WATER PUMP (includes pulley, | tolerance ring, & gasket) |
| 59 | 071-239 | †\$10.99 | TOLERANCE RING† | |
| | † Must be | replaced ev | very time the fan clutch is removed | and replaced (incl. w/pump). |
| 60 | 697-085 | \$0.39 | GASKET, water pump to hous | sing |
| 61 | 292-040 | \$0.59 | GASKET, housing to block | |
| 62 | 434-180 | \$4.49 | THERMOSTAT, 160° | |
| | 434-189 | \$4.49 | THERMOSTAT, 180° | |
| 63 | 292-101 | \$1.49 | GASKET, thermostat housing, k | lingersil Impore info online |
| 64 | 328-480 | NA | PLUG, thermostat housing | original type |
| | 459-760 | \$5.39 | PLUG, thermostat housing | brass replacement |
| 65 | 328-485 | NA | WASHER for plug | |
| | 328-486 | \$0.39 | O-RING (to replace washer) | |
| 66 | 361-065 | \$7.49 | ADAPTOR, temp. gauge | thru (a)200000 (1077) |
| 67 | 324-805 | \$1.99 | WASHER for adaptor | thru (c)200000 (1977) |
| 68 | 071-241 | \$7.29 | TEMPERATURE SENDER f | rom (c)200001-on (1978-on) |
| 69 | 363-370* | NA | THERMOSTAT HOUSING t | o (c)166303 (1975*) |
| | | NA | THERMOSTAT HOUSING 1 | 976-on |
| 70 | 328-654 | \$2.29 | STUD, water pump | |
| | 040 440 | 00.04 | AULT | |

*Note: Parts marked * for 1975 are for unmodified cars only. See RH column for info.

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com


310-140

\$0.24

NUT



Cooling - 1500 Midget



1975 Cooling System Modifications

The following is an extract from the Austin/ MG Technical Service Bulletin 75-A-6 dated August, 1975. None of the specified parts are currently available.

Where instance of severe overheating occurs on 1975 MG Midgets, the following modifications should be carried out.

- 1. Remove and discard the front number plate bracket and plinth assembly. Relocate and mount the front number plate to the center of the bumper, using self-tapping screws.
- 2. Reposition both horn assemblies by simply bending the mounting bracket upwards and through 90 degrees.
- 3. Install thermo-vac switch, Part No. C-37430 with 'T' sleeve adaptor, Part no. 158308 in the top radiator hose as shown.

NOTE:- (Remove approximately 1 1/4" from the existing hose to accommodate the 'T' sleeve.) 4. Remove the decell valve from the carburettor and replace with externally vented valve, Part

5. Remove and discard the existing expansion tank and replace with metal type, Part No. URP-1148, using the existing bolts and spacers and new brackets supplied, Part No. CHA-582.

NOTE:- The pressure cap supplied with the metal tank has a double seal, and therefore is not interchangeable with the original cap which should be discarded.

6. Install bracket, Part No. CHA-585 and no-loss bottle, Part No. BHA-5239, utilizing the righthand upper shock absorber support plate bolts.

7. Remove and discard the thermostat housing and install modified housing, Part No. CHA-595.

8. Connect the vacuum and water hoses as shown in overall illustration.

NOTE:- Vacuum hose will have to be cut to length.


9. Pressure test system for any leaks.

1

1

10. Replace temperature gauge assembly, Part No. AAU-2641.

NOTE:- There are many reasons why an engine will overheat, consequently it is essential to establish that no other problem exists, such as cylinder head gaskets, loose cylinder head bolts, incorrect ignition timing or maladjusted fan belt, etc., prior to carrying out the foregoing modifications.



Thermostatic Vacuum Switch


Hayden Electric Fan

Easy to install, these fans may be set up to run in either "pusher" (in front of the radiator) or "puller" (behind the radiator) configuration. The preset temperature control will turn the fan on at 185°F and off at 170°F. This 10" fan is 2-3/4" thick, and requires a clear mounting area of at least 10-5/8" x 11-1/8".

231-678 10" Cooling Fan Kit \$149.99




Heaters



| 94 | 8 - 127 | 5 thru | Sept. 1970 (GAN5-9140 | (6) | |
|----|---------|----------|-----------------------------------|--------------------------|-----|
| 1 | 362-915 | \$359.99 | HEATER ASSEMBLY |) | 1 |
| 1a | 360-675 | \$78.49 | RADIATOR, heater | all through Cont. 107 | , 1 |
| 1b | 363-381 | \$2.69 | SEAL, foam | all through Sept.,197 | 1 |
| 2 | 363-025 | \$1.19 | CLIP, heater box | J | A/R |
| 3 | 362-905 | NA | BLOWER ASSEMBLY | thru 1967 | 1 |
| | | \$389.99 | BLOWER ASSEMBLY | 1968-'70 | 1 |
| 4 | 363-390 | \$5.79 | AIR DUCT, fan to heater | | 1 |
| 5 | 456-130 | \$54.99 | AIR DUCT, replacement type | | 1 |
| 6 | 326-220 | \$3.69 | CLAMP | | 1 |
| 6a | 326-255 | \$8.29 | HOSE CLAMP (wire type replacen | nent) | 2 |
| 7 | 331-690 | NA | HEATER CONTROL, w/switch | Bugeye | 1 |
| | 331-695 | NA | HEATER CONTROL, w/switch | non-Bugeye thru 1966 | 1 |
| | 331-705 | NA | HEATER CONTROL, w/switch | 1967 | 1 |
| | 473-070 | \$1.69 | CABLE STOP | | 1 |
| 8 | 331-085 | \$11.59 | KNOB, heater control | | 1 |
| 9 | 360-400 | \$19.99 | HEATER VALVE | | 1 |
| 10 | 324-065 | \$0.79 | WASHER (may use more than one | e to align heater valve) | A/R |
| 11 | 360-415 | \$6.49 | BASE, heater valve | | 1 |
| 12 | 296-455 | \$0.69 | GASKET, heater valve | | 1 |
| 13 | 363-320 | \$9.99 | HOSE, heater valve | | 1 |
| 17 | 635-065 | \$39.99 | PIPE, heater return | | 1 |
| 18 | 456-185 | \$18.99 | HOSE, demister | | A/R |
| 19 | 363-122 | \$44.99 | DOOR ASS'Y, heater oulet, stainle | ess steel (with screws) | 2 |
| 20 | 635-196 | \$42.49 | INLET FLANGE | Bugeye | 1 |
| 21 | | NA | INLET FLANGE | non-Bugeye | 1 |
| 22 | 363-415 | \$16.99 | SEAL, air inlet | non-Bugeye | 1 |
| 23 | 408-350 | \$4.69 | PLATE, "Smiths" (rivetted) | thru 1967 | 1 |
| | 408-355 | \$2.29 | STICKER, "Smiths" (adhesive) | 1968-'70 | 1 |
| 24 | 408-360 | \$4.39 | PLATE, "Caution" (rivetted) | thru 1967 | 1 |
| | 408-365 | \$3.39 | STICKER, "Caution" (adhesive) | 1968-'70 | 1 |

The "water faucet" heater valve is one of the charming anachronisms of these cars. It's not so charming when it leaks. Part of your regular service routine should include tightening the mounting nuts. If the tap is leaking between the body and the mounting flange, a turn on the tap body should fix it. If not, replacement of the flange and gasket will cure the annoyance for good.



| 12 | 75, Se _l | ot. 197 | 0 (GAN5-91407)-'74 | |
|----|---------------------|----------|---|-----|
| | 360-705 | \$154.99 | HEATER CORE ("radiator") | 1 |
| 25 | 363-380 | \$3.79 | CLIP, heater box | A/R |
| 26 | 456-130 | \$54.99 | AIR DUCT, replacement type | 1 |
| 27 | 326-220 | \$3.69 | CLAMP | 1 |
| 28 | 360-400 | \$19.99 | HEATER VALVE | 1 |
| 29 | 324-065 | \$0.79 | WASHER | A/R |
| 30 | 360-415 | \$6.49 | BASE, heater valve | 1 |
| 31 | 296-455 | \$0.69 | GASKET, heater valve | 1 |
| 32 | 363-330 | \$9.99 | HOSE, heater valve | 1 |
| 33 | 635-065 | \$39.99 | PIPE, heater return | 1 |
| 34 | 456-185 | \$18.99 | HOSE, demister | A/R |
| 35 | 363-122 | \$44.99 | DOOR ASS'Y, heater oulet, stainless steel (with screws) | 2 |


Application

Price (each) Description




Tired of having to stop and open the hood to turn on your heater valve? Moss comes to the rescue with this cable-operated conversion which allows you to control your heater while seated comfotably in your car. It's a conversion you can easily do yourself. Fits 948, 1098 and 1275 engines. 635-375 \$68.99

Engine Controls




| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|---|--------------|
| 15 | 00 | | | |
| | 360-705 | \$154.99 | HEATER CORE ("radiator") | 1 |
| 40 | 363-380 | \$3.79 | CLIP, heater box | A/R |
| 41 | 456-130 | \$54.99 | AIR DUCT (replacement type without reduced end) | 1 |
| 42 | 326-220 | \$3.69 | CLAMP | 1 |
| 45 | 456-185 | \$18.99 | HOSE, demister | A/R |
| 46 | 865-115 | \$36.99 | PIPE, heater return (mild steel) | 1 |
| | 635-105 | \$44.99 | PIPE, heater return (stainless steel) | 1 |
| 47 | 635-150 | \$2.89 | TUBE NUT | 1 |
| 48 | 635-160 | \$1.39 | COMPRESSION FITTING | 1 |
| 49 | 635-170 | \$8.79 | ADAPTOR | 1 |
| 50 | 363-122 | \$44.99 | DOOR ASS'Y, heater oulet, stainless steel (with screws) | 2 |
| 51 | 360-425 | NA | HEATER VALVE | 1 |
| 52 | 360-426 | \$11.99 | BRACKET, heater valve | 1 |
| 53 | 360-427 | \$38.99 | ELBOW, heater valve | 1 |
| 54 | 697-360 | \$0.39 | GASKET, heater valve | 2 |
| | 363-340 | \$12.79 | HOSE, heater valve to heater | 1 |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-----------------------------------|-------------------------|--------------|
| Eng | gine Co | ntrols | | | |
| 1 | 145-800 | \$24.89 | SWITCH | 948 | 1 |
| 2 | 161-500 | \$8.89 | COUPLING (with screws) | 948 | 1 |
| 3 | 331-630 | \$19.79 | CABLE, starter pull, orig. type | Bugeye | 1 |
| | 331-710 | \$19.79 | CABLE, starter pull, replacement | AH MKII, MG MKI | 1 |
| 4 | 331-720 | \$15.99 | CHOKE CABLE, original type | Bugeye | 1 |
| | 331-080 | \$23.99 | CHOKE CABLE, repl. w/plain knob | 948, 1098, 1275 (19 | 67) 1 |
| | 331-240 | \$17.59 | CHOKE CABLE, "picture knob" | 1275 1968 | 1 |
| | 331-645 | \$19.99 | CHOKE CABLE, "picture knob" | 1275, 1970-'74 | 1 |
| | 331-490 | \$21.49 | CHOKE CABLE, "T-handle" replace | ment | 1 |
| | 331-650 | \$21.49 | CHOKE CABLE | 1500 w/o auto choke | 1 |
| 5 | 331-006* | \$9.99 | ACCELERATOR CABLE, Premium* | all except 1500 | 1 |
| | 331-731* | \$17.99 | ACCELERATOR CABLE, Premium* | 1500 not CA thru (c)188 | 3000 1 |
| | | | *Premium cables with low friction | liner. Improvement | |
| | 331-740 | NA | ACCELERATOR CABLE | 1500 CA only (c)1601 | 60 1 |
| | 331-740 | IVA | ACCELERATOR CABLE 1 | thru 188000 | - 1 |
| | 331-750 | \$21.49 | ACCELERATOR CABLE | 1500 from (c)188001 | on 1 |
| 6 | 260-340 | \$15.49 | ACCELERATOR PEDAL, w/ hinge | all except 1500 | 1 |
| | 260-350 | NA | ACCELERATOR PEDAL ASS'Y | 1500 | 1 |
| 7 | 372-295 | \$11.99 | BRACKET, choke cable | Bugeye | 1 |
| 8 | 260-345 | \$8.79 | LINK, accelerator pedal | | 1 |
| 9 | 375-108 | \$2.19 | CABLE STOP, accelerator cable | | 1 |
| 10 | 375-128 | \$2.49 | CABLE STOP, choke cable | | 1 |

Carburetors - Bugeye



SU H-1 (1 1/2") "Bugeye" only (AUC863)

| No. | Part No. | Price (each) | Description Application | Qty Req |
|-----|---------------------|-----------------|---|------------|
| | 375-460 | \$104.99 | REBUILD KIT, includes all items marked*, for 2 carburetors | 30 |
| | 375-465* | \$32.99 | GASKET KIT for 2 carburetors | |
| | 370-290 | \$0.79 | SCREW, chamber, 2 per carb. | |
| 3 | 370-765 | \$45.99 | CAP & DAMPER, brass | |
| | 370-750 | \$19.99 | CAP & DAMPER, plastic replacement | |
| | 370-650* | \$0.39 | WASHER | |
| | 375-048 | \$9.99 | PIN & SPRING ASS'Y. | |
| | 374-095* | | JET NEEDLE, standard (GG) | |
| | 374-055 | \$12.49 | JET NEEDLE, rich (EB) | |
| | 374-145 | \$12.99 | JET NEEDLE, lean (MOW) | |
| 1 | 370-180 | \$3.99 | SCREW, needle locking | |
| 1 | 370-760* | | JET, .090" | |
| 2 | 370-395 | \$35.99 | JET BEARING KIT (stock type) | |
| _ | 370-396 | \$64.99 | JET BEARING KIT, "Superdry" 🎉 🔎 MORE INFO ONLINE | |
| 3 | 370-250* | \$1.29 | WASHER, jet bearing | |
| 4 | 295-000* | \$0.89 | SEAL, cork | |
| 5 | 370-410* | \$0.89 | WASHER, bottom jet bearing | |
| 6 | 295-200* | \$0.69 | JET SEAL, cork | |
| U | 365-420 | \$0.89 | O-RING, leak-free repl. for 295-200 (not in jet bearing | Li+\ |
| 7 | | \$1.39 | | KIL) |
| 20 | 370-230* 370-070 | \$2.79 | WASHER, cupped | |
| .0 | 370-070 | φ2.19 | SPRING, jet seal | |
| 0 | 372-190 | \$12.99 | STUD, float bowl to carb. | |
| 1 | 372-180 | \$0.89 | WASHER, fiber alternative to | |
| 12 | 372-200 | \$1.29 | WASHER, steel, flat #35 & 36 | |
| 3 | 372-210 | \$1.69 | WASHER, steel, flat | |
| 34 | 311-230 | \$0.59 | NUT J | |
| 35 | 370-080 | \$13.89 | BOLT, float bowl to carb. | |
| 36 | 370-030 | \$3.69 | WASHER, steel, cupped } #30-34 | |
| | | | | |
| 37 | 370-021* | | GROMMET, float bowl mount, Viton® | |
| 10 | 378-050 | \$44.99 | FLOAT | |
| 1 | 373-625* | \$16.99 | NEEDLE & SEAT, Viton® tip 🙀 | |
| | 373-626 | \$16.99 | NEEDLE & SEAT, Viton® tip, aftermarket | |
| | 386-390 | \$10.99 | GROSE JET, superior replacement for original style needle & s | eat |
| 2 | 378-130 | \$11.99 | LEVER, original cover | |
| 3 | 370-060* | \$0.89 | PIN, lever | |
| 4 | 378-110* | \$0.89 | GASKET, float bowl cover | |
| 5 | 370-150 | \$6.99 | BOLT, float bowl cover | |
| 6 | 370-130* | \$0.59 | WASHER, aluminum | |
| 7 | 370-160* | \$0.99 | WASHER, fiber | |
| 8 | 451-250 | \$17.99 | OVERFLOW PIPE | |
| 9 | 365-610 | \$0.89 | SCREW, coupling & clamp | |
| 0 | 365-620 | \$0.79 | WASHER | |
| 1 | 365-630 | \$0.39 | NUT | |
| 2 | 376-005 | \$22.99 | THROTTLE SHAFT, standard | |
| | 376-015 | \$22.99 | THROTTLE SHAFT, oversize diameter | |
| 3 | 330-490 | \$3.49 | BUSH, throttle shaft | |
| 4 | 370-090 | \$1.79 | SCREW, throttle disc | |
| 55 | 378-160 | \$20.99 | THROTTLE DISC | |
| 6 | 370-610 | \$8.99 | SPRING, front throttle shaft | |
| | | 40.00 | · · · · · · · · · · · · · · · · · · | |

| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|---|--------------|
| 57 | 370-340 | \$0.59 | SCREW, idle adjusting | 3 |
| 60 | 378-010 | \$10.79 | STIRRUP | 1 |
| 61 | 378-648 | \$8.69 | PIN ASS'Y., jet lever to stirrup | 2 |
| 62 | 370-550 | \$2.99 | SPRING, choke return | 2 |
| 63 | 378-570 | \$29.99 | PIN, choke control | 1 |
| 64 | 378-575 | \$20.99 | COLLAR, choke control pin | 1 |
| 65 | 311-610 | \$0.79 | NUT | 1 |
| 66 | 378-648 | \$8.69 | CABLE STOP | 1 |
| 68 | 378-230 | NA | LEVER, fast idle | 1 |
| 69 | 370-460 | \$0.59 | SPRING WASHER | 1 |
| 70 | 370-450 | \$7.99 | BOLT, shouldered | 1 |
| 73 | 375-108 | \$2.19 | PIN ASS'Y., throttle spring | 1 |
| 74 | 370-335 | \$1.19 | SPRING, throttle | 1 |
| 75 | 372-295 | \$11.99 | BRACKET, choke cable | 1 |
| 76 | 373-420 | \$38.69 | AIR FILTER, front, repro. of original | 1 |
| | 373-425 | \$38.69 | AIR FILTER, rear, repro. of original | 1 |
| 77 | 295-010* | \$0.89 | GASKET, filter to carb. | 2 |
| 78 | 295-015* | \$0.79 | GASKET, carb. to manifold (gasket set includes 2) | 6 |



SU Carb Rebuild Video

Anyone can tune or rebuild SU carbs with the help of our 2 hour and 40 minute video which uses a combination of sights, sounds and simple conversational dialog to unravel the mysterious SU. A "must" for home mechanics.

211-036 \$52.99

SU Tool Kit

An assortment of handy tools for the home mechanic. Instructions included. Suitable for all cars with SU carbs.

386-300 \$21.99

Carburetor Synchronizer

Used to synchronize airflow between multiple carbs, this is an indispensable tool for the serious home mechanic.

\$28.99 386-200 **SU Jet Wrench**

Mixture adjustments on SU carbs (except HIF type) are much easier with the proper tool. 5/16 Whitworth size for original carbs. & replacement H-type, 17mm for new HS type carbs. \$2.29 (included in SU Tool Kit)

386-400 Jet Wrench, 5/16 W 386-401 Jet Wrench, 17mm \$5.99




Jet centering is critical on fixed needle SU carbs. This simple tool makes it a snap. 386-500 \$34.99



MOSS MOTORS, LTD. 1-800-667-7872

Carburetors - HS-2



| No. | Part No. | Price (each) | Description | | ity. eq. |
|--------|--------------------|-----------------|---|----------------------------------|-------------|
| Ne | w SU | Carbui | retor Sets 🔅 | | |
| | | | Carburetor # | Application | |
| | 370-708 | \$944.99 | AUC990F/990R | 948 Sprite MkII, Midget MkI | 1 |
| | | NA | AUD73F/73R (use 370-718) | | 1 |
| | | \$944.99 | AUD136F/136R | 1098, 1963 - '67† | 1 |
| | | \$944.99 | AUD266F/266R | 1275, 1968† | 1 |
| | | \$949.99 | AUD328F/328R | 1275, 1969† | 1 |
| | | \$949.99 | AUD404F/404R | 1275, 1970 - '71† | 1 |
| | 370-938 | | AUD502F/502R | 1275, early 1972† | 1 |
| | 370-948 | \$949.99 | AUD549F/549R | 1275, 1972 - '74† | 1 |
| | | | • | † Approximate model year dat | es. |
| | | †\$149.99 | | rbs 948 thru 1275 (not Bugeye) ; | 9 (1 |
| | | | t" is a genuine S.U. kit. Includ | es all parts marked †. | |
| | | les not inc | | | |
| | | *\$132.99 | REBUILD KIT, for 2 carbs. | | 1 |
| | | *\$125.99 | REBUILD KIT, for 2 carbs. | | |
| | | *\$125.99 | REBUILD KIT, for 2 carbs. | 1275 AUD328 & 404 | 1 |
| | | *\$125.99 | REBUILD KIT, for 2 carbs. | | 1 |
| | | | enuine SU kits, and include ite | | |
| | | *†\$15.99 | GASKET KIT, for 2 carbs. | | 1 4 |
| 1 2 | 370-290 | | SCREW, chamber to body, 2 SPRING, piston return | per carb. | 2 |
| 3 | 370-530 370-750 | | CAP & DAMPER, plastic cap | | 2 |
| 3 4 | | *† \$0.39 | WASHER | | 2 |
| | 370-030 | φυ.υσ | WASHEN | | |
| 6 | 374-125 | | JET NEEDLE, lean (GX) |) | 2 |
| | 374-305 | * \$13.99 | JET NEEDLE, standard (V3) | 948 AUC990 | 2 |
| | 374-295 | \$12.99 | JET NEEDLE, rich (V2) | J | 2 |
| | 374-095 | \$12.49 | JET NEEDLE, lean (GG) | 1098/1275 AUD136/266 | , 2 |
| | 374-005 | * \$12.89 | JET NEEDLE, standard (AN) | (original carbs) | 2 |
| | 374-135 | \$12.49 | JET NEEDLE, rich (H6) | (original carbs) | 2 |
| | 021-079 | \$28.99 | JET NEEDLE, spring-loaded | | 2 |
| | 374-355 | * \$14.59 | JET NEEDLE, spring-loaded | | 2 |
| | 374-365 | | JET NEEDLE, spring-loaded | | 2 |
| 7 | 370-180 | | SCREW, needle locking | straight needles | 2 |
| | | NA | SCREW, needle locking | spring-loaded needles | 2 |
| 8 | 372-265 | | JET BEARING KIT | AUC990, AUD136 | 2 |
| | 372-275 | | JET BEARING KIT | AUD266 | 2 |
| | 372-285 | \$33.99 | JET BEARING KIT | AUD328,404,502,549 | 2 |
| 9 | | *†\$24.90 | JET, front | | 1 |
| | 378-440 | *†\$24.99 | JET, rear | | 1 |


LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com

SEAL to float bowl

378-400

\$0.95





| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|------------------------------|-------------------------------|--------------|
| 10 | 378-090* | \$8.69 | ADAPTOR, front | | 1 |
| 10 | 378-085* | | ADAPTOR, rear | | 1 |
| 11 | 378-470 | \$9.99 | FLOAT (as illustrated with r | netal hinge tab) | 2 |
| 12 | 378-380 | \$15.99 | FLOAT, brass | } AUC990 | 2 |
| 12a | 370-155 | NA | LEVER for float #13 | JA00990 | 2 |
| 13 | 370-060 | \$0.89 | PIN, float | all | 2 |
| 14 | 373-625* | †\$16.99 | NEEDLE & SEAT, Viton® tip | (漢) | 2 |
| | 373-626 | \$16.99 | NEEDLE & SEAT, Viton® ti | p, aftermarket | 2 |
| | 386-390 | \$10.99 | GROSE JET, superior replace | ment for orig. style needle & | seat. 2 |
| 15 | 378-360* | † \$1.49 | GASKET, float chamber | | 2 |
| 16 | 370-290 | \$0.79 | SCREW, 3 per carburetor | | 6 |
| 17 | 378-070* | \$2.59 | WASHER, rubber | | 2 |
| 20 | 378-370† | \$22.99 | THROTTLE SHAFT | | 2 |
| | 378-375 | \$24.99 | THROTTLE SHAFT, oversize | | 2 |
| 21 | 330-490† | \$3.49 | BUSH, throttle shaft | | 4 |
| 25 | 370-090† | \$1.79 | SCREW, throttle disc | | 4 |
| 26 | 370-280† | \$16.79 | THROTTLE DISC | | |
| 27 | 370-335 | \$1.19 | SPRING, choke return | | 2 |
| | 370-320 | \$1.29 | SPRING, throttle return | | 1 |
| 28 | 370-121 | \$17.99 | LEVER, throttle | | 1 |
| 29 | 371-860 | \$3.39 | LEVER & PIN, front | | 1 |
| | 371-850 | \$3.39 | LEVER & PIN, rear | | 1 |
| 60 | | NA | AIR CLEANER ASSEMBLY, for | ront | 1 |
| 61 | | NA | AIR CLEANER ASSEMBLY, r | ear | 1 |
| 62 | 950-260 | NA | AIR FILTER ELEMENT, "Cros | sland" brand | 2 |
| | 373-435 | \$61.99 | AIR FILTER ELEMENT, "K&N | I" brand | 2 2 2 |
| | 950-760 | \$9.29 | AIR FILTER ELEMENT, vario | us manufacturers | 2 |
| 63 | 322-175 | \$1.39 | BOLT, air cleaner to carbur | | 4 |
| 64 | 365-730 | \$0.25 | WASHER, locking | | 4 |
| 65 | 365-720 | \$0.29 | WASHER, plain | | 4 |
| 66 | 295-020* | | GASKET, air cleaner to carb |). | 2 |
| 67 | 310-290 | \$0.69 | NUT, nyloc, air cleaner stra | | 1 |
| 69 | 324-155 | \$0.39 | WASHER, plain | • | 1 |






Weber Carburetor Kits


Pick your choice of the traditional high performance side draft DCOE, or the popular DGV downdraft Weber carburetor kits. Please not there is no provision for emission control connections, and re-jetting may be required for best operation. We recommend the tuning be performed by a professional familiar with Weber carburetors.

| 222-440 \$879.99 | Single 40DC0E | 948, 1098 | 1 |
|------------------|---------------|-----------------|---|
| 222-450 \$879.99 | Single 45DC0E | 1275 | 1 |
| 222-275 \$529.99 | Single DGV | 948, 1098, 1275 | 1 |

Carburetors - Midget



| _e | nitn-S | tromb | perg 150-CD4T | |
|-----------|-------------|-----------------|---|------------|
| No. | Part No. | Price (each) | | Qty Req |
| | 366-730 | NA | CARBURETOR, C3754 Federal, 1975 - '76 | |
| | 366-735 | NA | CARBURETOR, C3838 Federal, 1977 | |
| | 366-740 | NA | CARBURETOR, C3962 Federal, 1978 on | |
| | 366-745 | NA | CARBURETOR, C3755 California, 1975 - '76 | |
| | 366-750 | NA | CARBURETOR, C3863 California, 1977 | |
| | 366-755 | NA | CARBURETOR, C3963 California, 1978 on | |
| | 375-440 | \$44.99 | REBUILD KIT, includes all items marked * plus all seals | |
| | | | and gaskets. Does not include metering needle. | |
| | 375-445 | NA | GASKET KIT | |
| | 295-025 | NA | GASKET, carb. to manifold | |
| | 295-030* | \$0.49 | GASKET, air cleaner to carb. | |
| | 366-660 | \$27.99 | CAP & DAMPER C3754, 3838, 3755, & 386 | 33 |
| | 366-665 | \$25.99 | CAP & DAMPER C3962 & C3963 | |
| 2 | 366-670* | \$2.79 | DIAPHRAGM | |
| 3 | 366-675 | \$6.89 | SPRING, air piston | |
| ļ | 365-380 | \$1.89 | SCREW, cover to body | |
| 5 | 374-405 | NA | METERING NEEDLE (44A) C3754 & C3755, fixed | |
| | 374-415 | \$28.99 | METERING NEEDLE (44A) C3838, adjustable | |
| | 374-425 | \$27.99 | METERING NEEDLE (45Q) C3962, adjustable | |
| | 374-435 | \$28.99 | METERING NEEDLE (45K) C3863, adjustable | |
| | 374-440 | \$28.99 | METERING NEEDLE (45R) C3963, adjustable | |
| i | 366-680 | \$9.79 | THROTTLE DISC | |
| 7 | 366-685 | \$1.89 | SCREW, disc to shaft | |
|) | 366-690 | \$14.49 | THROTTLE SHAFT | |
| 2 | 366-695 | \$79.99 | BYPASS VALVE ASSEMBLY C3754, 3755, 3863, & 390 | 63 |
| | 366-700 | \$99.99 | BYPASS VALVE ASSEMBLY C3838 & C3962 | |
| | 365-745 | \$15.79 | DIAPHRAGM KIT, bypass valve | |
| 3 | 366-165 | \$58.99 | REGULATOR, idle air | |
| l3a | 366-215 | \$9.99 | VALVE BODY, nylon | |
| 3b | 366-245 | \$7.99 | COVER | |
| 4 | 366-705* | \$16.99 | NEEDLE & SEAT ASSEMBLY | |
| | 386-350 | \$14.69 | GROSE JET, superior replacement for original style needle & seat. | |
| 15 | 366-070 | \$12.99 | PLUG & O-RING, float chamber | |
| | 365-470* | | O-RING, float chamber plug | |
| 6 | 365-505 | \$23.99 | FLOAT ASSEMBLY | |
| 7 | 366-080 | \$4.49 | PIN, float pivot | |
| 8 | 366-305 | \$1.99 | SCREW & WASHER, float chamber, short \(\) C3754, C3838 | |
| | 366-065 | \$3.49 | SCREW & WASHER, float chamber, long \(\int \cap C3755, C3865 \) | |
| | 366-295 | \$1.99 | SCREW & WASHER, float chamber C3962, C3963 | |
| 19 | 366-710 | \$84.99 | STARTER BOX C3754 | |
| 20 | 366-715 | · . | HOUSING ASS'Y., auto choke | |
| 21 | 366-190 | \$74.99 | HEAT MASS ASS'Y., auto choke | |
| 22 | 366-200 | \$22.99 | COVER, heat mass | |
| 23 | 366-180 | \$34.99 | INSULATUR | |
| 24 | 366-175 | \$1.19 | SCREW, short | |
| | 366-185 | \$1.49 | SCREW, long | |
| 25 | 950-710 | \$36.99 | AIR FILTER ELEMENT, aftermarket See color pages at front of catalog for accessory air filter | re |
| | | | occ color pages at front or catalog for accessory all filler | э. |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-------------------------|-------------------|--------------|
| 30 | 365-395 | \$1.99 | RETAINING CLIP | adjustable needle | 1 |
| 31 | 365-420 | \$0.89 | O-RING | | 1 |
| 32 | 365-425 | \$8.99 | SCREW, needle adjusting | | 1 |



1500 Manual Choke **Conversion Kit**

Gain all the advantages of manually controlled choke, while leaving your car's original appearance intact by using this easy to install kit. Designed in England by Zenith-Stromberg engineers, this kit includes all necessary mounting hardware and detailed instructions.

386-325 \$119.99

Ammendments to the Clean Air Act make it illegal for anyone to change or alter the emission control system of any automobile in the United States except for cars used exclusively for off-road use.



An essential item for owners of 1977 or later cars with a single Zenith-Stromberg carburetors with adjustable metering needles. 386-310 \$9.69

Carburetor Dashpot Oil



Finally take all the guesswork out of what type of oil to use in your dashpots. Specially formulated for all SU and Zenith-Stromberg carburetors, this oil ensures the correct piston movement so critical for correct fuel mixture and optimum performance. You don't have to use engine oil any more. 125ml. supply should last a long time.

220-225 \$11.99



Weber Downdraft Carb Kits

The Weber DGV two barrel progressive carburetor has proven to be the most popular replacement for worn out or damaged stock carburetors and gives a good combination of performance and economy on stock engines. Kits include instructions, carburetor(s), manifold/adapters, linkage and air filter(s). Please note that there is no provision for emission connections and some modifications will be required for best operation.



| Midget 1500 (Water Choke) | 222-255 | \$559.99 |
|------------------------------|---------|----------|
| Midget 1500 (Electric Choke) | 222-256 | \$559.99 |
| Midget 1500 (Manual Choke) | 222-257 | \$529.99 |

May not be legal on emission controlled vehicles. Check your local laws for compliance.




MOSS MOTORS, LTD. 1-800-667-7872

375-480

NA HEAT SHIELD


Emission Control




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|--------------------|-------------------|---|--------------|--------------|
| Em | ission | Contro | I | | |
| 72 | 367-100 367-105 | \$66.99 \$0.79 | CANISTER, vapor adsorption CAP (see note below) | $\}$ 1970 on | A/R* 1 |

* Note: Adsorption canisters from (c)74886 thru 105500 had only 2 hose connections on top. These canisters are no longer available, and have been superseded by the later 3-connector canister which we supply. For cars requiring 2-connector canisters, use canister #367-100 with cap #367-105 to seal the connector not used. (Either outer connector may be used.) 1978-'80 used two canisters.

| 366-010 | \$72.99 | GULP VALVE | 1275 | 1 |
|---------|---|--|--|---------|
| 379-470 | NA | CHECK VALVE, orig. mfr. | 11075 8 1500 | 1 |
| 367-000 | \$13.89 | CHECK VALVE, aftermarket | J 12/5 & 1500 | 1 |
| 379-340 | NA | E.G.R. VALVE | 1500 thru 1976 | 1 |
| 379-365 | NA | E.G.R. VALVE | 1500, 1977 on | 1 |
| 367-110 | \$82.99 | VALVE, anti-run on | 1500 | 1 |
| 141-715 | \$23.99 | SWITCH, oil pressure | 1500 Fed, CA thru 1977 | 1 |
| | NA | SWITCH, oil pressure | 1500 CA from 1978 on | 1 |
| 379-610 | NA | DIVERTER VALVE | 1500 thru 1976 | 1 |
| 379-700 | NA | GULP VALVE | 1500, 1977-on, CA only | 1 |
| 360-775 | \$284.99 | AIR PUMP, rebuilt | 11075 | 1 |
| 360-778 | NA | AIR PUMP, replacement |) 12/5 | 1 |
| 379-555 | NA | AIR PUMP | 1500 thru 1976 | 1 |
| 379-565 | NA | AIR PUMP | 1500, 1977 on | 1 |
| 950-230 | NA | FILTER ELEMENT, "Crosland" | 11275 8 1500 | 1 |
| 950-730 | \$9.99 | FILTER ELEMENT, various mfr. | J 12/3 & 1300 | 1 |
| 434-580 | \$4.99 | BELT, air pump | 1275 | 1 |
| 379-620 | \$6.49 | BELT, air pump | 1500 | 1 |
| 379-630 | NA | AIR MANIFOLD | 1275 | 1 |
| 379-640 | NA | AIR MANIFOLD | 1500, '75 - '76 | 1 |
| 379-645 | NA | AIR INJECTION PIPE | 1500, '77 - '80 | 1 |
| 373-920 | NA | TEMP. COMPENSATOR | 1,500 | 1 |
| 379-660 | NA | CONNECTOR | J 1000 | 1 |
| | 379-470 367-000 379-340 379-365 367-110 141-715 379-610 379-700 360-775 360-775 379-565 950-230 950-730 434-580 379-620 379-630 379-645 379-645 379-645 | 379-470 NA 367-000 \$13.89 379-340 NA 379-365 NA 367-110 \$223.99 NA 379-610 NA 379-700 NA 360-775 \$284.99 360-778 NA 379-555 NA 379-555 NA 950-230 NA 950-230 NA 950-730 \$9.99 434-580 \$4.99 379-620 \$6.49 379-630 NA 379-645 NA 379-645 NA | 379-470 NA CHECK VALVE, orig. mfr. 367-000 \$13.89 CHECK VALVE, aftermarket 379-340 NA E.G.R. VALVE 379-365 NA E.G.R. VALVE 367-110 \$82.99 VALVE, anti-run on 141-715 \$23.99 SWITCH, oil pressure NA SWITCH, oil pressure 379-610 NA DIVERTER VALVE 379-700 NA GULP VALVE 360-775 \$284.99 AIR PUMP, rebuilt 360-778 NA AIR PUMP, replacement 379-555 NA AIR PUMP 379-565 NA AIR PUMP 950-230 NA FILTER ELEMENT, "Crosland" 950-730 \$9.99 FILTER ELEMENT, various mfr. 434-580 \$4.99 BELT, air pump 379-640 NA AIR MANIFOLD 379-645 NA AIR INJECTION PIPE 373-920 NA TEMP. COMPENSATOR | 379-470 |



| No. | Part No. | Price (each) | Description | | ity. eq. |
|-----|-------------|-----------------|---------------------------------|-------------------------|-------------|
| 30 | | NA | HOSE, breather | 1 | 1 |
| 31 | 470-381 | \$3.49 | CLIP, hose to separator & valve | | 2 |
| 32 | 360-630 | \$48.99 | P.C.V. VALVE | | 1 |
| 33 | | NA | CLIP, cover | | 1 |
| 34 | | NA | SPRING | | - 1 |
| 35 | | NA | SERVICE KIT, valve | | 1 |
| 36 | | NA | PLUNGER SUB-ASSEMBLY | | 1 |
| 37 | 360-635 | \$3.89 | DIAPHRAGM | | 1 |
| 38 | | NA | COVER | 1098 10CC & 1275 to | - 1 |
| 39 | | NA | SUPPORT BRACKET | engine 12CD/DA/H8700 | 1 |
| 40 | 322-230 | \$0.19 | BOLT, valve to bracket | eligille 1260/DA/110700 | 1 |
| 41 | 324-020 | \$0.20 | WASHER, locking | | 1 |
| 42 | 310-760 | \$0.39 | NUT | | 1 |
| 43 | 322-645 | \$0.49 | BOLT, bracket to manifold | | 1 |
| 44 | 324-040 | \$0.29 | WASHER, locking | | - 1 |
| 45 | | NA | HOSE, valve to adaptor | | 1 |
| 46 | 470-381 | \$3.49 | CLIP, hose to valve & adaptor | | 2 |
| 47 | 372-470 | \$11.79 | ADAPTOR, hose to manifold | | 1 |
| 48 | 324-145 | \$0.29 | WASHER, sealing . | J | 1 |




| | NA | ADAPTOR, sensing control |) | 1 |
|---------|--------|----------------------------|------------------|---|
| | NA | HOSE, Y-piece to separator | 1 | 1 |
| 117-015 | \$1.89 | HOSE CLAMP | 1275 from | 1 |
| 367-070 | \$4.69 | "Y" PIECE | (e)12CD-DA-H8701 | 1 |
| | NA | HOSE to carburetor | 1 | 2 |
| 326-250 | \$0.69 | HOSE CLAMP | J | 2 |

2

5 6

System



| No. | Part No. | Price (each) | Description | | ty. eq. |
|--|---|---|---|-------------------------------|---|
| Spri | ite MkI (" | Bugeye | ·") | | |
| 1 | 376-565 | \$0.59 | COMPRESSION SLEEVE, pipe | to tank Sprite MkI to (c)4101 | 1 ے |
| 2 | 376-575 | \$5.49 | TUBE NUT, pipe to tank | Sprite MKI to (c)4101 | ^ວ 1 |
| 3 | 376-570 | \$4.19 | NIPPLE, pipe to tank |) | 1 |
| 4 | 376-572 | \$5.89 | TUBE NUT, pipe to tank | Sprite MkI from (c)41016 | 3 1 |
| 6 | 376-783* | \$20.49 | PIPE, hose to pump * | J ' | 1 |
| 7 | 376-565 | \$0.59 | COMPRESSION SLEEVE, pipes | s to pump | 2 |
| 8 | 376-575 | \$5.49 | TUBE NUT, pipes to pump | | 2 |
| 9 | 582-925 | \$0.89 | CLIP, fuel pipe to body | | 2 |
| 10 | 162-356 | \$0.99 | CLIP, fuel pipe to body | | 3 |
| 11 | 162-220 | \$0.89 | CLIP, fuel pipe to engine mou | ınt bracket | 1 |
| 14 | 376-915 | \$7.99 | HOSE, pump inlet | Sprite MkI from (c)41016 | , 1 |
| 15 | 117-015 | \$1.89 | HOSE CLAMP | Sprite WKI Holli (c)41016 | _ |
| 18 | 379-205 | \$0.99 | HOSE, pipe to carb | | 2 |
| 19 | 326-310 | \$1.49 | HOSE CLAMP | | 4 |
| 20 | 376-784* | \$54.99 | PIPE, tank to pump * | Sprite MkI to (c)41015 | 1 |
| | 376-782* | \$51.79 | PIPE, tank to pump * | Sprite MkI from (c)41010 | 6 1 |
| Spri | ite MkII, | Midget | MkI | | |
| | 376-782* | \$51.79 | PIPE, main * | | 1 |
| 24 | | | | | |
| 24 25 | 376-570 | \$4.19 | NIPPLE, pipe to tank | | 1 |
| | | \$4.19 \$5.89 | NIPPLE, pipe to tank TUBE NUT, pipe to tank | | |
| 25 | 376-570 | | NIPPLE, pipe to tank TUBE NUT, pipe to tank CLIP, fuel pipe to body | | 1 |
| 25 26 | 376-570 376-572 | \$5.89 | TUBE NUT, pipe to tank | | 1 |
| 25 26 29 | 376-570 376-572 582-925 | \$5.89 \$0.89 | TUBE NUT, pipe to tank CLIP, fuel pipe to body | ınt bracket | 2 |
| 25 26 29 30 | 376-570 376-572 582-925 162-356 | \$5.89 \$0.89 \$0.99 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body | ınt bracket | 1 2 3 |
| 25 26 29 30 31 | 376-570 376-572 582-925 162-356 162-220 | \$5.89 \$0.89 \$0.99 \$0.89 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou | int bracket | 1 2 3 1 |
| 25 26 29 30 31 33 | 376-570 376-572 582-925 162-356 162-220 376-915 | \$5.89 \$0.89 \$0.99 \$0.89 \$7.99 \$1.89 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou HOSE, pump inlet | ınt bracket | 1 2 3 1 1 |
| 25 26 29 30 31 33 | 376-570 376-572 582-925 162-356 162-220 376-915 117-015 | \$5.89 \$0.89 \$0.99 \$0.89 \$7.99 \$1.89 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou HOSE, pump inlet HOSE CLAMP | | 1 1 1 6 1 |
| 25 26 29 30 31 33 34 | 376-570 376-572 582-925 162-356 162-220 376-915 117-015 376-783* | \$5.89 \$0.89 \$0.99 \$0.89 \$7.99 \$1.89 \$20.49 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou HOSE, pump inlet HOSE CLAMP PIPE, hose to pump * | | 11 23 31 11 11 12 |
| 25 26 29 30 31 33 34 36 37 | 376-570 376-572 582-925 162-356 162-220 376-915 117-015 376-783* 376-565 | \$5.89 \$0.89 \$0.99 \$0.89 \$7.99 \$1.89 \$20.49 \$0.59 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou HOSE, pump inlet HOSE CLAMP PIPE, hose to pump * COMPRESSION SLEEVE, pipes | | 1 2 3 1 1 1 2 2 2 |
| 25 26 29 30 31 33 34 36 37 | 376-570 376-572 582-925 162-356 162-220 376-915 117-015 376-783* 376-565 376-575 | \$5.89 \$0.89 \$0.99 \$0.89 \$7.99 \$1.89 \$20.49 \$0.59 \$5.49 | TUBE NUT, pipe to tank CLIP, fuel pipe to body CLIP, fuel pipe to body CLIP, fuel pipe to engine mou HOSE, pump inlet HOSE CLAMP PIPE, hose to pump * COMPRESSION SLEEVE, pipes TUBE NUT, pipes to pump | | 1 1 2 3 1 1 1 2 2 2 1 1 1 |

* Pipes include required Compression Sleeve(s) and Tube Nut(s)

Price (each)

Description

Application

Qty. Req.

[†] Original 1500 hose clamps were barrel type, and do not fit replacement hoses. Band type replacement clamps are listed here.




Sprite MkIII, IV; Midget MkII, III 48 376-786 \$43.99 PIPE, main 49 376-781 \$29.99 PIPE, tank to pump 50 376-570 \$4.19 NIPPLE, pipe to tank 376-572 \$5.89 TUBE NUT, pipe to tank 51 54 376-915 \$7.99 HOSE, pump inlet 55 376-880 HOSE, pump outlet \$7.79 56 117-015 \$1.89 HOSE CLAMP 59 377-360 \$2.49 GROMMET, fuel pump mount 60 361-220 \$0.89 VENT LINE, fuel pump (sold per foot) P-CLIP, vent line 61 162-210 \$1.19 62 281-050 \$5.49 GROMMET 63 NA T-FITTING 162-356 \$0.99 CLIP, fuel pipe to body 66 67 582-925 \$0.89 CLIP, fuel pipe to body 68 162-220 \$0.89 CLIP, fuel pipe to engine mount bracket 70 \$7.49 376-885 HOSE, pipe to carb 376-945 \$7.99 HOSE, carb to carb 71 162-355 \$7.99 SUPPORT, hose 72 Midget 1500 376-570 75 \$4.19 NIPPLE, pipe to tank 76 376-572 \$5.89 TUBE NUT, pipe to tank 79 582-925 \$0.89 CLIP, fuel pipe to body 80 162-356 \$0.99 CLIP, fuel pipe to body 81 379-210 \$1.49 .HOSE, pipe connecting HOSE, pipe to pump 83 379-205 \$0.99 HOSE CLAMP † 84 326-310† \$1.49 86 589-300 NA PIPE, pump to carb CONNECTOR, pipe to pump & carb 87 379-250 \$0.79 HOSE CLAMP 88 051-191 \$1.49

Fuel System

Application

Qty.




| | No. | (each) | 2000 | Rec | ı |
|----------------|---|------------------------------|---|--|-------|
| <u>Unde</u> | <u>rlined</u> part nu | mbers indica | te an Oversize Parts Fee will be charge | d. See mossmotors.com or call for detai | is |
| 1 | 471-189* 471-231* 471-241* 471-251* * Classic | \$159.99 \$159.99 | FUEL TANK* (detachable filler FUEL TANK* FUEL TANK*, evaporative loss FUEL TANK* | non-Bugeye thru 1969 | 1 1 1 |
| 1a 1b | 280-106 280-107 | \$1.39 \$3.69 | WASHER, rubber, fuel tank m STRIP, rubber, fuel tank mou | | 2 |
| 2 | 282-945 282-920 | \$18.99 \$33.89 | HOSE, filler to tank HOSE, filler to tank (as illus) | thru 1275 (not Bugeye) 1500 (as fitted) | 1 |
| 3 4 5 | 282-946 326-460 282-930 | \$39.99 \$2.49 \$1.39 | HOSE, filler to tank (long S-sl CLAMP, filler hose SEAL, tank to trunk floor | naped) 1500 (as fitted) | 1 |
| 6 7 | 280-105 202-750 202-755 | \$3.99 \$16.99 \$11.79 | GROMMET, filler neck GAS CAP GAS CAP | thru 1969 1970 on, except CA 1500 | 1 |
| | 202-765 202-755 | \$19.49 \$11.79 | GAS CAP GAS CAP | CA 1500 (c) 160160 to 166300 CA 1500 from (c)166301 | |
| 11 | 361-880 | \$57.99 | SENDING UNIT (thru 1967) (w/ plastic float no. 18) | Bugeye MG to (c)60459 AH MkII - MkIV to (c)72039 | 1 |
| 12 | 361-890 | \$35.79 | SENDING UNIT (1968-'71) | MG from (c)60460 105500 AH from HAN9-72040 on | 1 |
| 13 | 293-415 293-401 | \$0.49 \$5.99 | GASKET, cork GASKET, ethanol-proof (incl. cover gasket for 361-88 | all through 1971 | 1 |
| 14 | 323-030 | \$0.29 | SCREW, sending unit to tank | J | (|
| 15 16 17 | 361-900 360-665 293-410 | \$25.99 \$0.99 \$2.99 | SENDING UNIT RING, locking RING, sealing | }MG 1972 on | 1 |
| 18 | 360-645 360-646 | \$8.49 \$12.99 | FLOAT, plastic FLOAT, brass, replacement | orig. units 1968-'80 & Moss 361-880 | 1 |



Locking Gas Cap

Our chrome locking fuel filler caps are similar to originals, but with an important extra feature. With fuel prices as high as they are, a locking gas cap is inexpensive insurance against theives. Supplied complete with two keys. Fits Sprites and Midgets from 1959 through 1969. 202-760 \$37.99



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|--|----------------------|--------------|
| | | | | | |
| 1 | 377-390 | \$49.99 | FUEL PUMP, mechanical | 1 | 1 |
| | 377-395 | NA | REBUILD KIT, fuel pump | 948, 1098 (10CG) | 1 |
| 2 | 296-220 | \$0.69 | GASKET, fuel pump | J | 1 |
| 5 | 377-175 | \$176.99 | FUEL PUMP, original SU | <u> </u> | 1 |
| | | \$139.99 | FUEL PUMP, plastic replacement | I | 1 |
| 8 | 377-080 | | POINT SET | 1098 (10CC) & 127 | 5 1 |
| 9 | 377-130 | | DIAPHRAGM, 2 3/8" shaft | as required | 1 |
| | 377-140 | \$49.99 | DIAPHRAGM, 2 15/16" shaft | J J ao required | 1 |
| 12 | 377-400 | \$30.89 | FUEL PUMP, mechanical, does not use spacer | } 1500 thru 1977 | 1 |
| | | | · | | |
| | 377-410 | \$29.99 | FUEL PUMP, mechanical, | }1500, 1978 on | 1 |
| | | | requires spacer block | , | |
| | | | This pump must be used with the | spacer no. 14 below. | |
| | 377-405 | NA | REBUILD KIT, fuel pump |] -11 4500 | 1 |
| 13 | 697-125 | \$0.69 | GASKET | }all 1500 | 1/2 |
| 14 | 377-415 | \$10.29 | SPACER (used without gaskets) | 1500, 1978 on | 1 |

Facet Solid State Electric Fuel Pump

Solid State electronic fuel pumps can be used in conjunction with, or in place of your original pump. This solid state pump will push or pull fuel, from a hidden location under the car, through your original pump. It may be put it in-line with a power switch and used as a backup. Works on positive or negative ground cars.

377-420 \$89.99





Facet Fuel Filter

74 micron filter is recommmended for use on the inlet port of the Facet pump above. Filter screws directly into the inlet port.

377-424 \$10.99



Ethanol Resistant Fuel Hose


Gates "Barricade" hose is the lowest permeation multi-fuel compatible hose on the market. Rated for 50 psi at -40 to 257 degrees F, and compatible with all gasoline blends. Sold per inch.

1/4" ID hose 379-214 \$0.29 per inch **5/16" ID hose 434-451 \$0.29** per inch

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



Manifolds and Heatshields 948 - 1098




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|------------------|----------------------------|--------------------|--------------|
| Sp | rite MI | CI (948 9 | C engine) | | |
| 1 | | NA | INLET MANIFOLD, (for 1 1/8 | " carbs) | 1 |
| 2 | 328-766 | \$5.39 | STUD, carb to manifold | , | 4 |
| 3 | 310-760 | \$0.39 | NUT | | 4 |
| 4 | 324-020 | \$0.20 | WASHER, spring | | 4 |
| 5 | 444-364 | \$78.99 | HEAT SHIELD | | 1 |
| 6 | 295-015 | \$0.79 | GASKET | | 6 |
| 7 | | NA | SPACER | | 2 |
| 8 | | NA | EXHAUST MANIFOLD | | 1 |
| Sp | rite MI | kII & M | lidget MkI (948 9CG & | 1098 10CG engines) | |

| 1 | 444-363 | \$339.99 | INLET MANIFOLD, (for 1 1/4" carbs) | 1 |
|----|---------|----------|------------------------------------|-----|
| 2 | 328-767 | \$2.99 | STUD, carb to manifold | 4 |
| 8 | | NA | EXHAUST MANIFOLD | 1 |
| 9 | 310-070 | \$0.39 | NUT, thin | 4 |
| 10 | 324-860 | \$0.19 | WASHER, flat | 4 |
| 11 | 372-371 | \$2.19 | RING, locating from 10CG/DA/H1862 | 8 2 |
| 12 | 379-362 | \$8.99 | PLUG, blanking | 1 |
| 13 | 324-145 | \$0.29 | WASHER, sealing | 1 |
| 14 | 372-430 | \$24.79 | HEAT SHIELD | 1 |
| 15 | 294-500 | \$0.69 | GASKET | 6 |
| 16 | 372-375 | \$34.99 | SPACER | 2 |
| _ | | | (1000 1000 | |

Sprite MkIII & Midget MkII (1098 10CC engines)

| 1 | 444-363 | \$339.99 | INLET MANIFOLD, (for 1 1/4" carbs) | 1 |
|----|---------|----------|------------------------------------|---|
| 2 | 328-767 | \$2.99 | STUD, carb to manifold | 4 |
| 8 | 444-185 | \$269.99 | EXHAUST MANIFOLD | 1 |
| 9 | 310-070 | \$0.39 | NUT, thin | 4 |
| 10 | 324-860 | \$0.19 | WASHER, flat | 4 |
| 11 | 372-371 | \$2.19 | RING, locating | 2 |
| 12 | 379-362 | \$8.99 | PLUG, blanking | 1 |
| 13 | 324-145 | \$0.29 | WASHER, sealing | 1 |
| 14 | 372-430 | \$24.79 | HEAT SHIELD | 1 |
| 15 | 294-500 | \$0.69 | GASKET | 6 |
| 16 | 372-375 | \$34.99 | SPACER | 2 |
| | | | | |


| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|--------------------------|-------------------|--------------|
| AII | 948, | 1098 | | | |
| 17 | 319-095 | \$1.49 | CORE PLUG | to 9CG DAH 3169 | 2 |
| | 444-362 | \$1.39 | CORE PLUG | from 9CG DAH 3170 | 2 |
| 18 | 296-630 | \$1.89 | GASKET, manifold to head | | 1 |
| 19 | 328-664 | \$1.49 | STUD, manifolds to head | | 6 |
| 20 | 365-720 | \$0.29 | WASHER, flat | for outer studs | 2 |
| 21 | 324-365 | \$0.89 | WASHER, special | for Inner studs | 4 |
| 22 | 311-540 | \$0.59 | NUT, brass | | 6 |
| 23 | 310-489 | \$0.19 | SCREW | | 2 |
| 24 | 324-020 | \$0.20 | WASHER, spring | | 2 |
| 25 | 324-590 | \$0.19 | WASHER, flat | | 2 |
| | | | | | |





MOSS MOTORS, LTD. 1-800-667-7872


Manifolds and Heatshields 1275 - 1500



| | No. | Price (each) | Description | Application | Qty. Req. | No. | Part No. | Price (each) | Descri |
|------------------|----------------------|------------------|---|----------------------|--------------|------------|--------------------|-----------------|-----------------|
| | | | otobioldo 4075 | | | 0.5 | 214 265 | ድ ስ 40 | DOLT H |
| wa | niioia | з ок пе | atshields, 1275 | | | 85 | 314-265 | \$0.49 | BOLT, b |
| 1 | 296-630 | \$1.89 | CACKET monifolds | | 1 | 86 87 | 310-760 324-020 | \$0.39 | NUT WASHEI |
| 2 | | | GASKET, manifolds | | 6 | 88 | | \$0.20 | |
| 2 3 | 311-540 | \$0.59 \$0.29 | NUT, brass, manifold to head | | 2 | 89 | 324-590 | \$0.19 | WASHE |
| ა 4 | 365-720 | | WASHER, plain, exhaust manifold t | o neau | 4 | 90 | 322-105 | \$0.99 | BOLT, b |
| | 324-365 | \$0.89 | WASHER, manifolds to head | | 1 | 91 | 310-290 | \$0.69 | NUT, ny |
| 10 11 | 444-363 | | MANIFOLD, inlet | | 1 | 91 | 365-720 | \$0.29 | WASHE |
| 12 | 372-470 324-145 | \$0.29 | ADAPTOR, PCV valve WASHER, sealing | | 1 | Ma | nifolds | | otobio |
| 13 | 324-143 | φυ.29 NA | , , | | 1 | IVIA | miioia | s ок пе | atsnie |
| 13 14 | 322-645 | \$0.49 | BRACKET, PCV valve | | 1 | 100 | 694-120 | ድር በበ | GASKET |
| 14 15 | 324-020 | \$0.49 \$0.20 | SCREW, bracket to manifold | | 1 | 100 | 694-120 | \$8.99 | |
| 15 25 | | | WASHER, locking | | 2 | 101 | | NA NA | MANIFO |
| | 444-362 | \$1.39 | CORE PLUG | | | 100 | | NA NA | MANIFO |
| 26 27 | 379-362 324-195 | \$8.99 \$1.29 | PLUG, threaded | | 1 1 | 102 | 224 065 | \$0.79 | ADAPTE WASHE |
| 2 <i>1</i> 28 | | \$1.29 \$2.99 | WASHER, sealing | | 4 | l . | 324-065 | | |
| | 328-767 | | STUD, carburettor mounting NUT | | 4 | 1 | 328-660 | \$1.59 | STUD, o |
| 29 30 | 310-050 324-040 | \$0.59 \$0.29 | WASHER, locking | | 4 | 105 106 | | NA NA | BOLT, b |
| 35 | 310-489 | \$0.29 | , , | | 1 | l . | 834-550 | NA NA | HOSE, r |
| 36 | 324-020 | \$0.19 | SCREW, clip to inlet manifold WASHER, locking | | 1 | 1 | 379-680 | \$8.99 | ADAPTO |
| 37 | 324-020 | \$0.20 \$0.19 | WASHER, plain | | 1 | l . | 379-660 | \$0.39 | WASHE |
| 3 <i>1</i> 40 | 324-390 | φυ.19 NA | STUD | | 1 | 1 | 834-550 | φυ.39 NA | HOSE, p |
| 40 41 | 310-760 | \$0.39 | NUT | | 1 | 113 | 834-555 | NA NA | HOSE, p |
| 42 | 324-020 | \$0.39 | WASHER, locking | | 1 | 11/ | 326-250 | \$0.69 | HOSE, P |
| 42 45 | 372-371 | \$2.19 | SLEEVE, inlet manifold to head | | 2 | l . | 328-650 | \$2.29 | STUD, r |
| +3 50 | 444-185 | | MANIFOLD, exhaust | clamp type | 1 | 110 | 328-660 | \$1.59 | STUD, 1 |
| 50 51 | 100 | Ψ203.33 NA | MANIFOLD, exhaust | flange type | i | 110 | 812-025 | \$5.39 | CLAMP. |
| 52 | 328-765 | \$1.09 | STUD, exhaust manifold to down p | | 3 | 113 | 812-010 | \$4.99 | CLAMP, |
| 52 53 | 311-540 | \$0.59 | NUT, brass | nhe | 3 | 120 | 324-310 | \$0.49 | WASHE |
| 54 | 324-365 | \$0.89 | WASHER, plain | | 3 | | 310-260 | \$0.49 | NUT |
| 55 | 365-730 | \$0.25 | WASHER, locking | | 3 | l | 310-200 | \$3.99 | NUT, lo |
| 76 | 303-730 | NA | HEATSHIELD, carburettors | up to Dec. 1967 | 1 | | 444-375 | NA | MANIFO |
| , 0 | 372-430 | \$24.79 | HEATSHIELD, carburettors | from Dec. 1967 | 1 | '-' | 444-380 | NA | MANIFO |
| 77 | 294-500 ³ | | GASKET* | 110111 200. 1307 | 6 | 128 | 296-690 | \$5.49 | GASKET |
| 78 | 372-375 | | INSULATING BLOCK | | 2 | | 865-115 | | PIPE, wa |
| | | | heatshield to insulating block & insul | ating block to carbu | _ | | 635-150 | \$2.89 | NUT |
| IVIUI | inola to in | atomora, i | notionicia to instituting block a mou | ating block to carba | iottoi. | 1 | 635-160 | \$1.39 | COMPR |
| 80 | 411-342 | \$13.99 | BRACKET, heatshield, front |) | 1 | | 635-170 | \$8.79 | ADAPTO |
| 81 | 411-341 | \$12.99 | BRACKET, heatshield, rear | | 1 | 1 | 328-997 | \$1.79 | STUD, i |
| 82 | 322-645 | \$0.49 | BOLT, bracket to heatshield | approx. Dec 1967 | - | l . | 365-730 | \$0.25 | WASHEI |
| 83 | 310-760 | \$0.49 | NUT | арргол. Боо 1901 | 2 | 1 | 310-140 | \$0.24 | NUT |
| 84 | 324-020 | \$0.20 | WASHER, locking | 1 | 2 | 143 | 010-140 | NA | BOLT, e |
| о т | 027 020 | ψυ.20 | With the state of | _ | | 144 | | NA | WASHE! |
| | CALO | OVED | SEAS: 805-681-3400 | | | l . | 375-480 | NA NA | HEAT S |

| No | . Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|------------------------|-----------------|--|-----------------|--------------|
| 85 | 314-265 | \$0.49 | BOLT, bracket to timing cover |) | 1 |
| 86 | | | NUT | | 1 |
| 87 | | | WASHER, locking | | 1 |
| 88 | 324-590 | | WASHER, plain | approx. Dec 196 | 7 on 1 |
| 89 | 322-105 | \$0.99 | BOLT, bracket to engine back plate | e ··· | 1 |
| 90 | 310-290 | \$0.69 | NUT, nyloc | | 1 |
| 91 | 365-720 | \$0.29 | WASHER, plain | J | 1 |
| M | lanifold | s & He | atshield, 1500 | | |
| 10 | 0 694-120 | \$8.99 | GASKET, manifold, Payen brand | | 1 |
| 10 | 1 | NA | MANIFOLD, inlet | 1975-'76 | 1 |
| | | NA | MANIFOLD, inlet | 1977-'80 | 1 |
| 10 | | NA. | ADAPTER | | 1 |
| | 3 324-065 | | WASHER, fiber | | 1 |
| | 4 328-660 | + | STUD, carburetor | 5 | 2 |
| 10 | | NA | BOLT, banjo | 1975-'76 | 1 |
| 10 | 0 0 834-550 | NA NA | WASHER HOSE, manifold to thermo, housing | , | 2 |
| 1 | 1 379-680 | | ADAPTOR to thermo, housing | | 1 |
| 1 | 2 370-650 | | WASHER | | 1 |
| 1 | 3 834-550 | | HOSE, pipe to manifold | 1975-'76 | 1 |
| | 834-555 | NA | HOSE, pipe to manifold | 1977-'80 | 1 |
| 11 | 4 326-250 | \$0.69 | HOSE CLAMP | | 4 |
| 11 | 8 328-650 | \$2.29 | STUD, manifolds to head (1-7/8") | | 6 |
| | 328-660 | | STUD, exhaust manifold to head (1 | -3/8") | 2 |
| 11 | 9 812-025 | | CLAMP, long | | 2 |
| ١ | 812-010 | | CLAMP, short | | 4 |
| 1 | 0 324-310 | | WASHER, plain | | 8 |
| 1 | 1 310-260 2 310-275 | | NUT NUT, long | | 6 2 |
| 1 | 2 310-273 7 444-375 | | MANIFOLD, exhaust | 1975-'76 | 1 |
| '4 | 444-380 | | MANIFOLD, exhaust | 1977-'80 | 1 |
| 12 | 8 296-690 | | GASKET, manifold to pipe | 1077 00 | 1 |
| 13 | 5 865-115 | | PIPE, water pump to inlet manifold rea | ar | 1 |
| 13 | 6 635-150 | \$2.89 | NUT | | 1 |
| 13 | 7 635-160 | \$1.39 | COMPRESSION SLEEVE | | 1 |
| 1 . | 8 635-170 | | ADAPTOR to water pump | | 1 |
| 1 | 0 328-997 | | STUD, inlet to exhaust manifold |) | 1 |
| 1 | 1 365-730 | | WASHER, locking | | 1 |
| 1 | 2 310-140 | | NUT | 1975-'76 | 1 |
| 14 | | NA | BOLT, exhaust to inlet manifold | | 2 |
| 14 | | NA | WASHER, plain | J | 2 |
| 14 | 5 375-480 | NA | HEAT SHIELD | | 1 |

Exhaust System 948-1098 (10CG)



| No. | Part | Price | Description | Application | Qtv. |
|-----|------|--------|-------------|-------------|------|
| | No. | (each) | • • • • | ••• | Req. |

All 948, and 1098 CG engines

Underlined part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.


| 26 | 444-220 | \$86.99 | FRONT PIPE, mild steel | 1 |
|----|---------|---------|--|---|
| 27 | 444-250 | \$66.99 | MUFFLER, mild steel | 1 |
| 28 | 444-200 | \$5.89 | CLAMP ASSEMBLY, pipe to manifold | 1 |
| 32 | 444-369 | \$72.99 | BRACKET, gearbox steady | 1 |
| 33 | 444-366 | \$9.79 | BRACKET, front pipe to steady bracket | 1 |
| 34 | 444-367 | \$9.79 | BRACKET, front pipe support | 1 |
| 35 | 614-008 | \$3.59 | MOUNT, Exhaust | 1 |
| 36 | 444-365 | NA | CLAMP, rear, original type | 1 |
| | 444-385 | \$5.99 | CLAMP, rear, replacement 'U' bolt type | 1 |
| 38 | 444-401 | \$12.69 | EXTENSION PIPE, (tail pipe) | 1 |
| 39 | | NA | CLAMP, (for tail pipe extension) | 1 |
| 40 | 444-091 | \$1.79 | SPACER | 1 |
| 41 | 444-280 | \$0.69 | BUSH, rubber | 2 |
| 42 | 322-040 | \$0.49 | BOLT (5/16") | 2 |
| 43 | 365-720 | \$0.29 | WASHER (5/16") | 4 |
| 44 | 365-730 | | WASHER, spring (5/16") | 8 |
| 45 | 310-140 | \$0.24 | NUT (5/16") | 8 |
| 46 | 322-290 | \$0.89 | BOLT (5/16") | 3 |
| 47 | 322-880 | \$0.49 | BOLT (5/16") | 3 |
| 48 | 314-265 | \$0.49 | BOLT (1/4") | 1 |
| 49 | 324-020 | \$0.20 | WASHER, spring (1/4") | 1 |
| 50 | 310-760 | \$0.39 | NUT (1/4") | 1 |
| 51 | 324-155 | \$0.39 | WASHER, flat (5/16") | 1 |
| 52 | 311-005 | \$0.89 | NUT (5/16") | 1 |
| 53 | 444-202 | \$15.99 | MOUNTING KIT, center | 1 |
| 54 | 444-201 | \$4.29 | MOUNTING KIT, rear | 1 |
| | | | | |

Stainless Steel Exhaust System by Falcon Guaranteed to be the last exhaust system you'll need for your car. Constructed entirely of top quality stainless steel with proper fit and great sound. Includes everything you need from the manifold flange back except clamps and hangers. 948 & 10CG engines 452-000 \$269.99

The exhaust system will last longer and won't rattle when installed with the proper hangers and hardware. The front brackets are especially important to the longevity of the clamp joint.



Exhaust System 1098 (10CC) - 1275




| No. | | Price (each) | Description | Application | Qty. Rea. |
|-----|------|-----------------|-------------|-------------|--------------|
| | 140. | (each) | | | neq. |

1098 10CC engines and 1275 clamp style manifold

<u>Underlined</u> part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

| 1 | 444-230 | \$57.99 | FRONT PIPE, mild steel | 1 |
|----|---------|---------|--|---|
| 2 | 444-210 | \$3.49 | CLAMP ASSEMBLY, front pipe to manifold | 1 |
| 3 | 444-340 | \$14.99 | BRACKET, gearbox | 1 |
| 4 | 444-350 | \$5.99 | STRAP, front pipe to gearbox | 1 |
| 5 | 444-360 | \$4.99 | CLIP, front pipe to strap | 1 |
| 6 | 444-390 | \$9.99 | CLIP, intermediate | 1 |
| 7 | 614-008 | \$3.59 | MOUNTING, intermediate pipe | 1 |
| 8 | 444-090 | \$0.99 | WASHER/INSULATOR fits each side of 614-008 | 2 |
| 9 | 444-260 | \$58.99 | MUFFLER, mild steel | 1 |
| | | | (replacement type with rounded ends) | |
| 10 | 411-090 | \$6.99 | CLIP, front pipe to silencer | 1 |
| 11 | 444-280 | \$0.69 | BUSH, rubber | 2 |
| 12 | 444-091 | \$1.79 | SPACER | 1 |
| 13 | 444-208 | \$4.79 | HARDWARE SET, exhaust mounting | 1 |
| | | | (all bolts, nuts and lockwashers for hangers and straps) | |
| 14 | 444-203 | \$18.99 | MOUNTING KIT, center | 1 |
| 15 | 444-201 | \$4.29 | MOUNTING KIT, rear | 1 |
| | | | | |


The exhaust system will last longer and won't rattle when installed with the proper hangers and hardware. The front brackets are especially important to the longevity of the clamp joint.






Exhaust System 1275 - 1500


1275 1968-1969



1275 1970-1974



1500 1975-1980



| No. | | | Description | Application | | Part | |
|-----|-----|--------|-------------|-------------|------|------|-----|
| | No. | (each) | | | Reg. | No. | lea |

1275 1968-1969

North American LHD Specification, 1968-1969

<u>Underlined</u> part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

| 1 | 444-240 | \$69.99 | FRONT PIPE, mild steel | 1 |
|----|---------|---------|--------------------------------------|---|
| 2 | 444-260 | \$58.99 | MUFFLER, mild steel | 1 |
| 3 | 444-340 | \$14.99 | BRACKET, gearbox | 1 |
| 4 | 444-350 | \$5.99 | STRAP, bracket to front pipe | 1 |
| 5 | 328-765 | \$1.09 | STUD, manifold | 3 |
| 6 | 444-360 | \$4.99 | CLAMP, front pipe to strap | 1 |
| 7 | 444-390 | \$9.99 | CLAMP, intermediate mounting | 1 |
| 8 | 411-090 | \$6.99 | CLAMP, system joint | 1 |
| 9 | 614-008 | \$3.59 | MOUNTING, intermediate | 1 |
| 10 | 444-090 | \$0.99 | WASHER, insulation | 2 |
| 11 | 444-280 | \$0.69 | BUSH, rubber | 2 |
| 12 | 444-091 | \$1.79 | DISTANCE TUBE | 1 |
| 13 | 322-540 | \$0.69 | BOLT (5/16" UNF x 7/8") | 4 |
| 14 | 191-915 | \$1.39 | BOLT (5/16" UNF x 1-1/4") | 1 |
| 15 | 310-487 | \$0.69 | BOLT (5/16" UNF x 1-1/2") | 1 |
| 16 | 314-265 | \$0.49 | BOLT (1/4" UNF x 7/8") | 1 |
| 17 | 365-720 | | WASHER, locking (5/16") | 5 |
| 18 | 324-020 | \$0.20 | WASHER, locking (1/4") | 1 |
| 19 | 324-155 | | WASHER, plain (5/16") | 3 |
| 20 | 310-140 | \$0.24 | NUT (5/16" UNF) | 3 |
| 21 | 310-760 | \$0.39 | NUT (1/4" UNF) | 1 |
| 22 | 310-290 | \$0.69 | NUT (5/16" UNF) | 2 |
| 23 | 290-510 | \$1.19 | SEALING RING, front pipe to manifold | 1 |
| 24 | 324-365 | \$0.89 | WASHER, special, manifold stud | 3 |
| 25 | 365-730 | \$0.25 | WASHER, locking (5/16") | 3 |
| 26 | 311-540 | \$0.59 | NUT, brass | 3 |
| | | | | |
| | | | | |

1275 1970-1974

North American LHD Specification, 1970-1974

This transverse muffler system useds a three stud flanged manifold joint on the front pipe.

<u>Underlined</u> part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

| 61 | 444-240 | \$69.99 | FRONT PIPE, mild steel | 1 |
|----|---------|----------|--------------------------------------|----|
| 62 | 444-270 | \$149.99 | MUFFLER ASS'Y & TAILPIPE, mild steel | 1 |
| 64 | 444-340 | \$14.99 | BRACKET, gearbox | 1 |
| 65 | 444-350 | \$5.99 | STRAP, bracket to front pipe | 1 |
| 66 | 444-373 | \$13.69 | BRACKET, LH thru (c)138800 | 1 |
| | 444-371 | \$8.99 | BRACKET, LH from (c)138801 (1974) | 1 |
| 67 | 444-374 | \$14.99 | BRACKET, RH thru (c)138800 | 1 |
| | 444-372 | \$15.99 | BRACKET, RH from (c)138801 (1974) | 1 |
| 68 | 322-880 | \$0.49 | SCREW, brackets to trunk floor | 4 |
| 69 | 365-730 | \$0.25 | WASHER, locking | 4 |
| 70 | 290-510 | \$1.19 | SEALING RING, front pipe to manifold | 1 |
| 71 | 444-360 | \$4.99 | CLAMP, pipe to strap, LH rear mtg. | 2 |
| 72 | 444-390 | \$9.99 | CLAMP, intermediate | 1 |
| 73 | 411-090 | \$6.99 | CLAMP, system joint | 1 |
| 74 | 444-400 | \$9.99 | CLAMP, pipe to RH rear mounting | 1 |
| 75 | 614-008 | \$3.59 | MOUNTING, intermediate LH rear | 2 |
| 76 | 444-090 | \$0.99 | WASHER, insulation | 4 |
| 77 | 444-280 | \$0.69 | BUSH, rubber | 2 |
| 78 | 444-091 | \$1.79 | DISTANCE TUBE | 1 |
| 79 | 328-765 | \$1.09 | STUD, manifold | 3 |
| 80 | 322-540 | \$0.69 | BOLT (5/16" UNF x 7/8") | 7 |
| 81 | 191-915 | \$1.39 | BOLT (5/16" UNF x 1-1/4") | 1 |
| 82 | 310-487 | \$0.69 | BOLT (5/16" UNF x 1-1/2") | 2 |
| 83 | 314-265 | \$0.49 | BOLT (1/4" UNF x 7/8") | 1 |
| 84 | 365-730 | \$0.25 | WASHER, locking (5/16") | 12 |
| 85 | 324-020 | \$0.20 | WASHER, locking (1/4") | 1 |
| 86 | 324-365 | \$0.89 | WASHER, special, manifold stud | 3 |
| 87 | 324-155 | \$0.39 | WASHER, plain (5/16") | 4 |
| 88 | 310-140 | \$0.24 | NUT (5/16" UNF) | 7 |
| 89 | 310-760 | \$0.39 | NUT (1/4" UNF) | 1 |
| 90 | 310-290 | \$0.69 | NUT, nyloc (5/16" UNF) | 2 |
| 91 | 311-540 | \$0.59 | NUT, brass | 3 |
| | | | | |

| No. | Part | Price | Description | Application | Qty. |
|-----|------|--------|-------------|-------------|------|
| | No. | (each) | | | Rea. |

1500 1975-1980

Underlined part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

| 99 | 444-290 | \$61.99 | DOWN PIPE, mild steel | cars w/o Cat. Converter | 1 |
|-----|----------------|----------|------------------------------------|---------------------------|---|
| 100 | 444-310 | \$309.99 | DOWN PIPE, with converter | (not legal in California) | 1 |
| 101 | <u>444-315</u> | \$199.99 | PIPE & MUFFLER ASSEMBLY, mild | steel | 1 |
| | | | (2-piece assembly slips together) | | |
| 102 | 444-371 | \$8.99 | BRACKET, LH rear mtg. to trunk flo | oor | 1 |
| 103 | 444-372 | \$15.99 | BRACKET, RH rear mtg. to trunk flo | oor | 1 |
| 104 | 322-880 | \$0.49 | SCREW, bracket to trunk floor | | 4 |
| 105 | 365-730 | \$0.25 | WASHER, locking | | 4 |
| 106 | 296-690 | \$5.49 | GASKET, manifold to down pipe | | 1 |
| 107 | 444-130 | \$2.89 | GASKET, down pipe to rear pipe | | 1 |
| 108 | 444-390 | | CLAMP, intermediate mounting | | 1 |
| 109 | 444-360 | \$4.99 | CLAMP, pipe to LH rear mounting | | 1 |
| | 444-400 | | CLAMP, pipe to RH rear mounting | | 1 |
| | 310-261 | + | CLAMP, pipe to RH rear mounting | | 1 |
| | 614-008 | | MOUNTING, intermediate LH rear | | 2 |
| | 444-090 | \$0.99 | WASHER, insulation | | 3 |
| | 444-280 | \$0.69 | BUSH, rubber | | 2 |
| 115 | 444-091 | \$1.79 | DISTANCE TUBE | | 1 |
| | 444-080 | \$2.89 | MOUNTING, RH, clamp to trunk flo | or | 1 |
| | 310-262 | | SPACER | | 1 |
| | 322-075 | | BOLT (3/8" UNF x 1-1/2") | | 3 |
| | 322-105 | | BOLT (5/16" UNF x 1-7/8") | | 4 |
| | 322-540 | | BOLT (5/16" UNF x 3/4") | | 5 |
| | 310-487 | | BOLT (5/16" UNF x 1-1/2") | | 1 |
| | 314-265 | | BOLT (1/4" UNF x 7/8") | | 1 |
| | 324-040 | | WASHER, locking (3/8") | | 3 |
| | 365-730 | | WASHER, locking (5/16") | | ć |
| | 324-020 | | WASHER, locking (1/4") | | 1 |
| | 324-155 | \$0.39 | WASHER, plain | | 3 |
| | 328-651 | \$0.89 | NUT, special | manifold to down pipe | 3 |
| | 311-535 | \$4.19 | NUT, special | down pipe to exhaust | 3 |
| | 310-140 | | NUT (5/16" UNF) | | 4 |
| | 310-760 | | NUT (1/4" UNF) | | 1 |
| 131 | 310-290 | \$0.69 | NUT, nyloc, (5/16" UNF) | | 2 |
| | | | | | |




Stainless Steel Exhaust Systems by Falcon

Guaranteed to be the last exhaust system you'll need for your car. Constructed entirely of top quality stainless steel with proper fit and great sound. Includes everything you need from the manifold flange back except clamps and hangers.


| Sprite/Midget mid 12/5 ('68-'69 w/flanged headpipe/straight muffler) <u>452-0</u> | <u>15</u> \$246.99 |
|---|--------------------|
| Midget late 1275 ('70-'74 w/flanged headpipe/transverse muffler) 452-0 | 25 NA |
| (Not available. Earlier straight muffler system 452-015 may be used | l.) |
| Midget 1500452-0 | 30 \$449.99 |



Clutch



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|--------------------|----------------------|---|--------------------------|--------------|
| 94 | B - 10 | 98 - 12 | 275 Clutch | | |
| | 190-960 190-963 | \$309.99 \$99.99 | CLUTCH KIT, AP brand CLUTCH KIT, Premium aftermarket | }948 | 1 1 |
| | 100.070 | \$339.99 | · | | |
| | | | CLUTCH KIT, AP brand | 1098 | 1 |
| | | \$154.99 \$199.99 | CLUTCH KIT, "Powertune" CLUTCH KIT, aftermarket | J 1098 | 1 |
| | 190-980 | NA | CLUTCH KIT, AP brand | } ₁₂₇₅ | 1 |
| | 190-986 | \$114.99 | CLUTCH KIT, Premium aftermarket | J 12/5 | 1 |
| 1 | 190-830 | NA | PRESSURE PLATE | 948 | 1 |
| | 501-025 | \$94.99 | PRESSURE PLATE | 1098 | 1 |
| | 190-850 | \$149.99 | PRESSURE PLATE | 1275 | 1 |
| 2 | 190-870 | \$59.69 | CLUTCH DISC | 948, 6 1/4" | 1 |
| | 190-880 | | CLUTCH DISC | 1098, 7 1/4" | 1 |
| | 190-890 | | CLUTCH DISC | } 1275. 6 1/2" | 1 |
| | | \$289.99 | CLUTCH DISC, uprated (not in kit | (S) J | 1 |
| 3 | 190-910 | | RELEASE BEARING | 948 | 1 |
| | 190-915 | | RELEASE BEARING | 1098 | 1 |
| | 190-920 | | RELEASE BEARING | 1275 | 1 |
| 4 | 461-010 | | BOOT, clutch lever | | 1 |
| 5 | 461-870 | | COVER, dust | 948, 1098 & 1275 | 1 |
| 6 | | NA | LEVER, clutch release | 948 | 1 |
| _ | 190-955 | | LEVER, clutch release | 1098 & 1275 | 1 |
| 7 | 330-435 | | BUSH | all | 1 |
| 7a | 330-505 | | BOLT, clutch release fork | all | 1 |
| 8 | 190-310 | | CLIP, release bearing | 948 | 2 |
| 9 | 190-315 | | CLIP, release bearing | 1098 & 1275 | 2 |
| 10 | 322-040 | | BOLT, clutch to flywheel | all | 6 |
| | 324-030 | | LOCKWASHER for clutch bolt | all | 6 |
| | | | s fitted with the later ribcase gearbox | k, use the release | |
| | bearing a | appropriate | for the engine actually used. | | |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|------------------------------------|-------------|--------------|
| 15 | 00 Clu | ıtch | | | |
| | 190-990 | \$149.99 | CLUTCH KIT, Borg & Beck | | 1 |
| | 190-993 | \$109.99 | CLUTCH KIT, aftermarket | | 1 |
| 10 | 190-860 | \$114.99 | PRESSURE PLATE, new | | 1 |
| 11 | 190-900 | \$66.99 | CLUTCH DISC, new | | 1 |
| 12 | 190-925 | \$24.89 | RELEASE BEARING | | 1 |
| 13 | 190-945 | NA | SLEEVE, release bearing | | 1 |
| 14 | 323-252 | \$0.59 | SETSCREW, clutch to flywheel (alle | n head) | 6 |
| 15 | 190-950 | NA | ARM | | 1 |
| 16 | 330-445 | \$4.59 | BUSH, in bell housing | | 2 |
| 17 | 190-930 | \$2.39 | RELEASE ARM PIN | | 1 |
| 18 | 330-455 | \$10.89 | RELEASE ARM BUSH | | 1 |
| 20 | 190-935 | \$5.99 | PUSH ROD | | 1 |
| 21 | 190-940 | \$3.99 | PIN, push rod to arm | | 1 |
| 22 | 328-625 | \$7.89 | PLUG, sleeve to arm | | 1 |
| 23 | 329-890 | \$0.49 | PIN in plug | | 1 |



387-320 \$2.89 CLUTCH ALIGNMENT TOOL 948 - 1275 1 387-330 \$2.89 CLUTCH ALIGNMENT TOOL Midget 1500 1





Clutch Hydraulic Kits

Save money and make ordering easy with this kit, which includes all usually replaced clutch hydraulic components: master cylinder, slave cylinder with pushrod, hose, copper washers and required hardware.

Sprite/Midget 1275 180-668 \$51.99 Midget 1500 180-708 \$66.99







Brake fluid and brake service tools are listed in

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|---|---|--|--|---------------------|
| CI. | ıtch H | ydrauli | ice | | |
| 2 | 180-672 180-670 180-673 180-555 180-971, 180-970, * These r | \$239.99 \$104.99 \$69.99 \$163.99 \$44.99 \$9.99 \$11.79 epair kits I | MASTER CYLINDER, 7/8", AP Brakin MASTER CYLINDER, 7/8", TRW MASTER CYLINDER, 7/8", Classic Go MASTER CYLINDER, 3/4", TRW REPAIR KIT, 7/8", AP Braking REPAIR KIT, 7/8", aftermarket REPAIR KIT, 3/4", aftermarket may include either a replacement type inal type rubber cup for the original cl | \$948 drum brake 1098 front disc brake \$\frac{948}{1098}\$ brake cylinder chece \$\frac{948}{948}\$ | 1 es 1 1 1 |
| 3 | 180-210 | \$4.49 | CAP, plastic replacement |) | 1 |
| | 180-211 | \$14.79 | CAP, metal (as original) | | 1 |
| 4 | 180-451 | \$2.99 | WASHER, cap (metal caps) | I | 1 |
| 5 | 323-500 | \$0.99 | SCREW, front & top covers | 948 & 1098 | 9/7 |
| 5a | 462-385 | | LOCKWASHER | I | 9/7 |
| 6 | 180-275 | | COVER | | 1 |
| 7 | 180-270 | | GASKET | J | 1 |
| 8 | 180-030 | \$4.79 | SPRING | 948 | 2 |
| | 181-710 | | SPRING | 1098 | 2 |
| 10 | 180-020 | | GASKET | | 1 |
| 11 | 180-010 | NA | PLATE | 040 0 4000 | 1 |
| 12 | 180-305 | \$11.89 | PUSH ROD, drum brakes, 4-1/8" | 948 & 1098 | 2 |
| 40 | 100 015 | NA no oo | PUSH ROD, disc brakes, 3-11/16" | | 2 |
| 13 | 180-315 | \$6.99 | FORK | J | 2 |
| 20 | 180-624 | \$159.99 | MASTER CYLINDER, metal reservoir | | 1 |
| | 180-627 | | MASTER CYLINDER, plastic reservoi | | 1 |
| 21 | 180-925 | | REPAIR KIT, cyls. not marked † | original master | |
| | 180-915 | \$5.79 | REPAIR KIT, cyls. marked-see | f cylinders only | 1 |
| | | | illus. showing marks below † | | 1 |
| 22 | 180-210 | \$4.49 | CAP (orig. cyls. only) | | 1 |
| 23 | 180-605 | \$18.99 | PUSH ROD | 1275 & 1500 | 1 |
| 24 | 180-400 | \$12.89 | ADAPTOR, pipe to master cylinder | | 1 |
| 25 | 324-730 | \$0.39 | WASHER, pipe to master cylinder | | 1 |
| 26 | 322-540 | \$0.69 | BOLT, master cylinder mounting | | 2 |
| 27 | 365-720 | | WASHER | ļ | 2 |
| 28 | 365-730 | | LOCKWASHER | | 2 |
| 29 | 310-140 | | NUT | J | 2 |
| 30 | 325-150 | | CLEVIS PIN | all | 1 |
| 31 | 280-930 | \$1.49 | PEDAL PAD, brake & clutch | all | 2 |
| 32 | 180-335 | \$3.29 | SPRING, pedal return | 948 & 1098 | 2 |
| | 329-350 | \$1.99 | SPRING, pedal return | 1275 & 1500 | 2 |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com


| No. | Part No. | Price (each) | Description A | pplication | Qty. Req. |
|----------|--|---|--|---------------------|--------------|
| 35 | 180-655 180-657 180-665 180-667 | \$72.99 \$13.99 \$126.99 \$14.19 | SLAVE CYLINDER, 7/8" bore, Lockheed SLAVE CYLINDER, 7/8" bore, aftermark SLAVE CYLINDER, 1" bore, Lockheed SLAVE CYLINDER, 1" bore, aftermarket | 948 & 1098 }1275 | 1 1 1 |
| 36 | 180-935 180-945 | \$3.69 \$7.19 | REPAIR KIT REPAIR KIT | 948 & 1098 1275 | 1 |
| 37 38 | 180-100 180-200 180-595 | \$1.39 \$2.69 \$4.29 | BLEEDER SCREW PUSH ROD, 2 3/8" * PUSH ROD, 2 11/16" * | 948 - 1098 1275 | 1 1 1 |
| 39 40 | 582-590 116-162 | \$0.79 \$1.69 | CLEVIS PIN BOLT, slave cyl. mounting | } 948-1275 | 1 2 |

NOTE: 948 and 1098 cars used a pipe from the master cylinder to the slave cylinder. These cars did not use a hose in the clutch system.

| | 588-025 | \$32.49 | PIPE, master cyl. to slave cyl. | 948 - 1098 | 1 |
|----|---------|---------|---|--------------|---|
| | 180-606 | \$31.29 | PIPE, master cylinder to hose |) | 1 |
| 45 | 180-820 | \$20.99 | HOSE | | 1 |
| | 180-821 | \$8.79 | HOSE, aftermarket | | 1 |
| | 180-823 | \$22.99 | HOSE, stainless steel braided, "Cobalt" | 1275 | 1 |
| 46 | 324-720 | \$0.79 | COPPER WASHER | | 1 |
| 47 | 311-420 | \$1.79 | NUT | | 1 |
| 48 | 324-180 | \$0.39 | LOCK WASHER | J | 1 |
| 50 | 180-705 | \$14.69 | SLAVE CYLINDER, Classic Gold | <u> </u> | 1 |
| 51 | 180-955 | \$7.89 | REPAIR KIT | | 1 |
| 52 | 180-080 | \$2.99 | BLEEDER SCREW | 1 500 | 1 |
| 53 | 190-935 | \$5.99 | PUSH ROD, 3 1/16" * | | 1 |
| 54 | 180-845 | \$18.59 | HOSE & PIPE ASS'Y. | J | 1 |
| | | | | | |

^{*} Dimensions given are from hole center to end.

† Note: From 1968 to '80, either one of two master cylinders was fitted. One is identified by either of the markings shown below. The other has no such markings. The master cylinder assemblies are interchangeable, but the internal parts are not.




External Gearbox 948-1275 Suo. 149 \$**0**\$ (13) $^{\odot}$ (122) Gasket ➂ Set Mov_{MG} (25) MOSS MOTORS, LTD. 1-800-667-7872

External Gearbox 948-1275

| No. | Part No. | Price (each) | Description Ap | plication | Qty Rec |
|----------|-------------------------------|----------------------|--|-------------------|------------|
| | 107.555 | # 000 00 | OFADDOV 1 111 / / 1111 | 1000 15== | |
| 1 | 427-520 | \$999.99 \$600.00 | GEARBOX, rebuilt (w/o shifter housing) CORE CHARGE FOR 427-520 | 1098, 1275 | |
| 2 | 297-700 | \$4.99 | GASKET SET | | |
| 3 | 325-080 | \$1.49 | DOWEL, upper | 948, 1098 | |
| 3 | 116-151 | NA Od 40 | DOWEL, upper | 1275 | |
| 4 5 | 325-080 | \$1.49 | DOWEL, lower | 049 | |
| 5 5 | 320-695 320-070 | \$0.69 \$0.89 | BOLT, gearbox to engine plate BOLT, gearbox to engine plate | 948 1098, 1275 | |
| 5 6 | 365-730 | \$0.05 | WASHER, locking | 1090, 1273 | |
| 7 | 310-140 | | NUT | | |
| 8 | 322-620 | | BOLT | | |
| 9 | 324-040 | \$0.29 | WASHER, locking | | |
| 10 | 310-050 | \$0.59 | NUT | | |
| 15 | | NA | COVER, front | 948 | |
| | | \$259.99 | COVER, front, repl., w/ lip type oil sea | | |
| 17 | 461-766 | \$6.39 | OIL SEAL (replacement) for 461-765 | , J | |
| 17 18 | 324-020 | NA \$0.20 | STUD, cover to gearbox WASHER, locking | | |
| 19 | 310-760 | \$0.20 | NUT | | |
| 25 | 010 700 | NA | SIDE COVER | | |
| 27 | | NA | STUD, side cover to gearbox | | |
| 28 | 324-020 | \$0.20 | WASHER, locking | | |
| 29 | 310-760 | \$0.39 | NUT | | |
| 30 | 848-760 | NA | COVER, starter pinion | | |
| 31 | 725-070 | \$1.99 | SCREW, cover to gearbox | | |
| 32 | 324-020 | \$0.20 | WASHER, locking | | |
| 33 34 | 461-870 461-010 | \$6.99 \$1.69 | COVER, dust BOOT, clutch lever | | |
| 35 | 461-875 | \$3.29 | DUST COVER, side | | |
| 36 | 328-055 | \$7.99 | PLUG, oil drain | | |
| | 328-056 | \$32.99 | PLUG, oil drain, magnetic | (optional) | |
| 37 | | NA | SCREW, reverse shaft locating | | |
| 38 | 324-020 | \$0.20 | WASHER, locking | | |
| 40 | 330-550 | \$9.79 | BUSH, rear mainshaft | | |
| 44 | | | reamed or honed to fit yoke spindle aft | er installation. | |
| 41 43 | 120-920 314-265 | \$4.99 \$0.49 | OIL SEAL, rear BOLT, rear extension to gearbox | | |
| 43 44 | 324-020 | | WASHER, locking | | |
| 45 | | \$259.99 | PINION, speedo drive | | |
| 46 | 461-440 | NA | PINION HOUSING | | |
| 47 | 461-445 | \$2.49 | OIL SEAL, speedo pinion | | |
| 48 | 461-460 | NA | RING, oil seal retaining | | |
| 49 | 324-820 | \$4.99 | SEALING WASHER (copper) | late 1275 | |
| 53 | | NA | STUD, long | | |
| 54 | 265 720 | NA CO OF | STUD, short | | |
| 55 56 | 365-730 310-140 | \$0.25 \$0.24 | WASHER, locking NUT | | |
| 50 59 | 322-170 | \$0.49 | SCREW, lower cover | | |
| 60 | 324-020 | \$0.20 | WASHER, locking | | |
| 61 | | NA | CORE PLUG, shifter housing | | |
| 62 | 141-020 | \$31.99 | SWITCH, reverse lights | 1275 | |
| 63 | 435-567 | \$1.19 | WASHER, copper | 1275 | |
| 65 | 101 21- | NA | ROD, reverse selector | 948 | |
| e e | 461-845 | NA | ROD, reverse selector | 1098, 1275 | |
| 66 67 | 461-880 | NA NA | FORK, reverse selector ROD. 3rd/4th selector | all | |
| 67 | 461-855 | NA NA | ROD, 3rd/4th selector ROD, 3rd/4th selector | 948 1098, 1275 | |
| 68 | 401-000 | NA NA | FORK, 3rd/4th selector | 948 | |
| 50 | 461-890 | NA | FORK, 3rd/4th selector | 1098, 1275 | |
| 69 | 500 | NA | ROD, 1st/2nd selector | 948 | |
| | 461-865 | NA | ROD, 1st/2nd selector | 1098, 1275 | |
| 70 | | NA | FORK, 1st/2nd selector | 948 | |
| -, | 461-885 | \$52.49 | FORK, 1st/2nd selector | 1098, 1275 | |
| 71 | 461-760 | \$3.79 | SCREW, locating fork on rod | | |
| 72 73 | 365-740 | \$0.49 \$0.10 | NUT, locking | | |
| 73 75 | 462-385 | \$0.19 NA | WASHER, locking PLUNGER, interlock | | |
| 75 76 | 329-520 | \$0.49 | BALL, interlock | | |
| 76 78 | 0 <u>2</u> 9-020 | Ф0.49 NA | PLUG, interlock ball | | |
| 79 | 462-465 | | WASHER, sealing | | |
| 80 | 462-185 | NA | PLUNGER, 1st/2nd & 3rd/4th | | |
| 81 | 462-460 | \$0.59 | SPRING, plunger | | |
| 01 | | NA | PLUNGER, reverse | | |
| 82 | 462-185 | | | | |
| | 462-185 329-240 462-460 | \$2.79 \$0.59 | SPRING, plunger SPRING, plunger | 948, 1098 1275 | |

| No. | Part No. | Price (each) | Description | Application Qty. Req. |
|------------|--------------------|------------------|--|-------------------------------|
| 85 | 462-465 | \$0.69 | WASHER, sealing | 1 |
| 86 | 102 100 | NA | SHAFT, control | 948 1 |
| | | NA | SHAFT, control | 1098, 1275 1 |
| 87 | | NA | LEVER, control | 948 |
| | | NA | LEVER, control | 1098, 1275 |
| 88 | 462-550 | NA | SCREW, lever to shaft | 1 |
| 89 | 324-020 | \$0.20 | WASHER, locking | 1 |
| 90 | | NA | SHAFT, remote control | 948 1 |
| | | NA | SHAFT, remote control | 1098, 1275 |
| 91 | 327-200 | \$0.39 | KEY | 2 |
| 92 | | NA | LEVER, selector, front | 1 |
| 93 | 322-247 | \$0.49 | SCREW, pinch | 1 |
| 94 | 324-020 | \$0.20 | WASHER, locking | 1 |
| 95 | 461-826 | NA NA | BUSH, front selector lever | 1 |
| 96 97 | | NA NA | LEVER, selector, rear | 1 |
| 98 | 324-020 | \$0.20 | SCREW, pinch WASHER, locking | 1 |
| 100 | 441-610 | NA | , 0 | 948 thru 1275 to GAN4-58111 1 |
| 100 | 441 010 | NA | PLUNGER, reverse protection | 1275 from GAN4-58112 1 |
| 101 | 329-270 | NA | SPRING, plunger | 948 thru 1275 to GAN4-58111 1 |
| | 020 2.0 | NA | SPRING, plunger | 1275 from GAN4-58112 1 |
| 102 | 461-720 | NA | PIN, plunger locating | 1 |
| 105 | 329-520 | \$0.49 | BALL, reverse selector | 1 |
| 106 | 329-240 | \$2.79 | SPRING, ball | 1 |
| 107 | | NA | PLUG, reverse selector ball | 1 |
| 108 | 462-440 | \$2.39 | PLUNGER, control shaft damp | ing 1 |
| 109 | 329-010 | \$0.59 | SPRING, plunger | 1 |
| | 462-445 | NA | PLUG, control shaft damper | 1 |
| 111 | 324-770 | \$1.39 | WASHER, copper | _ 1 |
| 112 | | \$0.49 | PLUNGER, reverse detent | } late 1275 |
| 113 | 462-490 | NA | PLUG, reverse detent plunger | <u>ا</u> |
| 115 | | NA | GEAR LEVER (several variation | |
| 116 | 200 045 | NA CO 40 | COVER, gear lever seat | 1 3 |
| 117 118 | 322-645 324-020 | \$0.49 \$0.20 | SCREW, cover | 948, 1098, & |
| 119 | 324-020 | φυ.20 NA | WASHER, locking COVER, remote housing | 1275 thru 1969 1 |
| 120 | 314-200 | \$0.29 | SCREW, cover to gearbox tuni | |
| 121 | 680-890 | \$5.79 | GROMMET, gear lever | ¹⁰¹ J |
| 125 | 000 000 | NA | GEAR LEVER | i |
| 126 | | NA | COVER, gear lever seat | i |
| 127 | | NA | PLATE | İ |
| 128 | 322-645 | \$0.49 | SCREW | 3 |
| 129 | 324-020 | \$0.20 | WASHER, locking | \ 1275 1970-74 3 |
| 130 | | NA | SUPPORT, gear lever boot | 1 |
| 131 | 462-780 | \$14.99 | BOOT, gear lever | 1 |
| 132 | | NA | RING, boot & support to gearb | |
| 133 | 314-045 | \$0.29 | SCREW, ring to gearbox tunne | |
| 135 | 462-770 | NA Out 70 | SHIFT KNOB (use 462-775) | 948 1 |
| 135 | 462-775 | \$11.79 | SHIFT KNOB | 1098, 1275 thru 1971 1 |
| | 462-785 462-850 | NA C1400 | SHIFT KNOB | 1275, 1972-74 1 1 |
| 140 | 402-000 | \$14.99 | ANTI-RATTLE KIT, shift lever (Includes nos. 108, 109,141-1 | |
| 141 | 290-955 | \$0.39 | RING | 143) |
| | 461-825 | \$8.49 | BUSH | 1 |
| 143 | 329-195 | \$3.89 | SPRING | 1 |
| 145 | 462-550 | NA | PEG, gear lever locating | i |
| | 324-020 | \$0.20 | WASHER, locking | 1 |
| | | | - | |

Internal Gearbox 948-1275



Internal Gearbox 948-1275

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|----------------------------|---------------------|--------------|
| | | | | | |
| 55 | 461-915 | \$9.99 | THRUST WASHER, front | | 1 |
| 56 | 461-920 | \$9.99 | THRUST WASHER, rear, 0.123 | "-0.124" | A/R |
| 56 | 461-925 | \$9.99 | THRUST WASHER, rear, 0.125 | "-0.126" | A/R |
| 56 | 461-930 | \$9.99 | THRUST WASHER, rear, 0.127 | "-0.128" | A/R |
| 56 | 461-935 | \$9.99 | THRUST WASHER, rear, 0.130 | "-0.131" | A/R |
| | 461-937 | \$9.99 | THRUST WASHER, rear, 0.132 | "-0.133" | A/R |
| 60 | | NA | GEAR, reverse idler | 948 | 1 |
| | 461-896 | \$54.99 | GEAR, reverse idler | 10CG, 10CC to (e)H4 | 641 1 |
| | 461-895 | \$73.79 | GEAR, reverse idler | 10CC from (e)H4642 | , 1275 1 |
| 61 | | NA | BUSH, reverse idler gear | | 1 |
| 62 | 461-900 | NA | SHAFT, reverse idler | | 1 |
| | | | | | |

Most parts for the 948 "smooth case" transmissions fitted to the Sprite Mkl & II and Midget Mkl have been unavailable for many years.

Synchros for these transmissions are "shrunk-on" to the gears and must be machined to fit; an expensive operation requiring an experienced machinist.

Since the ribcase transmissions are less complex and replacement parts are readily available, we recommend the direct replacement of a troublesome smooth case with the ribcase. An added advantage is the more desirable gear ratios fitted to the late units. (The clutch release lever for the ribcase gearbox, #190-955, must be used. However, you must use the release bearing appropriate for the engine installed.)

Eliminating excess free play will do wonders for your clutch action. Since for all practical purposes the clutch is not adjustable, each part must be in top condition. New clevis pins and new slave cylinder push rod are recommended.

Slave cylinder rods should not have sections welded to them to make them longer. This is an erroneous repair which is done to avoid installing a new release bearing. Occasionally a rod from another car is substituted.



5-Speed Conversion Kits

If you plan on driving your classic, installing a 5 speed transmission will make the car much more enjoyable at highway speeds. Using the popular Ford T9 gearbox, the installation is reversible with minimal modifications to the frame or transmission tunnel. Get better fuel economy, less engine wear and easier shifts. The five speed kits come complete with the following components:

- · Reconditioned Ford T9 Gearbox
- New Bellhousing (or adaptor plate on 1500cc models)
- Spigot Bushing
- Clutch Plate
- Clutch Plate Cover
- · Clutch Release Bearing
- New Clutch Arm Pivot
- New Propshaft
- Chassis Cross Member and Strengtheners
- Speedometer Cable (Note: Speedo will need to be recalibrated)
- · Standard Gear Lever
- Gear Lever Gaiter
- All Bolts and Fasteners
- · Detailed Instructions


| Sprite/Midget 948 | 440-145 | \$5350.00 |
|-----------------------|---------|-----------|
| Sprite/Midget 1098 | 440-155 | \$5185.00 |
| Sprite/Midget 1275 | 440-165 | \$5185.00 |
| Midget 1500 | 440-175 | \$4995.00 |
| Clutch Alignment Tool | 041-620 | \$2.89 |
| | | |

| No. | Part No. | Price (each) | Description | Application Qty. Req. | |
|----------------------------|-------------------------------|---|--|---|--|
| ear | rbox applic | ations follo | ow the original engines to which | they were fitted. | |
| 1 | | NA | INPUT SHAFT (several variations | | |
| _ | 461-910 | NA | INPUT SHAFT | 1275 1 | |
| 2 | 311-315 | \$0.39 | NUT, input shaft | 1 | |
| 3 4 | 461-806 | \$5.99 NA | LOCK TAB WASHER, plain | 1 | |
| 5 | 461-975 | \$1.59 | SHIM, .004" | A/R | |
| • | 461-980 | \$1.99 | SHIM, .006" | A/R | |
| | 461-985 | \$1.89 | SHIM, .010" | A/R | |
| 6 | 127-040 | \$29.99 | BEARING, input shaft | 1 | |
| 7 | | NA | CIRCLIP, bearing | 1 | |
| 8 | 330-600 | \$5.89 | BUSHING, input to mainshaft | 9C gearbox 1 | |
| 9 10 | 127-030 | \$4.89 NA | BEARING, input shaft to mainsh MAINSHAFT (several variations) | | |
| 10 | 461-990 | NA NA | MAINSHAFT | 10CC & 1275 1 | |
| 11 | 461-795 | \$14.99 | PEG | A/R | |
| 12 | 329-215 | NA | SPRING | 948 A/R | |
| | | NA | SPRING | 1098, 1275 3 | |
| 14 | 404 005 | NA | SYNCHRO ASS'Y, 3rd/4th (sever | · · · · | |
| 4.5 | 461-965 | NA co oo | SYNCHRO ASSEMBLY, 3rd/4th | 10CC from (e)H4642, 1275 1 | |
| 15 16 | 329-600 | \$0.39 NA | BALL Spring | 948 3 | |
| 10 | 329-305 | \$0.89 | SPRING | 1 3 | |
| 17 | 461-970 | \$25.99 | SYNCHRO RING | } 1098, 1275 3 | |
| 20 | | NA | THRUST WASHER, front, (0.212 | - | |
| | | NA | THRUST WASHER, front, (0.214 | "/0.215") | |
| | | NA | THRUST WASHER, front, (0.216 | | |
| | | NA | THRUST WASHER, front, (0.218 | | |
| | | NA | COLLAR, locking, front | 9CG gearbox 1 | |
| | | NA NA | COLLAR, locking, front COLLAR, locking, front | 10CC gearbox 1 10CG & 1275 1 | |
| 22 | | NA NA | GEAR, 3rd (several variations) | 948 1 | |
| | | NA | GEAR, 3rd | 10CG, 10CC to (e)H4641 1 | |
| | 843-050 | \$249.99 | GEAR, 3rd | 10CC from (e)H4642, 1275 1 | |
| 23 | | NA | GEAR, 2nd | 948 1 | |
| | | NA | GEAR, 2nd | 10CG, 10CC to (e)H4641 1 | |
| 0.5 | 843-040 | \$52.99 | GEAR, 2nd | 10CC from (e)H4642, 1275 1 | |
| 25 26 | 461-785 461-786 | NA \$15.99 | BUSHING, 3rd gear INTERLOCK | POC gearbox 1 | |
| 27 | 461-775 | \$54.99 | BUSHING, 2nd gear | 9C gearbox 1 | |
| 28 | 101 770 | NA | NEEDLE ROLLER (28 per gear) | 9CG gearbox 56 | |
| | 461-960 | \$0.39 | NEEDLE ROLLER (26 per gear) |) 52 | |
| 29 | | NA | COLLAR, locking, rear | 1 1098, 1275 | |
| 30 | 404 005 | NA | THRUST WASHER, locking colla | | |
| 0.1 | 461-835 | NA | THRUST WASHER, locking colla | | |
| 31 | | NA NA | GEAR ASSEMBLY, 1st (several v GEAR ASSEMBLY, 1st | rariations) 948 1 10CG, 10CC to (e)H4641 1 | |
| | | IVA | (use with orig laygear 22G76) | 1000, 1000 to (e)114041 | |
| | 461-950 | \$236.99 | GEAR ASSEMBLY, 1st | 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| 32 | | \$112.99 | GEAR, 1st | 10CC from (e)H4642, 1275 $\frac{1}{1}$ | |
| 33 | 329-600 | \$0.39 | BALL | 3 | |
| 34 | | NA | SPRING | 948 3 | |
| ٥- | 329-305 | \$0.89 | SPRING | 1098, 1275 | |
| 35 | | NA | PLUNGER | 1275 | |
| 36 37 | 461-370 | NA NA | HOUSING, mainshaft bearing PEG, locating | 1 | |
| 38 | 127-040 | \$29.99 | BEARING, mainshaft | 948 1 | |
| 00 | 127-020 | \$47.99 | BEARING, mainshaft | 1098, 1275 | |
| 39 | | NA | CIRCLIP, bearing | 1 | |
| 40 | 461-975 | \$1.59 | SHIM, 0.004" | A/R | |
| | 461-980 | \$1.99 | SHIM, 0.006" | A/R | |
| | 461-985 | \$1.89 | SHIM, 0.010" | A/R | |
| 45 | | NA | DISTANCE TUBE | 948 1 | |
| 16 | 461_805 | NA \$10.00 | DISTANCE TUBE | 1098, 1275 | |
| 46 47 | 461-805 | \$19.99 NA | DRIVE GEAR, speedometer WASHER, plain | 1 | |
| 48 | 311-315 | \$0.39 | NUT, mainshaft | 1 | |
| 49 | 461-806 | \$5.99 | LOCK TAB | i | |
| | | NA | LAYGEAR (several variations) | 948 1 | |
| 50 | | 1471 | | | |
| 50 | 843-100 | NA | LAYGEAR (22G76) | 10CG, 10CC to (e)H4641 1 | |
| | 461-905 | NA \$239.99 | LAYGEAR (22G232 / 22G1100) | 10CC from (e)H4642, 1275 1 | |
| | 461-905 461-940 | NA \$239.99 NA | LAYGEAR (22G232 / 22G1100) LAYSHAFT, standard | 10CC from (e)H4642, 1275 1 | |
| 51 | 461-905 461-940 461-942 | NA \$239.99 NA \$46.99 | LAYGEAR (22G232 / 22G1100) LAYSHAFT, standard LAYSHAFT, premium, hardened | 10CC from (e)H4642, 1275 1 to 60-62HRC 1 | |
| 51 52 | 461-905 461-940 | NA \$239.99 NA \$46.99 \$4.79 | LAYGEAR (22G232 / 22G1100) LAYSHAFT, standard LAYSHAFT, premium, hardened BEARING, caged, laygear | 10CC from (e)H4642, 1275 1 to 60-62HRC 1 (replaces early loose rollers) 2 | |
| 50 51 52 53 54 | 461-905 461-940 461-942 | NA \$239.99 NA \$46.99 | LAYGEAR (22G232 / 22G1100) LAYSHAFT, standard LAYSHAFT, premium, hardened | 10CC from (e)H4642, 1275 1 to 60-62HRC 1 | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



Gearbox - 1500 Midget



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-----------------------------------|--------------------|--------------|
| 15 | 00 Ge | arbox | | | |
| | 693-060 | \$4.29 | GASKET SET (includes items market | ed *) | 1 |
| 1 | 071-329 | \$17.89 | BEARING, input shaft & mainshaft | center | 2 |
| 2 | 326-745 | \$29.99 | CIRCLIP, bearing retaining | | 2 |
| 3 | 326-765 | \$0.59 | CIRCLIP, input shaft | | 1 |
| 4 | 848-075 | NA | OIL THROWER | | 1 |
| 7 | 525-190 | \$4.19 | BEARING, mainshaft spigot | | 1 |
| 8 | 071-320 | NA | SYNCHRO HUB ASS'Y., 1st & 2nd | A - see note below | 1 |
| 8a | 071-342 | \$129.99 | GEAR, outer | A - see note below | 1 |
| | 071-321 | NA | SYNCHRO HUB ASS'Y., 1st & 2nd | B - see note below | 1 |
| 9 | 329-225 | \$0.49 | SPRING, synchro | | 3 |
| 10 | 329-510 | \$0.39 | BALL, synchro | | 3 |
| 11 | 847-350 | NA | THRUST WASHER | | 1 |
| 12 | 847-475 | \$8.99 | SPLIT COLLAR, 1st gear | | 2 |
| 13 | 321-060 | \$156.89 | 1st GEAR | | 1 |
| 15 | 071-330 | \$10.69 | SYNCHRO RING | | 4 |
| 17 | | NA | 2nd GEAR | | 1 |
| 18 | 847-235 | NA | THRUST WASHER, 2nd gear | | 1 |
| 19 | 847-300 | NA | THRUST WASHER, .152154" | | A/R |
| | 847-310 | \$1.49 | THRUST WASHER, .156158" | | A/R |
| | 847-320 | | THRUST WASHER, .161163" | | A/R |
| | 847-330 | | THRUST WASHER, .165167" | | A/R |
| | 847-340 | NA | THRUST WASHER, .169171" | | A/R |
| 20 | 847-290 | | BUSH, 2nd & 3rd gears | | 2 |
| 21 | 847-460 | \$39.99 | 3rd GEAR | | 1 |
| 22 | 326-995 | \$1.29 | CIRCLIP, mainshaft | | 1 |
| 23 | | \$129.99 | SYNCHRO HUB ASS'Y., 3rd & 4th | | 1 |
| 24 | 329-475 | \$0.69 | SPRING, synchro | | 3 |
| 25 | 329-510 | | BALL, synchro | | 3 |
| 26 | 847-270 | | GEAR, speedo drive | | 1 |
| 27 | 525-200 | | BEARING, mainshaft rear | | 1 |
| 28 | 520-410 | \$1.89 | OIL SEAL, rear | | 1 |
| 30 | 310-485 | | NUT, mainshaft flange | | 1 |
| 34 | 847-380 | | SPRING | | 3 |
| 35 | 847-230 | | THRUST WASHER, front | | 1 |
| 36 | 525-210 | \$0.24 | NEEDLE ROLLERS | | 50 |
| 37 | 525-205 | | RING, roller retaining | | 4 |
| 38 | 847-240 | | (| A - see note below | 1 |
| 40 | 847-220 | | LAYGEAR (13 teeth on rev. gear) | B- see note below | 1 |
| 42 | 847-250 | | THRUST WASHER, rear | | 1 |
| 43 | 071-324 | \$26.99 | LAYSHAFT | | 1 |
| 45 | 846-130 | NA | SPINDLE, reverse idler | | 1 |

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-----------------------------------|--------------------|--------------|
| 46 | 071-325 | \$77.79 | REVERSE IDLER GEAR (21 teeth) | A - see note below | 1 |
| | 071-326 | \$81.99 | REVERSE IDLER GEAR (17 teeth) | B - see note below | 1 |
| 47 | 330-485 | NA | BUSH, reverse idler | | 1 |
| 50 | 681-135 | \$16.99 | SHIFT BOOT, vinyl | | 1 |
| 51 | 681-130 | NA | SHIFT BOOT, rubber | | 1 |
| 52 | 847-260 | NA | SHIFT KNOB | | 1 |
| 53 | | NA | BUSH, shift lever | to gearbox #56469 | 1 |
| | 330-580 | \$25.99 | BUSH, shift lever | from gearbox #5647 | 70 1 |
| 54 | 330-585 | NA | RETAINER, shift lever | | 1 |
| 55 | 847-435 | \$4.99 | PIN, long (L/H side) | | 1 |
| 56 | 847-430 | NA | PIN, short (R/H side) | | 1 |
| 58 | 848-595 | \$1.29 | END CAP, shifter housing | | 1 |
| 59 | 542-410 | \$10.99 | SWITCH, reverse light | | 1 |
| 62 | 847-280 | \$63.99 | PINION, speedo drive | 22 teeth, red | 1 |
| | 847-420 | NA | PINION, speedo drive | 21 teeth, green | 1 |
| | 847-285 | NA | PINION, speedo drive | 20 teeth, orange | 1 |
| 63 | 461-445 | \$2.49 | OIL SEAL, speedo pinion | | 1 |
| 64 | 072-395 | \$4.99 | RETAINER, speedo cable | | 1 |
| 65 | 264-943 | \$0.29 | "O" RING | | 1 |
| 73 | 847-390 | NA | FORK, 1st & 2nd selector | | 1 |
| 74 | 847-470 | NA | FORK, 3rd & 4th selector | | 1 |
| 77 | 693-040* | \$0.69 | GASKET, gearbox to rear extension | | 1 |
| 78 | 693-050* | \$1.39 | GASKET, top cover | | 1 |
| 79 | 328-340 | \$1.19 | PLUG, drain & filler | | 2 |
| | 328-356 | \$7.99 | DRAIN PLUG, magnetic | (optional) | 1 |
| 80 | 693-030* | \$1.39 | GASKET, bellhousing to gearbox | | 1 |
| 85 | 520-240 | \$3.79 | OIL SEAL, front | when fitted | 1 |
| 86 | 848-585 | NA | COVER, front | | 1 |
| 87 | 290-960 | \$1.89 | O-RING | | 1 |
| 89 | 810-140 | \$2.69 | MOUNT, transmission | | 2 |


1500 Gearbox Notes

To extend gearbox life, British Leyland designed a modified gear set consisting of a new 1st/2nd synchro hub assembly, laygear, and reverse idler gear. Components with the application "A" above were originally fitted up to gearbox #241363, gears above with the application "B" were originally fitted from gearbox #241364. Over the years, many early gearboxes were fitted with the later gears. To avoid confusion, please count your reverse gear teeth before ordering.



MOSS MOTORS, LTD. 1-800-667-7872

Differential / Driveshaft



| | ~ | | 4 | |
|-----|--------------------|--------------------|--|--|
| No. | Part No. | Price (each) | Description | Application Qty. Req. |
| A | | NA | AXLE HOUSING (1/4 elliptic springs) | Sprite Mkl, Mkll Midget Mkl |
| В | | NA | AXLE HOUSING (1/2 elliptic springs) | Sprite MkIII-on Midget MkII-1500 |
| C | | NA | CARRIER HOUSING 948 | Sprite to (c)24731 Midget to (c)16183 1 |
| D | | NA | CARRIER HOUSING 1098 thru 1500 | Sprite from (c)24732 Midget from (c)16184 |
| 2 | 311-620 | \$8.89 | NUT, R/H hub (RH threads) | 1 |
| | 461-260 | \$8.89 | NUT, L/H hub (LH threads) | 1 |
| 3 | 265-560 | \$1.89 | TAB WASHER | 2 |
| 4 | 267-040 | \$7.99 | BREATHER | 1 |
| 5 | 319-060 | \$2.89 | DRAIN/FILLER PLUGS | 2 |
| 7 | 294-210 | \$1.19 | GASKET, differential | 1 |
| 12 | 127-300 | \$39.49 | BEARING, differential | 2 |
| 13 | 265-320 | \$1.99 | SHIM, bearing, .002" | A/R |
| | 265-330 | \$1.99 | SHIM, bearing, .003" | A/R |
| | 265-340 | \$1.99 | SHIM, bearing, .004" | A/R |
| | 265-350 | \$1.79 | SHIM, bearing, .010" | A/R |
| 15 | 200 000 | NA | GEAR SET, 4.22:1 | housing "C" 1 |
| | 265-360 | NA | GEAR SET, 4.22:1 (9 x 38 teeth) |) 1 |
| | 265-370 | | GEAR SET, 3.90:1 (10 x 39 teeth) | housing "D" 1 |
| | 265-375 | | GEAR SET, 3.73:1 (11 x 41 teeth) | (will not fit housing "C") 1 |
| | 265-265 | | GEAR SET, 3.55:1 | J (Will flot lit flotdolling 0) 1 |
| 16 | 200 200 | NA | THRUST WASHER, pinion, from 0.1 | • |
| 17 | | NA | SPACER, solid | housing "C" 1 |
| '' | 265-750 | \$13.29 | | housing "D" 1 |
| 18 | 320-640 | \$1.89 | BOLT | 6 |
| 19 | 265-255 | \$1.19 | LOCKTAB | 3 |
| 20 | 265-240 | NA | DIFFERENTIAL GEAR | 2 |
| 21 | 265-250 | \$2.49 | THRUST WASHER | 2 |
| 22 | 265-260 | Ψ2.49 NA | PINION, differential | 2 |
| 23 | 265-270 | \$6.89 | THRUST WASHER, differential pinio | |
| 24 | 265-280 | \$29.99 | PINION AXLE | 1 |
| 25 | 265-290 | φ29.99 NA | LOCKING PIN, pinion axle | 1 |
| 26 | 125-130 | | | housing "C" 1 |
| 20 | | · . | | • |
| 27 | 125-150 125-805 | \$29.59 \$38.99 | BEARING, rear inner pinion BEARING, front outer pinion | housing "D" 1 housing "C" 1 |
| ۷1 | | | • | |
| 20 | 125-140 | \$17.49 | BEARING, front outer pinion | housing "D" 1 all 1 |
| 28 | 120-800 | \$2.19 | OIL SEAL | |
| 29 | 265-300 | | AXLE SHAFT, disc wheels | aughanad 2 |
| 20 | 265-302 | | AXLE SHAFT, disc wheels, nitride t | oughened 2 |
| 30 | 265-310 | | AXLE SHAFT, wire wheels | 2 toughened 2 |
| | 265-312 | a 239.99 | AXLE SHAFT, wire wheels, nitride to | ougnenea 2 |


| No. | Part No. | Price (each) | Description A _l | pplication | Qty. Req. |
|-----|-------------|-----------------|--------------------------------------|-------------------------|--------------|
| | | | | | _ |
| 31 | 265-210 | NA | BEARING HUB, disc wheels | | 2 |
| 32 | 265-215 | NA | BEARING HUB, wire wheels | | 2 |
| 33 | 265-540 | \$3.89 | STUD, disc wheels | | 8 |
| 33a | 265-550 | \$8.49 | STUD, wire wheels | | 8 |
| 34 | 265-220 | \$118.99 | EXTENSION, R/H, wire wheels, 12 tpi | Sprite MkII | 1 |
| | 265-225 | \$118.99 | EXTENSION, L/H, wire wheels, 12 tpi | ∫ Midget Mkl | 1 |
| | 265-230 | \$119.99 | EXTENSION, R/H, wire wheels, 8 tpi | from Sprite Mkl | ill 1 |
| | 265-235 | \$119.99 | EXTENSION, L/H, wire wheels, 8 tpi | ∫ Midget MkII-15 | 00 1 |
| 34a | 328-260 | \$0.59 | PLUG, extension | wire wheels | 2 |
| | 125-830 | \$17.49 | HUB BEARING KIT, incl. #3, 35, 36, 3 | 7, 38 | 2 |
| 35 | 296-030 | \$0.69 | GASKET, hub | | 2 |
| 36 | 120-030 | \$2.39 | OIL SEAL | | 2 |
| 37 | 121-410 | \$1.39 | O-RING | | 2 |
| 38 | 125-120 | \$14.89 | BEARING, hub | | 2 |
| 39 | 324-100 | \$0.49 | LOCKWASHER | | 1 |
| 40 | 310-570 | \$2.89 | NUT | | 1 |
| | | | | | |



Differential pinion seal. (use on differential flange)
When a new seal cannot compensate for excessive damage, this
utra-thin sleeve provides a "new" sealable surface. Instructions and
installation tool are included.


520-500 \$54.99

Speedi-Sleeve




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-----------------------------|---------------|--------------|
| 1 | 268-060 | \$19.99 | U-JOINT, GKN/Hardy-Spicer | 1 | 2 |
| | 268-061 | \$9.49 | U-JOINT, aftermarket | i | 2 |
| 2 | 268-010 | \$25.29 | FLANGE to differential | a ll | 1 |
| 3 | 322-310 | \$0.79 | BOLT to differential flange | 1 | 4 |
| 4 | 310-290 | \$0.69 | NUT, nyloc | J | 4 |
| 6 | 674-925 | \$29.99 | FLANGE to gearbox |) | 1 |
| 7 | 320-395 | \$1.59 | BOLT to gearbox flange | } 1500 | 4 |
| 8 | 310-240 | \$0.39 | NUT, nyloc | J | 4 |
| | | | - | | 41 |


Steering Wheels



| 2 | 408-125 \$49.99 | HORN PUSH, Sprite |) 1 |
|---|------------------|---|---------------------------|
| | 408-135 \$46.99 | HORN PUSH, Midget (with MG logo) | 1 |
| | 667-425 \$0.39 | CLIP, horn push | Carita Mil Mil 2 |
| 3 | 233-215 \$159.99 | SURROUND, LHD (includes slip ring) | Sprite Mkl, Mkll 1 |
| | 233-216 \$159.99 | SURROUND, RHD (includes slip ring) | Midget Mkl 1 |
| 4 | 560-430 \$6.49 | HORN BRUSH | 1 |
| | 667-590 \$19.99 | SLIP RING* | 1 |
| 5 | 263-075 \$5.19 | NUT, steering wheel | J 1 |
| | | *Slin ring has a plasitic hase - remove | e it for this application |




| 1 | 0 | 453-865 | NA | STEERING WHEEL | 1964-'67 | |
|---|----|---------|---------|-------------------------------------|-----------------|---|
| 1 | 11 | 453-960 | NA | STEERING WHEEL (collapsible column) | 1968-'69 | 1 |
| 1 | 12 | 408-155 | NA | HORN PUSH | Sprite 1964-'67 | |
| 1 | 13 | 408-145 | NA | HORN PUSH | Midget 1964-'67 | |
| | | 667-425 | \$0.39 | CLIP, horn push | | (|
| 1 | 14 | 233-205 | \$42.99 | COWL, steering column | 1964-'67 | |
| 1 | 15 | 263-080 | \$9.89 | NUT (solid column) | 1964-'67 | |
| 1 | 16 | 263-085 | \$13.99 | NUT (collapsible column) | 1968-'69 | |
| | | | | | | |



| 20 | 263-720* | NA | STEERING WHEEL* | Midget from GAN5-135882 | 1 |
|----|----------|---------|-----------------------------|--------------------------|---|
| 21 | 408-275 | \$66.99 | CENTERPIECE, steering wheel | fits Midget from 1970-on | 1 |
| 22 | 263-085 | \$13.99 | NUT, steering wheel | Midget thru (c)74885 | 1 |
| | | NA | NUT, steering wheel | Midget from (c)74886-on | 1 |

^{*} This wheel will fit all Midgets from 1970, but does not have cut-outs in the spokes.



Accessory Steering Wheels

Hand crafted steering wheels employ the finest bicolored wood laminations or smooth leather over aircraft quality aluminum frames. Personalize your car with these classic steering wheels. Simply choose the wheel you want and, then order the correct hub for your car.

Wood Rim Steering Wheels

| 489-070 | 14" with 3 Drilled Matte Spokes | \$289.99 |
|---------|----------------------------------|----------|
| 489-060 | 15" with 3 Drilled Matte Spokes | \$289.99 |
| 489-080 | 15" with 3 Slotted Matte Spokes | \$289.99 |
| 454-245 | 15" with 4 Solid Polished Spokes | \$499.99 |

Leather Rim Steering Wheels

| 489-040 | 14" with 3 Drilled Black Spokes | \$229.99 |
|---------|---------------------------------|----------|
| 489-030 | 14" with 3 Drilled Matte Spokes | \$229.99 |
| 489-020 | 15" with 3 Drilled Black Spokes | \$229.99 |
| 489-050 | 15" with 3 Slotted Black Spokes | \$229.99 |

Adaptor Hubs with Emblems - Sprite

| Auaptor | nubs with Emplems - <u>Sprite</u> | |
|---------|--|----------|
| 905-346 | Sprite MkI & II - with 46mm enamelled emblem | \$109.99 |
| 454-368 | Sprite MkIII, IV thru '67 - with 46mm enamelled emblem | \$109.99 |
| 905-478 | Sprite MkIV 1968-69 - with 46mm enamelled emblem | \$179.99 |

Adaptor Hubs with Emblems - Midget

| 905-348 | Midget Mkl - with 46mm enamelled emblem | \$109.99 |
|---------|--|----------|
| 454-366 | Midget MkII, III thru '67 - with 46mm enamelled emblem | \$109.99 |
| 905-468 | Midget MkIII, 1968-69 - with 46mm enamelled emblem | \$179.99 |
| 905-482 | Midget 1970-'77 - with 46mm enamelled emblem | \$89.99 |
| 905-486 | Midget 1978-79 - with 46mm enamelled emblem | \$99.99 |




Classic Steering Wheel

A slightly thicker rim than our other classic wooden wheels for a more positive grip (approx. 28mm or 1.1" in diameter). It also features non-glare matte finish spokes and rich solid mahogany wood. This will fit any of our classic steering wheel adaptor hubs. 489-090 \$289.99

489-090 \$289.9

Steering



| No. | Part No. | Price (each) | Description | Application Qty. Req. |
|----------------|----------------------------------|----------------------------------|--|---|
| Ste | ering C | olumn | 5 | |
| 1 2 3 | 667-600 263-420 280-880 | \$4.49 \$2.89 NA \$4.49 | BUSH, upper, felt BUSH, lower, felt SEAL, steering col. to toe board SEAL, steering col. to toe board | 0 , (, |
| 10 11 | 263-590 | NA \$1.89 | STEERING COLUMN, collapsible (several variations) SEAL | from approx. 1968-on 1 |
| 25 26 27 | 263-600* 542-077* 163-500* | NA \$9.99 \$5.89 | IGNITION SWITCH ASS'Y. IGNITION SWITCH LOCK BARREL w/2 keys | MG from (c)60441-74885 1 AH from HAN9-72034 on 1 |

*U.S.-spec column mounted ignition switches are locking-type. Ignition switch #542-077 is similar to the original, but has Lucar spade terminals in place of the wires found on the original switches. To use this replacement switch, three wires approximately 14" long must be attached to the switch with female Lucar connectors (#161-520). To connect the other ends of these wires to your harness, use wire tips, #162-200, and connectors, #162-000. Parts marked "A" in the illustration are no longer available and must be re-used from your old switch assembly.

| 28 29 | 263-610 263-655 | \$44.99 NA | LOCK & SWITCH ASS'Y (replacement) SWITCH (for orig. ass'ys. only) | MG from (c)74886 to 1 154100 1 |
|----------|--------------------|---------------|--|-----------------------------------|
| | 263-641 | \$94.49 | LOCK & SWITCH ASS'Y, Lucas | 1 |
| | 263-640 | \$44.99 | LOCK & SWITCH ASS'Y, aftermarket | 1 |
| | 263-691 | \$26.49 | SWITCH, Lucas | Midget 1500, 1975 on 1 |
| | 263-690 | \$19.79 | SWITCH, aftermarket | 1 |
| | 163-337 | \$4.99 | KEY BLANK | A/R |
| 30 | 263-700 | \$3.39 | SHEAR BOLT (incl. with assemblies) | 2 |
| | | | | |

The most common causes of steering shake are wheel imbalance, tire belt separation, bad shock absorbers and worn wheel bearings. Harder to find problems arise from loose steering rack mounts and out-of-round brake rotors. The most elusive shake is caused by wear in the steering rack itself. This is an unfamiliar problem just coming into its own, due to the age of the affected cars.

The problem manifests itself in localized intermittent shaking in the steering wheel, and is difficult to sort out as most suspension problems end up being felt through the steering wheel. A clue is afforded by determining which parts of the car are shaking as well as the steering wheel. If the cowl or fenders are shaking, the problem lies with suspension parts, not the rack.

There is much you can do to eliminate shake and shimmy not connected with the rack. See that everything is mounted properly and securely as your safety depends on your steering system being in first class operating condition.


| 13 12 22 20 21 13 15 17a 16 17a 17c 17c 17c 17c 17c | 16 93 7 |
|---|---------|
| 30 30 30 30 30 30 30 30 30 30 30 30 30 3 | 36) |

| No. | Part | Price | Description A | pplication | Qty. |
|-----|---------|----------|---|---------------------------------|-------|
| | No. | (each) | | | Req. |
| Ste | eering | Racks | | | |
| 1 | 668-001 | \$204.99 | STEERING RACK ASS'Y. thru approx. 1967 MG to (c) AH to (c) | | 1 |
| | 668-002 | \$204.99 | STEERING RACK ASS'Y. \(\) MG from | (c)60441 to 1144 (c)72034 on | 86 1 |
| 6 | 120-040 | \$0.99 | | 2)60440, | 1 |
| | 120-050 | NA | > | n (c)60441 to 1144 | 186 1 |
| | | | approx. 1968 - mid '72 🔰 AH from | (c)72034 on | |
| 7 | 260-220 | NA | THRUST WASHER, pinion bottom | 1 | 1 |
| 8 | 260-230 | NA | SHIM, lower pinion bearing, .003" | i | A/R |
| | 260-240 | NA | SHIM, lower pinion bearing, .005" | i | A/R |
| | 260-250 | NA | SHIM, lower pinion bearing, .010" | | A/R |
| 9 | 663-310 | NA | STEERING PINION, w/flat on splines | İ | 1 |
| 9a | 663-300 | \$48.99 | STEERING PINION, w/groove on splines | s | 1 |
| 10 | 663-320 | \$0.39 | THRUST WASHER, pinion top | İ | 1 |
| 11 | 262-190 | \$29.99 | DAMPER PAD, pinion | İ | 1 |
| 12 | 262-120 | \$4.99 | SHIM, .003" | İ | A/R |
| | 260-270 | NA | SHIM, .010" | İ | A/R |
| 13 | 263-040 | \$9.99 | DAMPER PAD, secondary | İ | 1 |
| 14 | 260-330 | NA | TIE ROD ASSEMBLY, inner | all Sprite | 2 |
| 15 | 260-280 | NA | TIE ROD | Midget to | 2 |
| 16 | 260-290 | \$8.69 | SOCKET | GAN5-114486 | 2 |
| 17 | 262-170 | \$13.49 | BALL HOUSING, male | (to mid 1972) | 2 |
| 17a | 262-130 | \$3.29 | SHIM, .003" | 1 | A/R |
| | 262-140 | \$3.29 | SHIM, .005" | l | A/R |
| | 262-150 | \$3.29 | SHIM, .010" | i | A/R |
| 17b | 262-160 | \$22.49 | BALL HOUSING, female | l | 2 |
| 17c | 262-110 | \$9.89 | LOCK WASHER | 1 | 2 |
| 18 | 263-288 | \$19.89 | TIE ROD END, pair | l | 1 |
| 19 | 262-220 | \$1.89 | BOOT, tie rod end | l | 2 |
| 20 | 260-325 | \$15.79 | RACK BOOT SET, replacement, w/ties | i | 1 |
| | 260-320 | \$10.99 | RACK BOOT, orig. type | l | 2 |
| 21 | 263-230 | \$2.29 | CLAMP, large | İ | 2 |
| 22 | 262-200 | \$1.89 | CLAMP, small | J | 2 |
| 30 | 668-000 | \$219.99 | STEERING RACK ASSEMBLY, LHD | | 1 |
| 31 | 668-010 | NA | SHIM, .005" | | A/R |
| | 668-020 | \$0.89 | SHIM, .010" | | A/R |
| 32 | 680-058 | \$12.69 | RACK BOOT SET, 2 boots | MG 1275 from c)114487 & 1500 | 1 |
| 33 | 326-475 | \$1.69 | | mid '72-on) | 2 |
| 34 | 326-410 | \$2.39 | CLAMP, large (passenger's side) | | 1 |
| 35 | 674-870 | \$0.29 | WIRE TIE (driver's side) | | i |
| 36 | 668-040 | \$16.89 | TIE ROD END PAIR | | i |
| 50 | 000-040 | ψιυ.υσ | TIE TOO END I AIR | | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



Front Suspension



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|--|--|--|--|---|---|
| | | | 011001/ 10000000 0 111 | | |
| 1 | 264-000 | | SHOCK ABSORBER, R/H, new | | 1 |
| | 264-005 | | SHOCK ABSORBER, L/H, new | | 1 |
| | 264-015 | | SHOCK ABSORBER, R/H, rebuilt | CV ADCODDED | 1 |
| | 264 025 | \$175.00 \$132.99 | CORE CHARGE FOR 264-015 SHO SHOCK ABSORBER, L/H, rebuilt | OK ADSUNDER | 1 |
| | 204-023 | \$175.00 | CORE CHARGE FOR 264-025 SHO | CK VBCUDBED | ļ |
| 1a | 322-410 | | CLAMP BOLT | UK ADSUNDEN | 2 |
| 2 | 264-055 | | BUFFER, rebound | | 2 |
| 3 | | \$319.99 | WISHBONE/SPRING PAN (British N | Intor Heritage part) | 2 |
| Ü | 264-067 | \$99.99 | WISHBONE/SPRING PAN, aftermar | | 2 |
| | 264-078 | \$229.99 | MAJOR SUSPENSION KIT | <u> </u> | 1 |
| | | • | (includes items marked*) | 948 only | |
| 3a | 264-185 | \$129.99 | SWIVEL PIN REPAIR KIT | drum brakes | 1 |
| | 264-195 | \$\$53.99 | FULCRUM PIN REPAIR KIT § | J | 2 |
| | 264-088 | †\$142.99 | MAJOR SUSPENSION KIT | 1 | 1 |
| | | • | (included items marked†) | 1098, 1275, 1500 | |
| _ | | | | 7 | |
| 3a | 264-205 ⁻ | † \$74.99 | SWIVEL PIN REPAIR KIT | disc brakes | - 1 |
| 3а | | † \$74.99 †§\$53.99 | SWIVEL PIN REPAIR KIT FULCRUM PIN REPAIR KIT § | disc brakes | 1 2 |
| | 264-195 ⁻ | †§\$53.99 | | disc brakes | |
| | 264-195 ⁻ | †§\$53.99 repair kits | FULCRUM PIN REPAIR KIT § | J disc brakes | |
| § Fu | 264-195 ⁻ Ilcrum pin | †§\$53.99 repair kits | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. | Jaisc brakes | 2 |
| § Fu | 264-195 ⁻ Ilcrum pin | †§\$53.99 repair kits *† \$0.99 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" | J | A/R |
| § Fu 3b 4 | 264-195 ⁻ Ilcrum pin 264-086 ⁻ | †§\$53.99 repair kits *† \$0.99 * NA | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN | 948 | A/R 2 2 2 |
| § Fu 3b 4 | 264-195 ⁻ Ilcrum pin 264-086 ⁻ 264-405 | †§\$53.99 repair kits *† \$0.99 * NA † NA | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN | 948 | A/R 2 2 2 2 |
| § Fu 3b 4 4a 5 | 264-195 ⁻ Ilcrum pin 264-086 ⁻ 264-405 | †\$\$53.99 repair kits *† \$0.99 * NA † NA \$31.89 *† \$4.19 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION | 948 | A/R 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 | 264-195 dlcrum pin 264-086 264-405 264-045 311-640 325-330 | †\$\$53.99 repair kits *† \$0.99 * NA † NA \$31.89 *† \$4.19 *† \$1.79 *† \$0.19 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum | 948 | A/R 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 6 | 264-195 dlcrum pin 264-086 ³ 264-405 264-045 ³ 311-640 ³ | †\$\$53.99 repair kits *† \$0.99 * NA † NA \$31.89 *† \$4.19 *† \$1.79 *† \$0.19 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top | 948 | A/R 2 2 2 2 2 2 2 2 2 4 |
| § Fu 3b 4 4a 5 6 | 264-195 264-086 264-405 264-045 311-640 325-330 330-520 | †\$\$53.99 repair kits *† \$0.99 * NA † NA \$31.89 *† \$4.19 *† \$1.79 *† \$0.19 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum | 948 | A/R 2 2 2 2 2 2 2 4 4 |
| \$ Fu 3b 4 4a 5 6 | 264-195 derum pin 264-086 264-405 264-045 311-640 325-330 330-520 264-145 324-395 | *† \$0.99 * NA † NA \$31.89 *† \$1.89 *† \$4.19 *† \$1.79 *† \$0.19 *† \$2.49 *† \$5.59 *† \$2.59 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum | 948 | A/F 2 2 2 2 2 2 4 4 4 4 4 |
| § Fu 3b 4 4a 5 6 7 8 9 | 264-195- llcrum pin 264-086 264-045 311-640 325-330 330-520 264-145 324-395 310-240 | ** \$0.99 * * NA * * NA * * \$31.89 * * \$4.19 * * \$1.79 * * \$0.99 * * \$0.99 * * * * * * * * * * * * * * * * * * | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt | 948 | A/F 2 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| § Fu 3b 4 4a 5 6 7 8 9 | 264-195 clcrum pin 264-086 264-405 264-045 311-640 325-330 330-520 264-145 324-395 310-240 282-305 | ** \$53.99 repair kits * | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone | 948 | A/F 22 22 22 24 44 44 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 | 264-195 llcrum pin 264-086 264-045 311-640 325-330 330-520 264-145 310-240 282-305 264-075 | r\$\$53.99 repair kits '† \$0.99 * NA † \$1.89 '† \$1.79 '† \$1.79 '† \$2.49 '† \$5.59 '† \$5.59 '† \$1.49 '†\$14.79 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN | 948 | A/F 22 22 22 24 44 44 88 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 12 13 | 264-195 clcrum pin 264-086 264-405 264-045 311-640 325-330 330-520 264-145 310-240 282-305 264-075 328-455 | ************************************** | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG | 948 | A/F 2 2 2 2 2 2 4 4 4 4 4 8 8 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 12 13 | 264-195 clcrum pin 264-086 264-405 264-045 311-640 325-330 520 264-145 324-395 310-240 282-305 264-075 328-610 328-610 | ** \$53.99 repair kits ** \$0.99 ** NA ** \$1.89 ** \$4.19 ** \$1.79 ** \$2.19 ** \$5.59 ** \$2.59 ** \$0.39 ** \$1.49 ** \$1.40 ** | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE | 948 | A/F 2 2 2 2 2 4 4 4 4 4 8 8 2 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 12 13 14 | 264-195 clerum pin 264-086 264-405 264-045 311-640 325-330 30-520 264-145 324-395 310-240 282-305 264-055 328-610 328-014 28-014 282- | * \$53.99 repair kits * \$0.99 * NA \$31.89 * \$4.19 * \$0.19 * \$0.19 * \$1.55 * \$2.59 * \$0.39 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.69 * \$1.69 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE PLUG, blanking | 948 1098, 1275, 1500 | A/F/ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 12 13 14 | 264-195 clcrum pin 264-086 264-405 264-045 311-640 325-330 330-520 264-145 324-395 310-240 282-305 28-014 021-184 221-184 | * \$53.99 repair kits * \$0.99 * NA \$1.89 * \$4.19 * \$0.19 * \$0.19 * \$2.59 * \$0.39 * \$1.49 * \$1.49 * \$1.49 * \$1.69 * \$1.69 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE PLUG, blanking BUSH, lower‡ | 948 1098, 1275, 1500 | A/F 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| § Fundamental State § Fundamental State 3 | 264-195 clerum pin 264-086 264-405 264-045 311-640 325-330 30-520 264-145 324-395 310-240 282-305 264-055 328-610 328-014 28-014 282- | * NA * NA * 1, \$31.89 * \$4.19 * \$0.19 * \$1.79 * \$5.59 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.49 * \$1.55 | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE PLUG, blanking BUSH, lower‡ BUSH, lower‡ | 948 1098, 1275, 1500 948 1098, 1275, 1500 | A/F 2 2 2 2 2 2 4 4 4 4 8 8 2 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 6 7 8 9 10 11 12 13 14 | 264-195 clerum pin 264-086 264-045 311-640 325-330 520 264-145 310-2405 282-305 282-305 282-305 328-610 328-014 330-400 330-400 330-400 330-400 330-400 330-400 330-400 330-400 330-400 330-400 330-400 328-014 330-400 330-400 328-014 330-400 330-400 328-014 330-400 330-400 328-014 330-400 328-014 330-400 328-014 330-400 330-400 328-014 330-400 300 300-400 300 300 300 300 300 300 300 300 300 | ************************************** | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE PLUG, blanking BUSH, lower‡ BUSH, lower‡ BUSH, lower‡ | 948 1098, 1275, 1500 948 1098, 1275, 1500 948 | A/R 2 2 2 2 2 2 4 4 4 4 8 8 2 2 2 2 2 2 2 2 |
| § Fu 3b 4 4a 5 66 7 8 9 10 11 12 13 14 15 16 | 264-195 clcrum pin 264-086 264-045 311-640 325-330 330-520 264-145 324-395 310-240 282-305 328-610 328-014 330-400 330-540 330-540 330-540 330-540 328-014 330-540 300 300-540 300-540 300-540 300-540 300-540 300-540 300-540 300-54 | ************************************** | FULCRUM PIN REPAIR KIT § include #5-14, 19-19b, 21-24. SHIM, .008" SWIVEL PIN SWIVEL PIN TRUNNION PIN, upper fulcrum NUT COTTER PIN for nut BUSH, top BOLT with washer, inner fulcrum WASHER, inner fulcrum NUT, inner fulcrum bolt BUSH, wishbone FULCRUM PIN PLUG GREASE NIPPLE PLUG, blanking BUSH, lower‡ BUSH, lower‡ | 948 1098, 1275, 1500 948 1098, 1275, 1500 | A/F 2 2 2 2 2 2 4 4 4 4 8 8 2 2 2 2 2 2 2 2 |

| Note: ‡ These bushes must be reamed or honed to fit the swivel | pin being installed in |
|---|------------------------|
| the swivel axle. Consult workshop manual for instructions and d | mensions. |

| No. | Part No. | Price | Description | | Qty. |
|-----|---------------------|------------------|--|---------------------------|------|
| | NO. | (each) | | • | leq. |
| 19 | 264-445* | + \$2 29 | PIN | | 2 |
| | 324-010* | | LOCKWASHER | | 2 |
| | 310-040* | | NUT | | 2 |
| 20 | | t NA | SEAL | | 2 |
| 21 | 264-425* | † \$1.39 | SEAL, small cork | | 2 |
| 22 | 264-435* | † \$1.19 | SEAL, large cork | | 2 |
| 23 | 328-505* | † \$0.89 | GREASE NIPPLE, top | | 2 |
| 24 | 328-500* | † \$0.89 | GREASE NIPPLE, bottom | | 2 |
| 25 | | NA | HUB, disc wheel | drum brakes | 2 |
| | 264-245 | \$109.99 | HUB, disc wheel | disc brakes | 2 |
| 26 | 264-225 | \$131.99 | HUB, R/H, wire wheels, 12 tpi | CSprite MkII | 1 |
| | 264-235 | \$131.99 | HUB, L/H, wire wheels, 12 tpi | ∫ Midget MkI | 1 |
| | 264-255 | \$129.99 | HUB, R/H, wire wheels, 8 tpi | from Sprite MkIII, | 1 |
| | 264-265 | \$129.99 | HUB, L/H, wire wheels, 8tpi | ∫ Midget MkII | 1 |
| 27 | 310-085 | \$4.99 | NUT | | 2 |
| 27a | 325-440 | \$0.19 | COTTER PIN | | 2 |
| 27b | 264-952 | \$2.39 | WASHER | | 2 |
| 28 | 264-515 | \$7.79 | GREASE CAP, disc | | 2 |
| 29 | 662-030 | \$5.69 | GREASE CAP, wire | | 2 |
| 30 | 264-625 | \$11.99 | BEARING SPACER | | 2 |
| | 125-825 | \$119.99 | WHEEL BEARING KIT IMMOREINF | | 2 |
| | | | These are "face adjusted" to the | |) |
| | | | Kit includes 2 bearings and 1 oil | l seal. | |
| 35 | 126-010 | | BEARING, outer | | 2 |
| 36 | 126-020 | | BEARING, inner | | 2 |
| 37 | 120-910 | \$2.49 | OIL SEAL | - 14 45 15 | 2 |
| 20 | •See pag 264-415 | | nportant bearing information and a | drum brakes | 8 |
| 38 | 264-415 | \$3.89 \$3.19 | STUD, disc wheels | disc brakes | 8 |
| 39 | 264-215 | \$1.19 | STUD, disc wheels LUG NUT, plain, disc wheels | uist biakes | 8 |
| 40 | 264-215 | \$2.79 | NUT, chrome for Rostyle wheels | | 8 |
| +0 | 264-156 | \$8.99 | NUT, stainless steel for Rostyle | | 8 |
| 42 | 322-077 | \$2.79 | BOLT. rear | WIIGGIS | 2 |
| 43 | 322-077 | \$3.29 | BOLT, front | | 2 |
| 44 | 115-009 | \$2.79 | LOCKTAB | | 2 |
| 45 | 264-275 | NA | SWIVEL AXLE, R/H | 1 1098, 1275, 1500 | 1 |
| | 264-285 | NA | SWIVEL AXLE, L/H | disc brakes | 1 |
| | _ | | | | |

moss

MOSS MOTORS, LTD. 1-800-667-7872

| No. | Part No. | Price (each) | Description | | eq. |
|-----|-------------|-----------------|-------------|--|-----|
| 46 | 265-590 | \$51.99 | SPRING | to HAN8-58380, GAN3-46040 | 2 |
| | 265-610 | \$37.99 | SPRING | { from HAN8-58381 on GAN3-46041 to GAN6-171477 | 2 |
| | 265-620 | \$53.99 | SPRING | GAN6-171478 on | 2 |

More spring options are listed in the color section at the front of this catalog.

| 47 | 264-295 | \$5.39 | SUSPENSION BUFFER | | 2 |
|----|---------|----------|------------------------------|-------------|---|
| 48 | 264-305 | \$28.89 | SPRING SEAT | | 2 |
| 49 | 264-665 | \$21.99 | LOWERING KIT lowers car ap | prox. 1/2" | 1 |
| 50 | 264-105 | \$139.99 | SWAY BAR (anti-roll bar), 9/ | 16" | 1 |
| 51 | 264-115 | \$12.89 | LINK, R/H | | 1 |
| 52 | 264-125 | \$12.89 | LINK, L/H | | 1 |
| 53 | 264-135 | \$6.19 | BRACKET | | 2 |
| 54 | 280-920 | \$1.39 | RUBBER MOUNT for 9/16" sv | way bar | 2 |
| 55 | 263-430 | \$0.89 | STRAP | | 2 |
| 56 | 263-778 | \$4.89 | LOCATOR PAIR with hardwar | ·e | 2 |
| 57 | 264-638 | \$26.69 | DUST TUBE KIT | drum brakes | 2 |
| 58 | 264-315 | \$6.99 | DUST TUBE, upper | $\}_{all}$ | 2 |
| 59 | 264-655 | \$0.39 | SPRING, dust tubes | J an | 2 |
| 60 | 264-635 | NA | DUST TUBE, lower | drum brakes | 2 |
| | 264-645 | \$10.99 | DUST TUBE, lower | disc brakes | 2 |
| 62 | 322-076 | \$1.69 | BOLT, shock mounting | | 6 |
| 63 | 324-040 | \$0.29 | LOCKWASHER | | 6 |
| 64 | 324-860 | \$0.19 | WASHER, flat | | 6 |
| | | | | | |



"Suplex" Lowered Coil Springs

For chrome bumpered cars, these springs slightly lower the ride height while providing a useful increase in spring rate to 340 lbs./in. Made in Germany from chome-silicon steel for lighter weight and greater fatigue resistance.

264-606 \$154.99 pair

More spring options are listed in the color section at the front of this catalog

Front suspension Lowering Kit

This kit contains special spacers which install between the wishbone/spring pan

and the spring seat to lower your front suspension one half inch. Works with all springs. Kit includes spacers and bolts for both sides. **264-665 \$21.99**

Nylatron Upper Trunnion Bushes

Nylatron bushings firmly locate your front suspension and eliminate unnecessary movement. Standard camber trunnion bushings are a direct replacement for your original bushings. The negative camber bushings are designed primarily for competition purposes and give improved steering and braking control. Sold individually, 4 required per car.

Standard Camber Bushing 264-585 \$24.99 Negative Camber Bushing 264-595 \$24.99



The 3/4" sway bar is an excellent compromise for both fast road, and competition use. Increased front sway bar diameter reduces body roll and understeer which in turn gives better handling control.

| 3/4" Sway bar | 264-555 | \$189.99 |
|----------------------------|---------|----------|
| Bushing, rubber (2 req'd.) | 280-915 | \$2.19 |
| Bushing Pair, polyurethane | 683-062 | \$19.99 |
| Strap (2 req'd.) | 263-430 | \$0.89 |



Solid Sway Bar Mounts

Machined aluminum mounts may be employed for road use, but were primarily designed for competition purposes. Some increase in road noise can be expected. Use with 3/4" bars. Sold as a pair.

263-435 \$79.99

LOCAL & OVERSEAS: 805-681-3400
FAX: 805-692-2525 www.mossmotors.com



Front Suspension

Front Suspension Advice


The front suspension will give good service if kept clean and lubricated. Few cars receive this level of attention, and inspection is impossible without a thorough cleaning. Front end condition should be considered before purchasing a car.

There should be no play in the steering or hub assemblies. Inspect the tie rod ends, hubs and uprights. The front end must be raised. Allow the suspension to hang by placing jack stands on the frame next to the engine or under the rocker panels. Have someone turn the steering wheel from lock to lock while you observe the tie rod ends, which must not have any free play.

Lower king pin bushes and fulcrum pin and wishbone attachments wear out. Grasp the wheel at top and bottom and rock back and forth. (Figure A) Observe any clearance at the king pin and fulcrum pin. If the wheel rocks but there is no "gap" at the fulcrum pin, the hub bearings must be inspected. (Figure B)

All cars eventually need a front end rebuild. The use of new parts is best, as the fulcrum pin often fuses to the wishbone. Few of these parts are reusable.


Severe wear on the lever link is a problem with the single arm shocks. Check tby removing the upper link and wiggling the arm back and forth (Figure C). If fluid leaks from the the shaft seals, replace the shocks and top bushes.



"Stiff steering" can be caused by hardened grease in the lower king pin bushes.

Temporary improvement can be made by removing the grease fittings and applying heat to melt out hardened grease. Work the steering from lock to lock while heating. When the joints seem "free", install new fittings and pump grease through the bush. Grease a second time after the joints are cold.

Replacement of the drive shaft is difficult and frustrating as you cannot reach nor see down the tunnel to guide the front flange. Support the front joint with a couple of pieces of cardboard or styrofoam placed across the coupling to hold the flange relatively straight. The spine is then easily mated to the transmission.



Front Wheel Bearings

Front wheel bearings are thrust bearings; if installed backwards, the hubs may come loose from the axles. Bearings marked "thrust" on the outer race must have this marking face the bearing spacer. Bearings marked "thrust" on the inner races must be installed with the "thrust" marking away from the bearing spacer. Bearings with no "thrust" markings must be installed with the thicker edge of the outer races facing toward the bearing spacer. The illustration above shows the correct orientation of different available bearings. Note the orientation of the thrust (thick) and non-thrust (thin) sides of the bearing races.



Tapered Roller Bearing Set

The standard front hub bearings are angular contact ball bearing type, which works well but does not allow for any adjustment as the bearings wear. Taper bearings provide better support. Our tapered bearing kit includes high quality bearings, seals, shims, split pin and nut and utilizes the standard spacer for a simple

installation. The larger bearing has the correct 2mm fillet radius to allow proper fitment on the stub axle and has been specially manufactured to allow the hub to sit in the correct position so the caliper does not interfere with the disc. One kit does both sides.

125-822 \$69.99

Shock Absorber Fluid

Don't risk damaging your shocks with the wrong type of hydraulic oil! This is the factory-recommended Armstrong fluid for all Triumph lever type shock absorbers. Available in 16 oz. plastic bottle.

220-304 \$17.99



Rear Suspension

| No. | Part No. | | Description | Application | Qty. Rea. |
|------|-------------|--------|-------------|-------------|--------------|
| 140. | No. | (each) | Description | Аррисации | |

1/4 Elliptic System

| | - | _ | | | |
|----|------------|-------------|------------------------------------|---------------------|---|
| 1 | 265-460 | NA | SPRING ASSEMBLY, standard | 15 leaves | 2 |
| | 265-630° | * \$88.99 | SPRING ASSEMBLY, heavy duty | * 10 leaves | 2 |
| | *Will rais | e ride heig | ht 2 to 3 inches. This is the only | spring available. | |
| 2 | 680-960 | \$6.49 | BUSH, silentbloc (supplied wi | th spring) | 2 |
| 3 | 282-220 | \$5.89 | BUMP RUBBER | . •, | 2 |
| 4 | 265-600 | \$8.89 | SPRING PLATE | | 2 |
| 5 | 265-570 | \$33.99 | U-BOLT | | 2 |
| | 310-400 | \$0.79 | NUT, U-bolt | | 4 |
| 6 | 265-380 | \$38.99 | RADIUS ARM |) Sprite Mkl & Mkll | 2 |
| 7 | 265-390 | \$9.79 | BUSH | Midget Mkl | 4 |
| 8 | 265-400 | \$189.99 | SHOCK ABSORBER, new L/H | | 1 |
| | 265-410 | \$189.99 | SHOCK ABSORBER, new R/H | | 1 |
| 9 | 265-420 | \$27.49 | LINK, shock absorber | | 2 |
| 10 | 267-610 | \$5.99 | CHECK STRAP, stock type | | 2 |
| | 267-611 | \$34.99 | CHECK STRAP PAIR, nylon | | 1 |
| | | | | | |



Safety Knock-Off Wrench


This cleverly designed long handle wrench allows you to tighten or remove octagon "safety" or "eared" spinners without a hammer. Stores easily in the trunk.

"Safety Knockoff" Wrench "Eared Knockoff" Wrench 386-125 \$53.99 386-115 **Fabric Wrench Cover** \$21.99



Prevent damage to knock-offs with this multi-ply wooden wrench. 386-165 \$29.89





| No. Part Price Description App No. (each) | olication Qty. Req. |
|--|---|
| | |
| 1/2 Elliptic System | |
| 264-685 \$199.99 | 3 MkII & MkIII 2 1 MkIII & MkIV 2 2 get 1500 2 gs) 2 4 4 4 4 8 8 1 1 1 8 2 2 8 thru 1275 1 dget 1500 1 dget from MkII on rite from MkIII on 1 1 2 2 2 2 |

Lowered Rear Leaf Springs

Lowered springs are preferred to blocks and long U-bolts because they provide better location of the rear axle. Our 1" lowered springs are perfectly suited to fast road use. The 2" springs are appropriate for the track. Fit chrome-bumpered cars only from 1964-'74.

1964-'74 Rear Leaf Spring, 1" Lowered 264-685 \$199.99 1964-'74 Rear Leaf Spring, 2" Lowered 264-705 \$209.99



Don't risk damaging your shocks with the wrong type of hydraulic oil! This is the factory-recommended Armstrong fluid for all Sprite & Midget lever type shock absorbers. Available in 16 oz. plastic bottle.

220-304





Conversion Kit

Fits 1964 to 1974 chrome bumper models. These kits contain the Spax adjustable gas filled shocks (adjustable from the outside), with new lower spring plates that incorporate an angled mounting flange. Installation is easy, and instructions are included. 264-675 \$499.99



MOSS MOTORS, LTD. TOLL-FREE ORDERS 1-800-667-7872



Bright Trim Ring Set

Deluxe, polished stainless steel trim rings. Our trim rings install in seconds and provide an attractive accent to your Rostyle disc wheels. Sold as a set of 4.

453-048 \$113.99

Inner Tubes and Rim Bands

Top quality heavy-duty tube designed for use with radial tires and have rubber covered valve stems. (Can be used with bias-ply tires.) 145/155/165 x 13" Inner Tube 452-736

\$19.99 ea.

We offer high quality vulcanized rubber rim bands to prevent spoke and nipple ends from chafing your inner tubes.

13" Rim Band

452-730 \$9.69 ea.



Bolt-On Sport Wheels

Exact replica of the original Mini-lite wheel is an alternative to steel wheels. Give your British sports car a modern, aggressive look. Wheels bolt on using lug nuts listed below

| 0 0 | \$159.99 |
|---------|--------------------------------------|
| | \$2.79 ea. |
| 264-156 | \$8.99 ea. |
| 264-465 | \$3.79 ea. |
| | 453-065 264-155 264-156 |



The correct shade of silver-grey for your disc or wire wheels. 220-560 \$21.69





1500 Jack

Original style jack for use or to complete your show car. (May be used on earlier Sprites & Midgets.)

386-920 \$179.99



Early Type Jack Bag

Styled like the original factorysupplied jack bag made from heavy duty jute-backed vinyl. Complete with straps and buckles, Keeps the jack from banging around, a must for the restored car.


386-930 \$49.99

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



386-155

Wheels & Tools




| | 6 | | | 22 23 | |
|-----|-------------|-----------------|-----------------------------|---------------------------------|------------|
| P | <i>_y</i> | | • | ų J | |
| No. | Part No. | Price (each) | Description | | ty. eq. |
| 1 | | NA | WHEEL, steel, vented | 948 | 5 |
| 2 | 455-450 | NA | WHEEL, steel, non-vented | 1098 | 5 |
| 3 | 264-215 | \$1.19 | LUG NUT, plain, disc wheels | | 16 |
| 4 | 200-340 | \$68.99 | HUBCAP, "AH" | 948 & 1098 | 4 |
| 5 | 200-350 | \$61.99 | HUBCAP, plain, for Midget | J 946 & 1096 | 4 |
| 6 | 455-455 | NA | WHEEL, Rostyle | 1275 | 5 |
| 7 | 455-460 | NA | WHEEL, Rostyle | 1500 | 5 |
| 8 | 264-155 | | NUT, chrome | | 16 |
| | 264-156 | | NUT, stainless steel | > | 16 |
| 9 | 462-765 | | HUBCAP | Rostyle wheels | 4 |
| | 462-745 | \$2.59 | MG EMBLEM, hubcap | J | 4 |
| 10 | 386-035 | \$19.99 | LUG WRENCH | disc wheels | 1 |
| 11 | 454-675 | \$259.99 | WIRE WHEEL, painted | 1 | 5 |
| 12 | 200-370 | \$5.89 | SPOKE, long, plain | 13 x 4", 60 spoke | 20 |
| 13 | 200-380 | \$5.89 | SPOKE, short, plain | Quantities are per wheel | 40 |
| 14 | 200-050 | \$0.89 | NIPPLE, plain | J | 60 |
| | 454-685 | \$355.99 | WIRE WHEEL, chromed |) | 5 |
| | 200-390 | • | SPOKE, long, chromed | 13 x 4", 60 spoke | 20 |
| | 200-400 | \$8.99 | SPOKE, short, chromed | Quantities are per wheel | 40 |
| | 200-052 | \$1.89 | NIPPLE, chromed | J . | 60 |
| 15 | 385-800 | \$10.29 | SPOKE WRENCH | wire wheels | 1 |
| 16 | 200-290 | \$47.99 | KNOCK-OFF, R/H, eared | ↑ Sprite MkII | 2 |
| | 200-280 | \$47.99 | KNOCK-OFF, L/H, eared | ∫ Midget MkI (12 t.p.i.) | 2 |
| | 674-670 | \$47.99 | KNOCK-OFF, R/H, eared | 7 from Sprite MkIII | 2 |
| | 674-680 | | KNOCK-OFF, L/H, eared | Midget MkII (8 t.p.i.) | 2 |
| 17 | 200-320 | \$46.99 | KNOCK-OFF, R/H, octagonal | 1 | 2 |
| | 200-310 | \$46.99 | KNOCK-OFF, L/H, octagonal | }12 t.p.i. | 2 |
| | 310-315 | NA | KNOCK-OFF, R/H, octagonal | 7 "MG" crested | 2 |
| | 310-305 | NA | KNOCK-OFF, L/H, octagonal | } 12 t.p.i. | 2 |
| | | | | | _ |
| | 462-740 | | KNOCK-OFF, R/H, octagonal | } 8 t.p.i. | 2 |
| | 462-730 | \$46.99 | KNOCK-OFF, L/H, octagonal | J • | 2 |
| 18 | 386-030 | \$7.49 | SPANNER, octagonal knock-o | ffs | 1 |
| 19 | 386-000 | \$46.99 | HAMMER, copper/copper face | es, 1 lb. | 1 |
| | 386-110 | \$57.99 | HAMMER, copper/rawhide fac | ces, 2 lbs. | 1 |
| 20 | 385-950 | \$47.99 | STRAP SET, spare tire | Bugeye | 1 |
| 21 | 386-135 | NA | CLAMP, spare wheel | std. steel wheels 1961-'67 | 1 |
| 22 | 386-145 | NA | CLAMP, spare wheel | Rostyle wheels 1970-'80 | 1 |
| 00 | 000 455 | B I A | CLAMD anama wheel | uning unbagle 1001 100 | - |

CLAMP, spare wheel

wire wheels 1961-'80

Brake Hydraulics

Brake fluid and brake service tools are listed in the color section at the front of this catalog.




| No. | Part No. | Price (each) | Description | Application | Qty. Rea. |
|-----|-------------|-----------------|-------------|-------------|--------------|
| | 140. | teacm | | | neu. |

Brake Hydraulics - 948 & 1098

| 1 | 180-672 \$239.99 | MASTER CYLINDER, 7/8", AP Braki | ng 🕽 | 1 |
|---|-----------------------|--------------------------------------|-------------------------|---|
| | 180-670 \$104.99 | MASTER CYLINDER, 7/8", TRW | 948 drum brakes | 1 |
| | 180-673 \$69.99 | MASTER CYLINDER, 7/8", Classic (| Gold J | 1 |
| | 180-555 \$163.99 | MASTER CYLINDER, 3/4", TRW | 1098 front disc brakes | 1 |
| 2 | 180-971* \$44.99 | REPAIR KIT, 7/8", AP Braking | \ 948 | 1 |
| | 180-970* \$9.99 | REPAIR KIT, 7/8", aftermarket | J 940 | 1 |
| | 180-565* \$11.79 | REPAIR KIT, 3/4", aftermarket | 1098 | 1 |
| | * These renair kits i | may include either a renlacement tyr | ne hrake cylinder check | |


| | • | al type rubber cup for the orig | , , |
|---------|--------|---------------------------------|-----|
| 180-210 | \$4.49 | CAP, plastic replacement |) |

| 3 4 5 6 7 | 180-210 180-211 180-451 323-500 180-275 180-270 | \$4.49 \$14.79 \$2.99 \$0.99 \$12.99 \$1.49 | CAP, plastic replacement CAP, metal (as original) WASHER, cap (metal cap) SCREW, front & top covers COVER GASKET | 948 & 1098 | 1 1 1 9/7 1 |
|-----------------------|--|--|---|---------------------|-------------------------|
| 8 | 180-030 | \$4.79 | SPRING | 948 | 2 |
| | 181-710 | NA | SPRING | 1098 | 2 |
| 10 11 | 180-020 180-010 | \$1.39 NA | GASKET PLATE |) | 1 |
| 12 | 180-305 | \$11.89 | PUSH ROD, drum brakes, 4-1/8" | 1 | 2 |
| | 100 000 | NA | PUSH ROD, disc brakes, 3-11/16" | 948 & 1098 | 2 |
| 13 | 180-315 | \$6.99 | FORK | | 2 |
| 14 | 180-325 | \$4.49 | CLEVIS PIN | 1 | 2 |
| 15 | 180-335 | \$3.29 | SPRING, pedal return | J | 2 |
| 20 | 141-700 542-110 | \$7.99 \$6.59 | SWITCH, brake light, screw conn. SWITCH, brake light, spade conn. | Bugeye 948, 1098 | 1 1 |
| 21 | 180-230 | \$31.89 | UNION, 4-way plus switch | , | 1 |
| | 180-090 | \$8.49 | UNION, 3-way, rear | | 1 |
| | 322-247 | \$0.49 | BOLT, union to frame | | 1 |
| | 324-020 | \$0.20 | LOCKWASHER for bolt | | 1 |
| 22 | 280-930 | \$1.49 | PEDAL PAD, brake & clutch | | 2 |



Pedal Box Seals

| 24 25 26 27 28 | 280-085 280-125 280-125 280-127 280-126 280-128 | \$1.39 \$2.69 \$2.69 \$2.39 \$2.69 \$3.39 | EXCLUDER, fume & dust SEAL, pedal box to firewall SEAL, pass. side blanking plate SEAL, top cover SEAL, pedal box to firewall SEAL, bottom blanking plate | }948 & 1098 all 1275 & 1500 | |
|----------------------------|--|--|---|-----------------------------------|--|
| 28 29 | 280-128 280-129 | \$3.39 \$22.89 | SEAL, bottom blanking plate TOP COVER | J 12/5 & 1500 | |




| No. | Price (each) | Description | Application | Qty. Req. |
|-----|-----------------|-------------|-------------|--------------|
| | | | | |

Brake Hydraulics - 1275 & 1500

| 30 31 32 | 180-584 180-585 180-586 180-875* 180-985* *See illus 180-210 | NA \$59.99 \$5.29 \$6.29 | MASTER CYLINDER, Lockheed MASTER CYLINDER, AP Braking MASTER CYLINDER, aftermarket REPAIR KIT, cyls. not marked* REPAIR KIT, marked cyls.* low. Repair kits fit orig. cyls. only. CAP, plastic (orig. cylinders only) | (metal reservoir as orig.) (plastic reservoir) some 1967 cars single line system | 1 1 1 1 |
|----------------|--|-----------------------------------|---|---|----------|
| 36 | 180-345 | \$109.99 | MASTER CYLINDER, TRW/Lucas |) | 1 |
| | 180-347 | \$48.99 | MASTER CYLINDER, aftermarket | | 1 |
| 37 | 180-205* | \$16.99 | REPAIR KIT * | | 1 |
| *Rep | air Kit fits L | ockheed, <i>i</i> | AP, TRW & Lucas master cylinders or | nly. | |
| | | | r cylinder is very difficult without dam | | |
| | | • | ch are not available. We suggest no | dual line system | |
| | mpt be mad | | | | |
| 38 | 180-215 | \$15.99 | CAP | | 1 |
| 39 | 181-695 | NA CO OO | PUSH ROD | | 1 |
| 40 | 325-135 | \$0.99 | CLEVIS PIN | | <u>'</u> |
| 45 | 329-350 | \$1.99 | SPRING, pedal return | 1275 & 1500 | 2 |
| 46 | 542-110 | \$6.59 | SWITCH, brake light, spade conn. | 1275 (1967) | 1 |
| 47 | 181-980 | \$7.99 | SWITCH, brake light |] 1075 from 1000 1500 | 1 |
| | 310-070 | \$0.39 | JAM NUT for switch | }1275 from 1968, 1500 | 1 |
| 48 | 141-710 | NA | P.D.W.A. ASS'Y., brass | 1275 & 1500 thru 1975 | 1 |
| | 141-720 | NA | P.D.W.A. ASS'Y., cast iron | 1500 from 1976-on | 1 |
| 49 | 542-115 | \$57.99 | SWITCH for cast iron ass'y. | | 1 |
| | 141-725 | \$54.99 | SWITCH for brass ass'y. | | 1 |
| | 181-995 | \$13.99 | REPAIR KIT for original assy's. wi | th "0"-ring seals | 1 |
| | 181-985 | \$34.99 | REPAIR KIT for original assy's. wi | th lip type seals | 1 |
| | | | (has new shuttle and replacement | o-rings to replace orig. pa | |
| 50 | 280-930 | \$1.49 | PEDAL PAD, brake & clutch | | 2 |
| 51 | 180-230 | \$31.89 | UNION, 4-way plus switch | 1275 single line system | 1 |
| | 180-090 | \$8.49 | UNION, 3-way, rear | | 1 |


Note: 1967 single line systems used either one of two master cylinders. The earlier has no identifying marking. The later has either of the markings shown below. The master cylinder assemblies are interchangeable, but the internal parts are not.



moss

MOSS MOTORS, LTD. 1-800-667-7872





Brake Pipe Sets

Moss brake pipe sets are made in England of high-strength corrosion resistant coppernickel alloy tubing. Pipes are supplied coiled, but are much easier to bend smoothly and correctly than steel. All pipes come with end fittings and flares, and are individually coded to the instruction sheet so there is no doubt as to where they fit on your car. Note: These pipes have modern universal standard flares which are totally compatible with the original fittings.

| 184-008 | \$139.99 | BRAKE PIPE SET | Bugeye | 1 |
|---------|----------|----------------|---------------------------------------|---|
| 184-018 | \$149.99 | BRAKE PIPE SET | Sprite MkII, Midget MkI (drum brakes) | 1 |
| 184-028 | \$139.99 | BRAKE PIPE SET | 1963-'67 (disc brakes) | 1 |
| 184-038 | \$149.99 | BRAKE PIPE SET | 1968-1974 | 1 |
| 184-048 | \$149.99 | BRAKE PIPE SET | Midget 1500 | 1 |

182-198



Brake Pipe Bending Tool


Smooth bends on small diameter tubing such as brake lines are an important hallmark of quality craftsmanship. Give yourself an edge with our specialty tubing bender which will give you smooth bends in 3/16, 1/4, 5/16, and 3/8 inch tubing. 385-905 \$20.99

Braided Stainless Steel/Teflon Brake Hose

These competition-inspired brake hose sets meet all DOT safety standards and are street legal in all 50 states. Each set includes all brake hoses used on your car, with any required retaining nuts and/ or copper sealing washers.

| Goodridge bran | nd (England) |
|-----------------|-------------------------|
| Sprite-Midget (| with front drum brakes) |

| Sprite-Midget (with front disc brakes) | 182-248 | \$78.99 |
|--|---------|---------|
| Cobalt brand (USA) | | |
| Sprite-Midget (with front drum brakes) | 180-358 | \$74.99 |





\$78.99

Brake Fluids

Choose the brake fluid your car needs. Genuine Lockheed Brake Fluid is compatable with all British brake systems. Silicone fluid won't harm paint, and doesn't absorb moisture, as do conventional fluids. (If changing from one type to the other, flush your brake system thoroughly with the "new" type of brake fluid.)

Lockheed Brake Fluid 500 ml. 220-400 \$6.99


Silicone Brake Fluid 1 liter 220-412 \$24.99

Castrol Brake Fluid, 12 oz. 220-455 \$6.59




LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com





| No. | Part No. | Price (each) | Description | Application Qty. Req. |
|-----------------------------|---|----------------------------|--|--|
| Ha | ndbrake | | | |
| 5 6 7 8 9 10 | 331-660 325-140 325-130 325-455 328-500 331-666 182-720 | \$0.89 \$0.89 | HANDBRAKE CABLE CLEVIS PIN, cable to handle CLEVIS PIN, cable to lever CLEVIS PIN, cross-rods to lever GREASE NIPPLE BRACKET, lever support TRUNNION | 948 thru 1500 (c)182000 2 1 1 |
| 15 | | NA | LINK ROD PAIR | Sprite thru HAN6-20792 Midget thru (c)13554 |
| | 331-668 | \$44.99 | LINK ROD PAIR (adjustable) SM (for disc or wire wheels) | prite from HAN6-20793 1 lidget (c)13555 thru 182000 |
| 16 | 325-135 | \$0.99 | CLEVIS PIN, outer ends of rods | (all except 1500) 2 |
| 20 | 331-670 331-680 | \$19.79 \$39.89 | HANDBRAKE CABLE ASSEMBLY disc wheels HANDBRAKE CABLE ASSEMBLY wire wheels | 1 1 1500 from (a)193001 on |
| 21 22 23 | 325-135 325-255 182-345 | \$0.99 \$0.89 \$1.89 | CLEVIS PIN, cable to handle CLEVIS PIN, cable to wheel STRAP, handbrake cable to axle | 1500 from (c)182001 on 1 2 1 |

Front Brakes




| No. | Part | | Description | Application | Qty. |
|-----|------|--------|-------------|-------------|------|
| | No. | (each) | | | Req. |

948 Front Brakes

| 1 | 180-355 | \$26.99 | HOSE, front, Delphi-Lockheed | 2 |
|-----|-------------|------------------|---|-----|
| | 180-356 | \$13.89 | HOSE, front, aftermarket | 2 |
| 2 | 324-730 | \$0.39 | WASHER, copper | 2 |
| 3 | 181-660 | \$2.39 | LOCKING PLATE | 2 |
| 4 | 310-070 | \$0.39 | JAM NUT | 2 |
| 5 | 324-045 | \$0.24 | LOCKWASHER | 2 |
| 6 | 181-885 | \$29.99 | BRAKE DRUM, front, premium repro. | 2 |
| | 181-887 | \$18.69 | BRAKE DRUM, front, Classic Gold | 2 |
| 7 | 182-120 | \$17.49 | BRAKE SHOE SET, front | 1 |
| 8 | 323-250 | \$0.39 | SCREW, front drum to hub | 4 |
| 9 | 181-975 | \$1.19 | PLUG, front & rear drums | 4 |
| 10 | 180-640† | \$26.99 | WHEEL CYLINDER, R/H front, Delphi-Lockheed | 2 |
| | 180-641† | \$15.69 | WHEEL CYLINDER, R/H front, aftermarket | 2 |
| | 180-650† | \$26.99 | WHEEL CYLINDER, L/H front, Delphi-Lockheed | 2 |
| | 180-656† | \$15.69 | WHEEL CYLINDER, L/H front, aftermarket | 2 |
| | † All curre | nt cylinde | rs use lip type seals. Rebuild kits are not available for the | se. |
| 11 | 180-458 | \$56.99 | REBUILD KIT, 4 cylinders (orig. cyls. w/cup seals) | 1 |
| 1.1 | 100-450 | φυυ.99 Φ14.00 | DEDUILD KIT, 4 cylinders (orig. cyls. w/cup seals) | 1 |

| | † All curr | ent cylinde | ers use lip type seals. Rebuild kits are not available for the | iese. |
|----|------------|-------------|--|-------|
| 11 | 180-458 | \$56.99 | REBUILD KIT, 4 cylinders (orig. cyls. w/cup seals) | 1 |
| | 180-459 | \$14.99 | REBUILD KIT, 1 cylinder (orig. cyls. w/cup seals) | 4 |
| | 180-180 | \$1.19 | SPRING | 4 |
| | 180-170 | \$2.79 | EXPANDER | 4 |
| | 180-940 | \$12.99 | CUP & RING | 4 |
| 12 | 322-880 | \$0.49 | BOLT, large | 4 |
| 13 | 322-400 | \$3.19 | BOLT, small | 4 |
| 14 | 180-100 | \$1.39 | BLEEDER, front & rear | 4 |
| 15 | 180-105 | NA | ADJUSTER & MASK | 6 |
| 16 | 182-680 | \$4.89 | SPRING, shoe return, front | 4 |
| 17 | 181-125 | NA | PIPE, between ft. wheel cylinders | 2 |



| No. | | Price (each) | Description | Application | Qty. Req. |
|-----|--|-----------------|-------------|-------------|--------------|
|-----|--|-----------------|-------------|-------------|--------------|

Front Disc Brakes

| 1 | 182-718 | \$139.99 | CALIPER PAIR, new | 1 |
|----|---------|----------|--|-------------|
| | 182-703 | \$73.99 | CALIPER ASS'Y., new, R/H | 1 |
| | 182-713 | \$73.99 | CALIPER ASS'Y., new, L/H | 1 |
| 2 | 180-375 | NA | HOSE, front disc brake, OE | 2 |
| | 180-376 | \$9.69 | HOSE, front disc brake, aftermarket | 2 2 |
| 2a | 181-660 | \$2.39 | LOCKING PLATE | 2 |
| 2b | 310-070 | \$0.39 | JAM NUT | 2 |
| 2c | 324-045 | \$0.24 | LOCKWASHER | 2 |
| 3 | 180-430 | \$5.99 | BANJO BOLT | 2 |
| 4 | 324-720 | \$0.79 | WASHER, copper, large | 2 |
| 5 | 324-730 | \$0.39 | WASHER, copper, small | 2 2 2 2 2 2 |
| 6 | 182-155 | \$66.99 | BRAKE ROTOR, "Brembo" brand Adisc wheels | 2 |
| | 182-156 | \$17.49 | BRAKE ROTOR, aftermarket | |
| | 182-145 | NA | BRAKE ROTOR, "Brembo" brand } wire wheels | 2 |
| | 182-146 | \$15.99 | BRAKE ROTOR, aftermarket $\int_{0}^{\infty} e^{-it} dt$ | 2 |
| | 586-600 | \$199.99 | BRAKE ROTOR PAIR, cross-drilled/slotted disc wheels | 1 |
| 7 | 322-435 | \$2.69 | BOLT, brake rotor | 8 |
| 8 | 182-265 | \$23.99 | DUST COVER, R/H | 1 |
| | 182-275 | \$23.99 | DUST COVER, L/H | 1 |
| 9 | 071-539 | \$21.69 | PAD SET, Classic Gold, semi-metallic see color section a | , 1 |
| | 071-533 | \$35.99 | PAD SET, Classic Gold, ceramic | |
| | 585-605 | \$109.99 | PAD SET, "Hawk" for details | , 1 |
| | 585-625 | \$76.99 | PAD SET, "Greenstuff" | 1 |
| 10 | 181-965 | \$1.89 | RETAINER | 2 |
| 11 | 325-430 | | COTTER PIN | 4 |
| 12 | 181-935 | | SHIM, anti-squeal | 4 |
| | 182-890 | | PISTON & SEAL KIT, for 2 calipers | 1 |
| 13 | 182-840 | \$9.99 | REPAIR KIT, for two calipers | 1 |
| 14 | 182-810 | | CALIPER PISTON, stock type | 4 |
| | 181-926 | | CALIPER PISTON, stainless steel | 4 |
| 15 | 180-285 | | SEAL, fluid channel, between caliper halves | 2 |
| 16 | 180-100 | | BLEEDER SCREW | 2 |
| 17 | 181-670 | \$0.59 | TAB WASHER | 2 |
| | | | | |

*This seal is ncluded in the repair kit, but caliper halves should never be separated. If, for some reason, you have ignored warnings not to do this, this seal is available.



Disc Brake Kits

When your Sprite or Midget needs a brake job, ordering one part number and getting everything you need at once makes the job so much easier.

Stock type Wire wheels

Disc wheels

\$51.99 182-157 182-161 \$54.99

Stage 1 (slotted/drilled rotors, ceramic pads) Disc wheels 182-690 \$159.99 Wire wheels 182-695 \$159.99




Cross-Drilled & Slotted Brake Rotors

Stop! Cross drilled rotors cool better for reduced brake fade and scrub off water faster in the wet. Special rotational hole pattern. For disc wheel cars. Sold as pairs only.

586-600 \$199.99




MOSS MOTORS, LTD. TOLL-FREE ORDERS 1-800-667-7872



| No. | Part No. | Price (each) | Description | Application Qt Re | | | | |
|-----|---|-----------------|---------------------------------|--------------------------|---|--|--|--|
| | Early 948 Rear Brakes to G-AN1-13554 and H-AN6-20544 (approx.). 20 181-885 \$29.99 BRAKE DRUM, rear, premium repro. 7 | | | | | | | |
| | 181-887 | \$18.69 | BRAKE DRUM, front, Classic Gold | | 2 | | | |
| 21 | 323-255 | \$0.69 | SCREW, rear drum to hub | | 4 | | | |
| 22 | 182-140 | \$15.99 | BRAKE SHOE SET, rear | l | 1 | | | |
| 23 | 180-895 | \$20.99 | HOSE, rear | | 1 | | | |
| | 180-896 | \$12.99 | HOSE, rear, aftermarket | | 1 | | | |
| 24 | 324-730 | \$0.39 | WASHER | | 1 | | | |
| 25 | 181-340 | \$1.49 | SPRING, shoe steadying | | 4 | | | |
| 26 | 182-655 | | SPRING, cylinder end | Sprite to HAN6-20544 | 2 | | | |
| 27 | 182-660 | \$4.99 | SPRING, abutment end | Midget to GAN1-13554 | 2 | | | |
| 30 | 181-285* | \$22.99 | WHEEL CYLINDER*, rear, w/lever | Wildget to daily 1-15554 | 2 | | | |
| 31 | 180-470 | \$24.99 | REPAIR KIT, for 2 cylinders | for orig. cyls. only | 1 | | | |
| 32 | 180-950 | \$9.79 | BOOT (not incl.w/cylinders) | | 2 | | | |
| 33 | 180-105 | NA | ADJUSTER & MASK | | 6 | | | |
| 34 | 180-130 | \$7.89 | BANJO BOLT | | 2 | | | |
| 35 | 180-100 | \$1.39 | BLEEDER, front & rear | | 4 | | | |
| 36 | 324-720 | \$0.79 | WASHER, large copper | | 2 | | | |
| 37 | 180-460 | NA | BANJO FITTING | | 2 | | | |
| 38 | 324-730 | \$0.39 | WASHER, small copper | J | 2 | | | |
| 39 | 181-660 | \$2.39 | LOCKING PLATE | | 1 | | | |
| 40 | 310-070 | \$0.39 | JAM NUT | | 1 | | | |
| 41 | 324-045 | \$0.24 | LOCKWASHER | | 1 | | | |

^{*} Wheel Cylinder 181-285 is Classic Gold brand, and uses a modern lipped ring type seal instead of the original cup seal. Rebuild kits are not available for these wheel cylinders.



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-------------|-------------|--------------|
| | | | | | |

Late 948 thru 1500 Rear Brakes

from G-AN1-13555 and H-AN6-20545 (approx.).

| 1 | rom G-AN1-13555 and H-AN6-20545 (approx.). | | | | |
|---|--|--------------------|--------------------|---|---------|
| į | 50 | 181-885 181-887 | \$29.99 \$18.69 | BRAKE DRUM, rear, premium repro. BRAKE DRUM, front, Classic Gold | 2 4 |
| ţ | 51 | 323-255 | \$0.69 | SCREW, drum to hub | 4 |
| | 52 | 181-975 | \$1.19 | PLUG | 2 |
| | 53 | 181-915 | \$0.89 | TAB WASHER wire wheels | |
| | 54 | 310-075 | \$0.39 | NUI J | 8 |
| ţ | 55 | 115-139 | NA | BRAKE SHOE SET, Mintex | 1 |
| | | 182-175 | \$15.99 | BRAKE SHOE SET, Classic Gold | 1 |
| | | 181-906 | \$9.99 | ADJUSTER KIT (for one side) | 4 |
| | 56 | 181-895 | NA | ADJUSTER TAPPET | 4 |
| | 57 | 181-905 | NA | ADJUSTER WEDGE | 2 |
| į | 58 | 182-676 | \$9.99 | LEVER ASS'Y., R/H | 1 |
| _ | | 182-677 | \$9.99 | LEVER ASS'Y., L/H | 1 |
| (| 60 | 180-445 | NA | WHEEL CYLINDER, Lockheed 7 7/8" bore | 2 |
| | | 180-446 | \$19.89 | WHL. CYLINDER, aftermarket * Sprite (c)20545 to 24731 | 2 |
| (| 31 | 180-480 | \$4.29 | REPAIR KIT, aftermarket ** J Midget (c)13555 to 16183 | 2 |
| | | 180-385 | \$29.99 | WHEEL CYLINDER, 3/4", Lockheed | 2 |
| | | 180-386 | \$11.99 | WHEEL CVI INDED 2/4" aftermarket * | 2 |
| | | 180-406 | \$8.99 | REPAIR KIT, AP Braking brand ** | 2 |
| | | 180-405 | \$5.99 | REPAIR KIT, aftermarket ** | 2 |
| | | 180-395 | \$31.99 | WHEEL CYLINDER, rear, Lockheed | 2 |
| | | 180-396 | \$11.49 | WHEEL CYLINDER, rear, aftermarket * 1500 | 2 |
| | | 071-526 | \$5.29 | REPAIR KIT, aftermarket ** | 2 |
| - | 35 | 323-145 | \$1.49 | BLEED NIPPLE (incl. with wheel cylinders) | 2 |
| (| 36 | 181-760 | \$1.39 | BOOT all | 2 |
| (| 37 | 180-575 | \$5.99 | WASHER, cylinder retaining \(\bar{\chi}_{\text{original fitment}} \) | 2 |
| (| 86 | 326-945 | \$1.19 | CIRCLIP Soriginal fitment | 2 2 2 2 |
| | | 326-720 | \$1.39 | "C" CLIP, cylinder retaining replaces #67 & 68 | 2 |
| (| 39 | 182-665 | \$4.29 | SPRING, abutment end | 2 |
| 7 | 70 | 182-670 | \$4.99 | SPRING, R/H, cylinder end | 1 |
| 7 | 71 | 182-675 | \$4.99 | SPRING, L/H, cylinder end | 1 |
| 7 | 72 | 180-895 | \$20.99 | HOSE, rear brake | 1 |
| | | 180-896 | \$12.99 | HOSE, rear brake, aftermarket | 1 |
| 7 | 73 | 324-730 | \$0.39 | WASHER, copper | 1 |
| 7 | 74 | 181-660 | \$2.39 | LOCKING PLATE | 1 |
| 7 | 75 | 310-070 | \$0.39 | JAM NUT | 1 |
| 7 | 76 | 324-045 | \$0.24 | LOCKWASHER | 1 |
| | | | | | |

 $^{^\}star$ No rebuild kits are available for these aftermarket wheel cylinders. ** Rebuild kits fit only original wheel cylinders.




Brake Adjuster Wrench

Get a better grip on your brake adjusters with our specially designed wrench. It has 1/4" and 5/16" square box ends, and a long handle for good leverage.

386-160 \$9.89



Body Panels, Bugeye



| Bugeye | Body | Panels | |
|--------|------|--------|--|

No.

Price

(each)

Underlined part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

Application


Qty. Req.

Description

| 1 | 452-110 | NA | VALANCE, lower front | | 1 |
|----|----------------|----------|-------------------------------|-------------------------|-----|
| 4 | <u>457-990</u> | \$33.99 | FENDER BEADING | 66" length | A/R |
| 5 | 455-680 | NA | FRONT FENDER, L/H | - | 1 |
| | 455-670 | NA | FRONT FENDER, R/H | | 1 |
| 6 | 452-120 | \$35.99 | REPAIR PANEL, L/H | | 1 |
| | 452-125 | \$35.99 | REPAIR PANEL, R/H | | 1 |
| 8 | 452-130 | \$45.99 | "A" POST, inner, L/H, lower 1 | 6" | 1 |
| | 452-135 | \$45.99 | "A" POST, inner, R/H, lower 1 | 6" | 1 |
| 9 | 455-065 | \$14.99 | HINGE MOUNT, lower, L/H | | 1 |
| | 455-055 | \$14.99 | HINGE MOUNT, lower, R/H | | 1 |
| 10 | 452-645 | \$46.99 | "A" POST, outer skin, L/H | as illus. w/flange | 1 |
| | 452-655 | \$46.99 | "A" POST, outer skin, R/H | f as mus. Writalige | 1 |
| 11 | 455-280 | \$4.39 | REPAIR PIECE, lower 7 1/2" | | 2 |
| 15 | <u>455-495</u> | \$99.99 | OUTER SILL, L/H | | 1 |
| | <u>455-490</u> | \$99.99 | OUTER SILL, R/H | | 1 |
| 16 | <u>455-445</u> | \$24.49 | INNER SILL, L/H | late type with 2 holes | 1 |
| | <u>455-440</u> | \$24.49 | INNER SILL, R/H | flate type with 2 holes | 1 |
| 17 | 452-150 | \$28.99 | END CAP, front, L/H | British Motor Heritage | 1 |
| | 452-310 | \$7.49 | END CAP, front, L/H | aftermarket | 1 |
| | 452-155 | \$28.99 | END CAP, front, R/H | British Motor Heritage | 1 |
| | 452-300 | \$7.49 | END CAP, front, R/H | aftermarket | 1 |
| 18 | 452-160 | \$28.99 | END CAP, rear, L/H | British Motor Heritage | 1 |
| | 452-315 | \$7.49 | END CAP, rear, L/H | aftermarket | 1 |
| | 452-165 | \$28.99 | END CAP, rear, R/H | British Motor Heritage | 1 |
| | 452-305 | \$7.49 | END CAP, rear, R/H | aftermarket | 1 |
| 22 | <u>452-170</u> | \$209.99 | DOOR SKIN, L/H | | 1 |
| | <u>452-175</u> | \$209.99 | DOOR SKIN, R/H | | 1 |
| 24 | 452-180 | \$47.99 | REPAIR PIECE, inner door bot | tom, L/H | 1 |
| | 452-185 | \$47.99 | REPAIR PIECE, inner door bot | tom, R/H | 1 |
| 26 | 455-650 | | "B" POST FACE, L/H | | 1 |
| | 455-640 | \$74.99 | "B" POST FACE, R/H | | 1 |
| 28 | 452-190 | \$164.99 | TRUNK FLOOR | | 1 |
| | | | | | |


| | No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|---|-----|-------------|-----------------|-------------------------------------|-------------|--------------|
| I | 32 | 455-700 | NA | REAR FENDER, L/H | | 1 |
| I | | 455-690 | | REAR FENDER, R/H | | 1 |
| I | 33 | 452-200 | \$19.89 | REPAIR PANEL, front, L/H | | 1 |
| I | | 452-205 | \$19.89 | REPAIR PANEL, front, R/H | | 1 |
| I | 34 | 452-210 | \$179.99 | REPAIR PANEL, rear, L/H | | 1 |
| I | | 452-215 | \$179.99 | REPAIR PANEL, rear, R/H | | 1 |
| I | 36 | 452-220 | \$32.99 | CLOSING PANEL, trunk to fender, L/I | Н | 1 |
| I | | 452-225 | \$32.99 | CLOSING PANEL, trunk to fender, R/ | Н | 1 |
| ı | | | | | | |

Common Areas of Corrosion





MOSS MOTORS, LTD. 1-800-667-7872




LOCAL & OVERSEAS: 805-681-3400
FAX: 805-692-2525 www.mossmotors.com



^{*} Parts marked "BMH" are produced by British Motor Heritage.

^{**} Fits thru 1974, but may be modified for rubber bumper cars




[†] These parts are designed to be bolted together as sets prior to welding, making proper alignment easier. However, they are not meant to be bolted without being welded.


Qty. Req.

Windshields


Sprite MkI & MkII, Midget MkI

Underlined part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.





Early Bugeye windshield frames to (c)5476 had 9 Lift-the Dot studs across the top rail. Later frames had two, one at each corner. The threaded shanks on the later studs were shorter than on the early ones, and care must be used with replacement studs lest they crack the glass. Test fit before installing the glass, and shorten them if need be. Early windshield glass measured 295mm high by 1205mm wide, while the later one measures 287mm high by 1180mm wide.



20

25

472-415

325-277

NA

| No. | Price (each) | Description | Application | Qty Req |
|-----|-----------------|-------------|-------------|------------|
| | | | | |

from Sprite MkIII, Midget MkII on Underlined part numbers indicate an Oversize Parts Fee will be charged. See mossmotors.com or call for details.

| 1 | <u>459-915</u> | \$499.99 | WINDSHIELD GLASS, Triplex | | 1 |
|----|----------------|----------|---|-----------|-----|
| | <u>459-910</u> | \$123.99 | WINDSHIELD GLASS | | 1 |
| 2 | 281-995 | \$19.99 | GLAZING SEAL | | 1 |
| 3 | 282-025 | \$16.69 | SEAL, windshield to body | | 1 |
| 4 | 282-055 | \$4.99 | SEAL, windshield pillar to body, LH | | 1 |
| | 282-045 | \$4.99 | SEAL, windshield pillar to body, RH | | 1 |
| 6 | | NA | SHIM, pillar leg to 'A' post | | A/R |
| 7 | 116-162 | \$1.69 | BOLT, upper | | 2 |
| | 322-615 | \$2.69 | BOLT, lower | | 2 |
| 10 | 314-275 | \$1.89 | BOLT, center rod bracket to body | | 2 |
| 12 | 226-720 | \$0.29 | STUD, top & tonneau attachment | | 4 |
| 15 | 282-210 | \$5.59 | SEAL, pillar to quarter light 1 | 1967-1977 | 2 |
| | 282-265 | \$5.99 | SEAL, pillar to quarter light 1 | 1978-on | 2 |
| 16 | 408-056 | \$0.49 | SCREW, top rail to pillar (inner positions) | | 4 |
| 17 | 408-057 | \$0.39 | SCREW, top rail to pillar (outer position) | | 2 |
| 18 | 472-620 | NA | BRACKET, top fastening, satin finish | | 2 |
| 19 | | NA | BRACKET, center rod, upper 1 | 1967-1969 | 1 |


LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com

| п | | 020 2 | | Title 1, brachete a coal retainer | • |
|---|----|---------|---------|-----------------------------------|---|
| ı | 26 | 472-435 | \$8.99 | CENTER ROD, chrome | \ 1967-1969 |
| ı | 27 | 472-635 | \$3.39 | NUT, domed | J 1907-1909 |
| ı | 28 | 472-445 | \$2.89 | CENTER ROD, silver painted | } _{1970-on} |
| ı | 29 | 472-640 | \$1.19 | NIPPLE, lower | J 1970-011 |
| | 35 | 165-110 | \$23.99 | INTERIOR MIRROR, metal | Midget to (c)63074 Sprite to (c)74461 |
| | 36 | | NA | INTERIOR MIRROR, plastic | Midget (c) 63075-75885 . Sprite (c)74462-on |
| ı | 37 | 165-115 | \$38.99 | INTERIOR MIRROR | Midget (c)75886-on |
| ı | 39 | 400-620 | NA | BRACKET SET, frame corners | • |
| ı | 40 | 408-056 | \$0.49 | SCREW, bottom rail to bracket | 4 |
| ı | 41 | 408-055 | \$0.49 | SCREW, pillar to bracket | 4 |
| ı | 45 | 233-340 | \$29.99 | SUN VISOR, R/H | }thru 1976 |
| ı | | 233-350 | \$29.99 | SUN VISOR, L/H | Juliu 1970 |
| ı | | 233-341 | \$29.99 | SUN VISOR, RH | \ 1977-'80 |
| ı | | 233-351 | \$23.99 | SUN VISOR, LH | J 1977 - 00 |
| ı | 46 | 233-921 | \$19.99 | PIVOT BRACKET, sun visor | thru 1976 |
| ı | | 233-920 | \$18.49 | PIVOT BRACKET, sun visor | 1977-'80 |
| ı | 47 | 233-930 | \$1.19 | STAY BRACKET, sun visor | 2 |
| ı | 48 | 324-175 | \$0.39 | WASHER, spherical | 2 |
| ı | 49 | 324-185 | \$0.29 | WASHER, Thackery | 2 |
| ı | 50 | 310-830 | \$0.24 | NUT, nyloc | 2 |
| ı | 51 | 314-280 | \$0.49 | SCREW, alternative to orig. rive | et 8 |
| | | | | | 55 |

RIVET, brackets & seal retainer

BRACKET, center rod and mirror, upper 1970-on

Body Fittings, Bugeye



| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|----------|--------------------|--------------------|--|--------------|
| Gri | ille & I | Badges | | |
| 1 | | \$368.99 | GRILLE (includes mounting clips) | 1 |
| 2 | 326-510 031-590 | \$0.24 \$39.99 | CLIP, grille mounting MEDALLION, hood | 13 1 |
| 3 | 326-535 | \$0.69 | CLIP for medallion | 3 |
| 4 | 031-585 | | BADGE, rear deck, gold color (as original) | 1 |
| 5 | 031-580 326-665 | NA \$0.29 | BADGE, rear deck, chromed (alternative) CLIP for badge | 1 2 |
| Но | od Fitt | tings | | |
| 10 | 455-835 | \$69.99 | HINGE, BMH* | 2 |
| 11 | 322-645 | \$0.49 | BOLT | 8 |
| 12 13 | 324-020 324-590 | \$0.20 \$0.19 | LOCKWASHER WASHER | 8 8 |
| 14 | 320-225 | \$0.89 | BOLT, hinge pin | 2 |
| 15 | 311-005 310-290 | \$0.89 \$0.69 | NUT, standard | 2 2 |
| 20 | 282-105 | \$20.79 | SEAL, hood rear | 1 |
| 21 | 282-110 | \$3.99 | BUFFER, hood | 4 |
| 22 23 | 315-075 372-950 | \$0.19 \$0.39 | WASHER SCREW | 8 8 |
| 27 | 282-098 | \$23.99 | BUFFER ASSEMBLY | 2 |
| 28 | 314-005 | \$1.19 | SCREW | 2 |
| 29 | 324-990 | \$0.29 | WASHER | 2 |
| 30 | 282-125 | \$2.39 | BUFFER, wheel arch | 2 |
| 31 32 | 282-126 282-215 | \$5.49 \$15.99 | DISTANCE TUBE SPACER | 2 2 |
| 32 33 | 324-010 | \$0.19 | LOCKWASHER | 2 |
| 34 | 310-040 | \$0.19 | NUT | 2 |
| 38 | 406-980 | \$74.79 | STAY, hood | 2 |
| 39 | 313-010 | \$5.89 | BOLT, stay to hood | 2 |
| 40 41 | 365-735 365-720 | \$0.29 \$0.29 | WASHER, anti-rattle WASHER, small | 2 2 |
| 42 | 315-110 | \$0.49 | WASHER, large | 2 |
| 43 | 310-040 | \$0.19 | NUT | 2 |
| 44 | 324-010 | \$0.19 | LOCKWASHER | 2 |
| 45 46 | 315-085 322-495 | \$0.14 \$0.49 | WASHER SCREW | 2 4 |
| 40 47 | 324-020 | \$0.49 | LOCKWASHER | 4 |
| 48 | 324-590 | \$0.19 | WASHER | 4 |
| 52 | 406-990 | \$31.99 | STAY, auxilliary | 1 |
| 53 | 215 100 | NA OC 20 | CLIP | 1 |
| 54 55 | 315-180 365-720 | \$0.39 \$0.29 | LOCKWASHER WASHER | 1 1 |
| 56 | 325-330 | \$0.19 | COTTER PIN | 1 |
| 59 | 471-130 | \$5.79 | CLIP | 1 |
| 60 | 314-010 | \$0.24 | SCREW | 2 |
| 61 | 324-010 | \$0.19 | LOCKWASHER | 2 |
| 62 65 | 310-040 | \$0.19 \$109.99 | NUT LOCK ROD ASS'Y. | 2 1 |
| 66 | 323-005 | \$0.39 | SCREW | 4 |
| 67 | | NA | SCREW | 1 |
| 68 | 324-010 | \$0.19 | LOCKWASHER | 5 |
| 69 73 | 315-085 | \$0.14 \$73.99 | WASHER HANDLE & ESCUTCHEON | 5 1 |
| 75 | 401-870 401-880 | | SAFETY CATCH & BUSH | 1 |
| 76 | 322-247 | \$0.49 | BOLT | 1 |
| 77 | 324-020 | \$0.20 | LOCKWASHER | 1 |
| 78 | 324-590 | \$0.19 | WASHER | 1 |
| 79 05 | 329-880 | \$4.89 | SPRING BEC locating | 1 |
| 85 86 | 282-120 | \$9.99 NA | PEG, locating WASHER, rubber | 2 |
| 87 | 315-095 | \$0.39 | WASHER | 2 |
| 88 | 365-730 | \$0.25 | LOCKWASHER | 2 |
| 89 | 310-140 | \$0.24 | NUT | 2 |
| 91 | 400-650 | \$22.99 \$22.90 | BRACKET, hood lock, R/H | 1 |
| 92 | 400-660 457-990 | \$22.99 \$33.99 | BRACKET, hood lock, L/H FENDER BEADING (supplied in straight 66" length) | 1 A/R |
| 93 | 400-665 | \$10.99 | BRACKET, prop rod | 1 |
| 95 | 322-645 | \$0.49 | BOLT | A/R |
| 96 | 310-760 | \$0.39 | NUT | A/R |
| ~- | 324-020 | \$0.20 | LOCKWASHER | A/R |
| 97 98 | 324-590 | \$0.19 | WASHER | A/R |

^{*} Parts market "BMH" are produced by British Motor Heritage.


FAX: 805-692-2525

LOCAL & OVERSEAS: 805-681-3400 www.mossmotors.com


| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|--------------------------------|-------------|--------------|
| Fre | ont Bu | mper | | | |
| 100 | 400-170 | \$469.99 | BUMPER BAR, front | | 1 |
| 102 | 454-010 | \$68.99 | OVERRIDER | | 2 |
| 103 | | NA | BOLT, overrider (for repl. or | verriders) | 2 |
| | 322-900 | \$1.89 | BOLT, overrider (for orig. ove | rriders) | 2 |
| 104 | 400-404 | \$0.79 | PACKING, overrider | | 4 |
| 105 | 322-900 | \$1.89 | BUMPER BOLT | | 2 |
| 106 | 400-300 | \$1.89 | PACKING PIECE | | 4 |
| 107 | 324-860 | \$0.19 | WASHER | | 4 |
| 108 | 324-040 | \$0.29 | LOCKWASHER | | 4 |
| 109 | 310-050 | \$0.59 | NUT | | 4 |
| 112 | 400-175 | \$31.49 | BUMPER BRACKET | RH Inner | 1 |
| 113 | 400-180 | \$31.49 | BUMPER BRACKET | LH Inner | 1 |
| 114 | 400-185 | \$34.79 | BUMPER BRACKET | RH Outer | 1 |
| 115 | 400-190 | \$34.79 | BUMPER BRACKET | LH Outer | 1 |
| 118 | 322-075 | \$0.89 | BOLT | | 4 |
| 119 | 324-040 | \$0.29 | LOCKWASHER | | 4 |
| 120 | 324-860 | \$0.19 | WASHER | | 4 |
| 125 | 451-285 | \$9.89 | LICENSE PLATE BACKING | | 1 |
| 126 | 322-645 | \$0.49 | SCREW | | 2 |
| 127 | 324-020 | \$0.20 | LOCKWASHER | | 2 |
| 128 | 310-760 | \$0.39 | NUT | | 2 |
| 0 | 0.0.00 | ψ0.00 | | | |

Rear Overriders

| 135 | 400-210 | \$78.99 | OVERRIDER | 2 |
|-----|---------|---------|----------------------------|----|
| 136 | 322-040 | \$0.49 | BOLT, overrider to bracket | 4 |
| 140 | 400-220 | \$7.99 | BRACKET, upper | 2 |
| 141 | 400-230 | \$9.99 | BRACKET, lower | 2 |
| 142 | 455-935 | \$20.99 | BRACKET, inner | 2 |
| 143 | 322-540 | \$0.69 | SCREW, upper | 2 |
| 144 | 322-040 | \$0.49 | SCREW, lower | 4 |
| 145 | 313-000 | \$0.24 | SCREW, locating | 2 |
| 146 | 365-730 | \$0.25 | LOCKWASHER | 12 |
| 147 | 365-720 | \$0.29 | WASHER | 12 |
| 148 | 681-300 | \$0.79 | PAD, rubber | 2 |
| | | | | |



| 1 | 459-940 | \$99.99 | CAPPING, dash | 1 |
|---|---------|----------|-----------------------------|---|
| 2 | 459-941 | \$199.99 | CAPPING, rear cockpit | 1 |
| 3 | 459-942 | \$74.99 | CAPPING, L/H door top | 1 |
| 4 | 459-943 | \$74.99 | CAPPING, R/H door top | 1 |
| | 459-944 | \$7.99 | SCREW KIT, cockpit cappings | 1 |
| | | | | |



Bugeye Luggage Rack

Increase your cargo carrying capacity with this traditionally styed luggage rack. This rack mounts permanently with the included hardware and rubber mounting strips. Approx. 39" x 18". 244-720 \$409.99




License Plate Plinth

For Bugeyes without front bumpers, this is the official factory means of mounting your number plate. (Home market cars had front bumpers as an optional accessory, so this was an important item for those cars.)

400-625 \$84.99

Front Body Fittings 1961-'80



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|---------------------------|------------------------------|--------------|
| Но | od | | | | |
| 1 | | | HOOD ASSEMBLY | See page 53 | 1 |
| 4 | 282-130 | \$2.89 | BUFFER, front corner |) Midget to (c)183739 | 2 |
| 5 | 848-540 | \$0.19 | NUT, locking | all Sprite | 2 |
| 6 | 282-190 | \$2.79 | BUFFER, front corner | Midget from (c)183740 | 2 |
| 7 | 282-115 | \$2.89 | BUFFER, side | | 2 |
| 8 | 323-005 | \$0.39 | SCREW, buffer to fender d | rainage channel | 4 |
| 9 | 315-085 | \$0.14 | WASHER, plain | - | 4 |
| 10 | 324-010 | \$0.19 | WASHER, locking | | 4 |
| 11 | 310-040 | \$0.19 | NUT | | 4 |

| No. | Part No. | Price (each) | Description | | Qty. Req. |
|----------|--------------------|-------------------|--|--|--------------|
| 12 13 | 455-835 320-225 | \$69.99 \$0.89 | HINGE, hood, BMH* BOLT, hinge to bulkhead | Sprite to (c)77590 Midget to (c) 66225 | 2 2 |
| 14 | 310-105 | \$0.39 | NUT, nyloc | - | 2 |
| 15 | 455-875 455-885 | NA NA | HINGE, hood, R/H HINGE, hood, L/H | from Sprite MkIV(c)77591 on from Midget MkIII (c)66226 on | 1 |
| 16 | 322-645 | \$0.49 | BOLT, hinge to hood | | 8/4 |
| 17 | 324-020 | \$0.20 | WASHER, locking | | 8/4 |
| 18 | 324-590 | \$0.19 | WASHER, plain | | 8/4 |

^{*} Parts marked "BMH" are produced by British Motor Heritage.



MOSS MOTORS, LTD. 1-800-667-7872


| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------|--------------------|--------------------|--|---------------------|--------------|
| 20 | 470-640 | \$17.99 | HOOK ASS'Y, safety catch | | 1 |
| 21 | 329-325 | \$4.29 | SPRING, hook return | | 1 |
| 22 | 225 005 | NA CO 10 | CLEVIS PIN SPLIT PIN | | 1 |
| 24 25 | 325-005 406-020 | \$0.10 \$4.49 | BRACKET, safety catch | | 1 1 |
| 26 | 466-385 | \$0.39 | SCREW, bracket to landing panel | | 2 |
| 27 | 324-010 | \$0.19 | WASHER, locking | | 2 |
| 28 | 315-085 | \$0.14 | WASHER, plain | | 2 |
| 30 31 | 406-000 310-070 | \$6.79 \$0.39 | PIN NUT, locking pin | | 1 1 |
| 32 | 324-040 | \$0.39 | WASHER, locking | | 1 |
| 33 | 406-055 | \$6.79 | THIMBLE, pin (British Motor Herita | ge part) | 1 |
| 34 | 406-060 | \$1.89 | SPRING, bonnet lock | | 1 |
| 35 36 | 406-065 | \$12.79 \$99.99 | CUP, locating CATCH PLATE | | 1 1 |
| 37 | 406-015 322-645 | \$0.49 | SCREW, cup and plate to landing p | nanel | 3 |
| 38 | 324-020 | \$0.20 | WASHER, locking | | 3 |
| 39 | 324-590 | \$0.19 | WASHER, plain | | 3 |
| 40 | 406-035 | \$2.49 | SPRING, catch return | | 1 |
| 41 46 | 406-040 182-600 | \$2.89 \$0.89 | TRUNNION & SCREW, hood release CLIP, landing panel | e cable | 1 1 |
| 47 | 323-005 | \$0.39 | SCREW, clip | | 1 |
| 48 | 315-085 | \$0.14 | WASHER, plain | | 1 |
| 49 | 324-010 | \$0.19 | WASHER, locking | | 1 |
| 50 51 | 310-040 680-630 | \$0.19 \$0.89 | NUT GROMMET, mud shield | | 1 1 |
| 52 | 182-600 | \$0.89 | CLIP, LH inner wheel arch | <u> </u> | 1 |
| 53 | 323-005 | \$0.39 | SCREW, clip to wheel arch | Midget to (c)154100 | |
| 54 | 315-085 | \$0.14 | WASHER, plain | (1961-'74) | 1 |
| 55 | 324-010 | \$0.19 | WASHER, locking | all Sprite | 1 |
| 56 | 310-040 | \$0.19 | NUT | J | 1 |
| 57 58 | 182-600 323-705 | \$0.89 \$0.29 | CLIP, bumper beam SCREW, clip to bumper beam | Midget 1500 | 1 |
| - | | | | | |
| 59 60 | 281-050 | \$5.49 | GROMMET, in LH toe board | Midget to (c)212000 |) 1 |
| 61 | 314-010 | NA \$0.24 | BRACKET, footwell side SCREW, footwell side bracket | (1961-'78) | 2 |
| 62 | 324-010 | \$0.19 | WASHER, locking | all Sprite | 2 |
| 63 | 331-700 | \$21.49 | HOOD RELEASE CABLE, round kno | | 1 |
| | 406-005 | \$14.99 | HOOD RELEASE CABLE, 'T' handle | 1978-on | 1 |
| 70 | 406-995 | NA | STAY ROD, hood |) | 1 |
| 71 | 329-165 | NA | SPRING, anti rattle | I | 1 |
| 72 73 | 365-720 325-330 | \$0.29 \$0.19 | WASHER, plain COTTER PIN | Midget to (c)89500 | 1 1 |
| 74 | 471-130 | \$5.79 | CLIP, stay rod stowage | (1961-'70) | i |
| 75 | 314-010 | \$0.24 | SCREW, clip to hood | all Sprite | 2 |
| 76 | 315-085 | \$0.14 | WASHER, plain | I | 2 |
| 77 78 | 324-010 310-040 | \$0.19 \$0.19 | WASHER, locking NUT | } | 2 |
| | | | | <u> </u> | 1 |
| 80 81 | 457-445 314-265 | \$28.99 \$0.49 | TELESCOPIC STAY, hood BOLT | | 2 |
| 82 | 324-590 | \$0.19 | WASHER, plain | | 2 |
| 83 | 315-060 | \$2.79 | WASHER, thackery | Midget from (c)8950 | 1 2 |
| 84 | 434-370 | \$0.89 | SPACER | (from 1971) | 2 |
| 85 86 | 324-860 324-020 | \$0.19 \$0.20 | WASHER, plain WASHER, locking | | 2 2 |
| 87 | 310-760 | \$0.20 | NUT | J | 2 |
| | | | | | |

Front Body Fittings 1961-'80

| | | | | | Qty. Req. |
|---|---|--|--|--------------------------|---|
| Gri | lles | | | | |
| 90 91 92 95 96 97 98 | 459-790 326-615 314-280 470-635 326-530 201-050 | NA \$1.29 \$0.49 NA \$0.24 \$15.49 | GRILLE ASSEMBLY CLIP, slat to frames SCREW, slat to frames PLINTH CLIP, plinth to frames BADGE, 'MG' GROMMET | Midget 1961-'69 | 1 76 76 1 2 1 4 |
| 100 101 | 459-780 472-735 | \$329.99 \$0.49 | GRILLE ASSEMBLY GROMMET | }Sprite 1961-'69 | 1 4 |
| 107 108 109 110 111 115 116 117 118 119 | 324-590 324-020 310-760 323-705 315-295 | \$0.49 \$0.19 \$0.20 \$0.39 \$0.29 \$0.49 \$0.39 \$31.29 \$1.29 \$25.99 \$25.99 \$34.99 \$1.29 | SCREW, grille to landing panel WASHER, plain WASHER, locking NUT SCREW, grille to front valance WASHER, plain SPIRE NUT FINISHER, hood edge RIVET, hood & lower finishers FINISHER, grille aperture, LH side FINISHER, grille aperture, lower RIVET, side finishers to fenders | Sprite & Midget 1961-'69 | 4 8 4 4 2 2 2 1 10 1 1 1 6 |
| 131 132 133 134 140 141 142 143 144 145 146 147 148 149 155 156 157 158 159 | 470-675 310-625 322-495 324-590 324-020 310-760 323-705 459-620 326-285 459-845 459-845 459-850 326-285 | \$399.99 NA NA \$0.89 NA \$11.49 \$37.99 NA \$0.29 \$0.49 \$0.19 \$0.20 NA \$0.39 \$0.39 \$1.29 \$1.29 \$27.99 \$33.89 \$1.29 \$1.29 | GRILLE ASSEMBLY MOULDING, grille, RH MOULDING, grille, LH CLIP, moulding to grille GROMMET BADGE, 'MG' PLINTH, badge STUD PLATE, plinth to grille NUT SCREW, grille to landing panel WASHER, plain WASHER, locking NUT SCREW, grille to valance WASHER, plain SPIRE NUT FINISHER, hood edge RIVET, finisher to hood FINISHER, grille aperture, RH side FINISHER, grille aperture, LH side FINISHER, grille aperture, lower RIVET, lower finisher to valance RIVET, side finishers to fenders | Midget 1970-74 | 1 1 1 1 8 4 1 1 1 1 1 4 8 4 4 4 2 2 2 1 6 1 1 1 1 1 1 4 6 |
| 171 | 459-810 314-070 324-990 | \$34.79 \$0.29 \$0.29 | GRILLE ASSEMBLY SCREW, grille mounting WASHER, plain | Midget 1500 | 1 6 6 |



Rear Body Fittings, 1961-'80



^{*} Note: Parts marked "BMH" are produced by British Motor Heritage.

STUD PLATE, moulding



9

9

9


9

61

226-660


\$1.39

Body Mouldings - Midget





| No. | Part No. | Price (each) | Description | Application | Qty. Req. | No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------|--------------------|--------------------|---|-------------------------|--------------|----------|--------------------|------------------|---|------------------|--------------|
| Mo | oulding | s | | | | | | | | | |
| | | | | | | 30 | 459-895 | \$21.49 | MOULDING, sill |) | 2 |
| 1 | 459-610 | | MOULDING, hood | J | 1 | | 326-618 | \$18.99 | FITTING KIT, sill mouldings | | 1 |
| 2 | 326-705 | \$3.89 | STUD PLATE, front two position | s | 2 | 31 | 326-077 | \$1.89 | STUD PLATE (front end of sill) | | 2 |
| 3 | 326-075 | \$0.69 | STUD PLATE, center position | | 1 | 32 | 310-040 | \$0.19 | NUT, stud plate to sill | Midget from (c)7 | |
| 4 | 324-010 | \$0.19 | WASHER, locking, front three p | | 3 | 33 | 324-010 | \$0.19 | WASHER, locking | (1970-on) | 2 |
| 5 | 310-040 | \$0.19 | NUT, front three positions | to (c)662 | | 34 | 315-085 | \$0.14 | WASHER, plain | | 2 |
| 6 | 326-725 | \$3.89 | STUD PLATE, second rearmost | position ('61-app | rox. '68) 1 | 35 | 326-610 | \$0.59 | CLIP, moulding to sill | | 14 |
| 7 | 326-735 | \$3.39 | STUD PLATE, rear position | | 1 | 36 | 326-295 | \$0.59 | RIVET, clip to sill | J | 14 |
| 8 | 315-070 | \$0.24 | WASHER, locking, rear two pos | itions | 2 | | | | | | |
| 9 | 310-625 | \$0.29 | NUT, rear two positions | J | 2 | 40 | 459-890 | \$17.49 | MOULDING, rear wing, LH | | 1 |
| | 450.000 | | LIDDED OIDE MOUILDING OFT | • | | 44 | 459-885 | \$17.49 | MOULDING, rear wing, RH | | 1 |
| 15 | 459-868 | NA CO4 OO | UPPER SIDE MOULDING SET | | 1 | 41 | 326-077 | \$1.89 | STUD PLATE (rear of fender) | | 2 |
| 15 | 459-860 | \$34.89 | MOULDING, fender | | 2 | 42 | 310-040 | \$0.19 | NUT, stud plate to fender | Midget 1500 | 2 2 2 |
| 16 | 459-875 | \$31.99 | MOULDING, door, LH | | 1 | 43 44 | 324-010 315-085 | \$0.19 | WASHER, locking | ' | 2 |
| 17 | 459-870 | \$31.99 | MOULDING, door, RH | | ı | | | \$0.14 | WASHER, plain | - | 6 |
| 17 18 | 459-880 459-865 | \$33.99 | MOULDING, rear wing | | 2 | 45 46 | 326-610 326-295 | \$0.59 \$0.59 | CLIP, moulding to fender RIVET, clip to fender | ł | 6 |
| 10 | 326-608 | \$18.89 \$49.99 | MOULDING, 'A' post | ago Midgot | | 40 | 320-293 | φυ.59 | NIVET, CITP to Telluel | , | U |
| 21 | 326-006 | \$49.99 \$1.89 | FITTING KIT, upper side moulding STUD PLATE | ngs Midget to (c)748 | 185 6 | | | | | | |
| 22 | 310-115 | \$0.24 | NUT, stud plate to fender & | ` ' | | | | | | | |
| 23 | 324-010 | \$0.24 | WASHER, locking | (1901-0 | 9) 0 6 | | | | | | |
| 24 | 315-085 | \$0.19 | WASHER, plain | | 6 | | | | | | |
| 25 | 326-610 | \$0.14 | CLIP | | 40 | | | | | | |
| 26 | 326-295 | \$0.59 | RIVET, clip to fender & door | | 40 | | | | | | |
| 27 | 326-665 | \$0.39 | CLIP, front moulding lug to 'A | ' nost | 2 | | | | | | |
| 28 | 326-510 | \$0.23 | SPIRE NUT, rear lug to 'A' po | | 2 | | | | | | |

Plugs & Grommets





| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|---------------------------------|----------------|--------------|
| Bu | geye | | | | |
| 1 | 680-940 | \$1.89 | PLUG, RH Toe Box Side | 1 | 1 |
| 2 | 680-940 | \$1.89 | PLUG, gearbox filler | İ | 1 |
| 3 | 282-235 | \$1.99 | PLUG, sill & sling point | İ | A/R |
| 4 | 282-135 | \$1.89 | PLUG, jack hole | i | 2 |
| 5 | 282-960 | \$1.39 | PLUG, steeering column blanking | i | 1 |
| 6 | 282-150 | \$2.19 | PLUG, driveshaft inspection | B ugeye | 1 |
| 7 | 682-075 | \$0.89 | PLUG, LH footwell | | 1 |
| 8 | | NA | PLUG, blanking | i | 1 |
| 9 | 682-205 | \$3.79 | GROMMET, main wiring harness | i | 1 |
| 10 | 240-515 | \$1.39 | GROMMET, wiper rack | 1 | 1 |
| 11 | 282-140 | \$1.29 | PLUG, hinge holes (in door) | J | 8 |





| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------------------|--|--|---|----------------------|-----------------------|
| No | n-Buge | eye | | | |
| 20 21 22 23 | 280-690 282-135 280-105 282-385 | \$1.19 \$1.89 \$3.99 \$1.19 | GROMMET, bumper bracket PLUG, jacking point q GROMMET, fuel filler tube GROMMET, no. plate lamp harnesse | ty. increased in 197 | 2 75 2/4 1 2 |
| 24 25 | 282-960 282-395 682-480 | \$1.39 \$2.89 \$0.99 | , | assenger's side | 1 1 1 |
| | 282-385 240-515 | \$1.19 \$1.39 | GROMMET, oil pressure pipe GROMMET, temp. gauge tube | }1961-'77 | 1 |
| 26 | 282-385 282-925 282-385 240-515 682-205 682-480 | \$1.19 \$0.69 \$1.19 \$1.39 \$3.79 \$0.99 | GROMMET, heater/air cable PLUG, heater cable hole (5/8") GROMMET, choke cable through bul GROMMET, wiper rack through bulkl GROMMET, main harness in bulkhea GROMMET, wiper harness in bulkhea | head id | |
| | 682-480 | \$0.99 | GROMMET, dip switch harness in fo | otwell 1961-'69 |) 1 |
| 27 28 29 | 282-975 280-200 680-630 | \$0.99 NA \$1.39 \$0.89 | GROMMET, oil cooler hole in mudsh PLUG, wheel arch panel GROMMET, front lamp wires GROMMET, hood cable in ft. panel | ield | 2 2 3 1 |
| | 281-050 | \$5.49 | GROMMET, hood cable, toe board | 1961-'78 | 1 |
| 30 31 | 282-150 282-235 | \$2.19 \$1.99 | PLUG, propshaft lubricating hole PLUG, front floor pan | | 1 2 |
| 32 | 682-075 | \$0.89 | PLUG, LH footwell side | (if fitted) | 2 |
| 33 34 | 680-940 | NA \$1.89 | PLUG, slave cyl. access hole (Not available. Use #34 as replacem PLUG, gearbox filler hole | ent.) }1961-'76 | 1 |
| 35 36 | 282-495 | NA \$0.49 | PLUG, demister outlet, footwell side PLUG, 'top hat', footwell side | if heater not fi | tted 2 |
| 37 | 281-050 565-050 | \$5.49 \$0.79 | GROMMET, fuel pump breather GROMMET, fuel pump breather | }1961-'74 | 1 |
| | 282-385 | \$1.19 | GROMMET, fuel tank sender harness | 3 | 1 |





Body Rubber Repaint Kits (not Bugeye)

It's no longer a chore to track down all the rubber bits and pieces commonly replaced during a repaint or moderate restoration. Start with the base kit, which contains the pieces common to all years, then add the supplemental kit specific to your year. That's all there is to it. See the accompanying tables for specific content.

Base Rubber Kits:

| Sidecurtain cars | 282-834 | \$36.99 |
|---------------------|---------|---------|
| Wind-up window cars | 282-835 | \$79.99 |
| 1961-69 Supplement | 282-836 | \$19.99 |
| 1970-74 Supplement | 282-837 | \$46.99 |
| 1975-80 Supplement | 282-838 | \$39.99 |

| Illus. | <u>Description</u> | Qty. |
|--------|---------------------------------|------|
| Α | Windshield Seal | 1 |
| В | Windshield Pillar Pad | 2 |
| C | Wiper Bezel Pad | 2/3 |
| D | Vent Window Seal | 2 |
| E | Door Top Seal | 2 |
| F | Door Handle Gasket, small | 2 |
| G | Door Handle Gasket, large | 2 |
| Н | Door Lock Gasket | 2 |
| I | Jack Hole Plug | 2 |
| J | Trunk Lid Handle Gasket | - 1 |
| K | License Plate Lamp Wire Grommet | 2 |
| L | Reverse Lamp Pad | 2 |
| M | Trunk Seal | - 1 |
| N | Filler Neck Grommet | - 1 |
| 0 | Headlamp Seals | 2 |
| P | Taillamp Gaskets | 2 |
| Q | Front Park Lamp Gaskets | 2 |
| R | Rear Sidelamp Base Rubber | 2 |
| S | Front Bumper Mount Grommets | 2 |
| | | |

Body Rubber Kit Contents

Base Kit 282-834 $\mathsf{A},\,\mathsf{B},\,\mathsf{C},\,\mathsf{I},\,\mathsf{J},\,\mathsf{K},\,\mathsf{M},\,\mathsf{N}$

Base Kit 282-835 A, B, C, D, E, F, G, H, I, J, K, L, M, N

1961-69 Supplement 0, P, Q, S 1970-74 Supplement 0, P, Q, R, S 1975-80 Supplement I, 0, P, R

| LOCAL & OVERSEAS: 8 | 305-681-3400 |
|---------------------|--------------------|
| FAX: 805-692-2525 | www.mossmotors.com |



89

90

326-510

408-920

\$0.24

\$5.89 408-925 \$10.99

| No. | Part No. | Price (each) | Description | | ity. eq. |
|----------------------------|---|--|--|--------------------------|------------------------------|
| Mic | lget B | adges | | | |
| 65 66 | 201-050 201-060 | \$15.49 \$11.49 | GRILLE BADGE, 'MG' GRILLE BADGE, 'MG' | 1961-'69 1970-'74 | 1 |
| 67 68 | 475-165 326-530 | \$19.99 \$0.24 | BUMPER BADGE, 'MG' CLIP, badge to bumper | } 1975-'80 | 1 2 |
| 69 | 470-687 | \$5.89 | BADGE, "British Leyland" | 1970-'71 | 2 |
| | 470-686 | \$9.99 | (silver on blue, self-adhesive) BADGE, "British Leyland" (blue on silver, self-adhesive) | 1972-on | 2 |
| 70 71 | 470-605 326-650 | \$16.79 \$0.49 | SILL LETTER SET, 'Midget' CLIP | }1970-on | 2 24 |
| 72 73 74 75 76 | 470-698 326-500 326-650 470-625 326-510 | \$13.99 \$0.29 \$0.49 \$10.79 \$0.24 | TRUNK BADGE SET, 'MG' SPIRE NUT CLIP, alternative TRUNK BADGE, 'Midget' SPIRE NUT | 1961-'69 | 1 13 13 1 1 2 |
| 78 79 | 470-665 326-530 | \$14.89 \$0.24 | TRUNK BADGE, plastic,'MG' SPIRE NUT | }1970-1976 to (c)171430 | 1 |
| 80 81 | 470-690 326-530 | \$23.89 \$0.24 | TRUNK BADGE, metal, 'MG' CLIP | }1976 from 171431-on | 1 |
| Spi | rite Ba | dges | | | |
| 85 86 87 88 | 031-600 326-535 470-615 408-447 | \$25.99 \$0.69 \$24.89 \$23.99 | HOOD BADGE, 'Austin Healey S CLIP TRUNK BADGE, 'Sprite' TRUNK BADGE, round | Sprite' Mk2 Mk3, 4 | 1 4 1 1 |



SPIRE NUT

CAR NUMBER PLATE

CAR NUMBER PLATE

| renuei | 14111101 | 3 |
|---------|----------|---------------------------|
| 165-400 | \$19.49 | FENDER MIRROR, R/H flat |
| 165-500 | \$19.49 | FENDER MIRROR, L/H flat |
| 165-210 | \$22.99 | FENDER MIRROR, R/H convex |
| 165-300 | \$22.99 | FENDER MIRROR, L/H convex |
| | | |
| Door M | irrors | |

Sprite 948-1098


Sprite 1275 thru 1969


| | Door M | irrors | | |
|----|-----------|---------|---|-----|
| | 165-170* | \$49.99 | DOOR MIRROR, R/H flat, stainless, TEX brand | 1 |
| | 165-135* | \$49.99 | DOOR MIRROR, L/H flat, stainless, TEX brand | 1 |
| | 165-195* | \$46.99 | DOOR MIRROR, R/H flat, black, TEX brand | 1 |
| | 165-190* | \$46.99 | DOOR MIRROR, L/H flat, black, TEX brand | 1 |
| ۱ | 165-185** | \$74.99 | DOOR MIRROR, R/H convex, stainless, TEX | 1 |
| ". | 165-180** | \$74.99 | DOOR MIRROR, L/H convex, stainless, TEX | 1 |
| : | 165-183 | \$14.99 | MIRROR GLASS only, flat | A/R |
| 1 | 165-182 | \$15.39 | MIRROR GLASS only, convex | A/R |
| | 165-630 | \$21.99 | BASE KIT (chrome plinth), TEX brand | 2 |
| | 165-638 | \$11 99 | MOUNTING KIT (nad & screws) TEX brance | 1 2 |

^{*} Base kit 165-630 must be used with these mirrors.

^{**} These mirrors include chrome base kit.

Door Windows





| No. | | Price (each) | Description | Application | Qty. Req. |
|-----|--|-----------------|-------------|-------------|--------------|
|-----|--|-----------------|-------------|-------------|--------------|

Sidecurtains

| | 259-678 | \$559.99 | SIDECURTAIN SET, complete | | 1 |
|-----|----------|-------------|------------------------------------|-------------------------------------|---|
| 2 | 259-675 | \$34.99 | BRACKET SET, with nuts & | bolts | 1 |
| 3 | 282-455 | \$18.89 | SEAL, L/H | | 1 |
| | 282-465 | \$18.89 | SEAL, R/H | | 1 |
| 4 | | NA | SCREW, sidecurtain retaining | Bugeye thru HAN5-1605 | 4 |
| | | | | (Bugeye from HAN5-1606 | |
| | 401-690 | \$5.79 | SCREW, sidecurtain mounting | Sprite HAN6-101 thru 24731 | 4 |
| | | | _ | Midget thru GAN1-16183 | |
| | 401-700 | \$15.99 | SCREW, sidecurtain mounting | ∫Sprite from HAN7-24732 | 4 |
| | 401-700 | \$15.99 | SCREW, Sidecurtain mounting | Midget from GAN2-16184 | 4 |
| Δ Ι | II/ mode | aluminum ai | idocurtoino ara alaga ranraduation | of the original unite fitted to all | |

Our U.K.- made aluminum sidecurtains are close reproductions of the original units fitted to all except the earliest Bugeyes, which used a primitive fabric covered design. Our sidecurtains fit all.

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------|--------------------|------------------|---|-----------------------------|--------------|
| Do | or Win | dows | | | |
| 10 | 459-920 | \$99.99 | DOOR GLASS, RH | | 1 |
| | 459-925 | \$99.99 | DOOR GLASS, LH | | 1 |
| 12 | 407-025 | NA | CHANNEL, lower | | 2 |
| 13 | 680-667 | \$2.99 | GLAZING STRIP, sold per foot | Cut to 18 3/8" long. | A/R |
| 14 | 407-014 | \$34.99 | CHANNEL, rear, RH | | 1 |
| 15 | 407-019 | \$34.99 | CHANNEL, rear, LH | | 1 |
| 16 | 458-610 322-170 | \$3.19 \$0.49 | GLAZING STRIP, felt and rubber SCREW, channel top to door | | 2 |
| 17 | 324-020 | \$0.49 | LOCKWASHER | | 2 |
| 18 | 324-020 | NA | BRACKET, channel bottom to doo | r RH | 1 |
| . 0 | | NA | BRACKET, channel bottom to doo | | 1 |
| 19 | 310-760 | \$0.39 | NUT, bracket to channel bottom | ., | 2 |
| 20 | 324-020 | \$0.20 | LOCKWASHER | | 6 |
| 21 | 324-590 | \$0.19 | WASHER, plain | | 2 |
| 22 | 322-170 | \$0.49 | SCREW, bracket to door | | 4 |
| 25 | 324-590 | \$0.19 | WASHER, plain | | 4 |
| 26 | | NA | STOP, regulator | | 2 |
| 27 | 310-140 | \$0.24 | NUT, stop to door | | 2 |
| 28 | 315-300 | \$0.49 | WASHER, shakeproof | | 2 |
| 29 | 365-720 | \$0.29 | WASHER, plain | | 2 |
| 30 | 000 705 | NA no no | STOP, lower | | 2 |
| 31 | 323-705 | \$0.29 | SCREW, lower stop to door botto | m | 4 4 |
| 32 33 | 402-230 | NA \$1.99 | SPIRE NUT FELT PAD, lower stop | | 2 |
| აა —— | 402-230 | \$1.99 | reli Pad, iowei stop | | |
| 40 | 402-295 | NA | REGULATOR, window, RH | ↑ Midget to (c)60459 | 1 |
| | 402-290 | NA | REGULATOR, window, LH | ∫ Sprite to (c)72040 | 1 |
| | 405-535 | NA | REGULATOR, window, RH |) Midget (c)60460-on | 1 |
| | 405-530 | NA | REGULATOR, window, LH | Sprite (c)72041-on | 1 |
| 41 | 322-170 | \$0.49 | SCREW, regulator to door | | 16 |
| 42 | 324-020 | \$0.20 | WASHER, locking | | 16 |
| 43 | 324-115 | \$0.24 | WASHER, plain | | 16 |
| 54 | 472-110 | \$45.99 | HANDLE, window regulator | <u></u> | 2 |
| 55 | 803-230 | \$1.49 | PIN, handle to regulator | Midget to (c)60459 | 2 |
| 56 | 470-600 | \$14.49 | ESCUTCHEON AND SPRING | Sprite to (c)72040 | 2 |
| 64 | 472-520 | \$2.29 | HANDLE, window, black plastic |) Midnet (a) CO 4 CO | 2 |
| | 472-540 | \$19.99 | HANDLE, window, chrome (repl.) | Midget (c)60460-on | 2 |
| 66 | 472-515 | \$2.89 | ESCUTCHEON, handle | Sprite (c)72041-on | 2 |
| | | | | | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




Door Windows

| No. | Part | Price | Description | Application Qty |
|---|---|--|---|--|
| 67 68 69 | No. 472-535 324-010 472-530 | \$0.59 \$0.19 \$3.79 | SCREW, chrome LOCKWASHER ESCUTCHEON, chrome | to 1974 approx. |
| 70 | 472-495 | \$1.89 | SCREW, flanged, handle to regu | lator 1974 on approx. |
| 80 | * | NA | QUARTER LIGHT ASS'Y, RH, | <u> </u> |
| | * | NA | chrome (with hooked handle) QUARTER LIGHT ASS'Y, LH, chrome (with hooked handle) | to G-AN4-64474; to H-AN9-75702. |
| *The | * * se early a | NA NA ssemblies | QUARTER LIGHT ASS'Y, RH, chrome (with straight handle) QUARTER LIGHT ASS'Y, LH, chrome (with straight handle) are no longer available. The later | G-AN4-64475 on; to G-AN5-121649; H-AN9-75703 on; type below may be used. |
| 82 | 407-030 | \$449.99 | QUARTER LIGHT ASS'Y, RH, | 1 |
| | 407-040 | \$449.99 | stainless steel (w/straight handl QUARTER LIGHT ASS'Y, LH, stainless steel (w/straight handl | (1973-'80) |
| 83 84 | 458-610 282-075 | \$3.19 \$11.99 | GLAZING STRIP, felt and rubber SEAL, quarter light, RH | ! |
| 85 86 | 282-085 282-550 459-930 459-935 | \$11.99 \$4.29 \$99.99 \$99.99 | SEAL, quarter light, LH GLAZING RUBBER GLASS, RH GLASS, LH | Cut to 19" long. |
| 90 91 | 282-200 282-205 282-575- 282-595- 282-065 †These to | \$3.19 \$1.99 | SEAL, quarter light to door, RH SEAL, quarter light to door, LH CORNER BLOCK CORNER BLOCK A=7/16" CORNER BLOCK A=1/2" blocks may be interchanged. | chrome ass'y. (1962-68) chrome ass'y. (1969-'72) stainless ass'y. (1973-'80) |
| 92 93 | · | NA NA NA NA | TOP PIVOT, upper half, RH TOP PIVOT, lower half, RH TOP PIVOT, upper half, LH TOP PIVOT, lower half, LH | chrome ass'y. |
| | 407-045 407-050 407-055 407-060 | \$5.99 \$5.99 \$5.99 \$5.99 | TOP PIVOT, upper half, RH TOP PIVOT, lower half, RH TOP PIVOT, upper half, LH TOP PIVOT, lower half, LH | stainless ass'y. |
| 101 102 | 325-085 314-305 407-130 407-140 329-850 324-590 324-020 | \$1.79 \$1.09 NA \$18.79 NA \$1.49 \$0.19 \$0.20 | RIVET, upper pivot half to frame SCREW, lower pivot half to fram BOTTOM PIVOT DISTANCE TUBE, bottom pivot SPRING, bottom pivot WASHER, plain WASHER, locking | chrome ass'y. (use 407-140) : stainless ass'y. |
| 104 | 310-760 470-505 470-515 470-425 | \$0.39 NA NA NA | NUT LOCKING HANDLE, hooked, RH LOCKING HANDLE, hooked, LH BRACKET AND PIVOT | Midget to (c)64474 Sprite to (c)75702 |
| 106 | 470-430 470-585 470-595 | NA \$26.99 \$26.99 | BRACKET AND PIVOT LOCKING HANDLE, straight, RH LOCKING HANDLE, straight, LH | G-AN4-64475 on H-AN9-75703 on |
| 110 111 112 113 114 115 116 126 127 128 129 130 135 136 137 138 139 | 324-295 325-085 314-300 458-550 407-065 312-010 322-540 365-730 407-075 | \$2.79 \$0.29 \$1.79 \$0.59 \$0.79 NA NA \$2.49 NA \$0.69 \$0.25 NA NA \$0.99 \$0.39 \$0.29 \$0.20 \$0.20 \$0.20 \$0.20 \$0.30 | PIN, handle to pivot WASHER, waved RIVET, bracket to inner frame SCREW, corner finisher to frame SCREW, corner finisher to frame STUD PLATE, quarter light to do RIVET, front stud plate to frame RIVET, rear stud plate and latch NUT, stud plate to door SHIM, front frame foot to door, RIVET, shim to front frame foot SCREW, front frame foot to door WASHER, locking WASHER, plain BRACKET, drop glass channel to STUD PLATE, bracket to drop gl. NUT, bracket to drop glass char BOLT, bracket to door WASHER, locking WASHER, locking WASHER, locking | e, lower or to frame 1/16" thick A/I door ass channel |

65

Bumpers



| A - | 948 (except Bugeye), | 1098, | 1275 | to | Sprite | (c)852 | в6, |
|------------|----------------------|--------|------|----|--------|--------|-----|
| | Midget (c)74885 (196 | 1-'69) | | | | | |

| 1 | 400-240 | \$234.99 | BUMPER BLADE, front |
|----|---------|----------|--|
| 2 | 400-250 | \$69.99 | SPRING BAR |
| 3 | 853-110 | \$58.99 | OVER RIDER |
| 4 | 400-418 | \$3.69 | PACKING STRIP SET, for 4 over riders |
| 5 | 322-615 | \$2.69 | BOLT, over rider and blade to spring bar |
| 9 | 322-900 | \$1.89 | BOLT & NUT, bumper mounting, chrome |
| 10 | 400-315 | \$0.89 | PACKING PIECE, spring bar to blade |
| 12 | 455-905 | \$29.99 | BRACKET, bumper to chassis, RH |
| | 455-855 | \$29.99 | BRACKET, bumper to chassis, LH |
| 13 | 280-690 | \$1.19 | GROMMET, front valance |
| 14 | 472-347 | \$0.24 | NUT, spring bar to bracket |
| 15 | 322-835 | \$0.39 | WASHER, locking |
| 16 | 315-120 | \$0.89 | WASHER, plain |
| 25 | 853-100 | \$309.99 | BUMPER BAR, rear |
| 26 | 400-260 | \$10.79 | SPRING BAR |
| 27 | 853-110 | \$58.99 | OVER RIDER |
| 28 | 400-418 | \$3.69 | PACKING STRIP SET, for 4 over riders |
| 29 | 322-615 | \$2.69 | BOLT, over rider and blade to spring bar |
| 33 | 322-900 | \$1.89 | BOLT & NUT, bumper mounting, chrome |
| 34 | 400-315 | \$0.89 | PACKING PIECE, spring bar to blade |
| 35 | 400-505 | \$17.69 | BRACKET, bumper mounting, RH |
| | 400-515 | \$17.69 | BRACKET, bumper mounting, LH |
| 38 | 400-545 | \$26.99 | SUPPORT, mounting bracket (BMH*) |
| 39 | 322-040 | \$0.49 | BOLT, bracket/support to boot floor |
| 40 | 322-040 | \$0.49 | BOLT, bracket/support to rear valance |
| 41 | 400-525 | \$21.79 | FINISHER, chrome, mounting bracket |
| 42 | 402-550 | \$3.09 | DOME NUT, chrome |
| 43 | 320-285 | \$0.69 | BOLT, spring bar to bracket |
| | | | |

B - 1275 Midget from (c)74886 to 143354 (1970-mid'74)

| 50 51 52 56 57 58 59 63 64 65 68 | 400-270 400-290 400-310 400-550 400-418 320-345 400-585 322-040 322-540 400-535 | \$289.99 NA \$69.99 \$52.99 \$8.99 \$3.69 \$0.79 \$1.79 \$0.49 \$0.69 NA | BUMPER BLADE, front SPRING BAR (Not availuse #52) thru 1972 SPRING BAR 1973-'74 to (c)143354 OVER RIDER RUBBER FACING, over rider PACKING STRIP SET, for 4 over riders BOLT, over rider and blade to spring bar SPACER, bumper blade to spring bar BOLT, outer ends of spring bar to blade BOLT center of spring bar to blade REINFORCEMENT from (c)123731 (1973) | 2 1 2 2 2 1 |
|--|--|--|---|---|
| 69 | 455-905 455-855 | \$29.99 \$29.99 | BRACKET, bumper to chassis, RH BRACKET, bumper to chassis, LH | 1 1 |
| 70 72 73 | 400-580 400-590 322-645 324-020 | NA NA \$0.49 \$0.20 | BRACKET, bumper to chassis, RH BRACKET, bumper to chassis, LH BOLT, bracket WASHER, locking from (c)138801 (1974) | 1 1 4 4 |
| 74 75 76 77 80 81 84 85 86 89 90 91 92 95 96 98 99 | 400-330 400-340 400-310 400-550 400-350 400-555 400-565 320-345 400-585 322-050 322-040 400-600 400-605 400-610 | \$0.39 \$0.89 \$124.99 \$124.99 \$9.79 \$52.99 \$3.69 \$9.99 \$59.79 \$0.79 \$0.79 \$0.49 \$13.99 \$21.99 | GROMMET, front valance NUT, spring bar to bracket WASHER, locking WASHER, plain BUMPER BAR, rear, RH BUMPER BAR, rear, LH SPRING BAR OVER RIDER RUBBER FACING, over rider PACKING STRIP SET, for 4 over riders BRACKET, bumper mounting BRACKET, number plate lamp mounting, RH BRACKET, number plate lamp mounting, LH BOLT, over rider to mounting bracket SPACER, bumper blade to spring bar BOLT, spring bar to mounting bracket BOLT, bumper blade to spring bar SUPPORT, mounting bracket, outer RH (BMH*) SUPPORT, mounting bracket, outer LH (BMH*) SUPPORT, mounting bracket, outer LH (BMH*) SUPPORT, mounting bracket, inner LH (BMH*) | 2 2 4 1 1 2 2 2 1 4 1 1 1 1 1 1 1 1 1 1 |
| 101 | 322-040 321-708 310-140 | \$0.49 \$4.99 \$0.24 | BOLT, support to trunk floor BOLT & NUT, mounting bracket | 8 8 |

^{*} Parts market "BMH" are produced by British Motor Heritage.

| - 47 | | |
|------|--|--|
| -10 | | |
| | | |

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------------------------|----------------------------|---|--------------------------|--------------|
| 104 | 322-290 365-720 310-290 | \$0.89 \$0.29 \$0.69 | BOLT, mounting bracket WASHER, plain NUT, nyloc | from (c)138800 (1974) | 8 16 8 |

C - 1275 Midget from (c)143355 to 154100 (mid 1974)

NOTE: Hardware for this application is the same as under illustration B.

| 110 | 400-370 | NA | FACE BAR, front bumper (may use earlier bumper 40 | 0-270) 1 |
|-----|---------|--------|---|----------|
| 111 | 400-380 | NA | SPRING BRACKET | 1 |
| 112 | 400-390 | NA | SUPPORT | 1 |
| 113 | 400-400 | NA | BRACKET | 2 |
| 114 | 400-535 | NA | REINFORCEMENT | 2 |
| 115 | 280-690 | \$1.19 | GROMMET, front bumper | 2 |
| 116 | 400-410 | NA | OVERRIDER, R/H, front & rear | 2 |
| | 400-420 | NA | OVERRIDER, L/H, front & rear | 2 |
| 117 | 400-580 | NA | BRACKET, bumper to chassis, R/H | 1 |
| | 400-590 | NA | BRACKET, bumper to chassis, L/H | 1 |
| 120 | 400-430 | NA | BUMPER, L/H rear | 1 |
| | 400-440 | NA | BUMPER, R/H rear | 1 |
| 121 | 400-450 | NA | SPRING BRACKET | 2 |
| 122 | 400-460 | NA | BRACKET | 2 |
| | | | | |

D - Midget 1500 (1975-'80)

2 1 2

3

5 1 1


2 2 2

2


| 135 | 400-470 | NA | BUMPER MOULDING, front | 1 |
|-----|---------|---------|--|----|
| 136 | 400-480 | NA | ARMATURE, bumper | 1 |
| 137 | 400-500 | NA | RETAINER, moulding to armature | 2 |
| 138 | 326-195 | NA | RIVET | 26 |
| 142 | 400-490 | \$39.99 | SUPPORT, upper moulding | 1 |
| 143 | | NA | RIVET | 4 |
| 144 | | NA | SPRING BRACKET, inner, RH | 1 |
| | | NA | SPRING BRACKET, inner, LH | 1 |
| 145 | 400-570 | \$15.49 | SPRING BRACKET, outer | 2 |
| 146 | | NA | SCREW, outer bracket to body and armature | 8 |
| 147 | 324-040 | \$0.29 | WASHER, locking | 8 |
| 148 | 475-155 | NA | WASHER, plain | 8 |
| 149 | | NA | SCREW, inner spring bracket to armature | 8 |
| 150 | 324-040 | \$0.29 | WASHER, locking | 8 |
| 151 | 475-155 | NA | WASHER, plain | 8 |
| 152 | 324-040 | \$0.29 | WASHER, locking | 4 |
| 153 | 475-155 | NA | WASHER, plain | 4 |
| 157 | 475-170 | \$27.99 | BADGE, 'MG', gold on black some 1975 cars. | 1 |
| | 475-165 | \$19.99 | BADGE, 'MG', silver on black from (c)171431 | 1 |
| | 475-175 | \$39.99 | BADGE, 'MG', silver on bright red alternative. | 1 |
| 158 | 326-530 | \$0.24 | CLIP, push fix, badge to bumper | 2 |
| 162 | 400-510 | NA | BUMPER MOULDING, rear | 1 |
| 163 | 400-520 | \$97.00 | ARMATURE, bumper | 1 |
| 164 | 400-530 | NA | RETAINER, moulding to armature, upper | 1 |
| 165 | 400-540 | NA | RETAINER, moulding to armature, lower | 1 |
| 166 | 326-195 | NA | RIVET | 28 |
| 167 | 324-040 | \$0.29 | WASHER, locking | 4 |
| 168 | 475-155 | NA | WASHER, plain | 4 |
| | | | | |

Towing Eye / Common Hardware

| 176 177 178 179 181 | 400-575 320-285 324-040 324-860 310-050 365-730 | \$17.89 \$0.69 \$0.29 \$0.19 \$0.59 \$0.25 | TOWING EYE BOLT, towing eye LOCKWASHER WASHER, plain NUT LOCKWASHER | all | 2 4 A/R A/R A/R A/R |
|---------------------------------|--|---|---|-----|------------------------------------|
| 182 | 365-720 | \$0.29 | WASHER, plain | | A/R |




| 190 | 451-720 | \$11.29 | SUPPORT, license plate, British | style | 2 |
|------------|-------------------------------|------------------------------|---|---------------------------------|-------------|
| 191 | 451-285 | \$9.89 | SUPPORT, license plate, for U.S. plates | }948-1275 ft. & rear 1500 front | 2 |
| 192 193 | 402-560 451-295 451-296 | \$3.69 \$33.99 \$43.99 | BRACKET for front support SUPPORT, license plate, rear, st SUPPORT, license plate, rear, st | | 2 1 1 |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-------------|-------------|--------------|
| | _ | | | | |

| Early | Doors, | 1958-'63 |
|-------|--------|----------|

| 3 | 471-135 | ¢130 00 | HINGE (British Motor Heritage part) | 4 |
|----|---------|---------|-------------------------------------|----|
| 4 | 322-495 | \$0.49 | SCREW | 20 |
| | | | | |
| 5 | 315-300 | | WASHER, shakeproof | 8 |
| 6 | 324-590 | \$0.19 | FLAT WASHER | 8 |
| 7 | 462-385 | \$0.19 | LOCK WASHER | 12 |
| 8 | 282-140 | \$1.29 | PLUG, rubber 948cc cars only | 8 |
| 9 | 402-640 | \$36.99 | LATCH, R/H | 1 |
| 9A | 402-650 | \$36.99 | LATCH, L/H | 1 |
| 10 | 402-670 | \$12.89 | KNOB | 2 |
| 11 | 324-110 | \$0.29 | SPRING WASHER | 8 |
| 12 | 323-005 | \$0.39 | SCREW | 8 |
| 13 | 470-540 | \$8.69 | STRIKER | 2 |
| 14 | 323-255 | \$0.69 | SCREW | 4 |
| 15 | | | CHECK STRAP (see #60-62 below) | 2 |
| 16 | 459-943 | \$74.99 | DOOR CAPPING, R/H | 1 |
| | 459-942 | \$74.99 | DOOR CAPPING, L/H | 1 |
| | | | | |



| No. | Price (each) | Description | Application | Qty. Req. |
|-----|-----------------|-------------|-------------|--------------|
| | | | | |

Late Doors, 1964-'80


| 1 2 | 402-685 323-205 | \$19.99 \$1.49 | HANDLE, remote control SCREW, handle to remote contro | Midget to (c)60459* Sprite to (c)72040* | 2 |
|--------|--------------------|-------------------|--|--|----|
| | 402-690 | NA | HANDLE, remote control (Use early handle & screw) | Midget from (c)60460† | 2 |
| | 323-005 | \$0.39 | SCREW, handle to remote contro | Sprite from (c)72041† | 2 |
| 3 | 324-010 | \$0.19 | LOCKWASHER | | 2 |
| 6 | 402-675 | NA | REMOTE CONTROL, latch, LH | | 1 |
| | 402-680 | NA | REMOTE CONTROL, latch, RH | | 1 |
| 7 | 323-005 | \$0.39 | SCREW, remote control to door | | 6 |
| 8 | 324-010 | \$0.19 | WASHER, locking | | 6 |
| 9 | 315-085 | \$0.14 | WASHER, plain | | 6 |
| 12 | 323-585 | \$0.49 | SCREW, latch to door | | 6 |
| 15 | 401-340 | NA | STRIKER PLATE, RH | ↑ Midget to (c)60459* | 1 |
| | 401-320 | NA | STRIKER PLATE, LH | ∫ Sprite to (c)72040* | 1 |
| | 401-370 | \$29.29 | STRIKER PLATE, RH | ↑ Midget from (c)60460† | 1 |
| | 401-360 | \$29.29 | STRIKER PLATE, LH | f Sprite from (c)72041† | 1 |
| 16 | 323-195 | \$0.99 | SCREW, long, striker plate to 'B' | post | 2 |
| 17 | 323-280 | \$0.49 | SCREW, short, striker plate to 'B | ' post | 4 |
| 18 | 402-410 | \$1.19 | SHIM, striker plate to 'B' post, 0 | .064" A | /R |
| | 402-415 | \$1.19 | SHIM, striker plate to 'B' post, 0 | .032" A | /R |

| | 16 | 459-943 459-942 | \$74.99 \$74.99 | DOOR CAPPING, R/H DOOR CAPPING, L/H | 1 |
|---|----------|--------------------|--------------------|--|----------|
| ı | 19 | 402-340 | \$3.89 | TAPPED PLATE, upper (in 'B' post) | 2 |
| | 20 | 402-420 | \$4.79 | TAPPED PLATE, lower (in 'B' post) | 2 |
| | 25 | | NA | EXTERIOR HANDLE ASS'Y 1964-'67 | 2 |
| | | 402-660 | \$82.99 | EXTERIOR HANDLE ASS'Y 1968-on | 2 |
| | 26 | 401-550 | \$0.49 | GASKET, handle to door, rear | 2 |
| | 27 | 401-540 | \$0.39 | GASKET, handle to door, front | 2 |
| | 28 | 310-040 | \$0.19 | NUT, handle to door | 2 |
| | 29 | 466-385 | \$0.39 | SCREW, handle to door | 2 |
| | 30 | 324-010 | \$0.19 | WASHER, locking | 4 |
| | 31 | 324-990 | \$0.29 | WASHER, plain | 4 |
| | | 470-458 | \$99.99 | MASTER LOCK SET., 3 pieces Includes 2 door locks, trunk handle | 1 |
| | | | | & lock; keyed alike, with 2 keys | |
| | | 470-448 | \$66.99 | LOCK SET, door | 1 |
| | | 470 440 | ψ00.00 | Includes 2 door locks; keyed alike, with 2 keys | • |
| | 35 | 470-435 | \$34.99 | LOCK, R/H door with 2 keys | 1 |
| | | 470-440 | \$34.99 | LOCK, L/H door with 2 keys | 1 |
| | 36 | 401-590 | NA | CLIP, lock retaining | 2 |
| | 37 | 402-170 | \$0.69 | GASKET, lock to door | 2 |
| | 40 | 282-175 | \$8.89 | WEATHER STRIP, door, outer, LH | 1 |
| | | 282-170 | \$8.89 | WEATHER STRIP, door, outer, RH | 1 |
| | 41 | 803-400 | \$0.17 | CLIP, outer weather strip to door | 12 |
| | 42 | 282-185 | \$7.39 | WEATHER STRIP, door, inner, LH | 1 |
| | | 282-180 | \$7.39 | WEATHER STRIP, door, inner, RH | 1 |
| | 43 | 317-065 | \$0.99 | | 12 |
| | 46 | 471-140 | | HINGE, door (British Motor Heritage part) | 4 |
| | 47 | 322-880 | \$0.49 | SCREW, hinge to door | 8 |
| | 48 | 315-300 | \$0.49 | WASHER, shakeproof | 8 |
| | 49 50 | 322-495 | \$0.49 | , , | 12 12 |
| | 50 55 | 462-385 | \$0.19 | WASHER, shakeproof DOOR PANEL, see page 78. | 12 |
| | 56 | 803-420 | \$0.79 | | 18 |
| | 60 | 240-670 | \$22.99 | CHECK STRAP, red | 2 |
| | 00 | 240-675 | \$22.99 | CHECK STRAP, black | 2 |
| | | 240-680 | \$22.99 | CHECK STRAP, blue | 2 |
| | | 240-672 | \$22.99 | CHECK STRAP green | 2 |
| | | 240-685 | \$22.99 | CHECK STRAP, navy | 2 |
| | | 240-690 | \$22.99 | CHECK STRAP, autumn leaf | 2 |
| | 61 | 240-805 | \$3.99 | BRACKET, check strap | 2 |
| | 62 | 240-815 | \$1.99 | RETAINER, check strap | 2 |
| | 65 | 402-700 | NA | MOULDING, door top, untrimmed, RH | 1 |
| | | 402-705 | NA | MOULDING, door top, untrimmed, LH | 1 |
| | 66 | 326-075 | \$0.69 | STUD PLATE, moulding to door top | 4 |
| | 67 | 315-085 | \$0.14 | WASHER, plain | 4 |
| | 68 | 159-340 | \$0.49 | NUT | 4 |
| | 72 | 803-440 | \$15.29 | HANDLE, door pull, chrome \(\bigcup \text{Midget to (c)60459*} \) | 2 |
| | 73 | 402-485 | \$0.59 | SCREW, chrome, handle to door \boldsymbol{J} Sprite to (c)72040* | 4 |
| | 7/ | 472-240 | \$6.79 | HANDLE, door pull, black \ \ \ \ Midget (c)60460-105500† | 2 |
| | 74 75 | 402-485 | \$0.79 \$0.59 | HANDLE, door pull, black Midget (c)60460-105500† SCREW, chrome, handle to door Sprite from (c)72041† | 2 4 |
| | | | Ψ0.00 | | _ |
| | 76 | 402-450 | NA | HANDLE, door pull, autumn leaf | 2 |
| | | 402-455 | \$14.79 | HANDLE, door pull, yellow ochre | 2 |
| | | 402-453 | \$13.79 | HANDLE, door pull, black Midget from (c)105501 | 2 |
| 1 | 77 | 402-490 | NA Os og | HANDLE, door pull, navy SCREW, handle to door (from 1972) | 2 |
| | 77 78 | 314-285 402-710 | \$0.39 NA | CAPTIVE NUT | 4 |
| | , 0 | 102-110 | INA | J | _ |

* thru 1967 † from 1968



MOSS MOTORS, LTD. TOLL-FREE ORDERS 1-800-667-7872



| No. | Price (each) | Description | Application | Qty. Req. |
|-----|-----------------|-------------|-------------|--------------|
| | | | | |

Sprite Mkl-II, Midget Mkl

| 1 | 145-510 | NA | WIPER MOTOR, less gear #7 | replaces original units #75213 & 75387 | 1 |
|----|---------|---------|--------------------------------|--|---|
| 3 | 554-035 | \$19.99 | BRUSH BLOCK PAIR (carbon b | locks only) | 1 |
| 4 | 145-640 | \$8.29 | MOUNTING KIT (3 grommets, stu | uds, nuts & washers) | 1 |
| 7 | 145-320 | NA | GEAR & SHAFT | | 1 |
| 8 | 161-310 | \$15.99 | CABLE ASS'Y., must be cut to m | natch original length | 1 |
| 9 | 145-200 | \$36.99 | WHEELBOX | | 2 |
| 10 | 145-290 | \$3.89 | BEZEL, chrome | | 2 |
| 11 | 282-820 | \$0.69 | PAD, bezel | | 2 |
| 12 | 311-065 | \$1.69 | NUT | | 2 |
| 14 | 165-005 | \$19.99 | WIPER ARM (LHD) | | 2 |
| 15 | 161-100 | \$19.99 | WIPER BLADE, 8" | | 2 |

Sprite MkIII-IV, Midget MkII-III thru 1967

| 1 | 145-510 | NA | WIPER MOTOR, less gear #7 | { replaces units #75452, 75504 & 75801, 1963-'6 | 7 1 |
|----|---------|----------|------------------------------|---|-----|
| 2 | 554-030 | NA | BRUSH ASSEMBLY | | 1 |
| 3 | 554-035 | \$19.99 | BRUSH PAIR (carbon bloo | cks only) | 1 |
| 4 | 145-640 | \$8.29 | MOUNTING KIT (3 grommets, | studs, nuts & washers) | 1 |
| 7 | 145-535 | NA | GEAR & SHAFT | original units #75452 & 75504 | 1 |
| | 560-360 | \$104.99 | GEAR & SHAFT | replacement unit #75801 | 1 |
| 8 | 161-310 | \$15.99 | CABLE ASS'Y., must be cut to | o match original | 1 |
| 9 | 145-217 | \$37.99 | WHEELBOX | - | 2 |
| 10 | 145-290 | \$3.89 | BEZEL, chrome | | 2 |
| 11 | 282-820 | \$0.69 | PAD, bezel | | 2 |
| 12 | 145-205 | \$1.79 | NUT | | 2 |
| 14 | 165-005 | \$16.75 | WIPER ARM (LHD) | | 2 |
| 15 | 161-100 | \$18.95 | WIPER BLADE, 8" | | 2 |

All from 1968 on

| All | Trom | 1968 01 | 1 | | |
|-----|---------|----------|---------------------------------|------------------------|---------|
| 5 | 145-490 | \$89.99 | WIPER MOTOR, less gear #7 | replaces units #75 | 5660, 1 |
| | 145-485 | \$109.99 | WIPER MOTOR, less gear, Lucas | 5 75664 & 75705 | 1 |
| 5a | 145-590 | \$19.99 | BRUSH SET | | 1 |
| 6 | 145-645 | \$6.89 | STRAP, wiper motor mounting | | 1 |
| 6a | 145-660 | \$3.79 | PAD | | 1 |
| 6b | 145-665 | NA | PACKING | | 1 |
| 7 | 145-575 | \$39.99 | GEAR & SHAFT | twin wipers | 1 |
| | 145-555 | \$18.89 | GEAR & SHAFT | triple wipers | 1 |
| 8 | 161-310 | \$15.99 | CABLE ASS'Y., must be cut to ma | atch original | 1 |
| 9 | 145-150 | NA | WHEELBOX | 1968 - '74 1/2 | 2/3 |
| | 145-140 | NA | WHEELBOX | 1974 1/2 on | 3 |
| 10 | 145-290 | \$3.89 | BEZEL, chrome | | 2/3 |
| 11 | 282-820 | \$0.69 | PAD, bezel | | 2/3 |
| 12 | 145-205 | \$1.79 | NUT | | 2/3 |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




361-180

\$8.89

Wipers & Washers

| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|----------------------------------|-------------------|--------------|
| 17 | 164-625 | NA | WIPER ARM | 1968 | 2 |
| | 164-610 | \$27.99 | WIPER ARM, TEX brand | 1969 - '72 | 2/3 |
| | 164-615 | \$32.49 | WIPER ARM (stainless), TEX brand | 1973-'76 | 3 |
| | 164-635 | \$26.79 | WIPER ARM (black), TEX brand | 1977-'80 | 3 |
| 18 | 165-075 | NA | WIPER BLADE | 1968 | 2 |
| | 165-055 | \$11.49 | WIPER BLADE | 1969 - '72 | 2/3 |
| | 165-046 | \$11.49 | WIPER BLADE (stainless) | 1973-'76 | 3 |
| | 165-047 | \$19.99 | WIPER BLADE (black), TEX brand | 1,077,100 | 3 |
| | 165-045 | \$11.99 | WIPER BLADE (black) | } 1977-'80 | 3 |
| | | - | (a) | (25) | |



Windshield Washer


| VV 1 | nasmen | u wasn | er | | |
|------|---------|---------|---|----------------------------|-----|
| 20 | 361-215 | \$44.99 | BRACKET, washer bottle | Sprite Mkl,ll, Midget Mkl | 1 |
| 21 | 361-245 | \$11.29 | BRACKET, washer bottle | from above thru 1967 | 1 |
| 22 | 361-275 | \$14.49 | BRACKET, washer bottle | 1968-'74 | 1 |
| 24 | 361-125 | \$47.99 | CONTAINER (use with #20, 26, 27) | | 1 |
| 25 | 361-148 | \$9.49 | CONTAINER ASS'Y., complete | 1098 from '64 & 1275 | 1 |
| 26 | 361-140 | \$7.49 | CAP, with tube (included with # | | 1 |
| 27 | 361-145 | \$2.99 | FOOT VALVE (included with # | [‡] 25 & 26) | 1 |
| 28 | 161-125 | NA | CONTAINER | }1500 to (c)166300 | 1 |
| 29 | 361-135 | NA | STRAP | J 1300 to (c)100300 | 1 |
| 30 | 361-120 | \$18.79 | CONTAINER, bag | 1,500 (()400004 | 1 |
| 31 | 361-270 | \$12.89 | BRACKET for bag | }1500 from (c)166301 | 1 |
| 32 | 361-190 | \$1.19 | FILLER PLUG | all 1500 | 1 |
| 33 | 361-150 | \$3.79 | CAP | 1500 to (c)166300 | 1 |
| 35 | 361-240 | \$4.79 | JET, chromed | thru 1976 | 2 |
| | 361-260 | \$3.79 | JET, black | from 1977 | 2 |
| 36 | 361-210 | \$0.89 | TUBING, container to pump & & pump to 3-way connector | sold | A/R |
| 37 | 361-210 | \$0.89 | TUBING, connector to jets | thru 1976 per foot | A/R |
| | 361-220 | \$0.89 | TUBING, connector to jets | 1977-on J | A/R |
| 38 | 361-235 | NA | CONNECTOR, 3-way | thru 1976 | 1 |
| | 115-372 | \$1.19 | CONNECTOR, 3-way | 1977-on | 1 |
| 39 | 361-185 | NA | PUMP, w/knob | 948 | 1 |
| 40 | 361-160 | \$28.99 | PUMP, manual (replacement) | 1098 | 1 |
| | | | (Must use non-return valve 361-2 | 00 below in pump outlet li | ne) |
| | 361-200 | \$4.89 | VALVE, in-line | use with pump 361-160 | 1 |

1275 & 1500


1 **69**

PUMP, electric

Headlamps




| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|--|--------------|
| Hea | adlamp | os - Bug | geye to (c)19014 | |
| 1 | 168-708 | \$94.99 | HEADLAMP ASS'Y., sealed beam | 2 |
| 2 | 157-300 | \$18.79 | RING ASS'Y., inner, 2 piece | 2 |
| 3 | 156-700 | \$6.49 | RING, retaining | 2 |
| 5 | 171-100 | NA | LIGHT UNIT, sealed beam (not in ass'y.) | 2 |
| | 171-105 | \$13.99 | LIGHT UNIT, sealed beam, halogen (in ass'y.) | 2 |
| 6 | 171-400 | \$5.89 | PLUG, sealed beam, w/ grommet & pigtail | 2 |
| 7 | 144-797 | \$19.99 | BUCKET (3 adjuster type) without adjusters | 2 |
| 8 | 147-015 | \$12.79 | ADJUSTER SET, for 1 lamp | 2 |
| 9 | 164-002 | \$21.79 | CHROME RIM, outer | 2 |
| 10 | 147-000 | \$0.99 | SCREW | 2 |
| 11 | 280-120 | \$2.19 | DUST SEAL | 2 |
| 12 | 280-130 | \$2.49 | GASKET, lamp ass'y., to body | 2 |



| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|--|--------------|
| Не | adlamp | lget 1500 | | |
| 40 | 144-810 | \$63.99 | HEADLAMP ASSEMBLY | 2 |
| | 169-130 | NA | BUCKET ASSEMBLY | 2 |
| | 144-807 | \$20.99 | BUCKET, bare | 2 |
| 41 | 171-400 | \$5.89 | PLUG, w/grommet & pigtail | 2 |
| 42 | 156-700 | \$6.49 | RING, retaining | 2 |
| 43 | 158-045 | \$0.34 | SCREW | 6 |
| 44 | 552-115 | \$4.99 | ADJUSTER SET | 2 |
| 45 | 560-325 | \$2.19 | CLIP, rim securing | 2 |
| 46 | 171-100* | NA | LIGHT UNIT, sealed beam (not in ass'y.) | 2 |
| | 171-105 | \$13.99 | LIGHT UNIT, sealed beam, halogen (in ass'y.) | 2 |
| 47 | 560-215 | \$14.99 | RIM, inner | 2 |
| 48 | 164-060 | \$3.99 | GASKET, lamp ass'y., to body | 2 |
| 49 | 164-020 | \$19.99 | RIM, outer (1975-'79) | 2 |
| | 164-015 | \$54.99 | RIM, outer, with notch (1980) | 2 |
| 50 | 373-960 | \$0.20 | SCREW, to body | 8 |

^{*} Note: See the Accessories Section at the front of this catalog for alternative headlamps.



Headlamps - from Bugeye (c)19015 thru 1275

| 20 | 144-800 | \$89.99 | HEADLAMP ASS'Y., sealed beam | l | 2 |
|----|---------|---------|-------------------------------|---|---|
| 21 | 156-700 | \$6.49 | RING, retaining | | 2 |
| 22 | 171-100 | NA | LIGHT UNIT, sealed beam (not | in ass'y.) | 2 |
| | 171-105 | \$13.99 | LIGHT UNIT, sealed beam, half | ogen (in ass'y.) | 2 |
| 23 | 171-400 | \$5.89 | PLUG, sealed beam, w/ gromn | PLUG, sealed beam, w/ grommet & pigtail | |
| 24 | 560-215 | \$14.99 | RIM, inner | | 2 |
| 25 | 144-807 | \$20.99 | BUCKET with 2 adjusters | | 2 |
| 26 | 552-115 | \$4.99 | ADJUSTER SET, for 1 lamp | | 2 |
| 27 | 164-000 | NA | CHROME RIM, outer, orig. type | Rugovo | 2 |
| | 164-002 | \$21.79 | CHROME RIM, replacement | } Bugeye | 2 |
| | 560-180 | \$18.79 | CHROME RIM, outer | all except Bugeye | 2 |
| 28 | 147-000 | \$0.99 | SCREW | | 2 |
| 29 | 280-120 | \$2.19 | DUST SEAL | } Bugeye | 2 |
| 30 | 280-130 | \$2.49 | GASKET, lamp ass'y., to body | J Dugeye | 2 |
| | 164-050 | \$4.39 | GASKET, lamp ass'y., to body | all except Bugeye | 2 |
| | | | | | |

Your headlamps won't light! Check the ground connector on the passenger side inner fender under the fresh air tube clamp on 948 - 1275 models.

Most lamp problems are caused by bad bulb contacts or corroded grounds. Don't assume major problems until the unit is completely inspected.








Halogen Headlamps

| 4 | 162-726 | \$46.99 | HALOGEN HEADLAMP, Lucas | 2 |
|---|---------|---------|---------------------------------|---|
| В | 902-969 | \$74.99 | HALOGEN HEADLAMP, Hella | 2 |
| С | 156-875 | \$39.99 | HALOGEN HEADLAMP, Crystal Clear | 2 |
| | 902-998 | \$5.99 | BULB, H4 halogen | 2 |

See "Exterior" color pages at the front of this catalog for details



PL Tripod Headlamps


| L TRIPOD HEADLAMP SET* wo light units with bulbs | 1 |
|--|---|
| · · | LHD 2 |
| BULB | 2 |
| BULB, quartz halogen replacement | 2 |
| ١ | wo light units with bulbs PL LIGHT UNIT* |

*Note: These are reproductions with all of the correct Lucas markings. Tripod headlamps are semi-sealed units with replaceable bulbs, and are not legal for street use where D.O.T. approved headlamps are required.




MOSS MOTORS, LTD. 1-800-667-7872

Lamps




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|--|--|---|--|---------------|--|
| Tai | illight - | Bugey | e | | |
| 70 71 73 74 75 76 77 80 81 82 83 | 143-800 159-200 159-210 323-420 159-100 170-700 170-941* 159-300 159-400 144-000 158-400 164-900 170-800 | \$32.99 NA \$9.99 \$2.59 \$2.69 \$0.59 \$24.99 \$2.39 \$2.39 \$21.99 \$3.39 \$7.69 \$0.79 | TAIL LAMP ASSEMBLY LENS, Lucas LENS, aftermaket, marked "Lucas SCREW for lens PAD, lens mounting BULB, original type BULB. LED, red* BASE ASSEMBLY, chrome PAD, lamp mounting FLASHER LAMP ASSEMBLY RIM, chrome LENS, red BULB, orginal type | ." }Bugeye | 2 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 84 85 | 170-956* 159-900 159-600 | | BULB, LED, red* SOCKET BODY, rubber | | 2 2 2 |




Taillight - 1961-1969

| | _ | | | | |
|-----|----------|---------|------------------------------------|------------------------|--|
| 90 | 144-390 | \$72.99 | TAIL LAMP ASS'Y., w/red/red lenses | 2 | |
| 91 | 164-790 | \$14.49 | RIM | 2 | |
| 92 | 323-090 | \$1.09 | SCREW | 2 | |
| 93 | 164-820 | \$13.39 | LENS, stop/tail, original Lucas | 2 | |
| 94 | 164-830 | \$6.99 | LENS, flasher, original Lucas | 2 | |
| | 164-725 | \$9.89 | LENS, flasher, amber (Euro. spec.) | 2 | |
| 98 | 164-840 | \$2.19 | PAD, lens seating | from Sprite MkII & 2 | |
| 99 | 170-800 | \$0.79 | BULB, original type, flasher | • ' ' | |
| | 170-951* | \$25.99 | BULB, LED, flasher, amber* | Midget Mkl thru 1969 2 | |
| | 170-956* | \$25.99 | BULB, LED, flasher, red* | 2 | |
| 100 | 170-700 | \$0.59 | BULB, original type, stop/tail | 2 | |
| | 170-941* | \$24.99 | BULB, LED, stop/tail, red* | 2 | |
| 101 | 158-150 | \$1.29 | GROMMET, flasher wire | 2 | |
| 102 | 158-160 | NA | GROMMET, stop/tail wire | 2 | |
| 103 | 164-870 | \$1.19 | PAD, lamp to car | 2 | |
| | | | | | |

*Note: For Negative Ground vehicles only. You will want to match LED bulb color with the color of the specific lamp lens to avoid color distortion. Use White for Clear, Amber for Amber, and Red for Red. In some applications there were multiple options, so the appropriate selection must be made based on your vehicle. If you are replacing turn signal bulbs with LEDs you will need to upgrade to an electronic flasher. Flasher part numbers are 141-667 for 2-Prong, or 141-668 for 3-Prong.



| No. | Part No. | Price (each) | Description | | ity. eq. |
|-----|-------------|-----------------|---------------------------------------|---------------------|-------------|
| Fro | ont Side | /Flash | ers | | |
| 22 | 544-050 | \$21.89 | LAMP ASSEMBLY, side/flasher |) | 2 |
| 23 | 158-400 | \$3.39 | RIM, chrome | 1 | 2 |
| 24 | 560-270 | \$6.29 | LENS, clear | İ | 2 |
| 25 | 170-700 | \$0.59 | BULB, original type | Bugeye | 2 |
| | 170-931* | \$24.99 | BULB, LED, white* | | 2 |
| 26 | 552-120 | \$10.29 | SOCKET | 1 | 2 |
| 27 | 159-600 | \$2.19 | BODY, rubber | J | 2 |
| 30 | 159-060 | NA | LAMP ASSEMBLY, side/flasher | \ 1961 - '67 | 2 |
| | | | clear lens (use #36 as repl.) | J 1901 - 07 | |
| | 159-065 | NA | LAMP ASSEMBLY, side/flasher | } 1968 - '69 | 2 |
| | | | amber lens (use #36 as repl.) | J 1300 - 03 | |
| 31 | 159-048 | \$36.99 | LENS PAIR, clear | } 1961 - '67 | 1 |
| | | | (replacement - Euro-spec, glass) | J | |
| | 159-075 | NA | LENS, amber | 1968 - '69 | 2 |
| 32 | 159-050 | \$14.79 | RIM |) | 2 |
| 33 | 170-700 | \$0.59 | BULB, original type | İ | 2 |
| | 170-931* | \$24.99 | BULB, LED, white* | } 1961 - '69 | 2 |
| | 170-936* | | BULB, LED, amber* | I | 2 |
| 34 | 159-085 | \$3.39 | GASKET, lens seating | ر | 2 |
| 36 | 159-090 | \$59.99 | LAMP ASSEMBLY, side/flasher |) | 2 |
| 37 | 159-095 | \$10.79 | LENS, amber | I | 2 |
| 38 | 159-050 | \$14.79 | RIM | | 2 |
| 39 | 170-700 | \$0.59 | BULB, original type | Midget 1970-'74 | 2 |
| | 170-937* | \$37.99 | BULB KIT, LED, amber* | | 2 |
| | | | (Bulb Kit includes 1 bulb and 1 balla | ast) | |
| 40 | 159-085 | \$3.39 | GASKET, lens seating | J _ | 2 |
| 43 | 164-155 | \$69.99 | LAMP ASSEMBLY, side/flasher, Lucas |) | 2 |
| | 164-156 | NA | LAMP ASSEMBLY, side/flasher, reprod | luction | 2 |
| 44 | 164-815 | \$7.89 | LENS, amber, with screw & seal | | 2 |
| | 323-035 | \$0.89 | SCREW, lens to base | Midget 1500 | 2 |
| | 164-120 | \$1.69 | SEAL, lens to base | I wildget 1000 | |
| 45 | 170-700 | \$0.59 | BULB | | 2 |
| | 170-937* | \$37.99 | BULB KIT, LED, amber* | | 2 |
| | | | (Bulb Kit includes 1 bulb and 1 balla | ast) J | |




| Fre | ont Side | Marke | ers | | |
|-----|----------|---------|-------------------------------|--------------------------|---|
| 50 | 570-180 | \$16.89 | REFLECTOR & RIM, front, amber |) | 2 |
| 51 | 158-230 | NA | RIVET, reflector to body | 1 275, 1968 - '69 | 4 |
| 52 | 158-235 | NA | PUSH-ON FIX, rivet | J | 4 |
| 55 | 164-845 | \$58.99 | SIDE MARKER, L/H front | <u>)</u> | 1 |
| | 164-855 | \$58.99 | SIDE MARKER, R/H front | i | 1 |
| 56 | 164-885 | \$21.79 | LENS, L/H | | 1 |
| | 164-890 | \$21.79 | LENS, R/H | | 1 |
| 57 | 164-910 | \$1.29 | GASKET, lens seating | | 2 |
| 58 | 170-250 | \$0.39 | BULB, original type | Midget 1970 on | 2 |
| | 170-911* | \$19.99 | BULB, LED, amber* | | 2 |
| 59 | 164-915 | \$4.79 | GASKET, lamp to plinth | | 2 |
| 62 | | NA | PLINTH, L/H | | 1 |
| | | NA | PLINTH, R/H | | 1 |
| 63 | 164-130 | NA | WASHER, sealing | J | 2 |
| | | | | | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




Lamps




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-------------|-------------|--------------|
| | | | | | |

Taillight - Midget 1970 on

| 111 164-835 \$32.99 LENS, Lucas 164-735 NA LENS, quality replacement 112 323-035 \$0.89 SCREW, lens to base 113 164-883 \$1.99 GASKET, lens seating 114 164-785 NA LAMP BASE, chrome 115 170-700 \$0.59 BULB, original type, stop/tail 170-941* \$24.99 BULB, LED, stop/tail, red* 116 170-800 \$0.79 BULB KIT, LED, flasher, amber* (Bulb Kit includes 1 bulb and 1 ballast) 118 164-880 \$1.49 GASKET, lamp to car 119 158-160 NA GROMMET, stop/tail wires 120 158-150 \$1.29 GROMMET, flasher wire | 2 2 4 2 2 2 2 2 2 2 2 |
|---|-----------------------|
|---|-----------------------|




125 144-720 \$12.79 REFLECTOR & RIM, rear, red



2

Rear Side Markers

| 127 | 164-150 158-230 158-235 | \$11.99 NA NA | REFLECTOR, red RIVET, reflector to body PUSH-ON FIX, rivet | <u>1275, 1968 - '69</u> | 2 4 4 |
|--------------------------|--|---------------------|--|-------------------------|---------------------------------|
| 131 132 133 134 | 164-135 164-140 164-150 164-145 170-250 170-916 ² 282-260 | NA \$11.99 | SIDE MARKER ASSEMBLY, rear LENS, red REFLECTOR, red RIM BULB, original type BULB, LED, red* BASE, rubber | Midget, 1970 on | 2 2 2 2 2 2 2 |



Reverse Lamps


| ne | ecise L | aiiips | | | | |
|---|----------|---------|-------------------------------|-------------|---|--|
| 170 | 144-595* | \$22.99 | REVERSE LAMP, Lucas* | 1 | 2 | |
| | 144-590* | \$11.39 | REVERSE LAMP, aftermarket* | | 2 | |
| 171 | 164-861 | \$8.69 | LENS w/gasket & screws, Lucas | | 2 | |
| | 164-860 | NA | LENS w/ gasket, aftermarket | 1275 & 1500 | 2 | |
| 172 | 170-140 | \$0.69 | BULB | | 2 | |
| 173 | 159-110 | \$1.19 | PAD, lens & lamp seating | | 4 | |
| 174 | 158-220 | \$0.49 | SCREW | J | 4 | |
| *Screws supplied with lamps must be replaced with no.174 158-220. | | | | | | |
| | | | | | | |




Chrome Reverse Lamp Rims


The original reverse lamp lenses have never been a thing of beauty, now that can be changed. These chrome plated brass rims fit over the original lens to brighten the rear of the car. Available individually or as a set of two with new lenses, and installation screws.

Chrome Rim (ea.) 164-862 \$19.89 Chrome Rim & Lens Set 164-868 \$49.99



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|------------------------------|---------------------------------|--------------|
| Lic | ense La | ımps | | | |
| 140 | 144-190 | \$69.99 | LICENSE PLATE LAMP, "England | d") | 1 |
| | 144-200 | \$21.99 | LICENSE PLATE LAMP, Classic | Gold | 1 |
| 141 | 158-100 | \$12.69 | COVER, chrome | | 1 |
| 142 | 164-100 | \$6.49 | LENS | all thru 1969 | 1 |
| 143 | 280-540 | \$2.39 | SEAL, lens to base | faii tiilu 1909 | 2 |
| 144 | 170-250 | \$0.39 | BULB, original type | l | 1 |
| | 170-906* | \$18.99 | BULB, LED, white* | I | 2 |
| 145 | 158-200 | \$2.19 | SCREW, cover | J | 1 |
| 147 | 144-240 | \$84.99 | PLINTH, lamp mounting | Bugeye | 1 |
| 148 | 159-020 | \$7.99 | GASKET, plinth to body | J | 1 |
| | 159-025 | \$2.89 | GASKET, plinth to body | Sprite MkII on Midget thru 1969 | 1 |
| 150 | 144-180 | \$72.89 | LICENSE PLATE LAMP ASS'Y. | ו | 2 |
| 151 | 158-510 | \$12.49 | COVER | İ | 2 |
| 152 | 158-500 | \$6.39 | LENS | Midget 1970 - 74 | 2 |
| 153 | 170-250 | \$0.39 | BULB, original type | split rear bumper | 2 |
| | 170-906* | \$18.99 | BULB, LED, white* | Split real bulliper | 2 |
| 154 | 158-520 | \$2.39 | PAD, lens seating | l | 2 |
| 155 | 159-330 | \$0.89 | SCREW, lamp mounting | J | 4 |
| 160 | 144-220 | \$19.89 | LICENSE LAMP ASS'Y., chrome |) | 2 |
| 161 | 158-915 | \$5.49 | LENS & BULB HOLDER | | 2 |
| 162 | 170-010 | \$0.39 | BULB, stock type | Midget 1500 to (c)1820 | 000 2 |
| | 170-996* | \$10.99 | BULB, LED replacement* | 1 | 2 |
| 163 | 144-225 | \$2.69 | GROMMET, base | J | 2 |
| | 144-230 | \$19.29 | LICENSE LAMP ASS'Y., black |) | 2 |
| 164 | 158-910 | \$4.49 | LENS | Midget 1500 from | 2 |
| | 170-010 | \$0.39 | BULB, stock type | (c)182001 | 2 |
| | 170-996* | \$10.99 | BULB, LED replacement* | J | 2 |
| | | | | | |






Interior Lamps

| 178 | 158-940 | \$16.29 | TRUNK LAMP, interior |) | 1 |
|-----|----------|---------|------------------------|-------------------|---|
| 179 | 158-945 | NA | LENS | 1 | 1 |
| 180 | 170-010 | \$0.39 | BULB, stock type | i | 1 |
| | 170-996* | \$10.99 | BULB, LED replacement* | 1 | 1 |
| 185 | 158-920 | \$13.99 | COURTESY LAMP, fixed | Sprite MkIII on | 1 |
| 186 | 158-925 | \$13.99 | LENS & BEZEL | Midget MkII on | 1 |
| 187 | 158-930 | NA | PLATE & SWITCH | Wildget Wikii Oli | 1 |
| 188 | 170-010 | \$0.39 | BULB, stock type | 1 | 1 |
| | 170-996* | \$10.99 | BULB, LED replacement* | 1 | 1 |
| | 314-280 | \$0.49 | SCREW, courtesy lamp | 1 | 2 |
| | 317-045 | \$0.59 | FIX NUT for screw | J | 2 |
| | | | | | |

*Note: For Negative Ground vehicles only. You will want to match LED bulb color with the color of the specific lamp lens to avoid color distortion. Use White for Clear, Amber for Amber, and Red for Red. In some applications there were multiple options, so the appropriate selection must be made based on your vehicle. If you are replacing turn signal bulbs with LEDs you will need to upgrade to an electronic flasher. Flasher part numbers are 141-667 for 2-Prong, or 141-668 for 3-Prong.



MOSS MOTORS, LTD. 1-800-667-7872



New harnesses have some non-original dash lamp sockets replacing socket no. 14 in the illustration to the right. These use wedge-base bulbs below.

| 170-150 | \$0.79 | BULB, wedge base, 3 watt | new wiring harnesses | A/R |
|---------|--------|----------------------------|----------------------|-----|
| 170-030 | \$0.79 | BULB, wedge base, 5 watt | new wiring harnesses | A/R |
| 170-690 | \$0.69 | BULB, wedge base, 1.2 watt | new wiring harnesses | A/R |

Sprite Wiring Harnesses

| 356-100*\$349.99 | WIRING HARNESS, cloth | HAN5-501 to 50116 1958 - '61 (Bugeye) |
|--------------------------------------|--|--|
| 355-015*\$379.99 | WIRING HARNESS,cloth | { HAN6-101 to 24731 1961 -'62 (MkII) 948 |
| 355-025*\$389.99 | WIRING HARNESS, cloth | HAN7-24732 to 38828 |
| 355-035*\$459.99 | WIRING HARNESS, cloth | { HAN8-38829 to 64734 1964 - '67 (MkIII) |
| 356-805*\$439.99 | WIRING HARNESS, cloth | { HAN9-64735 to 70267 (MkIV) |
| 356-815*\$459.99 | WIRING HARNESS, cloth | { HAN9-70268 to 72033 (MkIV) |
| 356-828* NA | WIRING HARNESS, cloth | { HAN9-72034 to 77590 (MkIV) |
| 356-830*\$309.99 356-807*\$114.99 | MAIN HARNESS, vinyl REAR HARNESS, vinyl | } HAN9-77591 to 85286 (MkIV) |
| 356-840*\$379.99 356-847*\$104.99 | MAIN HARNESS, vinyl REAR HARNESS, vinyl | } HAN10-85287 on (MkIV) |

| dget Wiring Harnesses | | | | | | |
|--------------------------------|--|---|--|--|--|--|
| 355-015*\$379.99 | WIRING HARNESS, cloth | { GAN1-101 to 16183 1961 - '62 (Mkl) | | | | |
| 355-025*\$389.99 | WIRING HARNESS, cloth | { GAN2-16184 to 25787 1962 - '64 (Mkl) | | | | |
| 355-035*\$459.99 | WIRING HARNESS, cloth | { GAN3-25788 to 52389 1964 - '66 (MkII) | | | | |
| 356-805*\$439.99 | WIRING HARNESS, cloth | { GAN4-52390 to 58111 (MkIII) | | | | |
| 356-815*\$459.99 | WIRING HARNESS, cloth | { GAN4-58112 to 60440 (MKIII) | | | | |
| 356-828* NA | WIRING HARNESS, cloth | { GAN4-60441 to 66225 (MKIII) | | | | |
| 356-830 \$309.99 | MAIN HARNESS, vinyl | ☐ GAN4-66226 to 74885 | | | | |
| 356-807 \$114.99 | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-840 \$379.99 | MAIN HARNESS, vinyl | ↑ GAN5-74886 to 89514 | | | | |
| 356-847 \$104.99 | REAR HARNESS, vinyl | 了 (MkIII) | | | | |
| 356-850 \$419.99 | MAIN HARNESS, vinyl | ↑ GAN5-89515 to 105500 | | | | |
| 356-857 \$139.99 | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-860 \$239.99 | MAIN HARNESS, vinyl |) GAN5-105501 to 112275 | | | | |
| 356-867 \$119.99 | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-870 \$419.99 | MAIN HARNESS, vinyl | QAN5-112276 to 123730 | | | | |
| 356-877 \$96.99 | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-880 \$399.99 | MAIN HARNESS, vinyl | ↑ GAN5-123731 to 138000 | | | | |
| 356-877 \$96.99 | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-890 \$389.99 | MAIN HARNESS, vinyl | QAN5-138001 to 154100 | | | | |
| 356-897 NA | REAR HARNESS, vinyl | ∫ (MkIII) | | | | |
| 356-900 \$349.99 | MAIN HARNESS, vinyl | GAN6-154101 to 159053 | | | | |
| 356-988 \$219.99 356-907 NA | DASH HARNESS, vinyl REAR HARNESS, vinyl | (1500) | | | | |
| 330-301 NA | HEAR HARRINESS, VIIIYI | | | | | |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




| 356-910 \$369.99 356-988 \$219.99 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-159054 to 166300 (1500) |
|--|---|------------------------------------|
| 356-920 \$369.99 356-988 \$219.99 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-166301 to 188000 (Federal) |
| 356-920 \$369.99 356-988 \$219.99 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-166301 to 200000 (California) |
| 356-947 NA 356-988 \$219.99 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-188001 to 200000 (Federal) |
| 356-957 NA 356-998 NA 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-200001 on (Federal) |
| 356-967 NA 356-998 NA 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-200001 to 212000 (California) |
| 356-977 NA 356-998 NA 356-917 NA | MAIN HARNESS, vinyl DASH HARNESS, vinyl REAR HARNESS, vinyl | GAN6-212001 on (California) |

*Note: These wiring harnesses include main and body-rear harness. All harnesses may not include minor sub-harnesses such as headlight to headlight, horn to horn, dimmer switch, and dash light wires.

Sub-Harnesses

DIMMER SWITCH HARNESS Sprite MkI,II, Midget MkI 356-825 \$19.99 356-835 \$28.99 DIMMER SWITCH HARNESS Sprite MkIII,IV, Midget MkII,III 1



| Wi | iring Fit | tings | | _ | |
|----------|--------------------|------------------|--|-----------------|------------|
| 1 | 161-580 | \$0.69 | CLIP, 35 amp (3/8") | | A/R |
| 2 | 161-520 | \$0.49 | CLIP, 17.5 amp (1/4") | | A/R |
| 3 | 161-540 | \$0.59 | INSULATOR, 35 amp clip | | A/R |
| 4 | 161-570 | \$0.19 | INSULATOR, 17.5 amp clip | | A/F |
| 5 | 161-740 | \$0.49 | EYELET, 3/16" | | A/F |
| | 161-750 | NA | EYELET, 1/4" | | A/P |
| | 161-760 | \$0.49 | EYELET, 5/16" | | A/P |
| 6 | 162-205 | \$0.39 | BLADE, 1/4" | | A/F |
| 7 | 162-200 | \$0.39 | WIRE NIPPLE | | A/F |
| 8 | 162-000 | \$0.39 | CONNECTOR, single | | A/F |
| 9 | 161-600 | \$0.49 | CONNECTOR, double | | A/F |
| 10 | 161-720 | \$11.99 | CONNECTOR, triple | | A/F |
| 11 | 470-830 | \$0.89 | CLIP, 1/4" cable dia. 7/32" hole | | A/F |
| | 162-210 | \$1.19 | CLIP, 1/4" cable dia. 9/32" hole | | A/F |
| | 162-250 | \$0.89 | CLIP, 3/8" cable dia. 7/32" hole | | A/F |
| | 162-310 | \$1.19 | CLIP, 5/8" cable dia. 9/32" hole | | A/F |
| 12 | 161-915 | \$6.29 | BULB HOLDER (orig. type) | | A/F |
| 13 | 158-330 | NA | BULB HOLDER (orig. type) | | A/R |
| | 158-332 | \$12.99 | BULB HOLDER, replacement | uses bulb below | A/R |
| | 170-150 | \$0.79 | BULB for 158-332 | | A/R |
| 14 | 158-340 | NA OO OO | BULB HOLDER (orig. type) | bulle below | A/R |
| | 158-345 | \$8.99 | BULB HOLDER, replacement | uses bulb below | A/R |
| 4.5 | 170-690 | \$0.69 | BULB for 158-345 | | A/R |
| 15 | 158-320 | \$6.39 | BULB HOLDER (orig. type) | | A/F |
| 16 | 158-360 | NA CO 40 | SLEEVE, bulb holder | | A/F |
| 17 18 | 170-110 | \$0.49 \$0.89 | BULB, "eared" base | | A/F A/F |
| 19 | 171-000 146-750 | \$0.69 \$1.89 | BULB, screw base FUSE HOLDER, in-line | | A/F |
| 20 | 146-730 | \$0.59 | FUSE, 10 amp (for in-line holder) | | A/F |
| 20 | 140-730 | φυ.υθ | 1 USE, 10 amp (101 mi-mie moider) | | A/ F |




Wiring Harness Tape


This tape is not self-adhesive. Examine your old harness carefully to see how ends and branches are accomplished.


162-030 Blue Harness Tape \$13.99 162-025 Black Harness Tape

Distributors - 948-1275



| No. | Part No. | Price (each) | Description | | Qty. Req. |
|-----|--------------------|--------------------|----------------------------------|----------------------------|--------------|
| | | | | | |
| 1 | 163-825 | \$29.99 | DISTRIBUTOR CAP, side entry, In | termotor brand | 1 |
| | 163-800 | \$13.89 | DISTRIBUTOR CAP, side entry, at | | 1 |
| 2 | 163-815 | NA | DISTRIBUTOR CAP, top entry, Lu | | 1 |
| | 163-810 | \$8.99 | DISTRIBUTOR CAP, top entry, aft | ermarket | 1 |
| 3 | 151-805 | \$6.99 | ROTOR, premium replacement | | 1 |
| | 151-710 | \$2.39 | ROTOR, Lucas | | 1 |
| | 151-805 | \$6.99 | ROTOR, Premium aftermarket | | 1 |
| | 151-800 | \$4.39 | ROTOR, aftermarket | | 1 |
| | 152-220 | \$7.99 | CONDENSER & POINT SET, Lucas | | 1 |
| | 152-221 | \$9.99 | CONDENSER & POINT SET, Interr | notor brand | 1 |
| 4 | 151-720 | \$2.89 | POINT SET, Lucas | | 1 |
| | 152-225 | \$19.99 | POINT SET, Premium afterma | rket | 1 |
| _ | 153-900 | \$5.49 | POINT SET, aftermarket | | 1 |
| 5 | 151-730 | \$3.39 | CONDENSER, Lucas | | 1 |
| _ | 154-001 | \$8.99 | CONDENSER, Premium afterm | | 1 |
| 6 | 153-600 | \$11.99 | TERMINAL & LEAD | DM2P4 models | 1 |
| _ | 153-640 | \$3.99 | TERMINAL & LEAD | 25D models | 1 |
| 7 | 153-700 | \$59.99 | BREAKER PLATE (upper) | DM2P4 models | 1 |
| 7a | 551-055 | \$36.99 | BREAKER PLATE ASS'Y. | 25D models | 1 |
| 8 | 163-696 | \$88.99 | VACUUM UNIT | Bugeye | 1 |
| | | • | | distributor #40561 | |
| | 163-697 | \$88.99 | VACUUM UNIT | § 948-1098 1961-'62 | 1 |
| | | | | distributor #40752 | |
| | 163-698 | \$88.99 | VACUUM UNIT | 1 1098 1963-'66 | 1 |
| | 100 075 | | VACUUM UNIT | distributor #40919 | 4 |
| 0 | 163-675 | \$88.99 | VACUUM UNIT | 1275 | 1 |
| 9 | 163-738 163-739 | \$12.99 \$12.99 | ADJUSTER KIT ADJUSTER KIT | DM2P4 models 25D models | 1 |
| 12 | 103-739 | 912.99 NA | SCREW, poiints retaining | DM2P4 models | 1 |
| 12 | 323-245 | \$0.79 | SCREW, points retaining | 25D models | 1 |
| 13 | 153-400 | \$8.19 | CLAMPING PLATE with bolt & nu | | i |
| 13 | 153-400 | \$32.59 | CLAMPING PLATE without bolt & | | 1 |
| | 153-401 | \$7.49 | BOLT & NUT for clamping plate | nut (or type) | 1 |
| 14 | 153-402 | \$17.99 | DRIVING DOG | | i |
| 15 | 539-020 | \$0.49 | PIN | | 1 |
| 16 | 163-750 | \$0.49 \$0.19 | "O" RING | as fitted | 1 |
| 17 | 153-750 | \$31.09 | BUSHING | ao iilleu | 1 |
| 18 | 153-645 | \$2.49 | GROUND WIRE (replacement) | | 1 |
| 19 | 551-010 | \$17.99 | SPRING SET (universal replacem | ent - set of 5) | 1 |
| 13 | 331-010 | Ψ11.33 | or rinva our (universal replacem | ont - 361 01 3) | ' |





LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



Distributors - 1500

Lucas Electronic Ignition


The original Lucas "Opus" electronic ignition system used through 1979 featured the amplifier module mounted on the distributor body. As this system proved notoriously troublesome and unreliable, all replacements made as of 1980 were of the C.E.I. (Constant Energy Ignition) type, with a remotely mounted amplifier. Needless to say, this has caused much confusion during the intervening years when replacement components have been required. Order parts based on your distributor number.


| Model Year | Orig. Opus distributor# | Replacement C.E.I. distributor # | |
|--------------|----------------------------|-------------------------------------|--|
| 1975 | 41593 | 41804 | |
| 1976 Fed. | 41646 | 41805 | |
| 1976 CA | 41656 | 41804 | |
| 1977-79 Fed. | 41697 | 41807 | |
| 1977-79 CA | 41698 | 41808 | |

| No. | Part No. | Price (each) | | | Qty. Req. |
|-----|-------------|-----------------|--------------------------------|-----------------------------------|--------------|
| Op | us Syst | tem | | | |
| 1 | 151-875 | \$6.59 | CAP, Lucas | | 1 |
| | 151-870 | \$8.49 | CAP, aftermarket | | 1 |
| 2 | 151-865 | \$6.99 | ROTOR ARM, Premium | | i |
| - | 151-855 | \$2.39 | ROTOR ARM, Lucas | | 1 |
| | 151-850 | NA | ROTOR ARM, aftermarket | | 1 |
| 3 | 154-050 | NA | TIMING ROTOR | | 1 |
| 4 | 154-030 | NA | ANTI-FLASH COVER | Opus distr. #41593 & 41656 | 1 |
| | 154-040 | NA | ANTI-FLASH COVER | Opus distr. #41646, 41697 & 41698 | 1 |
| 5 | 142-890 | \$99.99 | VACUUM UNIT | Opus distr. #41593 & 41656 | 1 |
| | 142-900 | \$99.99 | VACUUM UNIT | Opus distr. #41646, 41697 & 41698 | 1 |
| 6 | 163-750 | \$0.19 | O-RING | • | 1 |
| 7 | 153-300 | \$17.99 | DRIVING DOG | | 1 |
| | 539-020 | \$0.49 | PIN for driving dog | | 1 |
| 8 | 551-010 | \$17.99 | SPRING SET (universal replacem | ent - set of 5) | 1 |
| 9 | 131-560 | NA | DRIVE RESISTOR | | 1 |
| C.E | E.I. Sys | tem | | | |
| 15 | 151-875 | \$6.59 | CAP, Lucas | | 1 |
| 10 | 151-870 | \$8.49 | CAP, aftermarket | | 1 |
| 16 | 151-865 | \$6.99 | ROTOR ARM, Premium | | 1 |
| | 151-855 | \$2.39 | ROTOR ARM, Lucas | | 1 |
| | 151-850 | NA NA | ROTOR ARM, aftermarket | | 1 |
| 17 | 154-040 | NA | ANTI-FLASH COVER | | 1 |
| 18 | | NA | VACUUM UNIT | C.E.I. distr. #41804 | 1 |
| | 071-690 | \$99.99 | VACUUM UNIT | C.E.I. distr. #41805 & 41808 | 1 |
| | | NA | VACUUM UNIT | C.E.I. dist. #41807 | 1 |
| 19 | 163-750 | \$0.19 | 0-RING | | 1 |
| 20 | 153-300 | \$17.99 | DRIVING DOG | | 1 |
| | 539-020 | \$0.49 | PIN for driving dog | | 1 |
| 21 | 142-975 | NA | AMPLIFIER | | 1 |
| 22 | 551-010 | \$17.99 | SPRING SET (universal replacem | nent - set of 5) | 1 |

Ignitor Electronic Ignition

- The solution to your Lucas distributor woes.
- · Completely self contained. Fits inside your original distributor
- Simple installation. Only two wires to hook up. No permanent modifications involved.
- . No points to set or change.
- Impervious to dust, moisture, or vibration and retains stock advance curve.
- Much less affected by distributor shaft wear, firing accuracy to within 1/4°. (Distributor not included!)





Ignition

Intermotor Sports Coils

 $40,\!000$ volt output gives more reliable starting power, and greater performance at high rpm.

948-1275 (non-ballasted system) 143-1500 (ballasted system) 117-

143-201 \$42.99 117-264 \$42.99



FAST Electronic Ignition

This electronic conversion (formerly Crane) gives your ignition system a boost- in fact, a 35% increase in energy at the spark plugs. You retain your present distributor and coil, add the electronic module and sensor which replaces your points, condenser and rotor. Easy to install, this electronic conversion gives faster, cleaner running and better performance at all engine speeds. This unit works with both positive and negative ground systems.







"Bumblebee" Ignition Wire

Its bright yellow and black coloring led to its descriptive nickname. This solid copper core wire is so good it was used for years by factory teams. Sold per foot.

571-020 \$5.29 per foot




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------------|--|--|---|--|---|
| | | | | | |
| 30 30a | 543-020 143-220 143-221 143-230 143-201 117-264 571-045 | \$32.99 \$23.99 \$18.59 \$19.99 \$42.99 \$42.99 \$0.39 | COIL, w/screw connector (illus.) COIL, push-in connector, Lucas COIL, push-in connector, aftermarket COIL SPORTS COIL, Intermotor brand SPORTS COIL, Intermotor brand TERMINAL | thru 1967 1275 1968-'74 1500 not 1500 1500 | 1 1 1 1 1 A/R |
| 31 32 | 152-400 146-310 | \$1.29 \$0.24 | NUT, wire securing WASHER, brass | } used with and inclu with coil #543-020 | ded 1 1 |
| 33 35 | 215-630 | \$2.49 NA NA | "LUCAS" COIL DECAL VACUUM LINE VACUUM LINE | 948 1098 & 1275 | 1 1 1 |
| 37 38 | 163-655 282-650 153-830 | \$1.19 \$1.99 \$1.19 | VACUUM LINE, plastic, per ft. CONNECTOR, metal pipe to carb. CONNECTOR, plastic pipe to carb. | 1275 & 1500 1098 & 1275 | A/R 1 1 |
| 39 40 41 | 153-840 371-855 | \$0.99 NA \$24.99 | CONNECTOR CONNECTOR FUEL TRAP | } 1500 | A/R 1 2 |
| 44 | 163-635 | \$0.89 | COMPRESSION FITTING | , | 1 |
| 45 48 49 | 153-810 171-630 171-550 | \$4.19 \$4.29 \$2.89 | NUT WIRE LABEL SET, "1, 2, 3, 4" IGNITION WIRE SEPARATOR | | 1 1 1 |
| 50 | 171-628 171-660 | \$49.99 \$28.99 | IGNITION WIRE SET, side entry cap IGNITION WIRE SET, top entry cap | | 1 |
| | 171-670 143-556 | \$12.79 \$109.99 | IGNITION WIRE SET, stock type IGNITION WIRE SET, "Magnecore" | } 1500 | 1 |
| 51 52 | 171-620 152-120 152-121 175-080 175-081 152-130 052-627 115-332 860-051 860-055 | \$8.69 \$2.89 \$2.99 \$3.39 \$3.39 \$2.89 \$3.69 \$3.39 \$2.89 \$2.89 | CLIP, suppressor SPARK PLUG, Champion (std. type SPARK PLUG, Champion (resistor) SPARK PLUG, NGK (std. type) SPARK PLUG, NGK (resistor) SPARK PLUG, Champion SPARK PLUG, NGK (std. type) SPARK PLUG, NGK (resistor) SPARK PLUG, Champion (std. type SPARK PLUG, Champion (resistor) | }948-1098 }1275 | 4 4 4 4 4 4 4 4 4 |




1098-1500 type as options.

Generators are suitable for either negative or positive ground systems providing they are polarized to suit the particular electrical system immediately after fitting. Bolt generator to engine, do not connect the cables to the "D" and "F" terminals, but proceed as follows:

- Determine which battery terminal is ground.
- 2. Temporarily connect a length of wire to the battery positive terminal for negative ground systems, or to the negative terminal for positive ground systems.
- 3. Flick the other end of the wire several times against terminal "F". This serves to repolarize the generator.
- 4. Remove temporary connection and connect the cables to the "D" and "F" terminals.



Generator & Alternator



| • | | • | | | | |
|------------|----|--------|------|----|----------|--|
| Generator. | 19 | 58-'61 | (948 | CC | engines) | |


| 1 | 140-300 | \$239.99 | GENERATOR, new | 1 |
|-----|---------|----------|------------------------------|---|
| | 140-310 | \$199.99 | GENERATOR, rebuilt | 1 |
| | | \$300.00 | CORE CHARGE for 140-310 | |
| 2 | 310-310 | \$0.39 | NUT, armature shaft | 1 |
| 3 | 324-050 | \$0.20 | LOCKWASHER | 1 |
| 5 | 327-030 | \$0.39 | KEY, armature shaft | 1 |
| 6 | 147-300 | NA | PLATE, drive end | 1 |
| 7 | 125-100 | \$8.79 | BEARING, drive end | 1 |
| 8 | 162-600 | NA | ARMATURE | 1 |
| 10 | 147-500 | NA | PLATE, commutator end | 1 |
| 10b | 147-020 | \$5.99 | INSULATOR, terminal | 1 |
| 12 | 147-600 | \$6.89 | BUSHING, rear | 1 |
| 13 | 147-700 | NA | SPRING SET, brushes | 1 |
| 14 | 147-200 | \$1.99 | BRUSH SET | 1 |
| 15 | 147-900 | \$43.99 | OILER | 1 |
| 16 | 433-670 | \$10.99 | FAN | 1 |
| 17 | 473-130 | NA | PULLEY, stock type | 1 |
| | 473-131 | \$56.99 | PULLEY, aluminum replacement | 1 |
| 18 | 361-870 | \$94.99 | GEARBOX, tachometer drive | 1 |
| | | | | |
| | | | | |

Generator, 1962-'71


| | | - | | | |
|----|---------|----------|------------------------------|---------------------|---|
| | 140-200 | \$119.99 | GENERATOR, new, replacement | (no parts avilable) | 1 |
| | 540-200 | \$129.99 | GENERATOR, Lucas, rebuilt | | 1 |
| | | \$250.00 | CORE CHARGE for 540-200 | | |
| 2 | 310-310 | \$0.39 | NUT | | 1 |
| 3 | 324-250 | \$0.19 | LOCKWASHER | | 1 |
| 5 | 327-030 | \$0.39 | WOODRUFF KEY, for pulley | | 1 |
| 6 | 147-310 | NA | BRACKET, driving end | | 1 |
| 7 | 125-100 | \$8.79 | BEARING, driving end | | 1 |
| 8 | 162-900 | \$79.99 | ARMATURE | | 1 |
| 11 | 539-180 | NA | BRACKET, commutator end | | 1 |
| 12 | 147-600 | \$6.89 | BUSH, commutator end | | 1 |
| | 697-020 | \$0.69 | OILER (internal, felt) | | 1 |
| 13 | 549-030 | \$9.89 | SPRING SET | | 1 |
| 14 | 147-250 | \$1.99 | BRUSH SET | | 1 |
| 16 | 433-670 | \$10.99 | FAN | | 1 |
| 17 | 473-130 | NA | PULLEY, stock type | | 1 |
| | 473-131 | \$56.99 | PULLEY, aluminum replacement | | 1 |
| | | | | | |

Generator Mountings

| 20 | 322-105 | \$0.99 | BOLT, front | 1 | |
|----|---------|---------|-------------------------------|---|--|
| 21 | 191-915 | \$1.39 | BOLT, rear | 1 | |
| 22 | 322-510 | \$0.29 | BOLT | 1 | |
| 23 | 365-730 | \$0.25 | LOCKWASHER | 5 | |
| 24 | 365-720 | \$0.29 | WASHER, flat | 2 | |
| 25 | 310-290 | \$0.69 | NUT, nyloc | 2 | |
| 26 | 324-040 | \$0.29 | LOCKWASHER | 2 | |
| 27 | 310-050 | \$0.59 | NUT | 1 | |
| 28 | 310-240 | \$0.39 | NUT, nyloc | 1 | |
| 29 | 322-540 | \$0.69 | BOLT, bracket to block | 2 | |
| 30 | 460-310 | \$28.99 | BRACKET | 1 | |
| 31 | 324-860 | \$0.19 | WASHER, flat | 1 | |
| 32 | 460-330 | \$8.79 | LINK, adjusting (replacement) | 1 | |
| 33 | 460-320 | \$6.89 | PILLAR, adjusting link | 1 | |
| 78 | | | | | |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|----------------------------------|----------------------|--------------|
| Alt | ernato | r, 197 | 2-'80 | | |
| 1 | 130-102 | \$97.99 | ALTERNATOR, new | | 1 |
| | | | supplied is the replacement for | | |
| | fitted alte | rnators. N | umbers listed in the application | column are the Lucas | |
| | numbers | for the ori | ginal units. | | |
| 2 | | NA | BRACKET, drive end | | 1 |
| 3 | 125-100 | \$8.79 | BEARING KIT, drive end | | 1 |
| 4 | 130-450 | NA | O-RING | | 1 |
| 5 | 130-455 | NA | CIRCLIP | | 1 |
| 6 | 125-100 | \$8.79 | BEARING, drive end | | 1 |
| 10 | 130-160 | NA | ROTOR ASSEMBLY | | 1 |
| 11 | 130-180 | NA | BEARING SET, slip ring end | | 1 |
| 12 | | NA | BEARING | | 1 |
| 13 | 130-215 | \$3.39 | SLIP RING | | 1 |
| 14 | 130-190 | NA | STATOR | | 1 |
| 15 | 130-210 | NA | BRACKET, slip ring end | | 1 |
| 16 | 130-230 | NA | BRUSH HOUSING ASS'Y. | | 1 |
| 17 | 130-235 | | BRUSH SET | | 1 |
| 20 | 130-250 | | RECTIFIER | 23716 | 1 |
| | 130-260 | | RECTIFIER | L23804, 23748 | 1 |
| 21 | 130-280 | | REGULATOR | 23716 | 1 |
| | 130-290 | | REGULATOR | L23804, 23748 | 1 |
| 22 | 130-320 | \$14.49 | COVER | | 1 |
| 23 | 130-345 | NA | SURGE PROTECTOR | | 1 |
| 24 | 130-350 | NA | CAPACITOR | | 1 |
| 27 | 310-810 | \$1.19 | NUT | | 1 |
| 28 | 130-360 | NA | SUNDRIES KIT | | 1 |
| 29 | 130-370 | | PULLEY | 1275 engines | 1 |
| | 539-090 | | PULLEY | 1500 engines | 1 |
| | 130-400 | | FAN | _ | 1 |
| | 460-330 | | LINK, adjusting | }1275 engines | 1 |
| 32 | 130-115 | \$14.49 | BRACKET, rear | J 1270 originos | 1 |
| | | | | | |



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|------------------------|---|---|-----------------------|--------------|
| Sta | arter | | | | |
| 1 | Note: Thr 25149. Al | \$139.99 \$250.00 ee differen Il are inter | STARTER, new reproduction STARTER, rebuilt, exchange CORE CHARGE FOR 541-540 It starters were originally fitted: Lu changeable with each other, but d upplied replaces all three. | | |
| 2 | 150-500 | \$25.99 | NUT | 25022 | 1 |
| | 549-625 | NA NA | CLIP, used in place of nut CUP for clip | } 25079, 25149 | 1 1 |
| 3 | 148-200 | \$8.79 | SPRING, main | | 1 |
| 4 | 148-800 | \$36.99 | PINION & BARREL* *inner sleeve not included | | 1 |
| 5 | 148-600 | \$3.99 | BUSH, driving end | 25022 | 1 |
| | 148-610 | \$1.99 | BUSH, driving end | 25079 | 1 |
| | 549-695 | NA | BUSH SET (both bushes) | 25149 | 1 |
| 6 | 148-500 | \$1.39 | BUSH, commutator end | 25022 | 1 |
| | 131-325 | \$0.79 | BUSH, commutator end | 25079 | 1 |
| 7 | 149-000 | \$5.89 | BRUSH SET (rectangular) | 25022, 25079 | 1 |
| | 149-010 | \$6.89 | BRUSH SET (triangular) | 25149 | 1 |
| 8 | 149-100 149-110 | NA NA | SPRING SET, brushes SPRING SET, brushes | 25022 25079 | 1 1 |

NA

CAP, end shaft

149-800

Hi-Torque Starter

1958-74 (does not fit 1500)

Modern design and reliability make these starters ideal for the "daily driver". Even though they don't look like the originals, have integral solenoids, pre-engaged pinions, and gear reduction drive, they work very well indeed. We have tested these extensively on employee's cars, and heartily recommend them! (Does not fit Midget 1500)

25022

541-547 \$319.99

Note: Moss does not stock gauges for Sprites and Midgets other than those listed and priced. Please inquire to:


MO-MA, 1321 2nd St. NW, Albuquerque, NM 87102 (505)766-6661, or

West Valley Instruments, 19314 Van Owen, Reseda, CA 91335 (818) 758-9500

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com





Gaug




| 1 361-761 \$209.99 COMBINATION GAUGE Treplacement type Similar to all listed below, but not identical to any - a perfect gauge to use when the "correct" one is not available.) 361-760 | No. | Part No. | Price | Description | | Qty |
|---|-----|-------------|----------|--|--|-----|
| This replacement gauge is similar to all listed below, but not identical to any - a perfect gauge to use when the "correct" one is not available.) | _ | | (each) | COMPUNATION CAUCE | - | leq |
| 361-760 | 1 | 361-761 | \$209.99 | (This replacement gauge i but not identical to any - | is similar to all listed below, a perfect gauge to use when t | he |
| 361-780 | | | | COMBINATION GAUGE | AH Bugeye only | |
| 361-800 NA COMBINATION GAUGE 361-800 NA COMBINATION GAUGE 361-810 \$189.99 COMBINATION GAUGE 361-820 NA CABLE, gearbox to 1st interval counter State of 1975 - '76 CA only 361-820 NA CABLE, gearbox to 1st interval counter State of 1975 - '76 CA only 361-820 NA CABLE, gearbox to 1st interval counter CABLE, 1977 CA only 361-820 NA CABLE, gearbox to 1st interval counter CABLE, 1977 CA only 361-820 NA CABLE, gearbox to 1st interval counter CABLE, 1977 CA only 361-820 NA CABLE, gearbox to 1st interval counter CABLE, 1977 CA only 361-820 CABLE, gearbox to 1st interval counter CABLE, 1977 CA only 361-820 CABLE, gearbox to interval counter CABLE, 1977 CA only 361-820 CABLE, gearbox to interval counter CABLE, 1977 CA only 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to speedo 361-820 CABLE, gearbox to s | | 361-780 | NA | COMBINATION GAUGE | • | |
| 361-800 NA COMBINATION GAUGE 105500 AH MkIV (c)72034 on 361-810 \$189.99 COMBINATION GAUGE MG MkIII (c)105501 to 154100 361-820 NA COMBINATION GAUGE MG MkIII (c)105501 to 154100 361-820 NA COMBINATION GAUGE MG MkIII (c)105501 to 154100 361-820 NA COMBINATION GAUGE MG MkIII (c)105501 to 154100 154101 to 200000 335-475 \$15.79 PIPE ASS'Y., engine to hose 435-445 \$15.79 PIPE ASS'Y., engine to hose 435-445 \$22.99 PIPE ASS'Y., hose to gauge 435-475 \$22.99 PIPE ASS'Y. to gauge 1500 | | 361-790 | NA | COMBINATION GAUGE | | |
| 361-820 NA COMBINATION GAUGE | | 361-800 | NA | COMBINATION GAUGE | 105500 | |
| Combination Gauge College Coll | | 361-810 | \$189.99 | COMBINATION GAUGE | MG MkIII (c)105501 to 15410 | 00 |
| 33 | | 361-820 | NA | COMBINATION GAUGE | | |
| 4 435-446 \$28.99 PIPE ASS'Y., hose to gauge J 435-475 \$22.99 PIPE ASS'Y. to gauge 1500 5 435-516 \$0.24 WASHER, leather, oil pipe to gauge 6 6 280-870 \$0.69 SEALING RING, 2" gauges USA thru 1967 280-895 \$0.89 SEALING RING, 4" gauges USA from 1968 on 8 7 280-895 \$0.89 SEALING RING, 4" gauges USA from 1968 on 8 8 361-035 \$2.99 NUT, speedo & tach retaining 9 9 360-370 \$3.29 NUT, small gauge retaining 1131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 except CA 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 131-381 \$16.49 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 115-405 \$14.29 CABLE, gearbox to interval counter 3115-405 \$14.29 CABLE, interval counter to speedo 1975 - '76 except CA 131-585 \$22.99 CABLE, gearbox to speedo (c)154101-180000 1975 - '76 CA only 15-405 \$14.29 CABLE, 2nd interval counter to speedo (c)154101-180000 1975 - '76 CA only 15-405 \$14.29 CABLE, gearbox to interval counter Speedo (c)154101-180000 1975 - '76 CA only 15-405 \$14.29 CABLE, gearbox to speedo (c)1977 except CA 15-405 \$14.29 CABLE, gearbox to interval counter Speedo (c)1880001 - 2000000 1977 except CA 2600000 1977 CA only 231-595 \$23.89 CABLE, gearbox to interval counter Speedo (c)1978 CA only 231-595 \$23.89 CABLE, gearbox to speedo (c)212001 on 1978 on except CA 331-595 \$23.89 CABLE, gearbox to speedo (c)212001 on 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1978 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1978 - '80 C | 2 | 361-765 | \$16.99 | HOSE, oil pressure, with cla | mps) | |
| 435-475 \$22.99 PIPE ASS'Y. to gauge 1500 435-516 \$0.24 WASHER, leather, oil pipe to gauge 6 280-870 \$0.69 SEALING RING, 2" gauges USA thru 1967 280-895 \$0.89 SEALING RING, 4" gauges USA from 1968 on 8 361-035 \$2.99 NUT, speedo & tach retaining 9 360-370 \$3.29 NUT, small gauge retaining 9 771-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 111 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 CA only 121 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 115-405 \$14.29 CABLE, gearbox to interval counter CABLE, interval counter CABLE, 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd | 3 | 435-445 | \$15.79 | PIPE ASS'Y., engine to hose | 948 through 1275 | |
| 435-516 \$0.24 WASHER, leather, oil pipe to gauge \$20-870 \$0.69 SEALING RING, 2" gauges USA thru 1967 280-895 \$0.89 SEALING RING, 3-1/2" gauges USA from 1968 on 81-19 SEALING RING, 3-1/2" gauges USA from 1968 on 9361-035 \$2.99 NUT, speedo & tach retaining 100 071-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 1131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 CA only 121 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 131-300 \$14.79 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 115-405 \$14.29 CABLE, gearbox to interval counter CABLE, 1st to 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to speedo (c)1580001 - 2000000 1975 - '76 CA only 15-405 \$14.29 CABLE, gearbox to interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to interval counter CABLE, 31-590 \$15.99 CABLE, gearbox to speedo \$1977 CA only \$1979 CA only \$1978 CA only \$1978 CA only \$1978 CA only \$1978 CA only \$1978 CA only \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, \$1979 CABLE, | 4 | | | | | |
| A 280-870 \$0.69 SEALING RING, 2" gauges \$1.19 SEALING RING, 4" gauges USA thru 1967 280-895 \$0.89 SEALING RING, 3-1/2" gauges USA from 1968 on 361-035 \$2.99 NUT, speedo & tach retaining 100 71-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 CA only 12 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 131-300 \$14.79 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 155-405 \$14.29 CABLE, gearbox to interval counter CABLE, 15-405 \$14.29 CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 2nd interval counter CABLE, 331-590 \$15.99 CABLE, gearbox to speedo \$1975 - '76 CA only 155-405 \$14.29 CABLE, 2nd interval counter to speedo \$1975 - '76 CA only 155-405 \$14.29 CABLE, gearbox to speedo \$1975 - '76 CA only 1975 - '76 CABLE, 2nd interval counter to speedo \$1975 - '76 CA only 1977 except CA 155-405 \$14.29 CABLE, gearbox to interval counter \$1975 - '76 CA only 1977 CA only 1977 CA only 1977 CA only 1977 CA only 1977 CA only 1978 CA Only 1978 CA Only 1978 CA Only 1978 On except CA 1978 on except CA 1979 - '80 CA Only 1978 - '80 CA Only 1 | _ | | | | | |
| 280-890 \$1.19 SEALING RING, 4" gauges USA thru 1967 280-895 \$0.89 \$SEALING RING, 3-1/2" gauges USA from 1968 on 8 361-035 \$2.99 NUT, speedo & tach retaining 0 360-370 \$3.29 NUT, small gauge retaining 1500 from (c)200001-on 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 except CA 131-595 S12.99 VOLTAGE STABILIZER 1275 & 1500 1275 & 1500 131-300 \$14.79 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 115-405 \$14.29 CABLE, gearbox to interval counter (c)154101-188000 1375- '76 except CA 331-605 NA CABLE, gearbox to 1st interval counter (c)154101-180000 1975- '76 except CA 115-405 \$14.29 CABLE, gearbox to speedo (c)1880001-200000 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter (c)1880001-200000 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter (c)1880001-200000 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter (c)200001-212000 115-405 \$14.29 CABLE, gearbox to interval counter (c)200001-212000 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter (c)200001-212000 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo (c)200001 on 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo (c)200001 on 1978 on except CA 331-595 \$23.89 CABLE, gearbox to speedo (c)212001 on 1979 - '80 CA only 331-595 \$23.89 CABLE, gearbox to speedo (c)212001 on 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on except CA 1978 on excep | | | | | o gauge | |
| 280-895 \$0.89 SEALING RING, 3-1/2" gauges USA from 1968 on 8361-035 \$2.99 NUT, speedo & tach retaining 9 360-370 \$3.29 NUT, speedo & tach retaining 9 10 071-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 CA only 12 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 131-300 \$14.79 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 115-405 \$14.29 CABLE, gearbox to interval counter 131-505 \$14.29 CABLE, interval counter 15-405 \$14.29 CABLE, gearbox to 1st interval counter 15-405 \$14.29 CABLE, 1st to 2nd interval counter 15-405 \$14.29 CABLE, gearbox to speedo 1975 - '76 CA only 1975 - '76 CA only 1977 except CA 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to speedo 1977 CA only 1977 except CA 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, gearbox to interval counter 15-405 \$14.29 CABLE, interval counter to speedo 1977 CA only 1977 CA only 331-595 \$23.89 CABLE, gearbox to speedo {(c)200001 - 212000 1978 CA only 1978 on except CA 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only 1979 - '80 CA only | | | | | 1104 # 1007 | A/ |
| Section Sect | 1 | | | SEALING RING, 4" gauges | | |
| 9 360-370 \$3.29 NUT, small gauge retaining 10 071-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 11 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA 131-595 NA SWITCH, oil pressure warn. light 1500 CA only 12 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 13 021-381 \$16.49 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 131-590 \$15.99 CABLE, gearbox to interval counter 1275 1968-on 131-600 NA CABLE, gearbox to 1st interval counter 15-405 \$14.29 CABLE, interval counter 15-405 \$14.29 CABLE, gearbox to 1st interval counter 15-405 \$14.29 CABLE, gearbox to 1st interval counter 15-405 \$14.29 CABLE, gearbox to 1st interval counter 15-405 \$14.29 CABLE, gearbox to speedo 131-585 \$22.99 CABLE, gearbox to speedo 131-590 \$15.99 CABLE, gearbox to interval counter 16-76 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 16-76 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 16-76 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-76 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, gearbox to interval counter 17-77 CABLE, 15-405 \$14.29 CABLE, | 0 | | | | | |
| 10 071-241 \$7.29 TRANSMITTER, temp gauge 1500 from (c)200001-on 131-585 \$6.29 SWITCH, oil pressure warn. light 1500 except CA SWITCH, oil pressure warn. light 1500 except CA 1500 c24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 c24 only 1275 \$1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 c24 only 1275 \$1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 c24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 except CA 1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 except CA 1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 except CA 1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 except CA 1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 except CA 1500 C24 only 1275 \$1500 SWITCH, oil pressure warn. light 1500 c24 only 1270 \$4100 SWITCH, oil pressure warn. light 1500 c24 only 1275 \$1500 CABLE, gearbox to interval counter \$1000 C24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 \$1500 CABLE, interval counter to speedo \$1000 C24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1276 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1276 SWITCH, oil pressure warn. light 1500 c24 only 1276 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 1275 SWITCH, oil pressure warn. light 1500 c24 only 12 | | | | · • | o . | |
| 131-585 | | | | | | 'n |
| 131-595 | | | | | | ווע |
| 12 131-555 \$12.99 VOLTAGE STABILIZER 1275 & 1500 121-381 \$16.49 SPEEDOMETER CABLE, 54" 948, 1098, 1275 thru '67 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 331-590 \$15.99 CABLE, gearbox to interval counter 115-405 \$14.29 CABLE, interval counter to speedo 1975 - '76 except CA 331-600 NA CABLE, gearbox to 1st interval counter 115-405 \$14.29 CABLE, 1st to 2nd interval counter to speedo 1975 - '76 CA only 331-585 \$22.99 CABLE, gearbox to speedo 1977 - '76 CA only 331-590 \$15.99 CABLE, gearbox to speedo 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter 1601 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo 1978 CA only | | | | | | |
| 13 | 12 | | | | | |
| 331-300 \$14.79 SPEEDOMETER CABLE, 48" 1275 1968-on 331-590 \$15.99 CABLE, gearbox to interval counter 115-405 \$14.29 CABLE, interval counter to speedo 1975 - '76 except CA 331-600 NA CABLE, gearbox to 1st interval counter 115-405 \$14.29 CABLE, 1st to 2nd interval counter 1975 - '76 CA only 331-585 \$22.99 CABLE, gearbox to speedo (c)1880001 - 200000 1977 except CA 331-590 \$15.99 CABLE, gearbox to interval counter 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter 1978 CA only 331-590 \$15.99 CABLE, gearbox to speedo (c)200001 - 212000 331-590 \$15.99 CABLE, gearbox to speedo (c)200001 on 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo (c)200001 on 1978 on except CA 331-595 \$23.89 CABLE, gearbox to speedo (c)212001 on 1979 - '80 CA only 732-000 \$13.89 TACHOMETER CABLE | | | | | | 67 |
| 115-405 \$14.29 CABLE, interval counter to speedo | | | | • | | ٠. |
| 331-605 NA CABLE, 1st to 2nd interval counter 1975 - '76 CA only 331-585 \$22.99 CABLE, gearbox to speedo | | | | | | |
| CABLE, 10 21d interval counter 1975 - '76 CA only | | 331-600 | NA | CABLE, gearbox to 1st interv | ral counter) (a)154101 19000 | n |
| 331-585 \$22.99 CABLE, gearbox to speedo 331-585 \$22.99 CABLE, gearbox to speedo 331-590 \$15.99 CABLE, gearbox to interval counter \(\) (c)1880001 - 200000 \(\) 115-405 \$14.29 CABLE, interval counter to speedo \(\) 1977 CA only 331-590 \$15.99 CABLE, gearbox to interval counter \(\) (c)200001 - 212000 \(\) 331-615 NA CABLE, interval counter to speedo \(\) 1978 CA only 331-595 \$23.89 CABLE, gearbox to speedo \(\) \(\) (c)200001 on \(\) 1978 on except CA 331-595 \$23.89 CABLE, gearbox to speedo \(\) \(\) (c)212001 on \(\) 1979 - '80 CA only 732-000 \$13.89 TACHOMETER CABLE \(\) \(\) 948 | | | | | (1075 - '76 CA on | |
| 331-590 \$15.99 CABLE, gearbox to interval counter \(\) (c)1880001 - 200000 \(\) 115-405 \$14.29 CABLE, interval counter to speedo \(\) (c)200001 - 212000 \(\) 331-590 \$15.99 CABLE, gearbox to interval counter \(\) (c)200001 - 212000 \(\) 331-615 NA CABLE, interval counter to speedo \(\) (c)200001 on \(\) 1978 CA only \(\) 331-595 \$23.89 CABLE, gearbox to speedo \(\) \(\) (c)200001 on \(\) 1978 on except CA \(\) 331-595 \$23.89 CABLE, gearbox to speedo \(\) \(\) (c)212001 on \(\) 1979 - '80 CA only \(\) | | 115-405 | \$14.29 | CABLE, 2nd interval counter | to speedo J | _ |
| 115-405 \$14.29 CABLE, interval counter to speedo | | 331-585 | \$22.99 | CABLE, gearbox to speedo | (c)1880001 - 2000 1977 except CA | 00 |
| 331-615 NA CABLE, interval counter to speedo | | | | | | 00 |
| 331-595 \$23.89 CABLE, gearbox to speedo \(\bigcup_{1978} \) on except CA \(\bigcup_{331-595} \) \$23.89 CABLE, gearbox to speedo \(\bigcup_{1979} \) - '80 CA only \(\bigcup_{348} \) | | | | CABLE, gearbox to interval CABLE, interval counter to | counter (c)200001 - 212000 speedo 1978 CA only |) |
| 732-000 \$13.89 TACHOMETER CABLE \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | 331-595 | \$23.89 | CABLE, gearbox to speedo | | |
| ¥448 | | 331-595 | \$23.89 | CABLE, gearbox to speedo | | |
| 14 361-870 \$94.99 GEARBOX, tach | | | | | } .948 | |
| | 14 | 361-870 | \$94.99 | GEARBOX, tach | J ° '° | |


Dashboard





| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|---|--------------|
| Spi | rite Mkl | (Buge | ye) | |
| 1 | 140-535 | \$73.99 | COMBINATION SWITCH. "Classic Gold" reproduction | 1 |
| 2 | 140-515 | \$13.49 | KNOB, light & ignition switch | 1 |
| 3 | 163-500 | \$5.89 | LOCK BARREL, with 2 keys | 1 |
| 4 | 141-200 | \$19.99 | DIRECTIONAL SWITCH | 1 |
| 5 | 162-100 | \$11.89 | WIPER SWITCH (supplied with plain knob) | 1 |
| 6 | 331-075 | \$10.89 | KNOB, wiper switch | 1 |
| 7 | 331-690 | NA | HEATER CABLE & SWITCH (without knob) | 1 |
| 8 | 331-085 | \$11.59 | KNOB, heater cable | 1 |
| 9 | 140-900 | \$29.89 | SWITCH, high beam | 1 |
| 10 | 140-520 | \$44.89 | SWITCH, panel lamp | 1 |
| 11 | 141-750 | \$8.49 | FLASHER | 1 |
| 12 | 141-700 | \$7.99 | SWITCH, brake light, screw connectors | 1 |
| | Note: Star | ter switch | and cable are listed on page 77. | |





Sprite MkII, Midget MkI

| | | | - | | | |
|-----|----|---------|---------|---------------------------------|-----------------------------------|---|
| 2 | 20 | 169-108 | \$26.99 | SWITCH, ignition | | 1 |
| 1 | 21 | 163-500 | \$5.89 | BARREL, with 2 keys | | 1 |
| 1 | 22 | 331-695 | NA | HEATER SWITCH & CABL | .E (without knob) | 1 |
| 1 | 23 | 331-085 | \$11.59 | KNOB, heater cable | | 1 |
| 1 | 24 | 141-530 | \$15.99 | SWITCH, panel lamps | | 1 |
| 1 | 25 | 141-530 | \$15.99 | WIPER SWITCH | | 1 |
| 1 | 26 | | NA | HEADLAMP SWITCH | | 1 |
| - 2 | 27 | 141-200 | \$19.99 | SWITCH, turn signal | | 1 |
| - 2 | 28 | | NA | SWITCH, high beam | (Use #29, 542-130 as replacement) | 1 |
| - 2 | 29 | 542-130 | \$12.49 | SWITCH, high beam | (replacement) | 1 |
| ; | 30 | 542-110 | \$6.59 | SWITCH, brake light | | 1 |
| ; | 31 | 141-750 | \$8.49 | FLASHER UNIT | screw connectors | 1 |
| | | | | | | |

Application

1275, 1968-'71 1275 from '72, 1500

1275 & 1500

1275 thru '73

1500 '78 - '79

1275

1275

1500

1275

1971-on

1500

1275, 1971 - '73

1275,1500 '74-'77

1275, 1968-'70

1275, 1500, 1974-'77

1275, 1500 1971-'77

1275

1500

1275


SWITCH, hazard warning, replacement 1275, 1968-'72

SWITCH, directional, horn, dimmer $\,$ 1500, 1978 - '79 $\,$

1275 to (c)123750

1275 from (c)123751-1500

1275 from '73, all 1500



142-252

141-655

141-650

141-275

141-250

141-270

140-540

141-635

140-580

181-980

310-070

141-825

141-845

141-855

141-810

141-830

141-840

141-850

141-280

170-160

162-170

141-020

542-410

131-620

570-240

182-410

146-000

140-630

453-814 \$324.99

453-817 \$324.99

67a 141-804

63

65

69

71

72

75

76

141-260 • \$13.29

\$4.49

\$4.89

\$11.99

\$18.79

\$13.79

\$29.99

\$11.89

\$7.99

\$0.39

\$67.79

\$53.49

\$31.99

\$54.99

\$53.49

\$31.99

\$76.99

\$26.99

\$17.99

\$0.99

\$31.99

\$10.99

\$13.79

\$7.99

\$18.99


\$35.99

NA

· replacement, with chrome bezel

NA

NA



| | | (, | | | 7 |
|----|----------|---------|-------------------------------|---------------------------|---|
| Sp | rite Mkl | II-MkIV | , Midget MkII-III thru 19 | 967 | |
| 40 | 542-070 | \$14.99 | SWITCH, ignition & starter | Sprite MkIII, Midget MkII | |
| 41 | 163-500 | \$5.89 | BARREL, with 2 keys | | • |
| 42 | 331-695 | NA | HEATER SWITCH & CABLE (withou | t knob) thru 1965 | |
| | 331-705 | NA | HEATER SWITCH & CABLE (withou | t knob) 1966 - '67 | |
| 43 | 331-085 | \$11.59 | KNOB, heater cable | | |
| 44 | 141-530 | \$15.99 | SWITCH, panel lamps | | |
| 45 | 141-530 | \$15.99 | WIPER SWITCH | | |
| 46 | 141-230 | \$15.79 | HEADLAMP SWITCH | | |
| 47 | 141-770 | \$34.99 | SWITCH, turn signal | | |
| 48 | 542-130 | \$12.49 | SWITCH, high beam | | |
| 49 | 542-110 | \$6.59 | SWITCH, brake light | | |
| 50 | 171-300 | \$7.89 | FLASHER UNIT | spade connectors | |
| | | | | | |

FLASHER, hazard (replacement)

SWITCH, headlamp on/off

SWITCH, headlamp on/off

SWITCH, heater blower

SWITCH, heater blower

SWITCH, hazard warning

JAM NUT for brake switch

SWITCH, wiper/washer

SWITCH, wiper/washer

SWITCH, wiper/washer

SWITCH, directional, horn, dimmer

SWITCH, directional, dimmer

SWITCH, directional, dimmer

LAMP, brake check & warning

BULB for brake check lamp no. 68

RHEOSTAT, panel lamp (replacement)

CLAMP & HORN CONTACT

SWITCH, fog, accessory

SWITCH, reverse lamp

SWITCH, reverse lamp

SWITCH, courtesy light

DASHBOARD COVER, padded

DASHBOARD COVER, padded

SWITCH, handbrake

SWITCH, trunk

KNOB


SWITCH, panel lamp


SWITCH, brake light

FLASHER, hazard

\$4.89 LAMP, oil filter warning (incl. bulb) replacement type

Description





Note: Steering column mounted ignition switches are listed on page 43.


moss

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com cars w/ manual choke

Interior Products

Restore your Sprite or MG Midget to original specifications with British made reproduction upholstery kits. With duplicated original patterns, vinyls, and even dielectrically welded seams where appropriate, your car will look factory new. Our seat and panel kits are complete and straightforward to install. (For seat kits see pages 80-81). The panel kits include sufficient vinyl to cover your dash panel and cockpit (except 1970-80 kits), new footwell boards, gearbox tunnel boards, inner sill boards, door pocket boards and rear quarter panels.

Bugeye panel kits include plain vinyl for the inside of the doors instead of the original style ribbed rubber, which is not available. Also not available are the door pocket cardboards, metal brackets, and hardware.




| Panel Kits | approx. model yr. | Black | Red | Blue | Navy | |
|-----------------------------------|----------------------|--------------------------|------------------|--------------------------|---------|----------|
| Bugeye Sprite | 1958-'60 | 645-500 | 645-510 | 645-520 | 645-530 | \$329.99 |
| 948 Sprite MkII 948 Midget MkI | 1961-'62 | 645-540 | 645-550 | 645-560 | 645-565 | \$379.99 |
| 1098 Sprite HAN7 Midget GAN2 | 1963 | 645-620 | 645-630 | - | - | \$419.99 |
| 1098 Sprite HAN8 Midget GAN3 | 1964-'66 * w | 645-570* ith white pi | 645-580* ping | 645-585* (Light Blue) | - | \$594.99 |
| | | | | | | |

| | | Black Piping | White Piping | White Piping | |
|--------------------------------------|----------|--------------|--------------|--------------|----------|
| 1275 Sprite HAN9 1275 Midget GAN4 | 1967-'69 | 645-660 | 645-670 | 645-680 | \$649.99 |
| - | | | | | |


Black with Black with

Red with

| 1275 Wildger GAN4 | | | | | |
|--------------------------------------|----------|---------|---------|-------------|----------|
| | | Black | Navy | Autumn Leaf | |
| 1275 Midget GAN5 1500 Midget GAN6 | 1970-'80 | 645-700 | 645-710 | 645-720 | \$429.99 |
| ŭ | | | _ | | |



| 1 | 803-420 | \$0.79 | PANEL CLIP (replacement) | 1966-'80 | 26 |
|----|---------|--------|--------------------------|----------|-----|
| 2 | 323-460 | \$0.29 | PANEL SCREW, chrome | | A/R |
| | 323-480 | \$0.49 | PANEL SCREW, black | | A/R |
| | 315-160 | \$0.29 | CUP WASHER, chrome | | A/R |
| 3 | 323-985 | \$0.59 | CUP WASHER, black | | A/R |
| 82 | | | | | |



Carpet Sets (cut pile)

Made in our very own upholstery shop (except for Autumn Leaf, which is English), these carpet kits are carefully patterned and cut for proper fit and easy installation. Each complete kit features the correct rubber heelmat, all necessary snaps and studs and bound edges where original. Note: Sprite Mkl, Mkll and Midget Mkl had moulded rubber floor mats instead of floor carpet. These original type mats are not available. Our carpet sets include carpeting for these areas. For free samples of our carpet material, order sample card #878-915.

| | 242-532 | \$279.99 \$279.99 \$279.99 | CARPET SI CARPET SI | ET, red | Sprite MKI (Bugeye) Floor and tunnel carpet only May use Sprite MKII carpet for more complete coverage | 1 |
|----------|-------------------------------|--|--|--|--|------------------|
| | 242-542 | \$299.99 \$299.99 \$299.99 | CARPET SI CARPET SI | ET, red | Sprite MKII, Midget MKI | 1 1 1 |
| | 242-552 | \$289.99 \$289.99 \$274.95 | CARPET SI CARPET SI | ET, red | Sprite MKIII, Midget MKII | 1 1 1 |
| | 242-570 242-580 242-563 | \$319.99 \$319.99 \$319.99 NA \$319.99 | CARPET SI CARPET SI CARPET SI CARPET SI | ET, red ET, autumn leaf ET, blue | Sprite MKIV, Midget MKIII | 1 1 1 1 |
| | 242-572 | \$319.99 \$319.99 \$319.99 | CARPET SI CARPET SI | | Midget 1500 | 1 1 1 |
| 11 12 | 226-338 226-800 | \$1.99 \$0.89 | "VELTEX" SNAP & SO | CARPET RING AS | | A/R A/R |

Rubber Floor Mat Sets

1

Protect your carpets from damage, while giving your interior added good looks with our heavy duty black ribbed rubber mats. Late mats are embossed with Midget or Sprite logo.





| 241-870 | \$37.99 | Sprite/Midget with side curtains (no logo) (Can be used with aluminum frame cover set #240-510) |
|---------|---------|--|
| 241-880 | | Sprite, cars with roll-up windows |
| 241-860 | \$37.99 | Midget, cars with roll-up windows |



242-501


Bugeye Rear Liner Sets

Dress up the dark chasm behind your seats with a liner set from Moss. "Original" set includes hardura trunk floor covering, two side panels, hardura wheel well covers, and hardura heelboard cover. Trunk kit includes trunk floor cover and side panels (use this when installing the Sprite MKII carpet set (which has also carpet heelboard & wheel well covers) in a Bugeye. Available in black only.

"Original" Set 242-501 \$199.99 Trunk Set 242-500 \$109.99



MOSS MOTORS, LTD. 1-800-667-7872




| No. | Price (each) | Description | Application | Qty. Req. |
|-----|-----------------|-------------|-------------|--------------|
| | | | | |

Dashboard Fittings

1 453-950 \$62.99 DASH TOP COVER 1968-'80
Fully molded black ABS vinyl dash pad quickly and easily glues on the top of your existing dash, making even badly suncracked dashes look new again.
Comes complete with adhesive and installation instructions.


| 2 | 633-690 | \$46.99 | GRAB HANDLE, dashboard | Spite MKI, MKII | 1 |
|----------|--------------------|-------------------|--|-------------------------|-----|
| 3 | 472-050 326-520 | \$12.79 \$0.24 | MG BADGE SPIRE NUT | Midget (as fitted) | 1 2 |
| 5 6 | 470-615 326-510 | \$24.89 \$0.24 | SPRITE BADGE SPIRE NUT | }Sprite MKIII, MKIV | 1 2 |
| 10 | 453-810 | \$229.99 | RADIO CONSOLE | 1968-80 | 1 |
| 11 | 233-835 | \$109.99 | SPEAKER SCREEN, chrome | 1968-74 | 1 |
| | 233-855 | NA | SPEAKER SCREEN, black | 1975-80 (alt. to above) | 1 |
| 12 | 472-078 | \$22.89 | RADIO BLANKING PLATE SET | 1968-76 Midget | 1 |
| | 472-079 | \$38.99 | RADIO BLANKING PLATE SET | 1968-69 Sprite | 1 |
| 13 | 472-035 | \$9.79 | RADIO BLANKING PLATE | 1977-80 Midget | 1 |
| 17 | 240-830 | NA | PARCEL SHELF | 1966-72 | 1 |
| 18 | 240-840 | NA | PAD, parcel shelf | | 1 |
| 19 20 | 234-400 | NA \$74.99 | GLOVE BOX DOOR GLOVE BOX LOCK with 2 keys | } 1972-80 | 1 |



Door Seal & Finishers

| 1a | 249-800 249-810 | \$21.99 \$21.99 | DOOR SEAL, black woven fabri DOOR SEAL, red woven fabric | |
|-----|-------------------------------|-------------------------------|--|--|
| 1b | 249-609 249-695 249-857 | \$16.99 \$21.99 \$21.99 | DOOR SEAL, black velour DOOR SEAL, red velour DOOR SEAL, blue velour | alt. type, 1958-'69 4 4 4 4 |
| 1c | 259-907 | \$5.99 | DOOR SEAL, black vinyl | { orig. type, 1970-'80 sold per foot 10 |
| 2 | | NA | CLIP, door seal front | Sprite MkI, II, Midget MkI 2 |
| 3 4 | 240-530 240-545 240-540 | \$4.29 \$10.79 \$10.79 | CLIP, door seal front end FINISHER, L/H rear FINISHER, R/H rear | Sprite from MkIII (1275) 2 Midget from MkII (1275)-on 1 |
| 5 | 249-795 | \$0.59 | CLIP, door seal to flange | 20 |

Cockpit Items




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|----------------|---|---|--|--|----------------------------|
| Co | ckpit F | itting | s | | |
| 1 | 240-675 240-670 240-680 240-685 240-690 240-815 | \$22.99 \$22.99 \$22.99 \$22.99 \$22.99 \$1.99 | CHECK STRAP, black CHECK STRAP, red CHECK STRAP, blue CHECK STRAP, navy CHECK STRAP, autumn leaf RETAINER, check strap | | 2 2 2 2 2 2 |
| 3 | 240-815 240-805 314-315 | \$3.99 \$0.49 | BRACKET, check strap SCREW | | 2 4 |
| 8 | 803-440 402-485 | \$15.29 \$0.59 | HANDLE, door pull SCREW, door pull | } Sprite to (c)72040 Midget to (c)60459 | 2 4 |
| 10 11 | 472-240 402-485 | \$6.79 \$0.59 | HANDLE, door pull SCREW, door pull | } Sprite from (c)72041 Midget (c)60460 to 1055 | 2 500 4 |
| 12 13 14 | 402-453 402-450 402-455 402-490 314-285 402-710 | \$13.79 NA \$14.79 NA \$0.39 NA | DOOR PULL, black DOOR PULL, autumn leaf DOOR PULL, yellow ochre DOOR PULL, navy SCREW, door pull CAPTIVE NUT | Midget from (c)105501 (1972-on) | 2 2 2 2 4 4 |
| 18b 18c | 459-855 226-660 324-990 324-010 310-040 240-560 240-565 | \$18.79 \$1.39 \$0.29 \$0.19 \$0.19 \$10.79 \$10.79 | COCKPIT MOULDING, black vi STUD PLATE, moulding WASHER, plain LOCKWASHER NUT END CAP, chrome R/H END CAP, chrome L/H | nyl 1967-'80 | 1 9 9 9 9 |
| 21 22 | 402-550 241-015 | \$3.09 NA | DOME NUT, seat belt mountin | ng as fitted | 4 |


LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com




1

Seats







Vinyl Seat Kits Black with

Red with Blue with White Piping Lt.Blue Piping White Piping

Bugeye Sprite, 948 Sprite Mk II to HAN7-24731

640-779 (Blue) 640-777 640-778 \$429.99 640-776 (Navy Blue) \$429.99

948 Midget Mk I to GAN1-16183 640-700 640-702 640-706 (Blue) \$429.99

1098 Sprite Mk II & Mk III from HAN7-24732 to HAN8-55372 (approx.) Midget Mk I & Mk II from GAN2-16184 to GAN3-42900 (approx.)

640-720 640-722 640-724 (Navy/Navy) \$429.99 640-725 (Blue/Wht) \$429.99

1098 Sprite Mk III & 1275 Mk IV from (approx.) HAN8-55373 to HAN9-77590 Midget Mk II from approx. GAN3-42900, Midget Mk III to GAN4-66225 640-935 640-936 640-934 (Blue/White) \$379.99

1275 Sprite Mk IV* from HAN9-77591 to HAN9-85286 (*Headrest covers not included) 1275 Midget Mk III* from GAN4-66226 to GAN4-74885

Black

640-945* (fixed back - USA) \$474.99 640-950* (reclining back - not USA) \$499.99

1275 Sprite Mk IV* from HAN10-85287 on (*Headrest covers not included) 1275 Midget Mk III & Midget 1500* from GAN5-74886 thru 1500

| | RIACK | Autumn Leat | Navy | |
|--------------------------|---------|-------------|---------|----------|
| | 640-960 | 640-980 | 640-930 | \$489.99 |
| Headrest Cover ('70-'76) | 640-200 | 640-225 | 640-210 | \$51.99 |
| Headrest Cover ('77-'80) | 640-335 | 640-345 | NA | \$58.99 |

Moss Seat Kits All front seat kits include covers for both front seats. No matter what else you do to your car, one thing which eveyone notices is the condition of the seats. Put your seats in tip top condition with a "just as it came from the factory" vinyl kit, or upgrade your car's interior with one of our luxurious leather kits. (Don't forget pads and cushions - we stock a complete selection to properly fill out your new covers, and make your "new" seats as comfortable as can be.) All of the Sprite & Midget seat kits we sell are made iof the very best materials, patterned exactly like the originals. As original from the factory, our leather seat kits have only the seating/wearing surfaces in leather, with the non-wearing surfaces in matching vinyl.

Leather Seat Kits

Black / White Red / White

Bugeye Sprite, 948 Sprite Mk II to HAN7-24731 \$699.99 640-781 640-782

948 Midget Mk I to GAN1-16183 640-710 640-712 \$699.99

1098 Sprite Mk II & Mk III from HAN7-24732 to HAN8-55372 (approx.) Midget Mk I & Mk II from GAN2-16184 to GAN3-42900 (approx.) 640-740 640-742

1098 Sprite Mk III & 1275 Mk IV from (approx.) HAN8-55373 to HAN9-77590 Midget Mk II from approx. GAN3-42900, Midget Mk III to GAN4-66225 640-965 640-966 \$599.99

1275 Sprite Mk IV* from HAN9-77591 to HAN9-85286 (*Headrest covers not included) 1275 Midget Mk III* from GAN4-66226 to GAN4-74885

Black

\$1049.00 640-800 (fixed back)

1275 Sprite Mk IV* from HAN10-85287 on (*Headrest covers not included) 1275 Midget Mk III & Midget 1500* from GAN5-74886 thru 1500

(not original pleat pattern - has vertical pleats)

Black **Autumn Leaf** 640-805


640-810

\$1149.00



mos:

MOSS MOTORS, LTD. 1-800-667-7872



| No. | Part No. | Price (each) | Description | | Qty. Req. |
|-----|-------------|----------------------------|--|------------------------|--------------|
| Sea | at Com | ponents | s (see detailed car number appl | ications on facing pag | je) |
| 1 | | \$194.99 m cushion, | CUSHION & PADDING KIT plus padding for seat back) | }seats "A" & "B" | 2 |
| 4 | seat. 9 | rackets wei 48cc Sprite | BRACKET, seat mounting * re used instead of seat slides on Bu MKII (H-AN6) could be had with th these brackets or on slides. | | 4 |
| 6 | | \$279.99 m cushion, | FOAM CUSHION & PADDING KIT plus padding for seat back) | }seat "C" | 2 |
| 7 | 640-570 | \$239.99 | BASE, steel | 1 | 2 |
| 8 | | \$279.99 | BACK, steel | I | 2 |
| 9 | | \$199.99 | FRAME | seats "A", "B", "C" | 2 |
| 10 | 326-185 | | CLIP, seat back (large) | 1 | 20 |
| 11 | 326-155 | | CLIP, back & cushion covers (small) |) | 56 |
| 12 | 640-605 | \$13.99 | PACKING STRIP, wood | <u> </u> | 4 |
| 13 | 640-600 | | RUNNER, upper, plain |) | 2 |
| 14 | 640-585 | | RUNNER w/lever, R/H | seats "A" thru "E" | 1 |
| | 640-595 | | RUNNER w/lever, L/H | Jocato A tilla E | 1 |
| 15 | 640-590 | \$29.99 | RAIL, lower | J | 4 |
| 20 | 641-960 | \$49.99 | BACK FOAM |) | 2 |
| 21 | 640-545 | \$20.49 | BACK BOARD | seat "D" | 2 |
| 22 | 640-530 | \$104.99 | CUSHION FOAM | J | 2 |
| 25 | 640-550 | \$99.99 | BACK FOAM | 1 | 2 |
| 26 | 640-505 | NA | BACK BOARD, adjustable seatback | seat "E" | 2 |
| | 640-635 | NA | BACK BOARD, non-adj. seatback | f scar L | 2 |
| 27 | 640-560 | \$99.99 | CUSHION FOAM | J | 2 |
| 30 | 281-827 | \$21.99 | DIAPHRAGM, rubber | seats "D", "E" | 2 |
| 31 | 281-858 | \$29.99 | DIAPHRAGM, web | seat "F" | 2 |
| 32 | 325-185 | \$0.59 | HOOK, diaphragm |]to "D" "F" "F" | 20 |
| 35 | 226-645 | \$0.49 | CLIP, cushion cover | } seats "D", "E", "F" | A/R |
| 36 | 326-185 | \$0.69 | CLIP, back cover | <u>1</u> | 6 |
| 38 | 409-020 | \$17.99 | HANDLE, seat back adjusting | seats "E", "F" | 2 |
| | 323-205 | \$1.49 | SCREW, handle | | 2 |

LOCAL & OVERSEAS: 805-681-3400 FAX: 805-692-2525 www.mossmotors.com



| | | | • | | |
|-----|-------------|-----------------|----------------------------------|--------------------------|----------------|
| No. | Part No. | Price (each) | Description | | ity. eq. |
| | | | | | |
| 42 | 640-500 | \$89.99 | BACK FOAM, R/H |) | 1 |
| | 640-510 | \$89.99 | BACK FOAM, L/H | İ | 1 |
| 43 | 640-515 | \$17.49 | BACK BOARD | 1 | 2 |
| 44 | 640-520 | \$44.99 | CUSHION FOAM | seat "F" | 2 |
| 46 | 409-108* | \$3.69 | RING ASS'Y, headrest aperature | [Seal F | 2 |
| 46a | 409-100 | NA | FINISHING RING | | 2 |
| 46b | 409-105 | \$0.99 | EYELET | | 2 |
| 47 | 227-170 | \$2.99 | PLUG, black (when headrests out) | J | 2 |
| | | | *installed on seat kits | | |
| 50 | 640-600 | NA | RUNNER, upper, plain | 1 | 2 |
| 51 | 640-585 | NA | RUNNER w/lever, R/H | seat "F", 1970-'71 | 1 |
| | 640-595 | NA | RUNNER w/lever, L/H | to approx. (c)105500 | 1 |
| 52 | 640-610 | \$12.99 | RAIL, lower, R/H of ea. seat | το αρρίολ. (0) 100000 | 2 |
| | 640-620 | \$12.99 | RAIL, lower, L/H of ea. seat | J | 2 |
| | | NA | RUNNER, upper, plain | 1 | 2 |
| | | NA | RUNNER w/lever, R/H | seat "F", 1972-'80 | 1 |
| | | NA | RUNNER w/lever, L/H | from approx. (c)10550 | ₁ 1 |
| | 640-615 | \$12.99 | RAIL, lower, R/H of ea. seat | itotti approx. (c) 10000 | ' 2 |
| | 640-625 | \$12.99 | RAIL, lower, L/H of ea. seat | J | 2 |
| | | | | | |

Beautiful reproductions of an often missing or weather-ruined upholstery part. (Sorry - twin-post headrests for 1969 cars are not available.) Sold individually.

Midget Headrests

| Black | Navy | Ochre | Autumn Leaf | Champagr | 10 | | | | |
|---|-----------------|-------|-------------|----------|----------|--|--|--|--|
| 1970-'72 "Eared type" perforated. | | | | | | | | | |
| 649-100 | NA | NA | 649-130 | NA | \$109.99 | | | | |
| 1972-'76 "Eared | type" non-perfo | rated | | | | | | | |
| 649-140 | 649-150 | NA | 649-170 | NA | \$109.99 | | | | |
| 1977-'80 "Teardrop type" non-perforated | | | | | | | | | |
| 641-605 | 641-615 | NA | 641-635 | NA | \$104.99 | | | | |

Tonneau Covers

ROBBINS

227-408


\$0.89

EYELET


Tonneau Covers

ROBBINS* Tonneau covers are the time tested method of protecting your car's interior. Our tonneau covers incorporate the finest materials and workmanship and are supplied complete with hardware (fasteners on car body not included).

Stayfast is an acrylic canvas which is soft and flexible over a wide temperature range, yet is water-proof, and highly resistant to sagging, billowing, shrinking and fading. (These are made to order, so please allow 6 to 10 weeks for delivery.)




| No. | Part No. | Price (each) | Description Application | Qty. Req. |
|-----|-------------|-----------------|---|--------------|
| То | nneau | Cover, | Sprite MK1 ("Bugeye") | |
| 1 | 241-270 | | TONNEAU COVER, black vinyl | 1 |
| | 241-271 | \$686.99 | TONNEAU COVER, black Stayfast | 1 |
| | 241-272 | \$687.99 | TONNEAU COVER, tan Stayfast | 1 |
| 2 | 226-308 | \$1.09 | FASTENER, "Lift the Dot | 3 |
| 3 | 227-600 | \$10.89 | FASTENER, "Tenax" (genuine "Tenax" brand) | 4 |




Tonneau Cover, Sprite MKII, Midget MKI (1961-'64)

| 10 | 241-280 | \$329.99 | TONNEAU COVER, black vinyl | 1 |
|----|---------|----------|---|---|
| | 241-281 | \$646.99 | TONNEAU COVER, black Stayfast | 1 |
| | 241-282 | \$646.99 | TONNEAU COVER, tan Stayfast | 1 |
| 11 | 226-308 | \$1.09 | FASTENER, "Lift the Dot" | 7 |
| 12 | 227-600 | \$11.99 | FASTENER, "Tenax" (genuine "Tenax" brand) | 4 |
| 13 | 227-408 | \$0.89 | EYELET | 2 |
| 14 | 453-605 | \$62.99 | TONNEAU BAR, R/H | 1 |
| 15 | 453-635 | \$62.99 | TONNEAU BAR, L/H | 1 |
| | | | | |




Tonneau Cover, Sprite MKIII, Midget MKII (1964-'66)

| 20 | 241-285 | \$365.99 | TONNEAU COVER, black | 1 |
|----|---------|----------|---|---|
| | 241-286 | \$644.99 | TONNEAU COVER, black Stayfast | 1 |
| | 241-287 | \$644.99 | TONNEAU COVER, tan Stayfast | 1 |
| 21 | 226-308 | \$1.09 | FASTENER, "Lift the Dot | 8 |
| 22 | 227-600 | \$10.89 | FASTENER, "Tenax" (genuine "Tenax" brand) | 2 |
| 23 | 227-108 | \$0.49 | SNAP ASS'Y., female | 4 |
| 24 | 226-720 | \$0.29 | SNAP, male | 2 |
| 25 | 226-605 | \$0.19 | SNAP BASE | 2 |
| 26 | 453-910 | \$29.99 | TONNEAU BAR, R/H | 1 |
| 27 | 453-915 | \$29.99 | TONNEAU BAR, L/H | 1 |
| | | | | |




Tonneau Cover, Sprite MKIV, Midget MKIII (1967-'68)

| 30 | 241-290 | \$356.99 | TONNEAU COVER, black vinyl | 1 |
|----|---------|----------|---|----|
| | 241-291 | \$699.99 | TONNEAU COVER, black Stayfast | 1 |
| | 241-292 | \$699.99 | TONNEAU COVER, tan Stayfast | 1 |
| 31 | 226-308 | \$1.09 | FASTENER, "Lift the Dot | 8 |
| 32 | 227-600 | \$10.89 | FASTENER, "Tenax" (genuine "Tenax" brand) | 8 |
| 33 | 227-108 | \$0.49 | SNAP ASS'Y., female | 11 |
| 34 | 226-720 | \$0.29 | SNAP, male | 2 |
| 35 | 226-605 | \$0.19 | SNAP BASE | 2 |
| 36 | 453-920 | \$64.99 | TONNEAU BAR, R/H | 1 |
| 37 | 453-925 | \$64.99 | TONNEAU BAR, L/H | 1 |
| 38 | 226-720 | \$0.29 | SNAP, male | 2 |
| 39 | 325-287 | \$0.19 | RIVET | 2 |
| 40 | 402-565 | \$32.49 | BRACKET, tonneau bar | 2 |
| | | | | |




| No. | Part No. | Price (each) | Description Appli | cation | Qty. Req. |
|-----|-------------|-----------------|--------------------------------------|--------|--------------|
| То | nneau | Cover, | 1969-on | | |
| 50 | 241-300 | \$365.99 | TONNEAU COVER, black vinyl | | 1 |
| | 241-301 | \$709.99 | TONNEAU COVER, black Stayfast | | 1 |
| | 241-302 | \$709.99 | TONNEAU COVER, tan Stayfast | | 1 |
| 51 | 226-308 | \$1.09 | FASTENER, "Lift the Dot | | 6 |
| 52 | 227-600 | \$10.89 | FASTENER, "Tenax" (genuine "Tenax" b | orand) | 6 |
| 53 | 227-108 | \$0.49 | SNAP ASS'Y., female | | 9 |




Top Cover

386-980 387-055

| 1 | 241-525 | \$279.99 | TOP COVER, black | 1969-'80 |
|---|---------|----------|-------------------------|----------------|
| 2 | 227-108 | \$0.49 | SNAP ASS'Y, female | |
| 3 | 227-600 | \$10.89 | TENAX FASTENER (genuine | "Tenax" brand) |




Tonneau Covers



Stowage Bags

| 1 | 385-955 | \$10.99 | STRAP, top stowage, replacement 1958-66 | 2 |
|---|---------|----------|--|---|
| 2 | 242-575 | NA | TOP STOWAGE BAG Sprite MkII, Midget MkI | 1 |
| 3 | 242-595 | NA | TOP FRAME STOWAGE BAG Sprite MkII-III, Midget MkI-II | 1 |
| 4 | 242-585 | \$109.99 | SIDE CURTAIN STOWAGE BAG | 1 |
| 5 | 242-605 | \$48.99 | TONNEAU COVER STOWAGE BAG | 1 |
| 6 | 242-565 | \$42.99 | TONNEAU BAR STOWAGE BAG 1967-68 | 1 |
| 7 | 242-590 | NA | TOP COVER STOWAGE BAG 1967-80 | 1 |
| | | | | |




Body Fittings, Tonneau Covers

| 1 | 470-747 | \$4.79 | RETAINER, top & tonneau cover |) | 2 |
|----|---------|--------|-----------------------------------|-----------------------|----------------|
| 2 | 323-455 | \$0.49 | SCREW | | 4 |
| 3 | 324-010 | \$0.19 | LOCKWASHER | all through 1966 | 4 |
| 4 | 324-990 | \$0.29 | WASHER, plain | 1 | 2 |
| 5 | 470-757 | \$1.39 | WASHER, cup | J | 2 |
| 8 | 226-630 | \$3.79 | STUD, "Lift-the-Dot", rear heelbo | oard lall except Bugg | 4 |
| 9 | 323-460 | \$0.29 | SCREW | all except Buge | ⁵ 8 |
| 10 | 226-600 | \$1.99 | STUD, "Lift-the-Dot", dash top |) | 3/4 |
| 11 | 435-515 | \$0.49 | WASHER, leather | thru 1963 use 3 | 3/4 |
| 12 | 324-010 | \$0.19 | LOCKWASHER | from 1964 use 4 | 3/4 |
| 13 | 310-040 | \$0.19 | NUT | J | 3/4 |
| 16 | 227-500 | \$1.29 | TURNBUCKLE | }thru 1963 | 2 |
| 17 | 323-460 | \$0.29 | SCREW | Juliu 1903 | 2 |
| 20 | 227-700 | \$2.19 | STUD, "Tenax" (3/8" long stud) |) | A/R |
| 21 | 324-010 | \$0.19 | LOCKWASHER | most applications | A/R |
| 22 | 311-030 | \$0.19 | NUT | J | A/R |
| 23 | 435-515 | \$0.49 | WASHER, leather | thru 1968 | A/R |
| | 324-012 | \$0.39 | WASHER, chrome | 1969-on | 6 |
| 25 | 227-010 | \$2.19 | STUD, "Tenax" (5/8" long stud) |) | 2 |
| 26 | 311-010 | \$1.89 | DOME NUT, chrome | 1964-'68 | 2 |
| 27 | 324-010 | \$0.19 | LOCKWASHER | J | 2 |
| 30 | 226-720 | \$0.29 | SNAP, male | } 1964-80 | A/R |
| 31 | 325-287 | \$0.19 | RIVET for snap | J 1904-00 | A/R |
| 35 | 242-215 | \$9.79 | VELCRO STRIP |) | 2 |
| 36 | 323-460 | \$0.29 | SCREW, rear | | 2 |
| 37 | 312-235 | \$1.39 | SCREW, front | 1969-'80 | 2 2 |
| 38 | 311-350 | \$1.69 | DOME NUT | 1909- 00 | 2 |
| 39 | 315-070 | \$0.24 | LOCKWASHER | | 2 2 |
| 40 | 315-075 | \$0.19 | WASHER | J | 2 |

9 6

Top Fittings / Sidecurtains




| No. | Part No. | Price (each) | Description | | Qty. Req. |
|-----|-------------|----------------------------------|---|---|--------------|
| То | p Fran | nes | | | |
| 1 | 400-648 | \$409.99 \$374.99 \$399.99 | TOP FRAME ASSY. TOP FRAME ASSY. (2 piece) TOP FRAME ASSY. (2-piece) | Sprite MKI (Bugeye) Sprite MKII, Midget MkI Sprite MkIII, Midget MkII | 1 1 1 |
| 2 | 400-680 | \$429.99 | TOP FRAME ASSY. (permanent m | nount) 🕽 | 1 |
| 3 | 323-255 | | SCREW, frame to header rail | | 6 |
| 4 | 226-720 | \$0.29 | MALE SNAP | | 4 |
| 5 | 325-287 | \$0.19 | RIVET for snaps | | 4 |
| 6 | | NA | WEBBING KIT, top frame | | 1 |
| 7 | 402-545 | | PLATE, securing webbing | 1967-'80 | 6 |
| 8 | 326-285 | | RIVET for plates | 1307 00 | 12 |
| 9 | 322-290 | \$0.89 | BOLT, top frame to body, short | | 2 |
| | 320-695 | | BOLT, top frame to body, long | | 4 |
| 10 | 365-730 | | LOCKWASHER | | 6 |
| 11 | 365-720 | | WASHER, plain | | 6 |
| 12 | 402-595 | \$1.79 | PACKING PIECE, top frame to bo | dy J | 2 |
| 15 | 402-555 | \$23.99 | BRACKET, top frame stowage | 1 | 2 |
| 16 | 314-070 | \$0.29 | SCREW | Buggyo only | 6 |
| 17 | | NA | BUFFER | Bugeye only | 2 |
| 18 | 314-045 | \$0.29 | SCREW for buffer | J | 2 |



Side Curtains

Fit your Sprite or Midget with a set of our factory style side curtains, complete with sealing strips, brackets and screws. Just like the originals, these side curtains look great while keeping out the wind, the cold and the rain.

| 259-678 \$559.99 | Side Curtain Set, Complete | 1 |
|------------------|--|---|
| 259-675 \$34.99 | Bracket Set with nuts & bolts | 1 |
| 282-455 \$18.89 | Outer Seal, L/H | 1 |
| 282-465 \$18.89 | Outer Seal, R/H | 1 |
| | See page 65 for sidecurtain mounting screws. | |




| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|--------|--------------------|------------------|--------------------------------|------------------------------|-----------------------|
| Во | dy Fitt | ings, 1 | Горѕ | | |
| 1 | 470-747 | \$4.79 | RETAINER, top & tonneau cover |) | 2 |
| 2 | 323-455 | \$0.49 | SCREW | -11 41 | 4 |
| ა 4 | 324-010 324-990 | \$0.19 \$0.29 | LOCKWASHER WASHER, plain | all through 1966 | 4 |
| 5 | 470-757 | \$1.39 | WASHER, cup | J | 2 2 |
| 6 | | NA | STUD, Lift-the-Dot | Bugeye thru (c)5476 | 9 |
| | 226-600 | \$1.99 | STUD, Lift-the-Dot | Bugeye from (c)54 | |
| 7 | 310-040 | \$0.19 | NUT | f Sprite MkII, Midget | MkI 2 |
| 8 | 227-500 | \$1.29 | TURNBUCKLE | }thru 1963 | 2 |
| 9 | 323-600 | \$0.39 | SCREW | Juliu 1963 | 2 |
| 10 | 227-700 | \$2.19 | STUD, "Tenax" (3/8" long stud) | 1 | A/R |
| 11 | 324-010 | \$0.19 | LOCKWASHER | most applications | A/R |
| 12 | 311-030 | \$0.19 | NUT | J | A/R |
| 13 | 435-515 | \$0.49 | WASHER, leather | thru 1968 | A/R |
| | 324-012 | \$0.39 | WASHER, chrome | 1969-on | 6 |
| 16 | 227-010 | \$2.19 | STUD, "Tenax" (5/8" long stud) | 1 | 2 |
| 17 | 311-010 | \$1.89 | DOME NUT, chrome | 1964-'68 | 2 |
| 18 | 324-010 | \$0.19 | LOCKWASHER | J | 2 |
| 22 | 226-720 | \$0.29 | SNAP, male | } 1964-80 | A/R |
| 23 | 325-287 | \$0.19 | RIVET for snap | f 1904-80 | A/R |
| 25 | 242-215 | \$9.79 | VELCRO STRIP | 1 | 2 |
| 26 | 323-460 | \$0.29 | SCREW, rear | | 2 |
| 27 | 312-235 | \$1.39 | SCREW, front | 1969-'80 | 2 |
| 28 | 311-350 | \$1.69 | DOME NUT | 1909-00 | 2 |
| 29 | 315-070 | \$0.24 | LOCKWASHER | | 2 2 2 2 2 |
| 30 | 315-075 | \$0.19 | WASHER | J | 2 |



Robbins high quality replacement tops duplicate the original tops in almost all respects. Stayfast is an acrylic canvas which is soft and flexible over a wide temperature range, yet is waterproof, and highly resistant to sagging, billowing, shrinking and fading. (Stayfast tops are made to order, so please allow 6 to 10 weeks for delivery.)


Tops are supplied with all snaps and fasteners, but do not include the header rail (except where noted), body hardware or anchor bars.



| No. | Part No. | Price (each) | Description | Application | Qty. Req. |
|-----|-------------|-----------------|-------------|-------------|--------------|
|-----|-------------|-----------------|-------------|-------------|--------------|

Tops, Sprite MkI, MkII, Midget MkI

| 1 | | \$349.99 \$723.99 \$723.99 | TOP, black vinyl TOP, black Stayfast TOP, tan Stayfast | Bugeye, studs on w/s fram thru (c)5476 | e 1 1 |
|--------|--------------------|----------------------------------|--|---|---------------|
| | 242-186 | \$349.99 \$723.99 \$723.99 | TOP, black vinyl TOP, black Stayfast TOP, tan Stayfast | Bugeye, bar mount from (c)5477 | 1 1 1 |
| | 242-191 | \$359.99 \$699.99 \$659.99 | TOP, black vinyl TOP, black Stayfast TOP, tan Stayfast | Sprite MkII Midget MkI | 1 1 1 |
| 2 | 226-308 | \$1.09 | FASTENER, "Lift-the-Dot" | Bugeye thru (c)5476 Sprite & Midget from above | A/R 9 2 |
| 3 | 227-408 | \$0.89 | EYELET | 3 | 2 |
| 4 | 227-600 | \$10.89 | FASTENER, "Tenax" (genu | ine "Tenax" brand) | 4 |
| 5 6 | 401-030 401-040 | \$24.99 \$34.99 | BAR, top retaining, front BAR, top retaining, rear | Bugeye from (c)5477, Sprite MkII, Midget MkI | 1 |



| No. | Part No. | Price (each) | Description | | Qty. leq. |
|---|---|--|---|--|---|
| То | ps, Sp | rite MI | dll-on, Midget Mk | dl-on (1964-'80) | |
| 1 | 242-196 | \$359.99 \$699.99 \$699.99 | TOP, black vinyl TOP, black Stayfast TOP, tan Stayfast | Sprite MkIII Midget MkII | 1 1 1 |
| | 242-176 | \$356.99 \$699.99 \$699.99 | TOP, black vinyl, TOP, black Stayfast TOP, tan Stayfast | Sprite MkIV Midget MkIII 8 Tenax studs 1967-'68 | 1 1 1 |
| * ZW | 242-200 242-203 242-204 242-201 242-202 242-370 242-371 242-375 242-376 | \$799.99 \$359.99 \$359.99 \$359.99 \$699.99 \$699.99 \$456.99 \$456.99 \$456.99 \$799.99 | TOP, black vinyl w/ header rai TOP, black vinyl TOP, tan vinyl TOP, white vinyl TOP, black Stayfast TOP, tan Stayfast TOP, black vinyl, ZW* TOP, white vinyl, ZW* TOP, tan vinyl, ZW* TOP, tan Stayfast, ZW* | Sprite MkIV, Midget MkIII, 1275, Midget 1500 6 Tenax studs, velcro 1969 on | 1 1 1 1 1 1 1 1 1 1 1 |
| 2 | 227-108 227-600 | \$0.49 \$10.89 | SNAP ASSEMBLY, female FASTENER, "Tenax" (genui | ne "Tenax" brand) Sprite MkIII, Midget MkII 1967-'68 1969-on | A/R A/R 2 8 6 |
| 4 5 | 227-108 401-040 | \$0.49 \$34.99 | SNAP ASSEMBLY, female BAR, top retaining, rear | }Sprite MkIII, Midget MkII | 2 |
| 8 10 11 14 15 16 17 18 | 400-695 406-230 466-385 406-260 323-635 453-930 325-288 453-610 | \$329.99 \$48.99 \$0.39 \$0.89 \$0.34 \$10.99 \$1.99 \$9.99 | HEADER RAIL LATCH, header rail BOLT, header rail latches PAD, header rail SCREW RETAINER, header rail seal RIVET SET, 15 pcs., retaine HEADER RAIL SEAL | | 1 2 4 2 4 1 1 |
| 19 20 21 22 | 408-555 400-670 226-720 314-310 | \$2.79 \$22.99 \$0.29 \$0.69 | LABEL, header rail RETAINING STRIP SNAP, male SCREW, retaining strip |] 1967-'80 | 1 1 7 7 |

STANDARD TERMS AND CONDITIONS OF SALE & LIMITED WARRANTY

Last updated: March 17, 2018

PLEASE READ THE FOLLOWING CAREFULLY. By clicking the button "Agree," or otherwise accessing and using our website, and/or by placing an order with Moss Motors, Ltd. ("Moss," "we" "us" "our"), you acknowledge and represent that you are over 18 and have the legal capacity and authority to enter this Terms and Conditions/Warranty Agreement ("Terms"). These Terms constitute a binding agreement between Moss and you.

1. AGREEMENT TO TERMS AND PRIVACY POLICY

By accessing and continuing to use our Website (http://mossmotors.com "Website"), and/or by placing orders with Moss in any other manner, you are agreeing to these Terms including our Privacy Policy ("Privacy Policy", as found immediately following).

2. PRICE

It is Moss' intent that prices in our Catalogues and on our Website are accurate and up to date. However, prices are subject to change without notice. Please inquire about price at the time of purchase.

3. LIMITED WARRANTY

Moss is proud to provide one of the longest warranty in the business. Everything we sell is warranted to be free from defects in material and workmanship for 2 years from the date of invoice, with the exception of all superchargers, supercharger components, and supercharger hardware which carry a 1 year warranty If the product warranted above fails, within the warranty period, Moss will, at its discretion, repair or replace the product. This warranty does not cover labor, failure of related components, normal wear of brake or clutch components or failure resulting from alteration, misuse, accidental damage, faulty installation, or faulty repair. TO THE FULL EXTENT PERMISSIBLE BY LAW, WE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, OTHER THAN THOSE EXPRESSELY STATED HEREIN, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. If a product/part fails while under warranty, a warranty request should be submitted to Moss' sales department and must be supported by the original Moss purchase invoice, documentation of the failure and, upon request, return of the defective part.

4. LIMITATIONS OF LIABILITY

It is Moss' intent that the products sold, and services we provide, always function appropriately and no damages result. However, you understood and agree that any damage that may result is expressly limited (A) TO THE MAXIMUM EXTENT PERMITTED BY LAW MOSS, INCLUDING ITS AFFILIATES, EMPLOYEES, OFFICERS, DIRECTORS, CONSULTANTS AND AGENTS, WILL NOT BE LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGE, OR ANY OTHER DAMAGE, LOSS (INCLUDING LOSS OF PROFIT AND LOSS OF DATA), COSTS, EXPENSES AND PAYMENTS, EITHER IN TORT, CONTRACTUAL, OR IN ANY OTHER FORM OF LIABILITY, ARISING FROM, OR IN CONNECTION WITH (I) THE USE OF, OR THE INABILITY TO USE THE WEBSITE: (II) THE FAILURE OF A PRODUCT OR PART SOLD BY MOSS TO YOU: (III) THE INCORRECT INSTALLATION OF A PART/PRODUCT SOLD BY MOSS TO YOU; (IV) ANY FAILURE, ERROR, OR BREAKDOWN IN THE FUNCTION OF THE WEBSITE: AND/ OR (V) ANY FAULT, OR ERROR MADE BY OUR STAFF OR ANYONE ACTING ON MOSS' BEHALF; (VI) THE UNAUTHORIZED ACCESS TO OR ALTERATION OF YOUR TRANSMISSIONS OR DATA; OR (VII) STATEMENTS OR CONDUCT OF ANY THIRD PARTY ON THE SERVICE; AND (B) IN NO EVENT SHALL THE AGGREGATE LIABILITY OF MOSS FOR ANY DAMAGES OR LOSSES IN CONNECTION WITH THE SALE OF PART(S)/ PRODUCT(S) EXCEED THE TOTAL AMOUNT OF ANY AMOUNT PAID BY YOU FOR THE PART(S)/ PRODUCT(S).

MOSS MOTORS, LTD. DOES NOT WARRANT THAT ITS WEBSITE OR ANY OF ITS FUNCTIONS, INCLUDING ANY ELECTRONIC COMMUNICATIONS WHICH WE SEND TO YOU, WILL BE UNINTERRUPTED OR ERROR-FREE, THAT DEFECTS WILL BE CORRECTED, OR THAT THIS SITE AND THOSE COMMUNICATIONS, INCLUDING BULLETIN BOARDS, OR THE SERVERS THAT MAKE THESE SERVICES AVAILABLE, ARE FREE OF VIRUSES OR OTHER HARMFUL COMPONENTS. THESE SERVICES ARE MADE AVAILABLE" BASIS AND YOU EXPRESSLY AGREE THAT YOUR USE OF THESE SERVICES IS AT YOUR SOLF RISK.

5. INSTALLATION NOT INCLUDED

Moss is not liable for injury or damage due to incorrect installation or use of their products/parts. All products/ parts and are sold with the understanding that the safe and proper installation and use of the products is the customer's responsibility. It is the customer's responsibility to check with their local laws to determine if the product they have purchased from Moss and then installed on their vehicle may or may not be legal. Follow factory workshop manual procedures and instructions, but use current shop safety standards and common sense. Some tasks will require professional advice which Moss does not provide.

6. MODIFICATION OF THESE TERMS

Moss reserves the right, at its discretion, to change these Terms at any time and/or to discontinue any part of the Website. A change to the Terms will be effective (a) ten days following Moss sending a notice to you; or (b) after Moss posts a revised agreement on the Website or in the Catalogue and you subsequently use the Website and/or order a part/product from us.

7. GOVERNING LAW/ VENUE FOR ACTIONS

By ordering parts/products from Moss you agree that (a) all claims arising out of or relating to the transaction will be governed by California Law; (b) all claims arising out of or relating to the transaction shall be brought and litigated exclusively in the Superior Court of the County of Santa Barbara (Anacapa Division), California, USA; and (c) you consent to personal jurisdiction in the previously mentioned court.

8. GENERAL LEGAL TERMS

If any provision, or part of a provision, of these Terms is held to be unenforceable, the rest of the Terms shall remain intact and be construed without the unenforceable such provision, or part of said provision. Moss may provide you with notices, including those regarding changes to the Terms, by email, regular mail, or postings on the Website and in the Catalogue. A waiver of any term or provision of these Terms will be effective only if Moss expressly states in a writing signed by an authorized representative that Moss is waiving that specified term or provision. These Terms and the Privacy Policy represent the complete agreement between you and Moss and supersede all prior agreements and representations related to the subject matter hereof.

PRIVACY POLICY

1. OUR COMMITMENT TO PRIVACY

This notice describes our Privacy Policy. Our privacy policy is designed to advise you about how we collect, use, and protect the personal information you provide. By using our website or transacting business with us, you consent to the collection and use of your personal information as described in this Privacy Policy.

2. WHAT INFORMATION IS COLLECTED

(a) Information You Provide To Us: We collect any information you enter on our site, or that you give us in any other way. You can choose not to provide certain information, but you may not be able to take advantage of our services and features. (b) Automatic Information: When you visit a website, you disclose certain information, such as your Internet Protocol (IP) address and the time of your visit. This site, like many other sites, records this basic information about visits to our site. (c) "Cookies": A cookie is a small piece of data that is sent to your browser or mobile device by websites, mobile apps, and advertisements that you access or use. This data is stored on your browser or mobile device and helps website and mobile apps to remember things about you to improve your experience with the website. Most browsers are set up to accept cookies, but you can change your settings to have your browser notify you when you receive a new cookie or to refuse to accept cookies. If you do not wish for cookies to be placed on your computer, most web browsers permit you to prevent that from taking place. However, please keep in mind that these technologies are an important part of how the website works; removing, rejecting or limiting the use of cookies or other similar technologies might affect the availability and functionality of the website. To opt-out of receiving our direct mail or catalogs, you may send us an email at moss.sales@mossmotors.com or call us at 800-689-9313.

3. HOW AND WHEN THE INFORMATION IS USED

The information we collect is used for administering our business activities i.e., collecting your name, mailing address, credit card information, and e-mail address to allow for us to process and fulfill an order you place on our website. Occasionally we may use the information to notify you about changes to our website, new services, or special offers. If you wish to unsubscribe from our email list you may at any time.

4. HOW WE PROTECT YOUR INFORMATION

The privacy and protection of your information is important to us. We do not make any personal information available to third parties without your permission. Your access to some services and content is password protected. We advise that you do not disclose your password to anyone. In addition, we recommend you sign out of password-protected services at the end of your session.

5. WHO HAS ACCESS TO THE INFORMATION

Information about our users is important to us. We will not disclose individually identifiable information to any third party without first receiving that user's permission, except as necessary to fulfill your orders and support our marketing activities including direct mail, e-mail, database cleaning

and maintenance, and analysis. They have access to personal information needed to perform their functions, but may not use it for other purposes. We do not sell, rent or trade our customers' personal information to third parties. We may from time to time contract with third party vendors to provide ads to our customers on our behalf via the Internet or to send direct mail or catalogs to customers whom we think may be interested in our products or services. In order to do so, the vendor may collect anonymous information about your visits to our website using a "cookie". Third-party vendors may then pool the anonymous information that they collect from our website with other sources of information, which may include your name and mailing address, for purposes of determining whether you might be interested in receiving direct mail or a catalog.

6. METHODS WE USE TO PROTECT YOUR INFORMATION

We use security software to protect the confidentiality of your personal information. When you order from us, we offer a secure server. The secure server software (SSL) encrypts all the information you input before it is sent to us. Our system supports up to 128-bit encryption, one of the highest levels available.

7. CHANGES TO PRIVACY POLICY

If our Privacy Policy or procedures change, we will immediately post those changes to our website. Any such changes will be effective immediately upon being posted, unless otherwise stated in the change.

8. EFFECTIVE DATE

This Privacy Policy is effective as of March 17, 2018.

SPRITE-MIDGET INDEX

| Α |
|---|
| Accelerator Cable 21 |
| Air Filter |
| air pump 25 |
| air pump |
| Air Horn Kit A19 |
| Alternator 78 |
| conversion |
| Antennae |
| Apparel & Gifts A51-A54 Axle Shafts, rear 41 |
| Axie Silaits, leai 41 |
| В |
| Badge Bar & Badges A19 |
| Battery Chargers A4 |
| Bearings Engine |
| 1500 15 |
| 948-1275 10 |
| front axle 44 |
| rear axle 41 |
| Body Panels |
| Bugeye 52, 54 |
| non-Bugeye 53, 54 |
| Bonnet Straps A16 Books, Manuals, & Videos |
| BOOKS, Manuals, & videos |
| |
| hoses |
| tools |
| Bulb |
| headlamp70 |
| instrument 73 tail 71, 72 |
| tail 71, 72 |
| Bumpers, front & rear66-67 |
| Bushes, suspension |
| |
| frontA38-A39, 44-45 |
| frontA38-A39, 44-45 rear38-A39, 46 |
| front |
| rear |

| | Н |
|--------------------------------|------------------------------|
| Cylinder Head | Halfshafts 41 |
| 1500 16 | Handbrake 49 |
| | |
| 948-1275 A26, 12-13 | Hats |
| | Head Rests 87 |
| D | Headers |
| _ | Headlamps A21, 70 |
| Dash Pad Cover, 1968-80 . 83 | Heaters20-21 |
| Dashtop Repair Panel A10 | Hinges |
| Diaphragm | door |
| Zenith-Stromberg carb 24 | hood |
| SU fuel pump 26 | |
| Differential 41 | trunk lid 60 |
| Dipstick, engine 6, 8, 14 | Hood Straps A16 |
| DistributorsA34, 74-75 | Horns |
| Door | Hub Caps 47 |
| | |
| fittings 68 | 1 |
| pillars52-53 | Ignition System |
| seal A10, 83 | A34-A35, 74, 76 |
| skins | Inner Tubes A22, 47 |
| Driving Lamps A21 | |
| _ | J |
| E | Jack 47 |
| E.G.R. Valve 25 | Jack Stowage Bag 46 |
| Electric Fan Kits A33 | K |
| Electronic Ignition A34, 74-75 | |
| Emission Control 25 | Key Blanks |
| Engine Lock Tab Sets 11 | Key Fobs |
| Engine Mounts | Knockoffs A22, 47 |
| 1500 14 | hammers A22, 47 |
| 948-1275 | L |
| Engine Performance .A24-A35 | Lamps |
| Exhaust Systems .A32, 30-33 | • |
| Exhaust dystems .Adz, 50-55 | license plate |
| F | |
| Fan Belts 18-19 | front |
| Fans, radiator A33, 18-19 | rear |
| Filter | License Plates A18 |
| air pump 25 | frames A18 |
| carb. air | mounts 57, 67 |
| fuel | Lifter |
| Fire Extinguisher A45 | 1500 16 |
| Flasher Unit | 948-1275 13 |
| | Locking Gas Caps A17 |
| Floor Mats A12, 82 | Lowering Springs A39 |
| Floorboards 54 | Luggage Racks A18 |
| Fog Lamps | |
| Front Suspension44-45 | М |
| Fuel Pumps | Manifolds A30, A32, 28-29 |
| Fuel System | Mirrors |
| | door & fender A16, 63 |
| Fuse Box / Fuses 77 | windshield 55 |
| G | Mufflers |
| Gasket Set | N |
| ddonor oor | |
| SU carburetor22-23 | Needles |
| Zenith-Stromberg carburetor | SU Carburetor |
| | Zenith-Stromberg |
| Gaskets, engine | carburetor 24 |
| 1500 14, 16 | Number Plate Mounts . 57, 67 |
| 948-1275 6, 8, 12 | 0 |
| Gearbox | ~ |
| 1500 A28, 40 | 0il |
| 948-1275 A28, 38-39 | filter |
| Gearshift Knobs . A11, 39, 40 | 1500 |
| Generator 78 | 948-1275 A28, 7, 9 |
| Gifts | press./water temp. gauge |
| Grille Badges A19 | A10, 79 |
| Grilles 59 | pump |
| Grommets 62 | 1500 14 |
| | 948-1275 7, 9 |
| | cooler kit |
| | Overriders 56, 66-67 |
| | |

| | P |
|--------------------|-----------------------------|
| 41 | P.C.V. Valve |
| 49 | Paint A47 |
| A52 | Panel Kits |
| 87 | Patches |
| A32, 30 | Pistons |
| A21, 70 | Engine |
| 20-21 | 1500 15 |
| | 948-1275 10 |
| 68 | Rings |
| .57-58 | 1500 15 |
| 60 | 948-1275 10-11 |
| A16 | brake caliper 50 |
| -A19, 77 | Production Data 3 |
| 47 | Pulley |
| 71 | Crankshaft |
| | 1500 |
| | 948-1275 10 |
| 5, 74, 76 | Pushrods |
| A22, 47 | 1500 |
| | 948-1275 |
| 47 | 940-12/5 |
| 47 | R |
| 46 | Radiators 18-19 |
| | Radios A7 |
| A10 | Rear Axle 41 |
| A53 | Rear Suspension 46 |
| A22, 47 | Release Bearing, clutch 34 |
| A22, 47 A22, 47 | Ring Gear |
| AZZ, 41 | 1500 |
| | 948-1275 |
| | |
| 72 | Rocker |
| 73 | Arms |
| 1, 70-71 | 1500 A26, 16 |
| 0, 71-73 | 948-1275 13 |
| A18 | panels 52, 53 |
| A18 | Rocker Shaft |
| . 57, 67 | 1500 16 |
| . 51,01 | 948-1275 13 |
| 16 | Rotor, ignition A34, 74-75 |
| 12 | S |
| 13 | Seat Components 84-85 |
| A17 A39 | Seat Kits/Covers A8, 84-85 |
| A39 | Seatbelts |
| AIO | Sending Unit, fuel tank 27 |
| | |
| 2, 28-29 | Shift Knobs A11, 39, 40 |
| • | Shock Absorber |
| A16, 63 | front |
| 55 | rear |
| 2, 30-33 | Shop Tools & Equipment |
| _, | |
| | Side Curtains A15, 65, 88 |
| | Signs |
| 22-23 | Slave Cylinder, clutch 35 |
| | Sound Deadener A12 |
| 24 | Spark Plugs 76 |
| . 57, 67 | Speedometer Cable 79 |
| | Spring, front, coil A39, 44 |
| 140 AEO | Spring, rear, leaf A39, 46 |
| A48, A50 | Sprockets, timing chain |
| 4.4 | 1500 15 |
| 14 | 948-1275 A27, 11 |
| 128, 7, 9 | Stainless Steel Exhaust A32 |
| auge | Starter Cables 77 |
| A10, 79 | Starter 79 |
| | Steering Wheels A11, 42 |
| 14 | Steering |
| 7, 9 | SU Carburetors |
| A28-A29 | |

| Sun Visors A10, 55 |
|---|
| Supercharger A24-A25 |
| Suspension |
| front A38-A39, 44-45 |
| rear A38-A39, 45, |
| Sway Bar |
| Switches 80-81 |
| Swivel Pin 44 |
| Т |
| Tachometer Cable 79 |
| Tappets |
| |
| 1500 16 948-1275 A27, 13 |
| ThermostatA33, 13, 18-19 |
| Tie Rod Ends 43 |
| Timing Chain |
| 1500 15 |
| 948-1275 11 |
| 948-1275 |
| Tools |
| Top Fittings 88 |
| Top Fittings |
| Transmission |
| 1500 |
| 948-1275 |
| Trim Rings, wheel A22, 47 |
| |
| |
| U |
| U-Joint, driveshaft 41 |
| - |
| U-Joint, driveshaft 41 |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit74-75 Valve cover plates, 948-1275 12 |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit74-75 Valve cover plates, 948-1275 12 |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft 41 Upholstery Kits . A8-A9, 82-83 V Vacuum Advance Unit 74-75 Valve cover plates, 948-1275 12 covers |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |
| U-Joint, driveshaft |

MossMotors.com