
PARTS & ACCESSORIES FOR YOUR

# CLASSIC MINISTRACTION OF THE PROPERTY OF THE P

**Restore • Maintain • Modify** 



#### **HOW TO ORDER**

#### **ORDER ONLINE**

Ordering online is quick and straight forward. Simply search by part number or browse by model and component categories. Our site features detailed schematics so identifying the correct part is easy, right down to the last nut and bolt. Should you get stuck, our knowledgeable sales staff are ready to help using our live-chat feature.

Add the parts that you need to your basket and head to the checkout for delivery and payment options. Once checked out, you will receive a confirmation of your order via email, by which time your parts will be being picked and packed, ready to be sent to your door.

#### **ORDER THROUGH A BRANCH**

Whether you are visiting, calling or emailing, our knowledgeable branch staff will be happy to help you get the parts that you need. They are car enthusiasts too and understand the challenges that sometimes come with identifying the right parts for rare and classic cars. Of course, the more information about your vehicle that you have to hand, the quicker and easier it will be for us to help.

Arranging to collect parts from our branches is easy, our teams will let you know once your order is ready. Alternatively, they can dispatch your order directly to you.

#### **PRICING**

Due to constant variations of world markets and currency fluctuations the prices in this catalogue are subject to change. We make every attempt to keep prices competitive and stable, however in common with all other suppliers in our industry, we reserve the right to alter prices without prior notice. For the latest prices, please call or visit moss-europe.co.uk.

All prices are per unit (unless otherwise stated) and include (UK) VAT at 20% (where applicable). Please note EU countries may be charged at their local VAT rate, countries outside the EU will not be charged VAT. Prices are correct at the time of going to print, postage & packaging is not included. E&OE.

#### SHIPPING & DISPATCH

Orders for delivery in the UK may be dispatched by regular post for small/lightweight items, larger items may be dispatched via a courier. Please call us for the best delivery option for your order and the latest delivery prices.

For delivery outside the UK we offer the following services. Economy delivery (by road): 2 to 5 days (approximately). Express delivery (by air): 1 to 2 days (Guaranteed). For small and low value orders we also use airmail. For these services, please ask for prices and the best delivery option when you place your order. Most deliveries (except airmail) are 'trackable', (inc: e-mail updates and internet access for selected carriers). Please remember, all carriage charges are dependent on either gross weight or volumetric weight, whichever is greater. If a quotation is required prior to placing your order, please contact a member of the sales department. Alternatively, you can arrange your own collection.

#### **UK OPENING TIMES\***

**Open Monday to Friday** 8.30am to 5.30pm

**Saturday** 9.00am to 1.00pm (Closed Sunday & Bank Holidays)

#### See website for Paris opening times

\*Opening times may vary, please call your nearest branch for more information.

### **90 DAY MONEY BACK PEACE OF MIND** WARRANTY

It's simple, if you change your mind for any reason, all uninstalled parts still in their original condition and packaging may be returned to us within 90 days from the date of purchase for a full refund. A copy of the original invoice or picking label must accompany the return. Return freight is paid by the customer, unless returned due to our error.

In the event of a part failing in use, all parts are warranted against defects in materials and workmanship for 12 months from the date of purchase. Please remember that all returns must be accompanied by the original invoice, return freight will be reimbursed. For more details see our website or contact your local branch.

#### FIND US ONLINE FOR THE LATEST PRODUCTS, NEWS, FEATURES AND SALES.

IN TOUCH

**f** Facebook

facebook.com/mosseurope



Twitter

twitter.com/mosseurope



Instagram

instagram.com/mosseuropeltd

#### **BUY ONLINE**



Moss Websites

moss-europe.co.uk

moss-europe.fr



#### LONDON

Unit 16, Hampton Business Park Bolney Way, Feltham

TW13 6DB

**London Tel** 

+44 (0)20 8867 2020

**Fmail** 

sales@moss-europe.co.uk

+44 (0)20 8867 2030



#### **BRADFORD**

Unit 12-13, Acorn Park Ind. Est. Otley Road, Shipley

**BD17 7SW** 

**Bradford Tel** 

+44 (0)1274 539 999

**Fmail** 

bradford@moss-europe.co.uk

+44 (0)1274 539 990



#### **BRISTOL**

1-3 Elton Street Bristol

BS2 9EH

**Bristol Tel** 

+44 (0)117 923 2523

**Fmail** 

bristol@moss-europe.co.uk

+44 (0)117 942 8236



#### **MANCHESTER**

111-117 Stockport Road Stockport, Cheshire

SK3 0JE

Manchester Tel

+44 (0)161 480 6402

**Fmail** 

manchester@moss-europe.co.uk

+44 (0)161 429 0349



#### **PARIS**

7 rue Chaponval ZAC du Cornouiller 78870 Bailly, France

Paris Tel

+33 (0)1 30 80 20 30

**Fmail** 

sales@moss-europe.fr

+33 (0)1 30 80 21 50

Α	
Adjusta ride kits	A28
Aerials	
Air filters	
Air vent set	
Alarm & immobiliser	
Alloy top cap	
Ashtrays	
Ashtrays	A41
В	
Badges	0-41
Battery cut-off switches	A25
Bezel tool	A57
Bonnet hinges	
Bonnet release kit	
Bonnet straps	
Books & manuals	
Boot trim	
Boot handles	
Brake drums	
Brake hoses	
Brake master cylinder	
Brake pads	
Brake parts	
Brake servo kit	
Breather Filters	
Bumper & overrider kit	A31
C	
Cam followers	A04
Cam gear locating key	
Camber brackets	
Camber gauge	
Camshafts & accessories	
Car cover	
Carburettors	
Carpet sets	
Central locking kit	
Centre consoles	
Chassis plates	
Clutches	
Coil clamp & cover	
Coil over kit	
Coil spring conversion	
Con rods	
Cooling fan kits	
Cooling fans	
Cross Pin differentials	
Cup holder	
Cylinder heads	A05
Cylinder head stud kit	A07
D	
Dash kits	Λ11
Dash liner kits	
Dashpot covers	
Decals	
Distributors	
Dipsticks	
Door handle escutcheons	
Door handles (exterior)	
Door handles (interior)	
Door mirrors	
Door nocket trim	<b>A55</b>

Dummy filler neckA35Duplex gear setA04DVDsA59DynamatA51	
E Edge trim finisher	
F Flat top pistons A04 Flywheel puller A57 Footwell light kit A45 Footwell mats A55 Fuel caps A35 Fuel pump inertia switch A25 Fuel pumps A25	
Gauges & accessories A46-47 Gear kits A11 Gear knobs A51 Gear lever gaiter A53 Gear lever gaiter finisher kit A51 Gearboxes A11 General switches A35 Grilles A43	
H Handbrake grip	
Handbrake grip A49 Handbrake quadrant A27 Head gaskets A05 Headlamp accessories A35 Headlamp conversion kit A37 Headlamps A37 Headlining A54 Headlamp protectors A35 Headlamp relay kits A37 Heat shields A16 Heated windscreens & wiring kit A30 Heater tap A08 Horns A32 HT leads A21	
Handbrake grip	

į	Lamp covers	
į	Lamps	. A36
į	Lightweight flywheels	. A11
į	Limited slip differentials	A12
į	Lower arms	
į	201101 011110 1111111111111111111111111	
į	M	
į	Magnetic oil trap	Δ11
į	Manifold gasket	
į		
į	Mirror (interior)	
į	Mouldings	
į	Mudflaps	. A38
į		
į	N	
į	Number plate	A32
į		
į	0	
į	Oil catch tanks	A10
į	Oil cooler radiators & kits	
į	Oil cooler thermostats	
i	Oil filters	
ì		
i	Oil pick up pipe	
ł	Oil pumps & valves	
ŀ	Oil temperature gauge adaptor	.A10
ŀ		
ŀ	P	
į	Patches	A57
į	Pedal box assembly	
į	Piston ring set	
į		
į	Power Socket (12v)	
į	Pro start push button	.A45
i		
i	Q	
į	Quick shift gear kits	.A11
i		
ì	R	
ł	Radiators	. A09
ŀ	Radios	
ŀ	Ram pipes	
ŀ	Described	A20
į	Rear hubs	
į	Rear silencer fittings	. A16
į	Red start button	. A4
į	Rocker assemblies	.A07
į	Rocker cover & fittings	
į	Rocker shaft	
i	Hooker share	7.07
i	S	
į	Seal belts & harnesses A	10 //
ì		
ì	Seat runners	
ŀ	Seats & frames	
ŀ	Service parts	60-62
ŀ	Shock absorbers	A29
ŀ	Silicone hoses	
ĺ	SmartScreen wash/wiper	
į	Solid rocker spacer set	
į		
į	Spark plugs & terminals	
į	Speakers	
į	Stage one tuning kit	.A15
į	Starter motors	
į	Steering column drop bracket .	
į	Steering wheel bosses	
ì		
ì	Steering wheels As	
ì	Subframe mountings	
į	Sump guard	
į	Sun visors	A54

Superpro bush kits	9
Suspension cone compressor . A5	7
Suspension kit	8
T	
Thermal mugs	7
Throttle linkages	
Throttle pedals	
Tie bars	
Tower bolts	
Tread plates	y
U	_
Under felt kit	3
Union flag	9
V	
Valves	4
Valves guides A0	4
Valves spring sets A0	4
. 3	
W	
Waterproof blanket	9
Webber Carburettor	
Wheel arch sets/kits A3	
	U
M/boolo A2	
Wheels	9
Wind deflectors A3	9 2
Wind deflectors	9 2 5
Wind deflectors	9 2 5 1
Wind deflectors	9 2 5 1

# Sections Performance Exterior Interior

Personal A57

**Service Parts** A60

# Restoration Section

Restoration Parts

01

A04

**A30** 

**A44** 

Ordering Information


02



Moss Europe Ltd are proud to support the FBHVC

The Federation of British Historic Vehicle Clubs exists to uphold the freedom to use old vehicles on the road. Where the price is replaced with NCA this part is Not Currently Available. Please visit our website (moss-europe.co.uk) or call our sales staff for the latest availability information or to enquire if we can offer an alternative part.

CMcat ©Copyright Moss Europe Ltd. August 2018. Printed in the U.K. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, photocopying, recording or otherwise without prior written consent of Moss Europe Ltd. Please note: Product colours may vary slightly to samples featured in this catalogue, due to the limitations of colour printing.



#### PISTON RING SET

Replacement piston ring sets for the pistons listed.



CAJJ3382/40

#### **FLAT TOP PISTONS**

These pistons are made from lightweight alloy AE109TF specification with two heat treatments. They are designed for durability yet lightweight and have a crown thickness 1.2mm thicker than other leading pistons. Ideal for machining for long stroke cranks. Sold individually complete with rings.

Flat top pistons +20	1275cc	. CAJJ3382/20 NCA
Flat top pistons +40	1275cc	.CAJJ3382/40 <b>£74.00</b>
Flat top pistons +60	1275cc	CAII3382/60£74.00



#### CON RODS FOR COOPER S

Reproduced to original specification, these EN24V con rods are the strongest production A series rod produced. 1.625" big end journal size with 5.75" centres.



#### **DUPLEX GEAR SET**

It is preferable to change from single row chain (simplex) to twin row chain (duplex) as the duplex is less prone to stretching. The cam timing can also be optimised via an adjustable cam gear, or via offset cam keys. Please see manufacturers data for correct timing figures.

Kent cams vernier adjustable duplex kit . . . . . . . TMG10828 . £117.00



CAEG579

#### LIGHTENED CAM FOLLOWERS

Lightening the valve train helps improve engine response. Our lightened cam followers weigh just 40g and come with an oil drain hole.

Lightened cam follower (each)	. TMG10709 <b>£8.15</b>
Lightened cam follower set	.CAEG579 £55.70



#### CAM GEAR LOCATING KEY

These offset keys make getting the best out of your camshaft easy. Please see manufacturers data for correct timing figures.

Cam gear locating key 1° offset MGS108251 £10.00
Cam gear locating key 2° offset MGS108252 £12.00
Cam gear locating key $3^{\circ}$ offset MGS108253 £12.00
Cam gear locating key 4° offset MGS108254 £12.00
Cam gear locating key 5° offset MGS108255 £10.00
Cam gear locating key $6^{\circ}$ offset MGS108256 £12.00
Cam gear locating key 7° offset MGS108257 £9.20
Cam gear locating key $8^{\circ}$ offset MGS108258 £9.50
Cam gear locating key $9^{\circ}$ offset MGS108259 £9.00
Cam gear locating key kit 2°, 4° & 7° offset MGS10725 £30.00



#### ALLOY TOP CAP

... TMG10816...£17.30 Alloy top cap (each) . . . (Half the weight of steel).



#### VALVE SPRING SETS

Dual spring set 200lbs - road use	. TMG10807 <b>£39.00</b>
Dual spring set 250lbs - race use	TMG10808 . £131.50



#### **VALVE GUIDES**

Bullet shaped valve guides allow better flow without loss of durability. Bronze alloy valve guides are required when fitting EN214N steel valves.

Bronze valve guide set (set of 8)	.TMG10819 <b>£59.40</b>
Iron valve guide tapered nose (each)	.12G1963 <b>£2.12</b>
Top hat seal (Rover valve stem oil seals)	ADU4905 £0.80




#### **VALVES**

Our competition valves are produced in EN214N steel and require installation with bronze valve guides (TMG10819). They are single groove collets (88G459).

Inlet valve 35.6mm high flow 1275cc (EN214N) . CAEG544 . . . . £17.00 Exhaust valve 29.4mm high flow 1275cc (EN214N) . CAEG106 . . . . £16.00

Rimflow valves are considered to be the best valves on the market. Produced in EN214N steel but they have chromed plated stems to enable them to be installed with iron guides although we recommend bronze guides as these help with heat dissipation. Rimflow valves use single groove collets (88G459).

Rimflow inlet valve 35.6mm 1275cc (EN214N).	MST2021 £33.30
Rimflow exhaust valve 31mm 1275cc (EN214N)	. MST2012 £31.20
Valve 'Cotter' (2 per valve)	.88G459 £1 <b>.25</b>



#### **ALLOY CYLINDER HEAD - CROSSFLOW**

Add power to your A Series with this 7 port crossflow aluminium cylinder head. The crossflow design and larger inlet ports overcome the Siamese head's breathing restrictions providing as much as 25% prior to further modification.

The cylinder head is lighter weight and features an integrated cast inlet manifold (for DCOE carbs or throttle bodies); has an increased air flow rate; runs cooler and allows for higher compression ratios. Special spark plugs are required.

Alloy cylinder head - crossflow assembled	451-808 <b>£1,370.00</b>
(Assembled with valve guides, seats, valves & spring	ngs)
Alloy cylinder head - crossflow bare	451-807 <b>£1,245.00</b>
(Eitted with valve evides & seets)	

#### 



#### **ENGINE STEADY KIT**

A common problem with Minis is their tendency to destroy engine mounts and steady bar bushes, leading to exhaust down pipe breakage. This is the best engine steady kit available. It mounts neatly on the top two bolts of the water pump and on to the bulkhead. It has an adjustable tie rod with rubber bushes, but can be uprated with a one piece SuperPro bush. Suitable for all models including LHD cars.

Ultimate engine stabiliser kit	ABR024	£37.80
Solid bush with sleeve (each, 2 per bar)	CRC5329SP	. £4.82



#### **POLY ENGINE STEADY BUSHES**

We recommend using polyurethane engine steady bar bushes as they give maximum control and are very hard wearing. We supply a polyurethane bush to fit the top RH steady bar from the engine to the bulkhead (below the master cylinders), this is a solid one piece bush for maximum control.

Note: Always install polyurethane bushes with grease provided.

Solid bush with sleeve (each, 2 per bar) . . . . . . . CRC5329SP . . . £4.82



#### **ALLOY CYLINDER HEAD - 5 PORT**


Alloy cylinder heads are an excellent alternative to the original cast iron unit as they are lighter and manufactured with design improvements. The water jacket has been improved to prevent the creation of hot spots and the valves are repositioned to allow up to 38mm inlet and 32mm exhaust valves. Special spark plugs are required.

Alloy cylinder head - 5 port assembled	451-876£	1,184.00
(Assembled with valve guides, seats, valves &	springs).	
Alloy cylinder head - crossflow bare	451-875£	1,122.00
(Fitted with valve guides & seats).		
Spark plug NCK (each)	DCDD7F	£6.56



#### STAGE 3 IRON CYLINDER HEAD - 5 PORT

Cylinder head assembly Stage 3 unleaded, ports enlarged and chambers reshaped new 35.6mm inlet and 31mm exhaust, bronze guides and Moss ST valve springs.



#### **UPRATED HEAD GASKETS**

To reduce the risk of head gasket failure on high compression performance engines it is wise to fit one of these uprated, copper faced, head gaskets. The manifold gasket is to be used when the exhaust and inlet ports have been modified on 1275cc cylinder heads.

Copper asbestos competition head gasl	ket 1275cc AHT188£20.	80
Uprated head gasket 998cc		00
Uprated head gasket 1275cc		50
Competition manifold gasket large por	ts 1275cc . TMG10836 £4.	44



## Building a retro replica?..

Here are a few retro parts from the catalogue to help you recreate that style and transform your Classic Mini.

Engine	Lamps         BHA4399         £84.00           Period boot lamp 576 fog         BHA4399         £84.00           Chrome spot lamp Cooper (pair)         GAC4610         £44.50           Chrome stone guard (pair)         GAC8000X         £12.14
Competition copper head gasket 1275cc	Alloy Superfin brake drum (pair)       MT1210       £80.00         Mintex M1144 pads 8.4" disc       STR5051       £58.80
Cooling           High flow alloy rad (side mount)	Suspension  Adjustable lower arm rose-joint (pair)
Transmission Straight cut gear kit A+ CSTN77 £520.00	Exterior Stainless steel sump guard
Electrical  12v sports coil	Wheel arch set group 2 for 6J       MRAC402       £62.00         Works bonnet strap tan       222-729       £18.25         Lucas spot/fog lamp cover - black (each)       162-705       £58.30         Heated laminated windscreen (Monte Carlo) - clear 24A2236HM       £269.60
Exhausts         RC40 sport exhaust (fits MT6101)	Interior         SBH605RED . £45.00           Full harness red 3 point

#### **CYLINDER HEAD STUD KIT**

You should consider the strength and reliability of all the critical fasteners used on your engine. Increased reliability can be obtained for mild states of tune by replacing the head studs and nuts with uprated versions. The greater strength of these studs will restrict stretching under pressure and therefore keep the head and gasket securely in place.

Kent cams 9 studs and nuts competition kit . . . . TMG10864 . £194.20 Kent cams 11 studs and nuts competition kit . . . MGS10864 . . £231.20



EN24 nickel chrome moly steel studs, competition head stud kit (11 studs, nuts & washers). This special kit was developed to replace the increasingly inconsistent standard items. The studs are manufactured in selected hi-grade steel and produced to exacting specifications. These studs do not stretch, so they pull the head down, not the thread up, this vastly increases head gasket life, even on high compression engines. Special thick washers, countersunk on one side, help clamping capability and reduce thread bottoming of the nuts.

The 12 point skirted nuts help to increase torque accuracy through better engagement. Note that even replacing the head bolt with a stud, only torque that stud to the factory recommended spec (25ft/lbs), the other studs can be torqued to 65ft/lbs with oil, 55ft/lbs with ARP lube.



#### **UPRATED ROCKER SHAFT**

To enhance valve train strength and reliability especially in high revving engines.

Tuftrided rocker shaft . . . . . . . . . . . . TMG10817 . . . £29.00



#### **SOLID ROCKER SPACER SET**

The spacer replaces the springs reducing side loading on the rocker arms cutting resistance and creating less drag.



#### **UPRATED ROCKER ASSEMBLIES**

Roller rockers are stronger than the standard set up and are designed to operate the valves with less resistance, these kits also give higher lift than standard at a ratio of 1.5:1 instead of 1.3:1. Always use with uprated valve springs and check carefully for clearance.

1.5:1 ratio titan rocker assembly 1275cc...... TMG10848.... NCA



#### KENT PERFORMANCE CAMSHAFTS

All the Kent camshaft applications/part numbers below with the suffix 'P' are for the original pin drive oil pump/camshaft. If you have changed your camshaft and oil pump to either 'Star' drive or 'Metro Slot', use the suffix 'S' or 'M' on the part number.

To assist in selecting a suitable camshaft we have prepared a table showing their various characteristics, these will change from engine to engine and with other modifications such as carburettor or valve size. A scatter profile is where the cam timing on No. 2 and 3 engine cylinders has been altered slightly to combat the poor scavenging of the siamese port design. This will benefit both the tickover and high end performance. The effect of a larger engine is to lower the camshaft's power range slightly.

Care must be taken to ensure that installation is carried out correctly and

that components all work together or you will not get the expected power output or reliability. It is essential that the new cam is fitted with new followers as they mate with the lobe that they run on and should never be used on another lobe.

Lightened and Tuftrided followers wear more slowly and put less load on high lift cam lobes, they are also manufactured with a drainage hole. Another essential is the special lubricant that must be used with all new cams, it provides vital lubrication during initial starting and protects your cam from extreme wear in its first minute of use.

KEN2





TT2929

#### **Camshaft accessories**

Don't forget the camshaft assembly lubricant or the cam timing degree disc, you will need this to set your cam timing.

Camshaft Type	Part No.	Price	Inlet Timing	Exhaust Timing	Duration Inl - Exh	Cam Lift	Description
Fast road	KMD266S	£148.00	24/56	61/29	260-270°	0.263"-0.270"	1275cc smooth idle
Road rally	KMD276S	£148.00	29/61	66/34	270-280°	0.293"-0.315"	1275cc slightly lumpy idle excellent street cam
Rally scatter	KMD286SPS	£230.00	34/66	71/39	280-290°	0.315"-0.324"	1275cc lumpy idle max street cam
Race	KMD296M	£148.00	39/71	76/44	296-300°	0.324"-0.340"	1275cc race/1380cc slightly lumpy
Race scatter	KMD296SPM	£184.00	39/71	76/44	296-300°	0.324"-0.340"	1275cc race/1380cc slightly lumpy



#### ALLOY ROCKER COVER & FITTINGS

An alloy rocker cover will improve the appearance of your engine bay and, as an added advantage, will help to muffle valve train noise. Always fit a new gasket when replacing your rocker cover, and do not over tighten rocker cover nuts. We offer a range of accessories for the rocker cover including anodised T bars for a custom appearance.



Ribbed rocker cover - polished	GAC4068P <b>£26.40</b>
Ribbed rocker cover - red	GAC4068R £37.00
Ribbed rocker cover - blue	GAC4068B £37.00
Fitting kit for rocker cover	GAC4069FK <b>£15.98</b>
(Fitting kit includes: Oil cap, seals and chrome spa	acers/nuts/washers).
Ribbed rocker cover kit - polished	WPA9007X <b>£38.40</b>
(Kit includes: Rocker cover GAC4068P and fitting	g kit GAC4069FK).



Rocker cover knurled nuts (pair) - chrome	WPA9029X	.£9.60
Rocker cover T bars (pair) - chrome	WPA9039X	.£5.40
Rocker cover T bar (pair) - anodised blue	WPA9039B	.£8.00
Rocker cover T bars (pair) - anodised red	WPA9039R	.£8.00



Chrome filler cap	8G612CP £7.60
Matt steel filler cap	.8G612 £7 <b>.20</b>
Washer & grommet kit	GAC4069WK £5.00
Rocker cover gasket	GUG705009VC£1.32



#### PEDAL BOX ASSEMBLY

This Mini pedal box is a lightweight mild steel under-slung design, that offers the driver the highest level of efficiency in this critical area. The ergonomic design features a fabricated lightened steel brake and clutch pedal with oil impregnated spherical bushes that sets new standards in pedal box design.

This pedal box is fitted with a bias bar that operates a dual master cylinder braking system, giving total control over the braking from front to rear.

Kit contains:  $1 \times 3$  pedal Mini pedal box, with bias bar,  $3 \times 3$  master cylinders,  $1 \times 3$  clevis,  $3 \times 3$  reservoir,  $3 \times 3$  stainless steel 560mm long feed hoses,  $3 \times 3$  x bias cable adjuster.

Pedal box assembly (brake bias 6:1 ratio) . . . . . . MPB1275 . . . £773.80



#### **HEATER TAP**

This is the closest you will get to an original Cooper S heater tap for that added retro look. This tap allows water to flow from the head to your heater, a perfect retro replacement if your heater taps fails.



#### **COBALT SILICONE HOSE SETS WITH CLIPS**

Upgrade the cooling system with these high quality multi-ply silicone hoses. Available in a choice of colours they include stainless steel clips, ensuring a long life. These kits fit all side mounted radiator models, except SPI and MPI. Trimming of the top hose is required to suit your car. Instructions included.

Cobalt silicone hoses - black	.MT3205 £128.40
Cobalt silicone hoses - blue	MT3206 £128.40
Cobalt silicone hoses - red	MT3207 £1 <b>28.40</b>



#### MT3104

#### **HIGH PERFORMANCE RADIATORS**

A 2 core radiator is ideal for fast road while for race applications a 4 core is best where extreme cooling is required. For the ultimate cooling use our alloy radiator, suitable for all applications due to better heat sinking through the aluminium construction and it looks great! Our special 3 core fast road radiator has been developed to include an M22 x 1.5 threaded boss in the header tank, this allows easy fitting and adjustment of the Revotec fan controller or installation of thermal switches.

2 core high performance radiator - fast road GRD4442 £160.00
2 core high perf. radiator with fan switch - fast road . GRD4443 $\pounds 160.00$
3 core high perf. radiator - boss in header tank GRD4442TDF £77.10
4 core high performance radiator - race GRD4444 £150.00
Alloy radiator (side mounted) MT3104 £255.00

Fan switches for use with GRD4442TDF, MT3104 can be used to switch any electric fan on or off. Electronic fan controller (RFC010) can be adjusted for different temperatures.

Thermo switch 82-68°	. IM50100 <b>£8.00</b>
Thermo switch 88-79°	. IM50120 <b>£8.30</b>
Thermo switch 92-87°	. IM50200 <b>£8.80</b>
Thermo switch 88-74°	. IM50250 <b>£8.30</b>
Electronic fan controller, thread fitting M22 x 1.5	RFC010 £78.00



#### KLINGERSIL GASKET


These gaskets are manufactured from a modern high performance synthetic material that can withstand much higher temperatures (up to  $400^{\circ}$ F) and extreme pressures (up to 750psi) making them ideal for fast road and competition engines.

Gasket thermostat housing uprated . . . . . . . . GTG101X . . . .  $\pounds 1.25$ 



Fit a Special Tuning style two blade fan or for extra air flow use this 6 blade fan, as used on export Minis. Metal construction finished in yellow paint.

2 blade fan	2A997	. £34.40
6 blade fan	2A998	. £43.00



Keeping the engine of your Mini running at its optimum temperature ensures you get the best performance and economy. These kits are designed to replace the standard original mechanical fan, reducing the load of the engine and noise and improving power and mpg.

Revotec have designed these kits using a special slim-line motor to fit neatly between the radiator and inner wing. Unlike other fan kits that use universal mounting systems, this kit fits using bespoke laser cut brackets that mount directly to the radiator cowling using existing mounting bolts. Not suitable for automatic models. A manual override switch is also available separately, enabling manual control of either On, Off or Automatic.

Kit includes: High efficiency fan assembly, electronic controller, bespoke brackets, hardware & wiring, & full instructions.

Revotec fan kit	. RFK80	£203.90
Manual override switch	RFC020	£35.90





These days we expect our cars to cope with high speeds for long periods of time, on motorways etc... These conditions stress the standard oil system of the Mini, as high engine speeds cause the oil to heat up and thin, reducing its viscosity and leading to a subsequent drop in oil pressure and possible premature engine wear. Oil cooler installation kits are available with either rubber or braided stainless steel hoses, the oil radiators themselves are sold separately. These are for non front mounted radiator models.

Oil radiator 10 row       ARO9807       £66.00         Oil radiator 13 row       ARA221       £40.30         Oil radiator 13 row, Mocal       ARO9809       £84.00         Oil radiator 13 row heavy duty       ARA221X       £134.00
Oil cooler kit rubber hose (to 1979) OCHK100 £25.60 Oil cooler kit rubber hose (Clubman) (to 1979) . OCHK101 £42.00 Oil cooler kit stainless steel hose (to 1979) OCHK102 £45.30 Oil cooler kit rubber hose (1979-84) OCHK103 £15.00 Oil cooler kit stainless steel hose (1979-84) OCHK104 £75.50
Oil cooler kit rubber hose (1985 on) OCHK105 £50.70 Oil cooler kit stainless steel hose (1985 on) OCHK106 £60.60



#### SPIN-ON OIL FILTER ADAPTORS/CONVERSIONS

Fitting a spin-on filter adaptor makes changing the oil much easier and cleaner, it also prevents oil draining out of the filter giving better oil pressure on start up. Oil filters supplied separately.



#### **OIL TEMPERATURE GAUGE ADAPTOR**

If you want to fit an oil temperature gauge then use one of our in line adaptor.

Push-on temperature 1/2" adaptor	TT2969 <b>£49.80</b>
Screw-in temperature 1/2" adaptor	. TT29691 <b>£81.10</b>



Use these thermostats to limit the flow of oil through the oil cooler until it has reached a temperature of 74 degrees Celsius.

The standard oil thermostat has push on connectors for use with 1/2" rubber hoses and comes with hose clips. It seals off the radiator completely until the oil is up to temperature. The full flow oil thermostat restricts flow to the radiator by allowing it to bypass through the thermostat until the oil is up to operating temperature. Use screw unions TT29602 to connect hoses to the full flow thermostat.

Push-on standard oil thermostat	TT2960 <b>£50.00</b>
Screw-in full flow oil thermostat	TT29602 £148.50
Straight 1/2" unions (pair)	.TT9961 £ <b>9.30</b>
(For use with screw in temperature adaptor and thermostat).	



Good oil supply is a must, with the Mini's cornering capabilities oil starvation is a possibility all precautions should be taken. The oil pressure regulator allows you to adjust the preload on the oil pressure relief valve so you can alter the peak oil pressure. Please remember oil pumps require priming before fitment. Always remove spark plugs and spin engine over until oil pressure registers. See page A23 for K&N performance oil filters.

1	Oil pump turbo large capacity GLP110 £41.20
2	Oil release stainless steel valve ball 12H865X £0.70
	(No sticking valves).
3	Oil valve spring (use with 12H865X) 6K853C
4	Adjustable oil pressure valve - black MT1112 £16.50
5	Adjustable oil pressure valve - blue MT1113 £16.00
6	Adjustable oil pressure valve - red MT1114 £16.00



A must for competition use to prevent oil spillage on the track. Manufactured from high grade aluminium and anodised for a smart, durable finish they feature  $2 \times 1/2$ " OD connectors for the breather hoses, level indicator, breather cap and drain plug. Available in 1 litre or 2 litre sizes. Mount using the rear flange to a suitable vertical panel in the engine bay.

Oil catch tank 1lt	.TT2900 £160.00
Oil catch tank 2lt	.TT2901 £178.00
Breather hose - 1/2" ID (per metre)	.BAU5065M £12.70
Hose clip (each)	. GHC11016 <b>£2.00</b>



#### **CENTRAL OIL PICK UP**

The standard oil pick up pipe is located to the RH side of the gearbox and oil surge during cornering can send the oil away from the pick up. This central oil pick up relocates the pick up point to the centre of the gearbox ensuring it is always submerged. Recommended if you are rebuilding the engine or gearbox.

CAHT54 . . . . . **£30.00** 



#### **ANODISED DIPSTICK**

These are beautifully crafted dip sticks which use two rubber 'O' rings to secure them into the engine, with a choice of either a red or blue anodised knob.

Dipstick with anodised knob - blue GAC8457X . . . . . . £10.80
Dipstick with anodised knob - red GAC8458X . . . . . . £10.80



#### **MAGNETIC OIL TRAP**

Designed to collect any metal particles at the top of the pick-up pipe, before they reach and destroy the oil pump. For all A series transverse engine and gearbox assemblies.

MS3313 . . . . . **£31.40** 



#### **QUICK GEAR SHIFT KITS**

Shorten the throw between gear changes... This kit improves feel and reduces gear lever travel resulting in a faster, slicker change. Available for either remote or rod type gearboxes, the kits include a modified gear lever, retainer and mounting hardware for simple installation.

Quick shift kit remote type
KAD1013218 . . . . . £92.00
Quick shift kit rod type
MRAC1751 . . . . . . £42.00



#### **GEARBOXES**

These reconditioned gearboxes are available in either standard rod type or standard remote type. Both are subject to exchange.

Gearbox recon. standard rod type (exchange) . . . . MT2101 . . . . £504.00 Gearbox recon. standard remote type (exchange) . MT2102 . . . . £481.00



#### STRAIGHT CUT GEAR KITS

CAJJ4014

The original design Special Tuning gear ratio set is available in three versions. Remote type and two rod type gear kits A series and A+. A series main shaft has 14mm nose into 1st motion shaft and A+ has 18mm nose on main shaft.



The much sought after 22G270 'S' clutch back plate has been out of production for many years, but has now been replaced with CAHT230. It was liked because of its strength. Although not steel, it was cast in a very high grade iron, the exact same material used here. This item is cast fairly light 3.56.lbs (Std 5.7lb), but can be lightened further if required, call for details.

Clutch pressure plate	CAHT230 £100.00	
Clutch plate - road/rally	GCP596 £131.00	
Clutch cover - road/rally	GCC481 £39.00	
Clutch cover - rally/race	GCC482 <b>£37.80</b>	



CAEG619

#### LIGHTWEIGHT STEEL FLYWHEELS

Using a lightweight steel flywheel has the same effect as lightening the car. Reducing the mass of rotating components in the engine helps the engine accelerate more easily leading to better acceleration of the car. These high quality steel flywheels are considerably lighter than the standard cast items and offer improved strength and a harder wearing clutch face. Their symmetrical design means they also reduce harmonic vibrations.

We offer flywheels in two specification; Roadlite and Racelite. Roadlite flywheels weigh in at 5kgs (11lbs), half the weight of a standard 1275cc. Our Racelite flywheels weigh in at just 3.63kgs (8lbs) for maximum weight saving in competition engines and are manufactured from EN8 grade steel.

#### Roadlite lightened flywheels

Diaphragm clutch with pre-engaged starter . . . . CAEG420 . . . £165.00

#### **Racelite lightened flywheels**

Diaphragm clutch with inertia starter . . . . . . CAEG619 . . . £165.00





Increase the power from your Mini with one of these kits. They are designed to allow more fuel and air into the engine, whilst keeping that distinctive period look of a pair of classic SU carburettors. For the best results these carburettors require a sports exhaust system (at least). The twin carburettor kits include all the parts you need to fit them including manifold, heat shields and carburettors. (Air filters not included).

HS2 twin carburettor kit	FZX3052	£759.20
HS2 twin carburettors only	AUD662T	£619.80
HS4 twin carburettor kit	FZX3054	£795.60





#### DASHPOT COVERS FOR SU CARBURETTORS

Polished or anodised dashpot covers are an easy way to brighten the engine bay.

HS2 dashpot cover - silver	SFR22 £11.00
HS4/6 dashpot cover - silver	SFR23 £15.50
HS4/6 dashpot cover - anodised blue	.SFR23B <b>£18.10</b>
HS4/6 dashpot cover - anodised red	.SFR23R £1 <b>8.10</b>
HIF carburettor dashpot cover - silver	SFR24 £15.50



#### **WEBER CARBURETTOR 1275CC**

This Weber carburettor is fitted with the basic jets and chokes that are correct for fast road applications, although these will still require fine tuning when on the car to receive maximum performance and economy.

40 DCOE Weber carburettor - fast road . . . . . . TT29343308 .£504.00

#### **HIGH TORQUE STARTER MOTOR**

These high torque starter motors offer increased torque and are a straight replacement for the original, however only weighs 3.9kg. The huge increase in cranking power is essential for engines with increased compression ratios.





#### WEBER DCOE THROTTLE LINKAGES - MANGOLETSI

Mangoletsi is a long established name in the performance tuning industry, and a leading manufacturer of competition inlet manifolds & throttle linkages. We now offer Mangoletsi's new range of DCOE 'sliding set-up' throttle linkages.

This new simple design features a cast bracket which fits over the top of the carburettor, holding the linkage neatly to the side of the carburettor. This unique design has an ultra-low profile - the highest point of the linkage is only 10mm higher than the carburettor, ideal if clearance is limited. Each kit is suitable for single or twin carburettor set-ups for in-line engines.

The unique design also gives a wide range of throttle adjustment. Cable travel and spring tension can be adjusted independently. The adjuster can be set to give the desired cable travel, the spring tension can then be set to give the correct throttle shut off. This allows the throttle feel to be fine tuned to the driver's requirements.

Throttle linkage DCOE - twin cable . . . . . LP42451 . . .  $\pounds 107.90$ Throttle linkage DCOE - single cable . . . . . LP42411 . . . .  $\pounds 94.90$ 



Carburettor not included

#### **WEBER DCOE THROTTLE LINKAGES - WEBCON**

Webcon linkages have been designed to offer a variety of fitting layouts to give flexibility of installation.

The lightweight construction is manufactured from steel and zinc-plated to match existing components on the carburettor, giving an OEM look.

Available in top or bottom mount for single or twin cables. Cables can be routed from either side and the linkage offers adjustment for cable movement from 22-40mm. The outer cable is retained in the adjuster whilst the inner cable fits to a quadrant cam, featuring sintered bronze bearings, giving a smooth linear action. High quality 8mm ball joints, with an opposed threaded rod, are used on the linkage for ease of adjustment and set up.

Single cable kits use the existing throttle cable whilst the twin cable kits include a pair of nylon lined cables and an adaptor block to convert the throttle pedal.

T/linkage DCOE - top mount/single cable . . . . LP4100 . . . . £109.00 T/linkage DCOE - top mount/twin cable . . . . LP4101 . . . . £118.00 T/linkage DCOE - bottom mount/single cable . . LP4102 . . . . £109.00 T/linkage DCOE - bottom mount/twin cable . . . LP4103 . . . . . £118.00



#### TWIN SU ALLOY INLET MANIFOLD

This intake manifold is for twin SU's (HS2 or HS4).

Twin SU alloy inlet manifold . . . . . . . . . LP4012 . . . . £171.00





C-AEG489

#### TWIN SU ALLOY INLET MANIFOLD

This intake manifold is for twin SU's (HS4 or HS6) produced to the original Abingdon ST design. The throttle bracket is suitable for twin SU manifolds.

Twin SU alloy inlet manifold	C-AEG489 £7 <b>8.00</b>
Twin SU throttle bracket	AEG349 <b>£6.60</b>
Screw for throttle bracket	SH504041 <b>£0.42</b>



#### **WEBER INLET MANIFOLDS**

Single Weber/Dellorto inlet manifold  $10\mathrm{cm}$  (4 inch) long. This manifold will require bulkhead modifications.

Single Weber/Dellorto 10cm inlet manifold . . . . TT10850 . . . £161.50



Single Weber/Dellorto inlet manifold 15cm (6 inch) long. Supplied complete with direct acting throttle linkage. Will require bulkhead modifications.

Single Weber/Dellorto 15cm inlet manifold . . . . TWM0071 . . £353.00



#### **HIGH FLOW ALLOY INLET MANIFOLD**

High flow alloy inlet for 1.75" carburettors, the larger ports make this manifold ideal for large capacity engines e.g. 1380cc.

High flow alloy inlet manifold	MT3603 £ <b>59.40</b>
Blanking plug (if brake servo not used)	ADP210 £6.24
Sealing washer	AED172 £1.15







#### PERFORMANCE EXHAUST MANIFOLD

This highly polished stainless steel manifold is designed to work with our range of Fletcher performance exhausts, page A18. Made from T304 stainless steel. The finish and welding on this product is just about as good as it gets.

LCB stainless steel non-catalyst models . . . . . . MT6506 . . . . £223.00 Blanking plug for lambda sensor (as required) . . . WPE1104X . . . . £4.24



New to the market, these well designed Pro Flo manifolds feature a larger secondary pipe than usual. Perfect for performance tuning on fast road cars.

Pro Flo exhaust manifold injection models . . . . MT6507 . . . . £102.00 Pro Flo exhaust manifold carburettor models . . . .MT6508 . . . . £102.00 Blanking plug for lambda sensor (as required) . . . WPE1104X . . . . £4.24



The medium bore long centre branch manifold (LCB) is probably the most popular for the Mini in production today. Suitable for engines up to 1380cc this is the first step to greater performance. This Maniflow long centre branch exhaust manifold is for applications up to 100bhp and includes primary pipes and Y piece with clamps.

LCB mild steel manifold (carbs. to 100bhp) .... GAC8463X ... £98.50 LCB mild steel manifold (injection with cat.) ... MT6505 .... £156.00 Blanking plug for lambda sensor (as required) .... WPE1104X .... £4.24 LCB exhaust manifold Y piece (as required) .... GAC84631 ... £49.90



This freeflow exhaust manifold is specifically manufactured in mild steel for the Cooper model.

Freeflow mild steel manifold . . . . . . MT6101 . . . . £103.50







#### STAGE ONE TUNING KITS

MTK1275

Our stage one tuning kits are available for both the 998cc & 1275cc carburettor Classic Mini models. When developing the tuning kits, only tried and tested high quality components that would actually improve the Mini's performance were selected.

For example; the Moss kit uses the legendary RC40 exhaust system which not only adds bhp but also produces a satisfying sporty tone, while remaining suitable for all types of driving.

These comprehensive kits contain everything required for fitting to a standard car, including a new needle and spring for the carburettor.

Stage one tuning kit (998, 1071, 1098cc) . . . . . MTK998 . . . . £235.40

Stage one tuning kit (1275cc) . . . . . . . . MTK1275 . . . £270.00



#### EXHAUST HEAT INSULATION

Wrapping a tubular manifold will keep engine bay heat to a minimum, reducing engine bay temperatures by up to 70%. This will benefit power in two ways; firstly it will reduce the temperature of the air going into the engine; secondly, it improves the effectiveness of the manifold by increasing gas speed due to lower gas density, increasing the scavenging effect.

This race proven, asbestos free, product from Thermo-Tec is manufactured from Silica based yarns and is unaffected by oil or water, and can withstand temperatures of up to 1000°C. As a guide to coverage a 2" x 50' roll will cover approximately 13ft of 2" pipe. Manifold wrap is supplied in a variety of sizes, see below for details. Use Snap Straps to hold the wrap in position.

Roll size (W x L)	Natural	Black
1" x 15' roll	GAC150 £13.10	GAC151 £15.20
2" x 15' roll	GAC152 £21.60	GAC153 £23.80
1" x 50' roll	GAC154 <b>£38.20</b>	GAC155 £42.40
2" x 50' roll	GAC156 £65.00	GAC157 £71.70

#### **Manifold blanket**


Using a manifold blanket provides excellent heat retention for exhaust manifolds and can be easily installed to both cast iron and tubular manifolds. Manifold blanket should be retained with Snap Straps.

Manifold blanket 4-6 cylinder	GAC182 £109.60
Manifold blanket V8 2 piece	GAC183 £116.60

#### Snap Straps

Use Snap Straps to hold the wrap or blanket in position.

Snap Strap kit 8 x 9" & 4 x 18" lengths	GAC172 <b>£34.90</b>
Snap Strap kit 6 x 9" & 4 x 18" lengths	GAC173 £30.50
Snap Strap kit 12 x 9" lengths	GAC174 <b>£32.80</b>
Snap Strap kit 6 x 18" lengths	GAC175 £21.60
Snap Strap kit 4 x 14" lengths	GAC176 £10.90



Radiant heat coming through the floors and bulkhead can make the cockpit of your Mini a hot place to be. Insulating the floors and bulkhead not only keeps the heat out but it can also prevent damage to carpets, paintwork and interior fittings where exhaust pipes, silencers and catalytic converters are in close proximity to the panelwork.

Exhaust heat shield can be used on the underside of the floors where the exhaust runs close to the floor particularly above silencers and catalytic converters. It effectively reflects 90% of the radiant heat from exhausts and can withstand temperatures up to 1000°C. The general purpose material can be used to cover bulkheads and floors to keep general heat transfer to the cockpit to a minimum. It can also be used to wrap and cover components in the engine bay to prevent heat damage.

Exhaust heat shield 40" x 24"	GAC184 <b>£86.80</b>
General heat shield 1m x 1m	GAC185 £79.10
High temperature adhesive	.GAC9908X £11.00



#### TWIN SU STAINLESS STEEL HEAT SHIELDS

These new mirror finish stainless steel heat shields not only look great they also redirect some of the heat from the exhaust manifold.

Twin	SU	stainless	steel	heat	shields	for	HS2	MST018	£22.70
Twin	SU	stainless	steel	heat	shields	for	HS4/6	MST019	£22.70



#### LARGE PORT MANIFOLD GASKET

The large ports on this gasket allow fitment of performance manifolds with larger primary pipes.



Early Minis used rubber blocks to hang the original exhausts from. The Play Mini range uses the later type of hook brackets and rubber hangers. These fitting kits contain all components, including the hanger conversion brackets, to allow easy installation. Simply use hanging rubbers for late cars.

Fitting kit side exit	WPE3003X <b>£42.00</b>
Fitting kit centre exit	
Subframe hanger bracket front	
Subframe hanger bracket rear	
Hanging rubber	
Catalytic converter gasket	




This useful adaptor allows the fitting of any back box to a standard system. Simply cut the existing system where appropriate.



#### **MIKALOR EXHAUST CLAMPS**


These high quality stainless steel clamps are ideal for use on your Mini exhaust. The strap design and clamp mechanism ensure that even clamping pressure is applied all round the joint.

Mikalor clamp 1 1/2" (37-40mm)	. TT9930S <b>£2.23</b>
Mikalor clamp 1 5/8" (40-43mm)	. TT9931S <b>£2.53</b>
Mikalor clamp 1 3/4" (43-47mm)	. TT9932S <b>£3.49</b>
Mikalor clamp 1 7/8" (47-51mm)	. TT9933S <b>£2.63</b>
Mikalor clamp 2" (51-55mm)	TT9934S £2.63
Mikalor clamp 2 1/4" (55-59mm)	. TT9936S <b>£2.63</b>
Mikalor clamp 2 1/2" (63-68mm)	. TT9938S <b>£3.00</b>



The RC40 and the stainless steel version, the RC50, are renowned as 'the systems' to have when improving the Mini performance. With tuned silencer boxes, and computer optimised tube lengths the system can release more power especially when combined with the LCB manifold.

We also stock just the rear RC40 silencer fitted with a pipe to bolt straight on to the catalyst for cars built late 1991-on SPI & MPi (not early carb coopers). The intermediate pipes are the correct length and shape to fit directly to the Cooper Freeflow exhaust manifold but will require a short length of the front part of the pipe to be cut off to fit an LCB exhaust manifold.



**RC40** and **RC50** Exhaust Systems - Carburettor Models without Catalyst (All kits include intermediate pipe).

RC40 system, side exit single box, mild steel . . . . GEX40RCS . . . £49.80 RC40 system, side exit twin box, mild steel . . . . GEX40RC . . . . £60.76

RC50 system, side exit twin box, stainless steel . . GEX50RC . . .£228.00 RC40 system, centre exit single box, mild steel . . GEX40RCC . . £82.00 RC50 system, centre exit single box, stainless steel GEX50RCC . £234.00



RC40 Exhaust Systems - Carburettor and Injection Catalyst Models (1991-On)\* (\*Not early Cooper carb models).

#### **PLAY MINI MAGIC PIPE**

For those of you who don't want to fit an LCB manifold to the car this pipe is designed to fit to the original cast manifold but will enable you to fit most of our systems to your car. Please note this pipe is for carb models only.

Down pipe (Magic Pipe), stainless steel	PME43M £53.80
Manifold clamp	GEX7046 £2.53
Exhaust clamp 2"	GEX9009 £1.00

#### PERFORMANCE EXHAUSTS





Many Classic Mini owners like the rumble from a performance exhaust system. There are many options available and it can be confusing

trying to work out what piece fits with what...


To help with the selection of our performance exhaust systems, we have added these simple layouts for carburettor and injection models to make things a little clearer. It's as easy as 1, 2, 3, (4, 5)... The layout starts at the front of the car with the manifold working its way back.


The selected exhaust system pieces shown here are known to fit together so that you can choose the pieces you want and avoid any problems with fitment.

If you're still unsure about what you need please call us and we will be happy to help.



#### **CARBURETTOR MODELS WITHOUT CATALYST**








#### **NGK SPARK PLUGS & PLUG CAPS**



Changing the spark plugs regularly ensures the engine performs well. NGK are renowned for making performance plugs giving a strong spark and long life.

#### **Spark plugs**

Spark plug (all eng. cc) - standard tune BP6ES £3.30
Resistor spark plug (all eng. cc) - standard tune BPR6ES £5.15
(For radio suppression).
Spark plug - tuned road
Spark plug gold palladium electrode - tuned road BPR7EIX £14.15
Plug caps
Straight plug cap, red (each)
Straight plug cap, black (each) NSB5BLK £3.58
60° plug cap, red (each)
60° plug cap, black (each)
90° plug cap, red (each)
90° plug cap, black (each)
Push-in connector distributor cap & coil (each)GCL1110 £1.66





Brighten up your engine bay with our stainless steel coil clamp and covers for standard coils only.



#### SILICONE HT LEADS

These HT lead sets are made from high quality silicone. Offering high conductor performance with awesome looks.

Performance HT leads 8mm - blue	. MT3200 £14.70	)
Performance HT leads 8mm - red	. MT3201 £14.70	)



#### **COBALT PERFORMANCE HT LEAD SETS**

Get the spark from your coil with silicone HT leads that are designed to perform. These Cobalt leads use a high performance conductor to transmit greater energy to the spark plug creating a stronger spark for improved combustion. They also feature multi-layer reinforcing and insulation with protective silicone outer sleeve and terminal boots for improved reliability.

Engines with a Lucas 25D distributor require a top entry 'push in' type distributor cap GDC103.



#### HT LEAD NUMBERING SET

Keep track of which HT lead is which with a set of four numbered sleeves.

HT lead numbering set 4 cylinder . . . . . . . . . . . . . . . . . £4.20



Sports coils are designed to improve ignition performance. They give more reliable starting power and greater performance at high revs thanks to the 40,000 volt output.

Don't forget to renew your plugs and leads to optimise the power. Only use the ballast type coil if your car is fitted with a ballast resistor in the wiring. Please check before ordering. Your HT lead into the coil will need to be the push-in type, use GLC1110 to convert the lead.

Sports coil non-ballast type	TT2981 <b>£21.50</b>
Sports coil ballast type	TT29812 <b>£21.50</b>
Ignition lead end kit	.GCL1110 £1.66



If you want a performance HT lead with the correct period look then this 'bumblebee' lead is a must. As per the original 'Lucas' type it features a high conductivity copper core with a yellow insulator featuring a black stripe. Alternatively, use the standard black lead for an 'OE' look. We recommend you assemble leads with NGK suppressed plug caps.

Bumblebee HT lead (per metre)	$.TT2982M \dots . \pounds 6.14$
HT lead (per metre) - black	. AAA5981M <b>£2.60</b>



#### **ELECTRONIC DISTRIBUTOR**

This electronic distributor was originally fitted to all standard Cooper 1275cc carb models. It can also be used on any A+ 1275cc car using a carburettor! No points or condenser to worry about either. Also available is the plug & lead to connect to the existing wiring.

Electronic distributor & lead kit 1275cc AUU1536K£117.50
Electronic distributor 1275cc (carb models) AUU1536 <b>£80.00</b>
Plug & lead
Cap
Rotor arm



Lumenition electronic ignition kits are well known as being among the finest after-market electronic ignition systems available. This system basically replaces both the contact points and condenser with an optical switch and power module. The power module is an electronic device that receives a pulse from the optical trigger which switches the coil. The trigger eliminates contact bounce, arcing, mechanical wear and spark scatter, reducing maintenance and increasing reliability. With minimal wiring and modifications this kit is very discreet. Note: Installation of a power module requires a distributor fitting kit.

A performance ignition kit is available, it includes a power module and a high output coil. The microcircuit control of the coil current gives optimum performance across high engine speed ensuring maximum spark energy at the coil. A fitting kit, to suit the distributor application, is also required. Positive earth wiring instructions are available from your branch. Check your distributor type before ordering the fitting kit as many cars have non-original distributors fitted. The identification number is cast on the distributor body.

#### Performance ignition kit

Supplied with high energy coil and performance power module. Requires fitting kit to suit distributor.

Performance ignition kit	CEK150 £280.80	
Coil replacement for CEK150	CEC £62.40	
Power module and performance ignition coil		
Power module	PMA50 £211.70	
Performance ignition coil MegaSpark 4	. LMS4 £42.80	

#### Mounting bracket and fitting kits

Designed to mount the power module neatly using coil bracket screws. Use these fitting kits with your choice of ignition kit.

Power module mounting bracket (all modules)	MK006 £12.30
Lucas 22D4 25D4 distributors	.LFK116 <b>£19.50</b>
Lucas 43/45D4 distributors	LFK117 <b>£19.50</b>
Lucas 45DE4 electronic distributors	LFK109 £19.50
Lucas 59D distributors	LFK117 <b>£19.50</b>



#### PERTRONIX IGNITION

These self contained electronic ignition units offer a simple alternative to traditional points and condenser arrangement. Easily installed with no external control boxes to mount and only two wires to hook up and no permanent modifications involved. The unit uses a sealed Hall Effect sensor that is impervious to dirt, dust, moisture, or vibration and retains standard advance curve. Unaffected by distributor shaft wear, maintains firing accuracy to within 1/4°, reduces spark scatter over the rpm range. One year warranty.

Pertronix ignition Lucas 23-24-25D4	. 222-405	£140.04
Pertronix ignition Lucas 45D4	.222-435	£140.04
Pertronix ignition Lucas 59D4	.222-546	£165.00

#### **CSI-IGNITION DISTRIBUTORS**

CSI-Ignition distributors offer a fully electronic ignition system built into the correct type of Lucas distributor housing to suit your car, keeping the original appearance in the engine bay. You can only tell the difference when you remove the distributor cap! Gone are the points and condenser and mechanical advance mechanism, all replaced with a high quality electronic ignition system manufactured using military specification components for durability and reliability. These distributors are maintenance free (no points to adjust), and offer the benefits of, easier starting & smoother running, more torque & power, reduced fuel consumption & emissions. They also eliminate the weaknesses of mechanical timing advance and problems such as points bounce ensuring correct ignition timing throughout the rev range.



"The new range of CSI-Ignition distributors is a breakthrough for classic car ignition systems".

Each CSI-Ignition distributor features 16 easily switchable, optimised ignition curves to allow timing adjustment to suit your car's engine and fuel specifications. Alternative advance curves can be selected to suit your engine's state of tune making them ideal for modified engines. Curves are easily selected using a screwdriver in a rotary switch, with a bright flashing LED indicator to show the selected curve all concealed underneath the distributor cap. The distributors are also available with an electronic immobiliser system to prevent unwanted starting of the engine.

We offer a wide range of CSI-Ignition distributors for a variety of applications. They are available Optimised with vacuum advance to suit road or uprated cars running on SU carburettors, or tuned without vacuum advance for cars running Weber type carburettors. Please note: Some units may only be available to order. More details are available on our website, search for CSI-Ignition Distributor.

Distributors for pre A+ engines - 850cc-1275cc, inc. Coopers (Lucas 25D)
Optimised 25D4 positive earth
Tuned 23D4 positive earth
Optimised 25D4 negative earth
Tuned 23D4 negative earth
Optimised with immobiliser 25D4 positive earth . CSD8014671 £410.00
Tuned with immobiliser 23D4 positive earth CSD8023671 £410.00
Optimised with immobiliser 25D4 negative earth . CSD8014681 $\pounds410.00$
Tuned with immobiliser 23D4 negative earth CSD8023681 £410.00

#### Distributors Pre A+ engines - 850cc-1275cc (Lucas 45D)

Optimised 45D4	CSD8014582 <b>£250.00</b>
Tuned 43D4	CSD8023582 <b>£250.00</b>
Optimised with immobiliser 45D4	CSD8014682 <b>£410.00</b>
Tuned with immobiliser 43D4	CSD8023682 £410.00

#### Distributors A+ engines - 850cc-1275cc (Lucas 59D)


Optimised 59D4	CSD8014583 <b>£250.00</b>
Tuned 59D4	CSD8023583 <b>£250.00</b>
Optimised with immobiliser 59D4	CSD8014683 <b>£410.00</b>
Tuned with immobiliser 59D4	CSD8023683 £410.00

CSI distributors require a coil with minimum resistance of 2.5 ohms. We recommend our sports coil TT2981 3 ohms. Bypass the ballast resistor if fitted.

Sport coil (3 ohms)	£21.5	0
---------------------	-------	---



#### **BREATHER FILTERS**



1	Breather filter 12mm inlet - blue	MT1200 £6.20
2	Breather filter 12mm inlet - chrome	MT1201 £6.20
3	Breather filter 12mm inlet - red	MT1202 £6.20

#### **K&N** breather filters

4	Engine inlet breather filter	KN62-1010 £29.20
5	Crank breather filter	KN62-1330 £24.00



#### **K&N PERFORMANCE FILTERS (AIR & OIL)**



K&N air filters are probably the most efficient way of ensuring clean, dirt free air for the engine without compromising performance. We supply a tapered filter to fit as a replacement to the standard filter and case assembly within the confines of the engine bay. For those who wish to have the increase in cleaning and air flow efficiency without the increased noise, we offer a replacement filter element to fit directly into the standard filter casing.

Twin HS2 pancake filter (850-1275cc to 1974).	.KN56-1630A <b>£125.00</b>
Twin HS4 K&N filter assembly	.KN56-9128 <b>£87.50</b>
Tapered HS4 K&N filter (1000cc)	KN56-9320 <b>£102.00</b>
Tapered HIF44 K&N filter (Cooper 1300cc)	KN56-9330£110.20
Tapered HS6 K&N filter	. KN56-9327 <b>£110.00</b>



K&N air filters (180r	nm x 120mm) for	Weber carburettors
-----------------------	-----------------	--------------------

DCOE fitting 45mm (1 3/4") deep KN56-1270£100.00
(Not suitable for ram pipes).
DCOE fitting 45mm (1 3/4") deep KN56-9106 £99.80
DCOE fitting 63mm (2 1/2") deep KN56-9104 £98.70
DCOE fitting 83mm (3 1/4") deep KN56-9265 £92.80





#### **K&N** replacement elements

HS4 & HIF38 replacement element\* (non inj.) . . KNE2601 . . . . £46.20 SPI & MPI replacement element\* (injection) . . . KNE9172 . . . . £48.60 (\*Fits into standard case).



#### **K&N Performance Gold® oil filter**

These K&N oil filters feature a number of improvements over standard oil filters, like higher flow rates, improved filtration, anti-drain valve and a nut for ease of removal. Originally developed by K&N for race applications these high quality filters are becoming a favourite among consumers who want only the best products for their cars. See page A10 for uprated oil pump.

K&N Performance Gold® oil filter (A series) . . . . 235-830 . . . . . £16.00



Performance cone air filters help improve the air flow to the carburettor. This type of air filter can be taken off, cleaned, re-oiled then put back on time and time again. Well made and looks great with the chrome finish.

Cone air filter HIF44	MT3210	. £46.30
Cone air filter HS4	MT3211	.£32.00



#### RAM PIPES Ram pipes for Weber and Dellorto carbs

These ram pipes are designed to improve air flow into the Weber and Dellorto carburettors, ideal for use with or without filters, space permitting.


1	40 DCOE/DHLA 16mm ram pipe KNSS1640 £35.70
2	40 DCOE/DHLA 26mm ram pipe KNSS2640 <b>£35.70</b>
3	40 DCOE/DHLA 39mm ram pipe KNSS3940 <b>£35.70</b>
	45 DCOE/DHLA 16mm ram pipe KNSS1645 <b>£35.70</b>
4	45 DCOE/DHLA 26mm ram pipe KNSS2645 <b>£35.70</b>
	45 DCOE/DHLA 39mm ram pipe



#### Ram pipes for SU carburettors

These fully radiused ram pipes improve air flow into the SU carburettor, ideal for use with or without filters (space permitting). The K&N ram stack is designed for their own filter assemblies.

5	HS4 K&N ram pipe - silver
	HS2 ram pipe - silver
6	HS4 ram pipe - silver
7	HS6 ram pipe - silver
8	HIF44 ram pipe - silver





This inertia switch is a good safety feature when using an electric fuel pump. The unit mounts to a vertical surface in the engine bay and in the unfortunate event of a crash cuts the power to the fuel pump preventing fuel spillage. Supplied with multi connector and tail leads to allow easy connections.

#### **BATTERY CUT-OFF SWITCHES**

Battery cut-off switches are a good idea for all cars. Fitting one enables you to quickly isolate the battery and immobilise the car; ideal when working on your car, or if you intend to put your car into storage. Use with a battery conditioner, see our website.



#### **Battery mounted cut-off switches**

These cut-off switches simply mount to the battery post and feature a screw-in knob to break the circuit. Available with a bypass fuse to allow sufficient current to pass to operate clocks, alarms and coded radios, but if any attempt is made to start the car the fuse will blow.



#### In-line cut-off switches

These cut off switches need to be fitted into the main battery to starter cable. The body of the switch should be mounted securely to the car and cables fitted using the terminal kit.

#### Period cut-off switch

These are reproductions of the Lucas 'Battery Master Switch' which was a popular accessory on many British classics.

Period battery cut-off switch (short knob) . . . . . 1B2804 . . . . . £32.84
Period battery cut-off switch (long knob) . . . . . . . . . . . . . . . . . . £32.84



#### **Motorsport cut-off switches**

Battery cut-off switches are obligatory for competition cars and should be fitted with a cable for remote access.

Battery cut-off switch	.TT7964	.£17.90
Battery cut-off switch race spec (FIA approved) .		
Remote cable 6 foot	. TT79621	£7.80
Spare key for switches TT7964 and TT7962	.TT79641	£5.24
Terminal kit for battery cable	.TT7964TK	£10.20






#### **HIGH CAPACITY FUEL PUMPS**

The standard fuel pump may not be able to maintain adequate fuel flow and pressure at higher engine speeds, particularly with a tuned engine. The Facet range of fuel pumps will suit all standard and modified engines fitted with carburettors. They give constant fuel flow and pressure, even at high temperatures eliminating the problems associated with vapour lock. The pumps are available in a variety of specifications to suit the engine's fuel pressure and flow requirements. Further fine tuning of the fuel pressure can be easily achieved by the use of a separate fuel regulator, see website. With safety in mind we recommend fitting a fuel pump inertia switch kit, so that in the event of an accident fuel delivery is automatically cut-off. Fuel lines may require adapting to install the new pump, check pipe sizes to select the correct unions, additional unions may be required.

#### Cylindrical fuel pumps

Formerly known as interrupter type pumps, these heavy duty pumps can be fitted at the front or rear of the car and up to 600mm above the bottom of the fuel tank. Kits are supplied with mounting & 8mm unions, alternative size unions available.

Cylindrical fuel pump kit - road Silver Top . . . . . TMG2930K . £114.40 (Up to 150bhp, flow rate: 30 gal/hr, 4.0-5.50 psi, unions: 8mm x 1/8 npt) Cylindrical fuel pump kit - fast road Silver Top . . MGS2930K . £119.60 (Up to 200bhp, flow rate: 35 gal/hr, 6.0-7.0 psi, unions: 8mm x 1/8 npt) Cylindrical fuel pump kit - competition Red Top MGS2932K . £117.70 (Above 200bhp, flow rate: 40 gal/hr, 6.0-8.0 psi, unions: 8mm x 1/8 npt). Cylindrical fuel pump only - competition Red Top TT2930 . . . . . £103.00 (Above 200bhp, flow rate: 40 gal/hr, 6.0-8.0 psi, 1/4 npt threads).



#### Solid state fuel pumps

These pumps should be mounted at the rear of the car (as they are designed to push fuel rather than draw fuel) and ideally below fuel tank level, although they will work up to 300mm above the bottom of the fuel tank. Kits are supplied with mounting & 8mm unions, alternative size unions available.

#### **Fuel pump unions**

TT7962

Use with the listed fuel pumps, please check thread and pipe size before ordering.

Straight union 1/4" (6mm) 1/8 npt	FPA903B £1.92
Straight union 5/16" (8mm) 1/8 npt	MOC1604 <b>£3.64</b>
Straight union 3/8" (10mm) 1/4 npt	FPA904/B <b>£3.07</b>
90° union 5/16" (8mm) 1/8 npt	MOC1841 <b>£6.14</b>
90° unions 5/16" (8mm) 1/4 npt (pair)	.TT2930A £13.20
90° unions 3/8" (8mm) 1/4 npt (pair)	. FPA902B £1 <b>2.20</b>

#### Fuel filter union

Unions 1/4" (6mm) 1/8 npt (pair)	£8.64
----------------------------------	-------

#### **UPRATED BRAKE PADS**

EBC brake products are renowned for their high quality and excellent performance. All grades of brake pad use Kevlar as the binding material rather than the traditional steel, this prevents the build up of corrosive brake dust that can damage alloy wheels.

Tested in rally cars, these pads are high friction, fade resistant with immediate pedal response with a fantastic wear life. We stock their Ultimax and uprated Greenstuff and Yellowstuff high performance brake pads.





EBC Greenstuff brake pads are a high efficiency upgrade pad which will increase your car's stopping power by 20% over standard replacement pads.

Greenstuff pads 10" wheels (998cc Cooper) . . . . . GBP102G . . . . £32.00 Greenstuff pads 10" wheels (Cooper S, 1275cc) . .GBP103G . . . . £38.30 Greenstuff pads 12" wheels (1275cc to 1974, 1984 on) . STR505G . . . . £37.30





GBY103Y

EBC Yellowstuff brake pads are formulated for fast road use and track day use. The higher heat range means they will resist the effects of brake fade under heavy braking.

Yellowstuff pads 10" wheels (998cc Cooper) . . . . GBP102Y . . . . £57.00 Yellowstuff pads 10" wheels (Cooper S, 1275cc) . GBP103Y . . . . £59.00 Yellowstuff pads 12" wheels (1275cc to 1974, 1984 on) STR505Y . . . . £80.70





#### Mintex brake pads

Mintex M1144 is a hard wearing material ideal for fast road and track day use, giving good wear resistance and reduced fade under hard braking.

Mintex M1144 set (1275cc to 1974 &1984 on) . STR5051 . . . . £58.80





GBP258G

#### **UPRATED PADS FOR 4 POT BRAKES**

Choose from the following options, heavy duty Kevlar for every day use Green for fast road use and Yellow for fast road and track days. This range of performance pads will fit all known 4 pot calipers (except the Wilwood kit).

Kevlar pads for 4 pot - road	GBP258KV <b>£28.80</b>
Greenstuff pads for 4 pot - fast road	GBP258G £45.00
Yellowstuff pads for 4 pot - fast road/track day	GBP258Y £71.60



#### BRAKE MASTER CYLINDER

This large round reservoir brake master cylinder is suitable for Cooper S models or when upgrading your Mini to disc brakes.



#### **4 POT BRAKE PARTS**

Brake discs are something that will eventually need to be replaced, easy enough if you have a standard brake setup but not so easy if you have four pot solid or vented discs fitted to you Mini!

These brake parts will fit KAD & Metro set ups. The high quality discs are suitable for all 8.4in vented applications. See Restoration section for our full range of brake components.

Vented brake discs (each)	. MT1203 <b>£35.00</b>
Stainless steel caliper piston 4 pot (each)	MT5402 <b>£12.20</b>
Seal kit for 4 pot calipers (1 caliper)	.GRK5003 £1 <b>0.30</b>
Drive flanges (each)	NAM6450F <b>£42.00</b>
Split pins for 4 pot calipers* (set of 4)	TMG307521 <b>£1.96</b>
(*Can also be used with Cooper models).	



#### **BRAIDED BRAKE & CLUTCH HOSES**

The braking efficiency of your car can be increased by using high quality stainless steel braided brake hoses. Normal hoses expand slightly when brakes are applied. This expansion can now be reduced by using the stainless steel braided hoses, thus improving the feel of the pedal.

Goodridge front braided hoses (pair) . . . . . . MT5102 . . . . . NCA Goodridge front braided hoses (pair) Metro 4 pots . . MT5103 . . . . £51.80 Goodridge rear braided hoses (pair) . . . . . . . MT5101 . . . . £24.80 Goodridge rear braided hoses (pair) no metal pipe\* . MT5104 . . . . . . NCA (\*This hose goes from the subframe bracket to direct to wheel cylinder replacing the metal pipe).

(\*This is a universal kit that fits both disc and drum brake cars. On some models a banjo fitting is used on one of the hoses and it will bottom out, cut 3mm off the banjo bolt thread).

Braided diaphragm clutch hose . . . . . . . . . . . GAC8446X . . . . . NCA Braided Verto clutch hose . . . . . . . . . . . . . GAC8447X . . . £14.50 (\*This universal clutch hose goes directly from the master cylinder to the slave cylinder, with banjo fittings at both ends).



#### **NEGATIVE CAMBER LOWER ARMS**

Adding negative camber improves the ability of the car to turn-in on a corner and as weight is transferred to the outside wheel, it will increase the contact area between the tyre and the road, giving you more grip.

These replacement lower arms offer varying degrees of negative camber over the standard item i.e. If a standard car leaves the factory with 1° positive camber, then fitting these arms will give 0.5° negative camber.

Because the front suspension consists of 2 unequal length arms, lowering the front ride height increases negative camber and conversely raising the front ride height will increase the positive camber.

Negative camber lower arms 1.5° (pair) . . . . . . WPT9001X . . . £60.00



#### **ON CAR ADJUSTABLE LOWER ARMS**

New design lower arms are now supplied with both rose joints and original bush type fittings. Adjustable on car lower arms make life much easier to set up for track days and if the car has been lowered and negative camber is required. (Supplied as a pair).



#### **HEAVY DUTY TIE BARS**

Tie bars perform the important function of controlling the front to rear movement of the front wheels under acceleration and braking. With recent improvements in the braking components that are now available for the Mini, it is possible for the standard tie bars to flex. This reduces the stability of the car and produces a feeling that the car is wandering. The increased diameter of these heavy duty tie bars reduces this problem.

These tie bars also enable you to adjust the castor angle of the front suspension. The castor angle determines the amount of self centring of the steering. The more castor angle, the more effort is required to turn the steering wheel. 3° of castor is specified by Rover as the optimum setting.



#### **CAMBER GAUGE**

Setting the camber of your car's suspension is essential to get the handling and steering correct. This gauge is an inexpensive way to check camber between positive 3° and negative 3° of camber. The magnetic base fixes to the brake disc or hub face.

Camber gauge . . . . . . . . . . . . . . . . . MTR4201 . . . **£37.10** 



#### **SUPERFIN ALLOY BRAKE DRUMS**

A brand new superior lightweight alloy brake drum, pressure die cast with 25% more fins for extra cooling to improve braking efficiency and built-in spacer to give increased strength and reliability. Direct replacement for all post 1984 cars, Cooper S and 1275 GT's rear drums.



#### REMOTE BRAKE SERVO KIT

For those who find the brake pedal rather hard after driving more modern vehicles, these remote servo kits make braking easier by reducing pedal effort. Suitable for all single line brake circuits they are remote mounted and easily plumbed into the hydraulic and vacuum systems of the car. We offer both a Lockheed and aftermarket kit, both are supplied with mounting brackets and hardware.



These cone compressors are a must for changing rubber suspension cones or working on the front suspension of your Mini. Note: The new cones (Part No. FAM3968) have a metric thread.

Cone compressor metric cones only . . . . . . . MT9600 . . . . £29.10 Cone compressor metric & imperial cones . . . . . GAC9424X . . . £79.90



#### **COIL SPRING CONVERSION**

FAM3968HX

Designed 45 years ago the rubber cones that Sir Alec Issigonis and Alex Moulton gave were innovative and perfectly adequate for the day, they are a bit harsh for today's driving. An alternative is to replace the rubber cones with springs that are a direct replacement. Offered in two different spring rates.



#### SUPERPRO POLYURETHANE SUBFRAME BUSHES

For a fast road or road car the best compromise is to use polyurethane. Our Superpro poly bushes are the best compromise between subframe location and damping the road noise transmitted through the bodyshell.

Front subframe tower pad kit subframe set . . . . . KGE100060SPK £39.50 Rear s/frame front mount kit split type axle set (to 1976) . . 2A5818SPK . . £16.94 Rear s/frame front mount kit large axle set (1976 on) . . 21A2560SPK . £17.75 Rear s/frame rear mount kit split type axle set (all models) . 2A5818SPK . . £16.94



Maximum subframe location is gained by using solid mounts. Ideal for a race car but will transmit more noise and road harshness into the bodyshell.

Front subframe solid front mount\* (each) . . . 21A2624X . . . . £28.70

1 Front subframe solid front mounts\* (pair) ... CSTR641 .... £20.00

2 Front subframe solid rear mounts\*\* (pair) ... CSTR642 .... £20.00 (\*Fits to front valance. \*\*Fits to toe board).

3 Front subframe solid tower mount set . . . . . CSTR640 . . . . £19.20 (Includes: 2 x tower oval pads & 2 x tower round pads).



#### SOLID FRONT SUBFRAME MOUNTING KIT

Red anodised alloy front subframe washers replace the turret mount pads and teardrop mount to the front valance, to reduce the movement of the front subframe, so helping the handling.

Alloy front subframe washer kit (8 piece) . . . . . . MT1205 . . . . £28.60





Change the ride height on your Mini. The original Hi-Lo kit allows you to raise or lower the height of your car without dismantling the suspension assembly. Homologated by the RAC and Rover for rallying.

Hi-Lo suspension kit GAC	8437X <b>£128.11</b>
Adjustable cones kit (2 x cones, 2 x 21A423) GAC	84371 <b>£55.00</b>
Extension rods (pair) GAC	84372 £1 <b>5.00</b>
(Use with GAC84371 when fitting to rear suspension r	ear allen bar).
Front allen bar	84374 £7 <b>.00</b>



The most popular way to lower your Mini, while allowing easy and quick adjustment when needed. Using a simple threaded knuckle bar and lock nut system, you can easily raise or lower your Mini, without having to remove the top subframe mounts or drill the rear valance. The knuckle joints have also been re-designed for extra strength and durability.



#### **BUDGET ADJUSTA-RIDE KIT**

A complete car set of adjusta-rides in polished alloy, including rear bars.

Budget adjusta-ride kit . . . . . . . . . . . . . . . . . MT1301 . . . . £101.14



As with the front suspension, a small amount of negative camber on the rear suspension will improve handling. These brackets replace the standard outer radius arm bracket and will give 1.5° more negative camber. Unlike the front suspension, raising or lowering the rear ride height will not affect the camber angle. It is recommended that when more negative camber is used on the front, the rear should also be given more negative camber, to balance both handling and appearance.



#### **ADJUSTABLE SHOCK ABSORBERS**



Gaz front standard height (each)	GAC8401XG£ <b>55.00</b>
Gaz front lowered height (each)	GAC8402XG£57.20
Gaz rear standard height (each)	GAC8403XG£ <b>55.00</b>
Gaz rear lowered height (each)	GAC8404XG£57.20





#### SUPERPRO POLYURETHANE KITS

Polyurethane is preferable to rubber as it gives improved location without having a detrimental effect on noise levels or a harsh ride. Added advantages are improved longevity and unlike rubber it is not affected by ultra violet light, water, salt, oil or petrol. The Superpro bushes come with a steel sleeve and grease where necessary.

Advice: For the best subframe location for your road car use Superpro bushes on the front subframe tower mounts with new standard mounts on the valance and toe board. Use Superpro poly for all rear subframe mounts.

#### Car kits (1965-76)

Complete car kit	.SPK80ECK £75.25
(Inc: Front suspension, engine steady, rear subframe	& steering column bushes).
Complete front kit	. SPK80ECF <b>£46.80</b>
(Inc: Front suspension & engine steady bushes).	



#### Car kits (1976 on)

Complete car kit	.SPK80LCK	£110.24
(Inc: Front suspension, engine steady, front subfra	ame, rear subfr	ame &
steering column bushes).		
Campalata frant lik	CDK 601 CE	ተልህ ላህ

#### **Suspension bushes**

Front lower arm bush kit (axle set)	.21A1882SPK . £19.90
Front tie bar bush kit (axle set)	31G1155SPK . <b>£14.40</b>
Front upper arm & rear radius arm grease seal (each).	. 115702SP <b>£2.26</b>

#### **COIL OVER KITS**

Developed between Spax and K.A.D. these coil over shock assemblies are simply the most versatile currently available for the Mini. Designed purely for road use they provide the ultimate in ride comfort and shock absorbance. The shock absorbers have fully adjustable gas cylinders with the added bonus of being able to adjust the responsiveness of the coil spring with the threaded collars.

Front and rear shocks are in the kit containing all new brackets and fittings to successfully mount the shocks. As can be expected from K.A.D. and Spax, full and precise

fitting instructions are included within the kit.



GAC8494X

#### **ROOF GUTTER MOULDING**


These roof gutter moulding strips are an ideal way to smarten and finish off the roof of your mini. Available in either chrome or black, the roof gutter moulding is supplied in a single length and simply clips onto the metal gutter edge.

Roof gutter moulding, chrome	.GAC8494X <b>£14.00</b>
Roof gutter moulding, black	GAC8494XB£14.00

#### **BODY SEAM MOULDINGS**

These highly polished stainless steel seam mouldings will not only brighten up the exterior of your Mini but being stainless steel they are rust free and are also cheaper than the genuine original replacement items. Use BMP128MS stainless steel clips, to replace the standard painted items. Suitable for all cars from 1959 to current date.

Front seam mouldings (pair) ... \$B12400 .... £31.00
Rear seam mouldings (pair) ... \$B12401 .... £29.20
Seam mouldings clip ..... BMP128MS ... £0.32



#### **UPPER DOOR MOULDINGS**

Another styling accessory for those craving the retro look, these stainless steel mouldings are based on those fitted to the MkI and MkII Mini Coopers. Now available for cars with wind-up windows (ie: 1969 to current). If you think there is never too much bright work, then these are for you.

Top door trim lefthand (MkIII)	.MS67	£37.00
Top door trim righthand (MkIII)	MS68	£37.00
Top door mouldings clip	13H743	£1.30



#### **SUMP GUARD**

8B12401

Protect the gearbox - one of the most important components on your Mini. Lowering the car and speed bumps are not a great combination and the gearbox casing is quite expensive to replace. A lightweight stainless steel sump guard is the perfect way to protect the gearbox.

Stainless steel sump guard ...... MT1207 ..... £70.00



#### SMARTSCREEN WASH/WIPER SYSTEMS

These SmartScreen wiper kits allow intermittent wiper delay of between three and thirty seconds, programmed by using your existing wiper switch. SmartScreen wash/wiper kit allows you to have an automatic wiper system when using your electric screen-wash. All kits are easy to fit and come with full instructions.

#### SmartScreen wiper system

Positive earth (to 1969)	. GAC9222X <b>£31.20</b>
Negative earth (pre 1969 converted)	GAC9224X £31.20
Negative earth (1969 on)	.GAC9221X £31.20

#### SmartScreen wash/wiper systems



#### **HEATED WINDSCREENS**

These high quality heated windscreens are the easy way to demist your windscreen - perfect for motorsport applications and those damp mornings.

#### "Demist your windscreen in around 20 seconds"

Manufactured to the latest British Standard these laminated windscreens feature a virtually invisible micro-wire element within the screen to effectively demist without impairing vision, it's the type of element used in many modern luxury cars. Installation is simple using standard rubbers and filler strip. We also offer wiring kits with relays to enable easy connection.



24A2236HN

Available in two styles; Monte Carlo, a reproduction of the original style as used in the Mini's rallying heyday. This screen uses a dual zone circuit and requires fitting kit GAC40251. Standard style screens do not have the thick horizontal bars and are available in a range of tint options as listed below, these screens use a single zone circuit and require kit GAC4025.



Wiring kits

Wiring kit -	single zone	GAC4025	£32.60
Wiring kit -	dual zone	GAC40251	£50.30



#### **COMPLETE WIPER, JET & BEZEL KIT**

This kit contains a full set of windscreen wiper arms & blades, wiper bezels, chrome washer jets and screw fitting wiper hole bungs.

Complete wiper jet & bezel kit . . . . . . . . WPA9067X . . . £52.80



#### CHROME WIPER WHEELBOX BEZEL KIT

This is a very simple kit to fit but it goes a long way to improving the appearance of the front end, especially if you've just resprayed your Mini.

Chrome wiper wheelbox bezel kit . . . . . . . . WPA9028X . . . . £9.00



#### **WIPER HOLE PLUGS**

Spruce up the scuttle panel with these stainless steel rubber backed plugs.

Wiper hole plugs (each)	WPA9032X <b>£5.70</b>
Wiper hole plugs screw fitting (pair)	WPA9032S <b>£8.90</b>



This kit is a direct replacement for the rather boring black wiper arms that are supplied on recent Minis. Available for either LHD or RHD cars.



#### **CHROME WASHER JET KIT**

The original washer jets are not all that helpful at cleaning the Mini's screen, so upgrading to twin nozzle chrome washer jets will improve things greatly.

#### **BUMPER & OVERRIDER KIT**

If you want to give your car the retro look, overriders and corner bars are a must. We supply 2 kits, a complete bumper and overrider kit and an overrider kit.

WPA9006X

GAC9400X

The complete kit contains: 2 bumper blades - pre drilled for corner bars, 4 overriders, 4 corner bars and all hardware giving the MkI look. The overrider kit contains: 4 overriders and hardware to give the MkII look. For cars made from 1980 on, rear fog lamps were fitted as standard so you'll need a relocation bracket, (RHD only).



#### Overrider components are also available separately:



The electric washer kit converts your existing manual pump washer system. Both kits are supplied complete with fittings, pump and plastic washer bottle.

Screen washer conversion kit manual	. GAC9212X <b>£55.20</b>
Screen washer conversion kit electric	GAC9213X £30.20



#### CHROME EXTERIOR HANDLES

Enhance the appearance of your Mini with chrome plated exterior handles. The sets comprise of two push button handles and a boot handle with matched keys and locks. Choose either a MkI or MkIII boot handle.

Chrome handle set with MkI boot handle . . . . . CZH1784S . . . £98.90 Chrome handle set with MkIII boot handle . . . . . WPA9019X . .£144.00

#### **DOOR HANDLE ESCUTCHEONS**



An ideal way to protect your paintwork and smarten the appearance of the Mini.

Plain door handle escutcheons (pair) . . . . . . . WPA9011X . . . . £7.15

#### **LOCK & BARREL SETS**



Lock and barrel key sets to fit your MKI-II Mini.

Lock and barrel key set, 2 locks (doors) . . . . . LBS108 . . . . . £42.22 Lock and barrel key set, 3 locks (door, ignition & boot) LBS103 . . . . . £31.39 Lock and barrel key set, 4 locks (2 doors, ignition & boot) LBS104 . . . . . £38.45



#### **BONNET STRAPS & PIN SET**

Works style bonnet straps add a classic race & rally look to any classic car. Originally used by the factory BMC Special Tuning department to prevent unwanted opening of the bonnet these straps are perfect for those recreating that retro rally car look or just wanting peace of mind. Manufactured from high quality leather with stainless steel end plates. Available in tan or black either individually or in pairs. Or choose a set of stainless steel bonnet pins to give a modern competition look. Some bodywork modification is required to enable their use.

Bonnet strap black (single)	. 222-601 <b>£18.2</b> 5
Bonnet strap set black (pair)	.222-602 <b>£33.8</b> 5
Bonnet strap tan (single)	222-729 £18.25
Bonnet strap set tan (pair)	222-728 £33.85
Stainless steel pin set	MRAC801S£17.60



These wind deflectors fit neatly into the door window channel and allow you to drive with the window open slightly for extra ventilation without being buffeted.



#### QUICK RELEASE BONNET HINGES

Designed for the MkIII, the hinges enable you to easily remove the bonnet for engine work, while not increasing the risk of the bonnet going into orbit.

Quick release bonnet hinges (MkIII) . . . . . . . . MSSK019 . . . £34.00

#### **CHROME HORN**



Keeping the under bonnet area looking its best is always easier when you have a few chrome parts fitted. Direct replacement horn finished in luscious chrome.



#### **AIR HORN KIT**

Let them know your coming.

Note: May not be legal for road use, please check local regulations.



#### MKI NUMBER PLATE KIT

Put one of these on your Mini and fool people into thinking that it's a MkI. Our hinged plate kit includes all fittings (except light unit). Choose from either a black or chrome finish lamp unit.



#### **NUMBER PLATE SURROUND**

Manufactured from durable injection moulded ABS plastic, this chrome finish surround can be fitted in minutes to the front or rear of the vehicle.



#### MKIII NUMBER PLATE LAMP HOUSING

Chrome metal number plate lamp housing (MkIII) . GAC4614 . . . . £16.80



#### **BRITISH LEYLAND STYLE DOOR MIRRORS**

Rectangular polished stainless steel door mirrors suitable for all Minis with a choice of either flat or convex glass. Supplied with angled base and fittings. Use adaptor plates to fit to doors with late type captive nuts.

Door mirror convex glass RH	GAM215A <b>£34.00</b>
Door mirror convex glass LH	GAM216A £34.00
Door mirror flat glass RH	. GAM217X <b>£31.00</b>
Door mirror flat glass LH	GAM218X <b>£31.00</b>
Adaptor plate kit RH	.CZH1626 £7 <b>.80</b>
Adaptor plate kit LH	. CZH1625 £7 <b>.80</b>



These late type plastic door mirrors are available in black plastic or primed. Later models have the plastic door mirror painted in either white or body colour. Pre-painted mirrors are no longer available. Primed mirrors should be purchased and painted to suit your car.

Plastic door mirror RH - black	JPC9848 £	22.00
Plastic door mirror LH - black	JPC9849 £	22.00
Plastic door mirror RH - primed	. CRB10184LML .£	57.20
Plastic door mirror LH - primed	CRB10185LML .£	67.60



#### **Chrome Cooper door mirrors**

Replacement chrome door mirror that fit the original captive nut mountings on the car so no need to drill extra holes.

Chrome Cooper door	r mirrors (pair)	MT9142	£52.80
Cilibilic Coopei door	i iiiiiiioio (paii)		. ~ )00



#### **ALUMINIUM RACING MIRRORS**

These racing mirrors echo a bygone era of motorsport. Available in polished or satin finish with a black base, both feature a flat glass and single bolt fitting.

Polished alloy mirror (each)	MT9314	£27.00
Satin finish alloy mirror (each)	222-355	£27.00

#### **BULLET STYLE MIRRORS**



These feature a 3.75" long base and are fixed with two screws from inside the door at 2" centres. Suitable for left or righthand mounting.

Chrome flat glass	GAM105 £13.50
Chrome convex glass	GAM105C £18.30



This mirror features a larger 4.25" lens with a 3" base. It is externally fitted to the mounting bracket. Suitable for left hand or right hand mounting.



#### **British Leyland style mirrors**

These feature a 3.75" long base and are plinth mounted as per British Leyland style door mirror. They are interchangeable with British Leyland type door mirror. Use adaptor plates to fit to doors with late type captive nuts.

Chrome flat glass RH	.GAM106 <b>£58.00</b>
Chrome flat glass LH	GAM107 <b>£58.00</b>
Adaptor plate kit RH	CZH1626 £7.80
Adaptor plate kit LH	CZH1625 £7.80



Dual base mirror is supplied with two bases; the short base is 2.25" long and the large is 4.5" long, the mirror can be fixed to the car using either base to cover previous mirror fixing holes. Suitable for left or righthand mounting.



#### **Racing door mirrors**

These great looking chrome bullet door mirrors are a must! They look great on the Mini and include adaptor plates to easily fit door skins with captive nuts.

Bullet racing door mirror RH (MkIII on)	GAM108 <b>£29.00</b>
Bullet racing door mirror LH (MkIII on)	GAM109 <b>£29.00</b>
Bullet racing door mirror (pair) (MkIII on)	GAM108/9 <b>£54.00</b>



#### **FUEL CAPS**

#### Aston locking fuel caps

These quality locking fuel caps are a direct replacement for the original cap. Most carburettor models will require a vented cap (green) whereas fuel injection models (SPI & MPI) require a non-vented cap (red).

Aston locking fuel cap, vented (90mm) . . . . . . . GAC41271 . . . £38.24 Aston locking fuel cap, non vented (90mm) . . . . . GAC41272 . . . £35.17





WLD10031

#### **Locking fuel caps**

GSS154

Use with our Aston fuel cap covers or on their own; most carburettors will require a vented cap whereas fuel injection models (SPI & MPI) will require a non-vented cap.

Standard locking filler cap vented (green) . . . . . GSS154 . . . . . £14.40 Standard locking filler cap non-vented (red) . . . . WLD100310 . . £14.40



#### **ALUMINIUM BODY PANELS**

If you have to change your door skin's or the boot lid skin because they are corroded, why not to replace them with the aluminium version. You will never have to replace them again, and as it's aluminium, it's lighter than the original steel panel.

Boot lid, skin, aluminium
Door skin, RH, aluminium, MKI-II
Door skin, LH, aluminium, MKI-II HMP441053 .£125.00
Door skin, RH, aluminium, 1970 - Onwards CZH3300AL £57.30
Door skin, LH, aluminium, 1970 - Onwards CZH3301AL£57.30



#### Aston fuel cap covers

These fuel cap covers are designed to fit to our filler cap GSS154 for vented or WLD100310 for non-vented, and fixed by grub screws to the cap. The flap is lifted to reveal the lock and the cap & cover are removed together. The covers and caps are sold separately.

Aston cap cover only, large (90mm) - chrome ... GAC4127X ... £27.95 Aston cap cover only, small (75mm) - alloy . . . . MCC299 . . . . £44.40



#### **DUMMY FILLER NECK**

Can't quite stretch to the price of the right hand petrol tank but would like people to think you can? Then we have just the thing for you. A filler neck which just screws onto the panel. The kit includes a template for correct positioning on the bodywork.



#### **DYNOLITE OILS**

Dynolite offers a premium quality range of lubricants and consumables developed for Veteran, Vintage & Classic cars and motorcycles.

Dynolite lubricants are formulated to exceed the original vehicle manufacturer's specifications and are blended using high quality base oils combined with additive formulations that are suitable for use in these historic vehicles.

For example, Dynolite Pre-War and Dynolite Classic engine oils include optimal levels of ZDDP to reduce wear, which is often found at reduced levels in modern engine oils.



Visit moss-europe.co.uk for more information



#### **HEADLAMP RIMS**

As fitted to the original Radford de Ville and other luxury Minis of the 1960's, these high quality chrome headlamp rims have a different profile to standard giving the impression of being wider.

For Mini owners who think their car is getting a little bit overweight, aluminium headlamp rims are available with an anodised finish, to replace the standard steel on brass rim, not suitable for Clubman models.






#### **HEADLAMP PEAKS**

As fitted to the original Radford de Ville and other luxury Minis of the 1960's, these high quality peaks change the profile of your Mini headlamps.

Headlamp peaks (pair) . . . . . . . . . . . . . . . . GAC7999X . . . £11.65



#### **CHROME HEADLAMP STONE GUARDS**

Add some protection to your headlamps with these period styled chrome headlamp guards. A good excuse to fit more chrome.

Chrome headlamp stone guards (pair) . . . . . . . . GAC8000X . . . £12.14



RTC430A







GAE132G

3H3058 GWW102X

#### **GENERAL SWITCHES**

A range of period looking switches for general purpose use. Use a momentary switch for starters, horns, washers, and the 1 position for auxiliary lamps.

Push button switch, momentary	3H3058 £13.80
Toggle switch, momentary	.GWW102X£17.40
Toggle switch, on/off	. RTC430A £4.50
Pull switch, on/off - white illumination	. GAE132 £18.00
Pull switch, on/off - green illumination	. GAE132G <b>£18.00</b>
Pull switch, on/off - red illumination	.GAE132R £18.00
Pull switch, on/off - yellow illumination	. GAE132Y £18.00
Fuse holder, inline	. UKC4446 £1 <b>.96</b>



WPA9026X

#### INDICATOR CLEAR LENS KITS

#### Early style lens kits

This early style clear lens kit is available with either beehive or flat glass lenses which are held in by a chrome rim, perfect for the retro look. Each kit contains two glass lenses, two retainer rims and two orange bulbs.

Early beehive clear lens kit	WPA9026X £17.40
Early flat clear lens kit	WPA9030X £38.40
Replacement bulb	.GLB343 £1.96

CDU3374CR





WPA9027X

#### Later style lens kit

For 1984 on models, this kit contains 2 clear lenses, amber bulbs and screws.

Clear (screw ret.) indicator lens kit (1984 on)	WPA9027X <b>£8.40</b>
Replacement single filament bulb - amber	GLB343 <b>. £1.96</b>
Lens finisher bezel chrome (each)	CDU3374CR . £9.00

AHU2592CR





WPA9043X

#### **CLEAR WING REPEATER KIT**

Also available is a clear wing repeater kit for later cars (1984 on) including a pair of lenses and amber bulbs.

MT3703

 Clear wing repeater kit (1986 on)
 WPA9043X
 £10.00

 Wing repeater replacement bulb - amber
 GLB501X
 £1.36

 Wing repeater wiring
 MT3703
 £20.90

 Side repeater bezel chrome (each)
 AHU2592CR
 £9.30



#### **LAMP BRACKETS & SWITCH**

The right parts to fit your lovely new spot and fog lamps with.

Spot lamp bracket OE Rover type	XBU10044 £16.20
Stainless steel spot lamp bracket (pair)	.GAC4612 £14.30
Stainless steel original works style lamp bar kit	GAC4616 <b>£69.20</b>
Fog lamp relocation bracket (fitting overrider kit)	. GAC9400X <b>£28.30</b>

A period style toggle switch for your lovely new lamps. It can also be used for other electrical accessories.

Toggle switch off/on	RTC430A £4.50
Toggle switch off/on/on	.BCA4294 £11 <b>.70</b>

BHA4229



#### MKI REAR LAMP CONVERSION

The MkI rear lamp is probably the largest part of a true retro look. The conversion has been made easier with the arrival of the adaptor plates that can be welded into the original MkII or MkIII light unit apertures.



BHA4228

MkI lamp unit RH	.BHA4228	£53.90
MkI lamp unit LH	.BHA4229	£53.90



GAC4617

#### **CLEAR REAR LENS CONVERSION**

This very popular conversion can be combined with our other clear lens kits (clear front indicators and side repeaters) completing the total clear lens look, or fitted on its own, giving the Mini a contemporary appearance. Lenses are sold as a pair of stop/tail & indicator lenses without bulbs. Suitable for all Minis from 1976-99 with 2 piece lenses on Lucas type bases. Reverse lamp lenses are also available separately.

Clear rear lens set (pair)	GAC4617 £ <b>16.30</b>
Bulb twin filament red stop/tail (2 required)	GLB380R £2.23
Bulb single filament amber indicator (2 required)	.GLB343 <b>£1.96</b>





XFJ10028

Lens reverse lamp RH . . . . . . . . XFJ10028 . . . . £14.40 



**JEWEL REAR LAMPS** 

Something a little different! Jewel rear lamps certainly stand out from the rest. Supplied as a complete set with bulbs.





Chrome 5.5" standard pattern spot lamps (pair) .	GAC4610 <b>£44.50</b>
Chrome 5.5" standard pattern fog lamps (pair)	GAC4611 <b>£51.80</b>
Replacement bulb H3	GLB453 <b>. £3.98</b>
Wiring fitting kit (universal)	GAC4027 <b>£12.00</b>

Wipac 5.5" chrome plated driving & fog lamps, with tough plastic lens

Driving lamp (pair) - Wipac	.WPS6007	£30.60
Fog lamp (pair) - Wipac	.WPS6078	£30.60





GAC4609

#### **AUXILIARY REVERSE & FOG LAMPS**

Many classics were not originally fitted with reverse or rear fog lamps. These universal polished stainless steel lamps measure 55mm x 110mm (2" x 4.5" approx.) and can be easily fitted, ideal for mounting under bumpers etc... Fog lamps require an illuminated switch mounted visibly on the dashboard.


Auxiliary fog lamp	GAC4608 £18.60
Auxiliary reverse lamp	GAC4609 £19.60
Bulh replacement 12V 20W	GAC4608B £3.32





#### **HEADLAMP PROTECTORS**

A thin, invisible layer of Lamin-X protects headlamps from stone chips and scratches, and keeps your lights looking new for years to come. Fits all 7" round headlamps. Sold as a pair. Lamp unit not included.







#### HALOGEN HEADLAMP REPLACEMENT BULBS

Standard halogen H4 60/55 watts (each)	. GLB472 <b>£5.12</b>
Halogen H4 100/90 watts (each) (check regulations) .	GLB484 <b>£6.20</b>
Xenon H4 60/55 watts (pair)	.GLB472X £10.40
Xenon H4 60/55 watts - blue tint (pair)	GLB472BLU <b>£10.40</b>
(Xenon bulbs are up to 30% brighter than the sta	ındard halogen bulb).



#### PERIOD STYLE LAMPS

MM162-800

MM162-700

These outstanding reproductions of the original Lucas L576 units are available as either a driving lamp with a clear lens or a fog lamp with a fluted lens in either a base or back mounting. Use a back mounted fluted lamp as a works style reverse lamp.

Driving lamp with clear lens (each)	MM162-700 <b>£84.00</b>
Front fog lamp with fluted lens (each)	MM162-800 <b>£84.00</b>
Back mounted lamp with fluted lens (each)	BHA4399 <b>£84.00</b>
Back mounted lamp with clear lens (each)	57H5322 <b>£84.00</b>

We stock replacement units, so you don't have to buy the whole lamp again.

Replacement lamp unit with fluted lens (each)	ACG5179	£37.00
Replacement lamp unit with clear lens (each)	57H5015	.£38.15
Replacement bulb driving lamp (each)	GLB185	£4.92
Replacement bulb fog lamp (each)	GLB323	£4.80



#### **H4 HALOGEN HEADLAMP CONVERSIONS**

Fitting a halogen headlamp conversion is one of the easiest and most worthwhile improvements you can make to your Mini. Powerful halogen bulbs with an improved lens design result in a superior light beam without blinding oncoming traffic. No matter how fast your car is you can only travel as quickly as your vision allows. For the ultimate night vision use one of these H4 conversion kits with our HID conversion kit (GAC4022H).

Lucas H4 headlamp conversion kit RHD (pair) . . GAC4023 . . . . £50.00 Wipac H4 headlamp conversion kit RHD (pair) . GAC4023Z . . . £51.25 Wipac H4 headlamp conversion kit LHD (pair) . WPS4699 . . . . £61.60



## **CRYSTAL HALOGEN HEADLAMP KITS**

These crystal lamps give your car a modern look with the beam pattern moulded into the reflector rather than the lens. Manufactured with a tough polycarbonate clear lens they are available with or without pilot lamp, and are a direct replacement for original 7" sealed beam or H4 conversion lamp units. Headlamp bulbs are supplied separately.



117-515

#### **HEADLAMP RELAY KITS**

Fitting halogen headlamps puts high loads on electrical components. These kits allow easy installation of relays into the headlamp circuit allowing for the high current circuit to be run through the relay. Fitting relays in headlamp circuits protects your wiring and reduces the resistance in the circuit allowing full power to the lamps. Kits include relays and fittings. The single relay kit can also be used for wiring spotlamps, horns and other electrical accessories.

Headlamp relay kit 2 relay	117-515	£35.70
(Inc: 2 relays, pre-wired relay holders, fitted termin	nals, fittings & in	structions).
Relay kit 1 relay	GAC4027	. £12.00
(Inc: 1 relay, non-assembled wiring, terminals 8	x fittings).	
PVC tubing black pre cut metre	504806	£0.90



#### **WORKS STYLE WHEEL ARCH SETS**

These 'Works' style wheel arches are replicas of the works style of arch fitted to race and rally Minis in the sixties and give your car that great retro look. Group 2 arches are also available for 6" wheels with an extra lip on the outer edge of these arches means a chrome finisher can be fitted GZF105 for deluxe or GZF107 for flat. Group 5 arches are suitable for cars with up to 7" wheels. Made from fibreglass with a black gel coat finish and require drilling to fit.

Group 2 arch set no lip - 1.75" wide/5" wheel MRAC401 £77.50
Group 2 arch set with lip - 3.5" wide/6" wheel MRAC402 £62.00
Group 5 arch set no lip - 3.5" wide/7" wheel MRAC405 £115.00
Chrome finisher deluxe
Chrome finisher flat



#### STAINLESS STEEL WHEEL ARCH COVER KIT

To brighten up the exterior of the Mini why not add these quality stainless steel arch extension covers which screw onto the standard arch extensions.

Stainless steel wheel arch	cover kit	GAC8449X £105.00
Stainless steel moulding	(pair)	GAC84491X <b>£93.00</b>



#### **SPORTS PACK WHEEL ARCH KIT**

As fitted to Rover sports pack Minis, this very popular wheel arch kit is made from fibreglass and includes fixing studs & rubber edge trim. Sill trim not included. These arches protrude 3.5in. Some modification to the front metal arches may be necessary if fitting 13in wheels to non sports pack Minis.

Sports pack wheel arch kit fibreglass	WPA9101 <b>£144.00</b>
Sill finisher	DDJ10002 <b>£21.80</b>
(Rubber strip fitting along sill between front and	rear arch extensions).



#### **PLASTIC WHEEL ARCH KITS**

These plastic wheel arch extension kits were standard on many Minis, however if they are too subtle for you, we also stock various wider options.

Wheel arch kit - black AJM1117Z .	£29.00

#### Kit AJM1117Z includes (also available separately)

Rit Admir 1772 includes (also available separate)	· <b>y</b> /
Wheel arch extension front righthand - black	CZH4312Z £7 <b>.20</b>
Wheel arch extension front lefthand - black	.CZH4313Z <b>£7.20</b>
Wheel arch extension rear righthand - black	CZH4314Z <b>£7.20</b>
Wheel arch extension rear lefthand - black	.CZH4315Z£7 <b>.20</b>
Sill finisher	.CZH4316Z <b>£4.70</b>
Rivet for wheel arch (quantity as required)	.DYQ100140 <b>£2.00</b>



These are genuine Rover mud flaps as fitted to later Minis.

Rear 'Mini' mud flap set	AJM164	£41.40
Rover 'Mini Cooper' rear mud flap set	.CAT10044	£43.30



TT6902

## WHEEL SPACERS

These spacers will allow small adjustments to be made to the offset (to ensure wheel and tyre clearance) when fitting alloy wheels. Can also be used to space your wheels out to fill the wheel arches. When choosing the width of the spacer ensure that it will leave adequate thread length for secure wheel fitment.

3mm wheel spacer (pair)	TT6901 £18.10
6mm wheel spacer (pair)	TT6902£19.70



9mm (3/8in) solid wheel spacer with stud kit . . . MT7120 . . . . £28.00 19mm (3/4in) solid wheel spacer kit with stud kit . MT7121 . . . . £31.00 25mm (1in) solid wheel spacer kit with stud kit . MT7122 . . . . £34.80





#### 10" COOPER STYLE ALLOY WHEEL

These great looking 4.5J wheels recreate the classic look of the early Cooper steel rims, they look smart on any Mini going for the classic look. Our chrome hub caps are the perfect complement to these wheels.

Cooper style alloy wheel 10" (each) GAC8215X £76.80
Chrome wheel nut for 10" Cooper style wheel (each) .GAC8210XNT £1.36
(Chrome plated nut. Use without hub cap).
Chrome hub cap (each)
Plain wheel nut for 10" Cooper style wheel (each) . 88G322 <b>£0.79</b>
(Plain steel nut. Use with hub cap).



WPA9104X

#### 8 SPOKE ALLOY WHEEL WITH POLISHED RIM

This 12" eight spoke alloy wheel has a polished rim, and an offset designed to complement the wheel arch set WPA9001X, see opposite. Supplied with centre caps only.

8 spoke 12" x 5" (each) - silver	. WPA9104X <b>£94.00</b>
Chrome dome nut (each)	. WPA91042X £4.20



#### 8 SPOKE ALLOY WHEELS

GAC8313X

A carefully selected set of alloy wheels will not only enhance the appearance of your Mini, but could also help improve the handling by allowing the fitment of wider section tyres. Wheels are supplied without wheel nuts.

8 spoke alloy wheel 10" x 5" (each) - silver	GAC8210X £70.00
8 spoke alloy wheel 10" x 6" (each) - silver	GAC8208X £70.00
8 spoke alloy wheel 13" x 6" (each) - silver	GAC8313X£104.00

Wheel nut for 10" 8 spoke wheel (each)	GAC8210XNT . £1.36
Wheel nut for 12" & 13" 8 spoke wheel (each)	AHA8785 £1.56



### **REVOLUTION ALLOY WHEELS**

MT7108

The Revolution 4 spoke and the 5 spoke RFX wheels are supplied without wheel nuts. The black alloy wheels feature black spokes with a silver rim.

Revolution 4 spoke 6" x 10" (each) - black MT7101 <b>£69.70</b>
Revolution 4 spoke 5" x 12" (each) - black MT7104 <b>£82.80</b>
Revolution 4 spoke 6" x 12" (each) - chrome MT7112 £35.00
Revolution 4 spoke 7" x 13" (each) - black MT7114 £35.00

Wheel nut for 4 spoke 10" & 12" wheel (each) .	. MT7100X £2.57
Wheel nut for 4 spoke 13" wheel (each)	MT7100 £2.23

#### **Revolution 5 spoke RFX alloys**

Please note: All wheels are sold individually unless otherwise stated, ensure you use the correct wheel nuts for each wheel.



#### **CHROME HUB CAP**

This chrome reproduction hub cap fits any 10" wheel for a stock, very original look to your Mini.

Chrome hub cap for 10	" wheels (each)	88G337Z	£32.00
-----------------------	-----------------	---------	--------



### SPOT/FOG LAMP COVER WITH LUCAS LOGO

This authentic period style, vinyl spot/fog lamp cover features the Lucas lion logo. Suitable for 6"and 7" diameter lamps with a small clear window to see if the lamps are on or off.

Lucas spot/fog lamp cover, 6", black (each) . . . . . 162-705 . . . . . £56.10 Lucas spot/fog lamp cover, 7", black (each) . . . . . 162-706 . . . . . . £56.10











#### **CLASSIC DECALS**

A small selection from our range of decals available for your car, please refer to the Restoration section for a listing of the exact requirements for your model.

1	BMC rosette (external)
	BMC rosette (internal)
2	BMC Special Tuning rosette (external) CRTR207 £5.50
	BMC Special Tuning rosette (internal) CRTR207A £5.50
3	Leyland Special Tuning Abingdon - green CRST153 £2.00
	Negative earth sticker
	Unipart filter sticker
	Tudor water bottle sticker
	Triplex screen sticker
4	British Leyland house sticker
	Lucas coil sticker
5	Leyland Special Tuning sticker £1.45





#### **CHASSIS PLATES**

	Austin Morris group chassis plate*	CRCP339 £4.90
1	Commission plate*	CRCP301 £4.90
2	Engine number plate (blank)*	CRCP343 <b>£1.80</b>
*(It	is up to the nurchaser to stamp the correct nun	nhers onto the plates)



#### REPLICA BROADSPEED NAME PLATE

Broadspeed name plate	CP384 £8.70
-----------------------	-------------



#### **CLASSIC BADGES**

A range of quality badges suitable for both grille and badge bar mounting.

1	BMC Drivers Club GAC9967X <b>£91.80</b>
2	British Motor Racing Marshalls Club GAC9987X £81.60
3	British Racing and Sports Car Club GAC9969X £26.90
4	BARC Brooklands
5	England Union flag toothed GAC8043X £34.40
6	St. Christopher
7	RAC diamond
8	RAC round laurel
9	RAC toothed
10	UK mainland
11	Union chequered flag (42 x 24mm) DAG000070MMM £15.00
12	Union flag screw fit (30 x 50mm)
13	Union flag screw fit (35 x 57mm) - chrome .GAC4101 £13.50
14	Union flag stick on (pair) £4.90
15	Union flag magnetic
	Union flag 'flying' DAG000080MMM £21.80
	Union flag stick on - chrome
	GB letters stick on - chrome MRD1034SA £13.20
19	GB letters set 3 piece - chrome MRD1034A £10.70



Create an unmissable patriotic statement with this high quality Union flag roof decal. Essential for those continental jaunts. For white roof cars only.





An important feature for any retro conversion, these badges are just a few of the most popular of the total fitted to the Mini during its long history. An array of different badges were fitted to both Morris and Austin Minis during their production.

1	Austin Cooper and S bonnet badge (MkI) 24A71 £11.20
2	Morris Cooper and S bonnet badge (MkI) 24A72 £28.00
3	Morris Mini bonnet badge (MkI) ADA3580 £40.00
4	Austin bonnet badge insert (MkI) 24G1201 £11.70
5	Austin bonnet badge insert surround (MkI) 14A6837 £21.00
6	Austin Cooper S bonnet badge insert (MkII) ALA6514 £12.60
7	Morris Cooper S bonnet badge insert (MkII) ALA6515 £13.00
8	Austin/Morris Cooper S bonnet badge surround (MkII) ALA6519 $\pounds 10.50$
9	Austin script boot badge (MkI) 14A6802 £12.10
10	Cooper script boot badge (MkI)
11	Mini script boot badge (MkI)
	Seven script boot badge



1	Bonnet badge - blue/silver	ZH1305	£21.50
2	Bonnet badge (to VIN 349159) - silver/black CZ	ZH4378	£33.00
3	Mini word bonnet badge (VIN 463577 to 493180) . Da	AB10076	£34.20
4	Cooper bonnet badge	AH10036	£14.00
5	Cooper S boot badge (MkIII)	ZH1381	£15.30
6	Winged Mini boot badge (1997 on) DA	AH100590MMM	£15.00





l	12	S script boot badge (large)
ŀ	13	S script boot badge (small)
ŀ	14	Morris Cooper script boot badge 24A24 £35.00
Ĺ		1000 script boot badge
ŀ	15	1275 script boot badge
ŀ	16	Cooper S boot badge insert (MkII) ALA6536 £13.20
ŀ	17	Austin Cooper boot badge insert (MkII) ALA6538 £12.10
Ĺ	18	Morris Cooper boot badge insert (MkII) ALA6537 £17.50
Ĺ	19	Cooper S boot badge surround (MkII) ALA6542 £16.00
ŀ	20	'Mk' script boot badge (MkII) AVB191
ŀ	21	'II' script boot badge (MkII)





#### **DECALS FOR INJECTION MINIS**


Mini Cooper rear panel laurel - black DAF10380PMA £5.9	0
Mini Cooper rear panel laurel - white DAF10380NMN £6.5	0
Side tape - white	0




#### **COOPER BONNET STRIPES**

No Mini Cooper should be without them, they instantly create that famous Cooper look. These high quality bonnet stripes are available in white.

Bonnet stripe RH (each) - white	DAF10402NMN <b>£42.40</b>
Bonnet stripe LH (each) - white	DAF10403NMN £42.40





#### **GRILLES & FITTINGS**

The MkI grille is one of the Mini's most striking features. The style of the slats with the moustache surround really shows off the shape of the front end. It was designed to flatter the front and that style was lost with the introduction of the MkII grille assembly. Now you can recreate that look with great ease.



24A2158

Austin grille (MkI)	
Morris Cooper grille (MkI)	
Moustache grille surround	.14A7781FK <b>£6.00</b> .14A7782 <b>£10.00</b> .14A7783 <b>£10.00</b>







#### **GRILLES (MKII ON)**

8B12508

Chrome grille aftermarket (to 1977 and Mini 30) ALA6654Z <b>£58.00</b> Black grille (1976-82) DHB10150PME . <b>£60.00</b>
Cooper grille (Cooper 1300 + SE)
Cooper grille internal release (Cooper MkII) ALA6669 £54.00
Cooper s/s grille external release (Cooper MkII) . 8B12504 £75.00
Cooper s/s grille internal release (Cooper MkII) . 8B12505 £75.00
Austin wavy s/s grille external release (MkII) 8B12507 £82.00
Austin wavy s/s grille internal release (MkII) 8B12508 £80.00



#### **GRILLES WITH INTEGRATED LAMP KIT (MKII ON)**

#### "The grille is one of the Mini's most striking features"



#### **COOPER GRILLE KIT**





#### **GRILLE BUTTONS**





WPA9012XB

# WPA9015X

WPA9056X

#### **BURR WALNUT DASH FASCIAS**

In 1989 the Smith gauge binnacle was replaced by units manufactured by Nippon Sieki. We can offer fascias for both types of gauge binnacle. Listed below are a range of dashboard assemblies for Nippon Sieki gauges, on which we can also offer an option of chrome rings around the gauge aperture for the 3 gauge binnacle assembly. For pre 1989 models, at present we can only offer the centre binnacle 3 gauge dashboard.


#### Centre binnacle



#### **BURR WALNUT HANDLES**

You have the burr walnut dashboard, so why not complete the luxury look with one or all of the following window winder and door opening handles, suitable for cars from 1969 on, and for 1983 on cars, interior door pulls. Finish the interior off with a matching gear knob.

Window regulator handles (1969 on)	.WPA9042X <b>£58.00</b>
Door release handles (1969 on)	WPA9040X <b>£60.00</b>
Door pulls (1983 on)	WPA9041X <b>£60.00</b>
Gear knob - plain	. WPA9047X <b>£26.00</b>



Dash fascia 2 gauge binnacle RHD	WPA9056X£175.00
Dash fascia 2 gauge binnacle LHD	WPA9057X£175.00
Dash fascia 3 gauge binnacle RHD	WPA9036X£175.00
Dash fascia 3 gauge binnacle LHD	WPA9037X£175.00

#### Offset binnacle without chrome rings

Dash fascia 3 gauge binnacle RHD	WPA9015X.	.£175.00
Dash fascia 3 gauge hinnacle LHD	W/PA9016X	£175.00



Many classic coach built Minis were particularly well loved for their opulent interiors. Although we are not able to offer such interior conversions, we can offer a range of high quality Walnut accessories to enhance the interior of your pride and joy. The door capping set contains 4 carefully matched pieces of wood. Suitable for all models.

Door capping set	WPA9017X.	.£177.20
Screw door capping set (10 required)	517710	£0.32

# CENTRE CONSOLES

These centre consoles tidy up your interior and also hide the heater motor. See our website for more details.

Burr walnut with vents & radio (to 1994) RHD . MT9520	£60.00
Burr walnut with vents & radio (to 1994) LHD . MT9520L £	235.40
Burr walnut with vents & radio (1994 on) RHD .MT9521 £	226.50
Burr walnut with vents & radio (1994 on) LHD .MT9521L £	202.80
Black vinyl with vents & radio (to 1994) RHD MT9524	£60.00
Black vinyl with vents & radio (to 1994) LHD MT9524L £	122.16
Black vinyl with vents & radio (1994 on) RHD. MT9525£	117.60
Black vinyl with vents & radio (1994 on) LHDMT9525L £	110.20



No fixing required, this armrest slots between the front seats and includes a storage area over the handbrake, making longer journeys more comfortable.

Vinyl armrest - black	. MT9536 £20.0	)0
-----------------------	----------------	----

#### **SPEAKER PODS**

Front footwell speaker pods 5.25" holes (pair) - black . MT9531 £51.20
Front footwell speaker pods 6.5" holes (pair) - black MT9532 £51.20
Under rear seat speaker board 6.5" holes - black . MT9534 £20.00
£20.00



Note: Burr walnut is quite dark, being sourced from a naturally growing product, colours can vary. They are carefully matched, but colour variance is possible.



#### **KEYLESS ENTRY KIT**

Our keyless entry kit connects to our central door locking system to facilitate remote locking and unlocking of the doors. A useful security feature is that the unit locks the doors when the ignition is switched on, thereby preventing undesirables getting in. Will only fit Minis from 1976 on and cannot be activated remotely by standard Rover alarm systems.

Keyless entry kit WPA9224X . . . . . . . . £100.40



#### **CENTRAL LOCKING KIT**

Central door locking is a key feature of most modern cars, sadly lacking however, on Minis. Our kit has been specifically designed to fit neatly in the door frame without bulging the interior trim of the door skin.

This kit includes fittings hardware and wiring, it can be fitted with the electric window kit. Cannot be activated remotely by standard Rover alarm systems.

Central locking kit
WPA9221X . . . . . £122.00



Electric windows are one of those must have luxury items, so why not the Mini? It just so happens we can help you out. Unlike many other kits on the market, which are basically universal fitting, the Moss kit is custom designed for installation in MkIII and later doors.

The kit includes two new window lift mechanisms complete with motors, two switch pods (which cover the hole where the window winder spindle popped through) and all necessary fittings, wiring and full instructions. One day's labour and you will enjoy the satisfying whir as your windows glide effortlessly up and down.

Electric window kit . . . . . . . . . . . . WPA9220X . .£270.00



#### **ALARM & IMMOBILISER**

Alternatively you can install our alarm kit which has been designed to ease fitment and reduce the amount of cutting and splicing of your car's wiring loom. Only fits Minis from 1976 on and cannot be activated remotely by standard Rover alarm systems.

Specification: 127dB six tone siren, 2 key ring programmable transmitters, triggered by shock and opening of doors, bonnet or boot lid dual zone shock sensor back-up battery starter motor immobiliser.



#### **FOOTWELL LIGHT KIT**

This LED kit allows fitting extra courtesy lamps in your car, ideal for illuminating the footwells. The simple kit can be connected to any 12 volt system and includes two LEDs, wiring harness and instructions.



# POWER WINDOW MODULE

If you have fitted our electric windows kit and either our keyless entry or alarm system, this neat gadget will close the windows if left open when you arm the system. Cannot be activated remotely by standard Rover alarm systems.

Power window module WPA92221X . . . . . £38.20



# AUXILIARY SWITCH PLINTH

3 switch holder as fitted to Minis in the 80's to house the fog light switch. Mounts out of the way under the lower dash and is perfect for those extra switches.



#### **RED START BUTTON**

This illuminated red start button gives your classic a performance car feel. To prevent theft, your key is still required to switch on the ignition and unlock the steering column. Fitting instructions are included.

Red start button 101-180 . . . . . . . . . £17.00



#### PRO START PUSH BUTTON

Add a race car feel to starting your classic with the pro start push button. Easy to fit with no cutting of wires required. The LED type illuminates green with the ignition on and goes out when the engine is running.



#### **AUXILIARY GAUGES**

Custom build your own dash assembly with these gauges or add them as auxiliary instruments to a wooden dash board. Gauges are supplied with bulb holders and retaining brackets. We offer a range of new gauges in the classic Smiths style with either black or magnolia face with contrasting lettering and an angle section chrome bezel.

#### **Tachometers (80mm diameter)**

0-7000 tachometer full face 80mm	- black GAE125X	NCA
0-8000 tachometer full face 80mm	- magnoliaGAE130M	£159.30
0-10000 tachometer full face 80mm	n - blackGAE130A	£165.80

water temperature & on pressure gauges (semin	ulallielel/
Water temperature °C electric - black	GAE124X £53.30
Water temperature °C electric - magnolia	GAE124M <b>£55.40</b>
Thermal transmitter for electric gauges	GTR101 £6.00
Oil pressure psi - black	.GAE123X <b>£89.50</b>
Oil pressure psi - magnolia	.GAE123M <b>£94.30</b>
Oil pressure switch standard	GPS133 £3.68
Oil pressure switch early warning (20psi)	.TT2998 <b>£29.20</b>
Oil temperature °C - black	.GAE129X <b>£64.00</b>
Oil temperature °C - magnolia	.GAE129M <b>£73.40</b>
Thermal transmitter oil temp negative earth	GAE129SENDER . <b>£24.00</b>

#### Dual gauges (52mm diameter)

Dual gauges are full face with oil pressure and water temperature shown. These gauges use a capillary transmitter pipe (supplied with Gauge) for water temperature and nylon hose for oil pressure.





GAE150X	MT9102
Dual gauge °F & psi - black	.GAE127X <b>£162.00</b>
Dual gauge °C & psi - black	
Oil pressure gauge fittings	
Y piece on engine block	LUSIB748 <b>£5.20</b>
Nylon hose for oil pressure gauge	
Oil pressure gauge fittings	
Hose for oil pressure gauge, braided stainless steel	GI1995120 £30.50
Oil hose sealing washer (2 required)	
Ammeters & volt meters (52mm diameter)	CAE120 CE / /O
Ammeter dynamo models - black	
Ammeter alternator models - black	GAE121 £52.70
Voltmeter - black	GAE122 £50.00
Voltmeter - magnolia	GAE122M <b>£55.40</b>
Time clocks (52mm diameter)	
Clock - black	GAE128X £90.00
Clock - magnolia	
Clock - magnona	GAE120101 20 J.00
Lucas auxiliary gauges (52mm diameter)	
Water temperature gauge full face capillary	LUSIB422 £85.00
Boost gauges (52mm diameter)	






#### Gauge mounting pods and plinths

A neat way to fit these gauges into your car. The gauge plinths are pressed steel finished with a crackle finished paint.

Boost gauge -15 to +30 psi - magnolia . . . . . . . . GAE150M . . . . £98.70

Gauge plinth for tacho only	. GAC8460X	. £8.30
Gauge plinth for tacho & single gauge	.GAC8461X	£10.50
Gauge plinth for single gauge	.GAC8468X	.£9.80



#### **GAUGE FACE KITS**

These coloured replacement dial faces fit Nippon Seiki gauges fitted to 1989 on models. Contains a full set of faces including the tacho.

Gauge face kit - blue	MT9501B <b>£25.90</b>
Gauge face kit - green	.MT9501G <b>£25.90</b>
Gauge face kit - magnolia	.MT9501M <b>£26.50</b>
Gauge face kit - silver	.MT9501S <b>£25.90</b>
Gauge face kit - white	MT9501W £25.90

#### **BINNACLE KIT & GAUGES**

The centre binnacle is essential to any retro conversion. Our kit contains everything you will need to convert to the centre binnacle layout, including binnacle, finisher moulding, wiring harness, dash liners and parcel shelf liner and hardware. The kit is available with the option of either black or magnolia gauges. Note: The speedo is calibrated for Cooper models and may require re-calibrating to suit your car.





#### Binnacle components and gauges are also available separately

3 clock centre binnacle	
Binnacle finisher moulding	
Trim to binnacle clip (14 required) 14A9796 £1.60	
Loom conversion centre binnacle	
130mph speedo Cooper S - black	
130mph speedo Cooper S - magnolia	
200kph speedo Cooper S - black	
200kph speedo Cooper S - magnolia 13H4444M <b>£265.00</b>	
Oil pressure - black	
Oil pressure - magnolia	
Water temperature - black	
Water temperature - magnolia	
water temperature magnoma	



#### **DEMISTER VENT ESCUTCHEON**

These demister trims are perfect for that complete restoration. Mounted to the top of the metal fascia where the ashtray is, they are suitable for early cars only without the padded top dash rail. Supplied in black primer or chrome.

Demister vent, black, each	14A9949 <b>£9.00</b>
Demister vent, chrome, each	14A9949C <b>£14.00</b>



#### **CHROME AIR VENT COVER SET**

This chrome air vent set looks great and adds a touch of style, it includes vent surrounds and adjuster knob covers.

Chrome air vent cover set	Chrome air vent cover	set	9301 <b>£9.00</b>
---------------------------	-----------------------	-----	-------------------



#### **SMITHS CLASSIC ELECTRONIC GAUGES**

These new Smiths Classic digital speedos and tachos are designed for heritage cars and are the perfect way to bring modern technology into your much loved classic. If your car does not have an electronic speedo output, our speedo sensor kit (GAE1551) will also be required, which senses a magnetic object, such as a bolt head or a nut, moving past the end of the sensor, creating a 'pulse' which is sent to the gauge and then translated. Please Note: Suitable for negative earth cars only.

Gauge, speedo, electronic, 140MPH, black GAE155 £210.20
Gauge, speedo, electronic, 0-240kph, 100mm GAE157 £205.00
Gauge, tacho, electronic, 0-7000rpm, black, 100mm .GAE156 £164.00
Gauge, speedo, electronic, 0-140mph, 80mm GAE165 £264.00
Gauge, speedo, electronic, 0-240kph, 80mm GAE167 £264.00
Gauge, tacho, electronic, 0-7krpm, 80mm GAE166 £205.00
Sensor, speedo, electronic



#### STAINLESS STEEL MIRROR

Replace the Mini's standard 'bulky' plastic rear view mirror with this beautifully made stainless steel mirror. It's sleek design is not only a joy to look at but also a joy to use.



#### **CHROME ASHTRAYS**

Ashtrays were fitted to the fascia and in the rear compartments. We offer the original slotted type, or the later flat type.

Chrome ashtray slotted lid	8D2490 £15.0	00
Chrome ashtray flat lid	.24A1538 £15.0	00

#### **SEAT BELTS & HARNESSES**

| securon |

All the belts and harnesses we supply are manufactured in the UK to exacting standards. The replacement belts and harness kits are sold individually. Harnesses do not contain shoulder pads, these must be purchased separately.

We can offer the Securon range of belts in black, red, grey, beige or blue. Below we list just the black and red options; you can find our full range of colours on our website.



#### Static front seat belts

Static seat belt kit - black	SBS300/30	£29.40
Static seat belt kit - red	SBS300/30RED	£38.80



#### **Automatic front seat belts**

Automatic seat belt kit -	black	.SBS500/30	£47.40
Automatic seat belt kit -	red	. SBS500/30RED	£62.40



Static 3 point seat belt - black	SBS200	.£26.00
Static 3 point seat belt - red	SBS200RED	.£36.00



Static lap seat belt - black	SBS210	.£20.90
Static lap seat belt - red	SBS210RED	.£30.60



#### Automatic rear seat belts

Automatic 3 point seat belt - black	. SBS254	£51.00
Automatic 3 point seat belt - red	SBS254RED	£60.60



#### Seat belt extender

Can be used to safely extend the seat belt if required. 'E' approved for road use.



#### Harness kits for road use - 'E' approved

These belts feature 2" webbing with bolt through plate mountings (use with bolts TT7969). Fully adjustable lap and shoulder straps with compact buckle catch. 'E' approved for road use.

111

3 point harness kit - black	SBH628BLACK <b>£37.50</b>
3 point harness kit - red	SBH628RED £37.50
4 point harness kit - black	SBH629BLACK <b>£36.50</b>
4 point harness kit - red	SBH629RED <b>£36.50</b>



These belts feature 2" webbing with clip-in snap hook mountings (use with eye bolts TT7967). Fully adjustable lap and shoulder straps with load spreaders on lap belts and a compact buckle catch. 'E' approved for road use.

3 point harness kit - black	SBH605BLACK £45.00
3 point harness kit - red	SBH605RED £45.00
3 point harness kit - blue	SBH605BLUE £45.00
4 point harness kit - black	SBH655BLACK <b>£51.00</b>
4 point harness kit - red	SBH655RED £51.00
4 point harness kit - blue	SBH655BLUE £51.00



#### Retractor reel 3 point harness

This 3 point harness features a retractor reel on the over-shoulder strap allowing movement within the seat. The reel works in the same way as a standard automatic belt engaging the locking mechanism if required.

3 point retractor harness - black . . . . . . . . . . . . . SBH700BLACK £76.20



#### **CLASSIC TRACKER AND IMMOBILISER**

Classic Tracker provides a secure and reliable tracking service dedicated for classic cars and motorcycles! A three-wire, self-install tracker which uses GPS & GSM to establish and maintain the secure-status of your classic. In the event of any unauthorised movement or tampering, you receive an alert via app/SMS/email and have access to real-time information on an app or the web. An immobilizer is provided so you can remotely immobilise your car during a theft situation just by accessing the app on your phone or on the web. The Immobiliser Pack involves connecting a relay across either your vehicles' ignition or electric fuel pump which is controlled via a fourth wire from the tracker. Classic Tracker 'Safer' pack contains: Tracker unit, Immobiliser pack and one year subscription. After the subscription ends you have the option to renew it or cancel it, if you decide to renew it the annual subscription fee is £99.00 per year. DIY installation is straight forward and can be installed in less than 2 hours, however if you're not sure we recommend installation by a professiona.



#### **SEAT HARNESSES FITTINGS**

Harness back strap adapter (pair)	.TT7972 <b>£9.80</b>
Eye bolts (pair) use with clip-in mountings	TT7967 <b>£12.00</b>
Bolt & spacer (pair) use with plate mountings	TT7969 <b>. £6.40</b>
Nut plates (pair) reinforced for fixing bolts	TT7968 <b>£9.60</b>



#### **HANDBRAKE GRIP**

**BONNET RELEASE KIT** 

Smarten up the Mini's handbrake. It will make handbrake turns even more fun. Handbrake grip . . . . . . . . . . FAM8356 . . . . **£8.20** 





## STEERING COLUMN DROP BRACKET

This drop bracket lowers the angle of the steering column for a more comfortable driving position, especially when the seat is lowered or moved.

Steering column drop bracket (non airbag to 1996) . .GAC8426X . . . . £3.60



#### **SEAT RUNNER EXTENSION**

Specially for the taller Mini driver, just because you are tall doesn't mean you can't drive your Mini in comfort.



#### 12 VOLT POWER SOCKET



900-315

#### **THROTTLE PEDALS**

GAC8428X

Whether you choose the Paddy Hopkirk or plain extension pedal is up to you, they are both specifically designed to aid heel and toe shifting.

Paddy Hopkirk pedal extension	900-315£38.95
Throttle pedal extension	GAC8428X <b>£7.00</b>

MT9311

As fitted to the very latest range of Minis, we have the cable operated bonnet release kit.

Cable bonnet release kit . . . . . . . . . . . . . . . . . GAC8425X . . . £32.00

#### **DOOR SILL TREAD PLATES**

Protect the door step as you get in and out with these highly polished stainless steel tread plates. Available in two designs these sill plates also are easy to fit.

Stainless steel with Mini and chequered text	MT9311 £26.90	
Stainless steel with Mini Cooper & chequered text.	MT9312 £28.00	

#### MOTO-LITA STEERING WHEELS

Molo-Lite


Moto-Lita are among the finest replacement steering wheels available. Designed to enhance the appearance of the cockpit and provide an improved feel for the driver. Available in a variety of styles, materials and sizes to suit, please see our website for the full list of options. All steering wheels listed feature drilled spokes, except where detailed.


#### Wood rimmed steering wheels

Mk3 flat polished spokes $13''$	
Mk3 flat polished spokes 14"	
Mk3 flat polished spokes 15"	
Mk3 dished polished spokes 13" MLW1116-13 £177.50	
Mk3 dished polished spokes 14" MLW1116-14 £177.50	
Mk3 dished polished spokes 15" MLW1116-15£177.50	
Mk3 flat polished spokes with thin slot 14"MLW1120-14£177.50	
Mk3 flat polished spokes with thin slot 15"MLW1120-15£177.50	
Mk3 flat polished engkes with wide slot 15" MI W1122-15 £177 50	

Leather trimmed steering wheels
Mk4 flat polished spokes 12"MLW1111-12£177.50
Mk4 flat polished spokes 13"MLW1111-13£177.50
Mk4 flat polished spokes 14"MLW1111-14£177.50
Mk4 flat polished spokes 15"MLW1111-15£177.50
Mk4 flat black spokes 13" MLW1112-13£177.50
Mk4 flat black spokes 14" MLW1112-14£177.50
Mk4 flat black spokes 15" MLW1112-15£177.50
Mk4 dished polished spokes 13" MLW1113-13£177.50
Mk4 dished polished spokes 14"
Mk4 dished polished spokes 15"
Mk4 dished black spokes 13"MLW1114-13£177.50
Mk4 dished black spokes 14"
Mk4 dished black spokes 15"
Mahogany rimmed steering wheels







#### **MOTO-LITA ACCESSORIES**

Molo-Liter

Billet centre cap 3.5"	MLW1117BCC <b>£48.00</b>
Billet horn push 3.5"	MLW1117BHP <b>£90.00</b>
Moto-Lita centre cap	MLW1117X1 £11.15
Centre cap and horn push	MLW1117X2 <b>£20.00</b>
Polished ring kit	MLW1117X3 £ <b>13.00</b>
Black ring kit	MLW1117X3B £13.00



#### **Tourist Trophy centre cap**

Replace your Moto-Lita centre cap/horn push with one of our Tourist Trophy direct replacements. Featuring a large chrome & enamel marque badge. If your car has the horn push on a stalk please use the Tourist Trophy horn push/centre cap supplied as a centre cap, keeping your existing horn push on the stalk.

Tourist Trophy centre cap/horn push . . . . . . 905-649 . . . . . . . £21.70



#### **MOTO-LITA ADAPTOR BOSSES**

Molo-Lita



#### **CUP HOLDER**

This extremely useful folding cup holder can be mounted almost anywhere inside your car. The arms adjust in or out to suit the size of your container and folds up when not in use to give a neat appearance.



#### **ALLOY INTERIOR DOOR HANDLE SET**

A stylish way to enhance your Mini's interior, supplied as a complete set with window winders, door release handles and door pulls.



#### **CHROME INTERIOR HANDLE SET**

Enhance the appearance of your Mini with these chrome plated interior handles. The set features alternative styles of handle and includes chrome plated fixing screws, where necessary.



#### **MOMO GEAR KNOBS**



For over 30 years MOMO has been developing and producing automotive products to the very highest quality. So renowned for their quality that many manufacturers fit MOMO as an optional upgrade. Whichever gear knob you choose, it is sure to complement your interior.

1	Race air leather alloy gear knob MOMO1060 . £93.00
2	Race air leather gear knob MOMO1057 . £93.00
3	Anatomic hide gear knob MOMO1050 . £82.00
4	Aluminium sport gear knob MOMO1054 . £62.60
5	Competition gear knob MOMO1053 . £61.90





#### **GEAR KNOBS**

These quality Mini gear knobs are available in leather or wood.

Leather Cooper gear knob . . . . . . . . . . . . . GAC4052C . . . £11.00 Wood Cooper gear knob . . . . . . . . . . . . . GAC4053C . . . £12.50



#### **GAITER FINISHER KIT**

Smarten up your gear stick with this easy to fit universal gaiter finisher kit. Some gaiters may require modification to fit. (Gaiter not included).



#### **DYNAMAT HEAT & SOUND INSULATION**

We now stock Dynamat, a revolutionary range of products designed to keep your classic cool & quiet.

- Non absorbent materials
- Isolates panel vibration
- Self adhesive 'peel & stick'
- Reduces road noise
- Easily cut & moulded to fit Reduces heat soak from engine & exhaust

A highly efficient, composite material designed to reduce noise, vibration & heat soak through panel work.

Dynamat Xtreme - speaker pack
(2 sheets of 254mm x 254mm (10" x 10").
Dynamat Xtreme - wedge pack
(1 sheet of 457mm x 812mm (18" x 32").
Dynamat Xtreme - door pack
(4 sheets of 305mm x 914mm (12" x 36").
Dynamat Xtreme - bulk pack
(9 sheets of 457mm x 812mm (18" x 32").

#### **Dynaliner**

Dynaliner is an ultra-light weight, durable single layer insulation material that can be used as an alternative to traditional underfelt. It provides acoustic isolation and excellent thermal insulation.


Dynaliner - 1/8" thick	GAC90531 <b>£54.50</b>
(1 sheet of 813mm x 1372mm (32" x 54").	
Dynaliner - 1/4" thick	GAC90532 £79.00
(1 sheet of 813mm x 1372mm (32" x 54").	
Dynaliner - 1/2" thick	GAC90534 <b>£104.20</b>
(1 sheet of 813mm x 1372mm (32" x 54").	

#### Hoodliner

Designed specifically for under bonnet insulation, Hoodliner absorbs engine noise to help keep your car quieter. The aluminised skin creates a water & oil barrier that reflects up to 97% of heat to protect the bonnet's paint.

Hoodliner	.GAC90541 <b>£85.50</b>
(1 sheet of 813mm x 1372mm (32" x 54").	





#### **CARPET SETS**

These carpet sets are moulded to follow the contour of the floor pan exactly, to give a quality fit and finish to your car. As any Mini owner is aware it can get very noisy when driving at speed. These carpet sets feature 12mm thick sections of sound deadening laminated to the backing of the carpet to keep the sound levels as low as possible.

These carpet sets include: front wheel arch, front bulkhead, front & rear floor, cross member and sill carpets. Supplied with all fittings and instructions.



CSR9002X

#### Early carpet sets (to 1973)

To fit MkI-III saloon models with 'magic wand' or remote change gear levers. Carpets are marked with the various hole options on the rear to help position the holes.

Carpet set - black	CSA9002X £21	4.20
Carpet set - red	CSR9002X £20	9.40
Carpet set - grey	CSF9002X £21	4.20



Keeping the noise level down is not easy! Most carpet sets on the market don't have a great deal of backing on them so fitting the under felt fit not only reduces the noise level but also make the carpet feel much nicer under foot.

Under felt kit pre cut	. MT9540 £28.50
Under carpet sound insulation kit	GAC8429X <b>£56.20</b>
Space age heatshield 48" x 72" sheet	409-016 <b>£34.90</b>







GAC8488X

#### **GEAR LEVER GAITER**

Gear lever gaiter - black	GAC8488X <b>£23.70</b>	
Chrome gaiter finishing kit	GAC9540 £18.80	



#### Late carpet sets (1973 on)

CSF9000X

To fit saloon models with rod change gear levers.

Carpet set - black	. CSA9000X .	£214.20
Carpet set - red	CSR9000X .	. £209.40
Carnet Set - grey	CSEQUOOX	£214 20



#### **BUDGET CARPET SETS**

CSA9002Z

We can also offer a moulded carpet set produced by the original manufacturer and finished with bound edges. This set does not have sound deadening backing material, but it can be used with the sound deadening kit left. These carpet sets include: front wheel arch, front bulkhead, front and rear floor and sill carpets. Supplied with all fittings and instructions.

Carpet set - black	CSA9002Z <b>£40.00</b>
Carpet set - red	.CSR9002Z <b>£40.00</b>
Carpet set - grey	CSF9002Z <b>£70.00</b>
Carpet set - blue	CSN9001Z £43.70







#### **CARPET FITTINGS**

1	Fastener fitted to floor	. 610624 <b>£0.56</b>
2	Rivet fastener to floor	GHF600 £0.13
3	Clip on back of carpet	. 2H8445 <b>£0.3</b> 7
4	Spike ring through carpet pile	. 14G8736 <b>£0.28</b>

#### **HEADLINING**

If your headlining is showing signs of old age, then why not replace it? We can supply a ready stitched vinyl replacement main section with all loops stitched in place. The kit also contains a pair of rear pillar covers in matching material.



#### Headlining

Headlining kit (MkI) - crackle finish cream	. HLK3000C .	.£117.40
Headlining kit (MkIII) - light grey	.HLK3012P.	.£117.40
Headlining kit (MkIII) - white	.HLK3012W	£117.40

#### **Headlining rails**

Headlining rails provide the material with its shape. They are counted from front to back and are also colour coded for identification.

Headlining rail number 1 - red	EEB100060 £15.00
Headlining rail number 2 & 3 - white	EEB100070 £ <b>15.00</b>
Headlining rail number 4 - black	EEB100080 <b>£15.00</b>
Headlining rail number 5 - blue	.EEB100090 <b>£17.20</b>
Headlining rail number 6 - yellow	EEB100100 £15.00



Sun visor no mirror - black	GAC8465X <b>£36.00</b>
Sun visor with mirror - black	. GAC8466X <b>£39.10</b>
Sun visor fitting kit	GAC8467 £19.80
Sun visor (1966-69) - cream	.GAC8484X <b>£36.00</b>



#### SFX COBRA CLASSIC BUCKET SEATS

Cobra are one of the world's most renowned manufacturers of sports application seats. The (low back) classic bucket seat is ideal for the Mini, enabling easy access to the rear, while also giving extra side support.

They are essential for creating that retro style interior, and are available in nylon or vinyl. The nylon seat is also available with a headrest. Specification: Weight 4kg, height 56cm, width 51cm, depth 50cm. Please note: To fit the Cobra classic seat you will require a Cobra subframe.

Low back seat in nylon - black	SEAT01	. £152.00
Low back seat with headrest in nylon - black	SEAT01HR.	£260.00
Low back seat in vinyl - black	SEAT01V	£160.00



SEAT10RIGHT

#### 



#### **BOOT FLOOR KIT**

Tidy the boot area of your Mini with one of these carpeted wood floors. When installed they provide a flat floor that not only tidies the boot area, but also helps to protect the battery and spare wheel.

Boot floor kit 5.5 gallon tanks (1974-79)	.BFK9001X <b>£98.60</b>
Boot floor kit 7.5 gallon tank (1980 on)	BFK9002X <b>£98.60</b>
Bracket set (up to 165 section tyres)	BFK9004X £127.30



Tidy the boot area of your Mini with this moulded plastic boot floor liner (not suitable for injected or twin tank cars). Also the boot lid liner really smartens thing up and stops those washers falling into the boot frame never to be seen again.

Boot lid liner (inc. screws)	BLL1000X £19.50
Plastic boot floor liner	EBF100150 £64.00



#### **FOOTWELL MATS**

Protect the carpets in your Mini with these quality footwell mats featuring bound edges. The tailored fit and non slip backing ensures secure location. Available as a two piece or four piece set.

Footwell mats no logo (set of 2) (1973 on)	GAC6902 £41.70
Footwell mats no logo (set of 4) (1973 on)	GAC6904 £76.01
Footwell mats no logo (set of 4) (universal)	MFM113 <b>£30.40</b>



#### **DASH LINER KITS**

DPK9000X

Supplied in black these liner kits improve the appearance of the dash area

Central speedo panel kit (speedo in centre)	DPK9000X <b>£53.00</b>
Centre binnacle panel kit (3 gauges no vents)	DPK9001X <b>£53.00</b>
Centre binnacle panel kit (3 gauges with vents)	DPK9002X <b>£53.00</b>
Offset binnacle panel kit (2 & 3 gauge) RHD	DPK9003X <b>£81.60</b>
Offset binnacle panel kit (2 & 3 gauge) LHD	DPK9004X <b>£81.60</b>
Parcel shelf liner kit (all models)	DPK9010X <b>£52.00</b>



#### **EDGE TRIM FINISHER**

Flexible herringbone pattern edge trim finisher. U section PVC with sprung steel inner. Will grip onto  $0.5 \, \text{mm}$  -  $3 \, \text{mm}$  thick edge. Available in four different colours with many different uses.

Edge trim finisher - black	.624801M <b>£3.74</b>
Edge trim finisher - blue	624801MB <b>£5.20</b>
Edge trim finisher - red	624801MR <b>£5.20</b>
Edge trim finisher - white	624801MW <b>£5.20</b>

#### TRIM PANEL KITS

Designed to enhance the interior of your Mini, available in black, red or grey (nimbus). These high quality trim panel kits feature a horizontal seam welded design styled on the original Cooper interior trim design. The deluxe kit features a foam backing to the vinyl panels to give a more padded feel.



#### Mkl & Mkll Deluxe trim panel kits

Deluxe trim panel kit -	red	.TKR9000X <b>£395.90</b>
Deluxe trim panel kit -	grev	. TKF9000X <b>£395.90</b>

#### Mkl & Mkll Standard trim panel kits

Standard trim panel kit - black	.TKA9008X .	. £428.00
Standard trim panel kit - grey	TKF9008X.	. £428.00



#### MkIII Monte Carlo trim panel kits

Monte Carlo trim panel kit - black	TKA9042X £249.30
Monte Carlo trim panel kit - red	. TKR9042X <b>£249.30</b>
Monte Carlo trim panel kit - grey	TKF9042X £249.30
Clip door trim boards (18 per car)	.GHF1222 £ <b>0.3</b> 7
Door pocket	. YGA452 £17 <b>.30</b>



#### **Door cards only**

Door card wind up window (1976-80) - black	.DP3048 <b>£74.20</b>
Door card painted (MkI-II) - black	TKA9010X £43.90
Door card padded (MkI-II) - black	TKA9011X <b>£80.58</b>



#### **DOOR POCKET FINISHER**

24A1169

For MkI-II models this finisher tidies up the edge of the door pocket.

Door pocket finisher (MkI-II)	24A1169 <b>£13.70</b>
Clip (4 per trim)	.EYC10048 £2.23







Fitment: Cars must be negative earth. Units supplied without faceplate or knobs.

#### **RETROSOUND RADIOS**

The RetroSound range of radio & MP3 players maintain the original 'twin knob' (DIN-D) style mounting required for many classic cars. Music can be played from external sources such as iPods, USB flash drives & SD cards, all connected out of sight.

#### San Diego

DAB/DAB+ Tuner (DAB antenna or DAB Antenna Adaptor required), AM/FM Tuner, iPod/iPhone & Android compatible, Bluetooth, x2 rear USB ports & x2 rear Auxiliary inputs. 32,000 colour LCD with built in amp (45 watts peak/25 watts RMS x 4 channels).

RetroSound San Diego,	chrome	. 230-383	£315.00
RetroSound San Diego,	black	.230-388	£315.00

#### Hermosa

AM/FM Tuner, iPod/iPhone & Android compatible, x1 rear USB port & x2 rear Auxiliary inputs. Dual colour LCD display (white and green) with built in amp (45 watts peak/24 watts RMS x 4 channels).

RetroSound Hermosa, chrome	. 230-390	£233.60
RetroSound Hermosa, black	.230-395	£233.60

#### Long Beach

AM/FM Tuner, iPod/iPhone & Android compatible, Bluetooth, x2 rear USB ports & x2 rear Auxiliary inputs. 32,000 colour LCD with built in amp (45 watts peak/25 watts RMS x 4 channels).

RetroSound Long Beach, chrome	.230-381	£315.00
RetroSound Long Beach, black	.230-386	£315.00

#### Laguna

Back to the basics with this AM/FM tuner with x1 rear auxiliary input. Adjustable-angle LCD display with built-in amp (40 watts peak/18 watts RMS x 4 channels).



#### Faceplate and knob kits (F&K kits)

These kits let you finish off your RetroSound radio with the faceplate and knobs that match the original trim of your classic car. Knobs are available on their own as replacements. Please see our website for full range.

F&K kit - chrome faceplate/chrome knobs 230-326 £33.25
F&K kit - black faceplate/black knobs 230-327 £33.25
F&K kit - black/black faceplate/chrome knobs230-329 £33.25
F&K kit - black/chrome faceplate/black knobs230-328£33.25
F&K kit - black/chrome faceplate/chrome knobs .230-333£33.25
F&K kit - black/chrome faceplate/black/chrome knobs . 230-334 £33.25
F&K kit - Becker pinstripe
F&K kit - Blaupunkt black
F&K kit - Blaupunkt black/chrome
F&K kit - VW ivory
F&K kit - Ghia chrome
Knob set only - chrome
Knob set only - black





#### RETROMOD SPEAKERS BY RETROSOUND

The RetroMod range of speakers from RetroSound has been designed to compliment their range of Classic radios and have been manufactured to meet the demands of modern high performance amplifiers.

#### Dual voice coils (DVC) speakers

This system allows for 2 stereo channels (left & right) to be connected to the same single speaker. This means that originality can be maintained on cars where a single speaker was fitted in the centre of the dash or rear shelf. These speakers are supplied individually without mesh grilles, to fit existing mountings.

6.5" dia 3 way, DVC, no grilles (each)	230-505	£58.25
5" x 7" 3 way, DVC, no grilles (each)	. 230-545	£69.40
6" x 9" 3 way. DVC, no grilles (each)	230-510	NCA

#### Single voice coils (SVC) speakers

The SVC range of speakers is a standard configuration single channel speaker

for normal installations (left & right mounted speakers, such as doors or dash). These speakers are available in a range of sizes and specifications, see our website.

4.5" dia 2 way, 40W max, with grilles (pair) 230-535 £	79.60
5" x 7" 3 way, 60W max, with grilles (pair) 230-540 £6	82.60
6" x 9" 3 way, 100W max, with grilles (pair) 230-530 £	73.40
6" x 9" 3 way, 100W max, with grilles (pair) 230-531 £14	42.80

#### RetroMod 8" Subwoofer

The compact design and powerful bass response make this ideal for under seat mounting and numerous other in-car applications. The rigid die cast aluminium chassis and powerful Class D amplifier allows this sub to reproduce low frequencies as low as 35Hz.



#### **ULTIMATE OUTDOOR CAR COVER**

The new Ultimate car cover uses specially formulated advanced nanotechnology formula which gives a unique water resistant coating ensuring long term protection. The advanced fabric is fully waterproof, breathable, strong and stretchy. Supplied with storage bag.

Ultimate outdoor car cover . . . . . . . . . . . . . . . . . £220.00



#### WATERPROOF BLANKET

These waterproof blankets bring a touch of comfort to any roadside picnic. Easily folded into a neat parcel, it can be easily stored and carried with its durable handle. They are manufactured from grey acrylic with a foam layer and waterproof PEVA backing. Size 51" x 70".

Waterproof blanket with Moss logo - grey . . . . . . 231-370 . . . . . £27.35



The round bezels on most Lucas switches have two slots, and nobody has the special tool - a bezel nut spanner - you need to take them off. The set includes tools for 0.75" diameter and 1" diameter bezel nuts and saves you using screwdrivers and other assorted implements that result in scratched dashboards.

#### **RADIO AERIALS**

Our range of aerials offers a variety of fitting options from wing to roof mountings. The wing mount aerial features adjustable bases to compensate for slight angles off horizontal. The roof mounted aerial features a removable stainless steel mast with a chrome base plate. Aerial extension cable is

also available.

Hide-away amplified aerial	.230-555 <b>£27.00</b>
Aerial wing mount manual	.MRA001 £10.80
Aerial wing mount electric	AJM1112X <b>£58.00</b>
Aerial roof mount	.EEP11Z <b>£12.30</b>
Extension lead aerial 3 metre	ZKC533 £12.40

230-946





230-947

#### THERMAL MUGS

These thermal mugs maintain your drinks temperature whether hot or cold. Desk mugs feature a wider design with handle. Travel mugs are designed to suit most in-car cup holders. Both feature a non-slip base and a removable cap.

Travel mug - Union Jack	230-946 <b>£16.80</b>	)
Desk mug - Union Jack	230-947 £16.80	)



#### **UNION FLAG**

Lightweight polyester with metal grommets on the hoist.

#### **PATCHES**











Show your allegiance with one, or all of these quality sew-on patches. We also have a selection of iron-on patches available.

2	British Leyland sew-on patch	.GAC9960X £4.50
3	BMC sew-on patch	GAC9961X <b>£4.40</b>
4	Mini iron-on patch - red	GAC6080X £2.88
5	Mini iron-on patch - black	.GAC6081X £2.88
	Mini iron-on patch - blue	GAC6082X £2.88
	Mini iron-on patch - green	GAC6083X £2.88








#### **KEY FOBS**

These traditional leather key fobs look good and keep your keys together.

1	Union flag key fob	.GAC4042 £3.60
2	BMC rosette key fob	. CRSP401 <b>£3.60</b>
3	Leyland Mini key fob	.GAC4043 £3.60



#### **BOOKS. MANUALS & DVDS**

Our range of publications have been put together after hours of bedtime reading, to bring you a selection of books about the restoring and working on classics that will enlighten the reader. Beware, some of these books may cause you to damage the contents of your wallets and purses in a big way.

We stock the ever popular Haynes range of manuals, these manuals are essential equipment for the home mechanic. While the carburettor and component manuals contain more details than the general workshop manuals. Of course there are also the modification and tuning guides a must for the Mini enthusiast.



#### **Tuning SU carburettors**

This book looks into the basic design of the SU carburettor. It covers many areas including overhaul, tuning mixtures, jet and needle identifications and SU fuel pumps.

Tuning SU carburettors . . . . . MGL0070 . . . £13.95



#### SU workshop manual

Factory manual covering both carburettors and fuel pumps.

SU workshop manual . . . . . . . GAC1044X . . . . . £8.00



The chart identifies the correct replacement SU needle when modifications have been carried out to the engine or induction.



This Haynes 'techbook' manual covers SU, Stromberg, Weber and Dellorto carburettors. Giving an insight into the way carburettors operate and how to maintain and tune them, as well as including detailed servicing and overhaul procedures.



#### SU carburettor rebuild DVD

This 2 hour, 40 minute film explains how to rebuild SU carbs.

SU carburettor rebuild DVD . . . . 211-036 . . . . . £37.45



#### Weber carbs: Tuning tips & techniques, by John Passini

This book is the distillation of many years experience of working with Weber carbs. The mysteries of why and how they work and the practicalities of getting the best from them. Also setting-up, fault-finding, maintenance & repair are all covered.

Tuning tips & techniques . . . . . 213-431 . . . . . £11.95



#### Lucas fault diagnosis manual

This guide presents a logical sequence of tests that may be carried out on starters, generators, regulators, ignition and lighting systems. Written for technicians, this book can be easily understood by the amateur mechanic.

Lucas fault diagnosis manual . . . GAC1029X . . . . . £4.00



3

#### Classic car bodywork, by Martin Thaddeus


A book written for the home restorer who, until now, lacked the confidence to tackle bodywork. With specially devised techniques which don't rely on workshop plant, this work spans the gap between professional and amateur.

Classic car bodywork . . . . . . MGL0330 . . . . £25.00

#### **Haynes restoration manual**

#### Haynes workshop manuals

Workshop manual (1959-69) . . . MGL6219X . . . . £25.00



#### **Tuning guide by David Vizard**

Tuning BL's "A" series engine . . MGL0063 . . . . £25.00

#### Original series book - Mini Cooper, by John Parnell

This book is the definitive guide to one of Britain's bestloved sports car, the 'Original' series books are indispensable for all owners, restorers, buyers and enthusiasts.

Original series book . . . . . . MGL0254 . . . . £35.00



#### Rule Britannia, by John Nikas

Rule Britannia - When British Sports Cars Saved A Nation; With authorative text from John Nikas and his team of dedicated researchers and contributors; historic imagery from archives maintained by marque clubs, manufacturers and museums; and modern portraits artfully captured in a studio setting by Michael Furman, the world's most renowned automotive photographer.

Rule Britannia . . . . . . . . . . . . MGL0360 . . . . . £85.00



#### **How To Restore Classic Car Interiors**

The ultimate resource for restoring the interior of your classic car. Produced in close cooperation with the editors of Europe's largest vintage car magazine, OLDTIMER MARKT. Providing easy to follow guidance, helping you make your car interior look as good as new.

How to restore classic car interiors . MGL0364 . . . . . £25.00



#### Gold Portfolio for the Mini Cooper (1961-71)

Charting the introduction of the Mini models through contemporary road tests and articles, an essential part of every Mini lover's library. Covers; Austin Seven Cooper, Morris Mini Cooper, Downton, Taurus, Cooper S, Cooper S 1275, Broadspeed Cooper S & Bertone.

Gold portfolio for the Mini Cooper . MGL0320 . . . . £18.95




#### **Original Technical Publications (OTP) USB**

These publications have been carefully reproduced from the extensive historical archives in both England and the USA. Meaning you have access to the original Heritage publications needed to run and maintain your Heritage vehicle. Including parts catalogues, service manuals and owners literature. USB - Printable, searchable, zoom-able & bookmarked. Limited to 1 device. USB portable - Printable, searchable, zoom-able, bookmarked, offline capable, instant access. Take anywhere.

OTP Mini USB Portable . . . . . HTP2006USB . £55.96





Old school carb Minis are still very popular with Mini owners. By far the easiest model to service there really are no excuses for neglect. Go on give it a treat.

1	Oil filter cartridge type (manual models) GFE166 £2.76
	Oil filter paper element type (auto models) GFE104 £4.24
	Air filter element (998cc)
2	Air filter element (1275cc)
3	Spark plug (each) (1275cc)
	Fan belt (1985 on)
	Contact set 45D distributor
	Condenser 45D & 59D distributor GSC2109 £2.95
4	Dynolite Classic 20W/50
	Breather hose stepped

#### CARB. MODELS BRAKE PARTS (DISC & DRUM)

Keep your brakes in tip top condition. Replace anything you think is worn with new! Better safe than sorry and at these prices why wouldn't you?

5	Front disc 8.4" diameter 12" wheels GBD90806 £11.40
6	Front disc pad set 8.4" disc (4 piece) £12.90
	Rear brake drum with spacer
	Front or rear brake drum no spacer
7	Rear brake shoe set (4 piece) GBS834AF £13.70
	Front brake shoe set (4 piece) GBS733AF £13.00
8	Rear wheel cylinder

#### **CARB. MODELS SUSPENSION & RUNNING GEAR**

We have all seen a Mini going down the road nose diving on the front driver's side! Or followed one that looks like it's driving side ways, you might even have


the problem yourself? Worn radius arm...a collapsed suspension cone or even just a worn knuckle joint. Give us a call we can help with the parts you need.

,	,	
9	Suspension cone metric genuine Rover FAM3968	£56.00
10	Radius arm complete RH OE new NAM7162N	$.\ \pounds 222.00$
	Radius arm complete LH OE new NAM7163N	$.\ \pounds 222.00$
11	Front tie bar (each)	£8.90
12	2 Fulcrum pin front lower arm	£12.70
13	3 Outer CV joint (disc brake models) GCV1013	£36.00
	Upper arm repair kit 2A4325K	£15.60
14	4 Swivel pin kits one side upper and lower GSJ166	$\dots  \pounds 8.10$
15	5 Knuckle joint inc. gaiter and cup (each) GSV1118	£3.18
16	Taper front wheel bearing kit (each)	£25.20
	Taper rear wheel bearing kit (all models) (each) GHK1548	£12.50

## **CARB. MODELS GENERAL PARTS**

MOT fails or just annoying niggles, some of the common culprits can be found here.

	Engine mounts (all models except auto) 21A1902 £3.64
17	Front subframe rear mounting21A2599Z£3.58
	Engine steady bar bush (fitted in pairs) CRC5329 £1.70
18	Track rod end (each)
	Gaiter kit outer CV joint OE heavy duty GSV1053 £8.00
19	Water pump, with bypass
	Steering rack gaiter kit OE steel clips GSV1153 £6.00
	Rocker cover gasket
	Inlet & exhaust manifold gasket AJM601 £2.05
	Thermostat standard $82^{\circ}c~(180^{\circ}f)GTS104$ £3.80
	Oil seal rod change
	Oil seal diff. output shaft



Regular servicing is the best way to keep on top of your Mini. To ensure reliability as well as functionality use the best parts you can! Cheap oil and a dodgy filter might do more damage than you think.

1	Oil filter cartridge type (to 1996) GI	FE166 <b>£2.76</b>
	Air filter element (to 1996) GI	FE1143 <b>£12.40</b>
	Fuel filter 20mm outlet nut (to 1996) GF	EF7059 <b>£11.20</b>
2	Spark plug (to 1996) (each) BF	PR6ES £5.15
	Fan belt (to 1996)	CB10825 £ <b>5.20</b>
3	Dynolite Classic 20W/50	GL812150 <b>£29.80</b>

#### **SPI BRAKE PARTS**

It's all well and good making your pride and joy go a little faster with the odd tuning part here and there, but will it stop? Quite often Mini brakes are totally neglected and in a sorry state, why not check them over and replace any worn components with new, it's not that expensive and could save a life!

4	Front disc 8.4" diameter
5	Front disc pads set (4 piece)
	Rear brake drum spaced
6	Rear brake shoe set (4 piece) GBS834AF £13.70
7	Rear wheel cylinder

#### **SPI SUSPENSION & RUNNING GEAR**


Crabbing, sagging and banging are all common terms used to describe the Classic Mini and people are usually referring to the suspension! Don't panic if you have any of the above problems we are here to help and have the parts and the solutions for you.

	8	Suspension cone metric genuine Rover FAM3968 £56.00
i	9	Radius arm complete RH OE new NAM7162N . £222.00
		Radius arm complete LH OE new NAM7163N . £222.00
	10	Front tie bar (each)
	11	Fulcrum pin front lower arm
i	12	Outer CV joint
		Upper arm repair kit
	13	Swivel pin kits one side upper and lower GSJ166 £8.10
	14	Knuckle joint inc: gaiter and cup (each) GSV1118 £3.18
	15	Taper front wheel bearing kit (each) GHK1140 £25.20
i		Taper rear wheel bearing kit (each) GHK1548 £12.50

#### **SPI GENERAL PARTS**

We all know Mini has it's problem areas, we usually find out what they are come MOT time! Here are some common parts that might need to be replaced.

		Engine mounts	
1	6	Front subframe rear mounting	
		Engine steady bar bush (fitted in pairs) CRC5329 £1.70	
1	7	Track rod end (each)	
		Gaiter kit outer CV joint OE heavy duty GSV1053 £8.00	
		Water pump (no bypass)	
		Steering rack gaiter kit OE steel clips GSV1153 £6.00	
		Rocker cover gasket	
		Inlet & exhaust manifold gasket AJM601 £2.05	
		Thermostat standard 88°c (190°f)	
		Oil seal rod change	
		Oil seal differential output shaft ADU5738 £1.10	



#### **MPI SERVICE PARTS**

Keeping your Mini's engine in top condition has to come high on the agenda, regular servicing with good quality parts is easy and doesn't need to cost a fortune! Prevention is always the better option.

	Oil filter cartridge type (1996 on) LPW100180 £3.68
	Air filter element (1996 on)
	Fuel filter 20mm outlet nut (to 169573 chassis) . GFE7059 £11.20
	Fuel filter (169574 chassis on)
1	Spark plugs (each) (1996 on)
2	Fan belt multi groove (1996 on)
3	Dynolite Classic 20W/50

#### **MPI BRAKE PARTS**

One of the most important components on any car has to be the brakes! The Mini is no exception to this. It's so important to check the condition of your brakes on a regular basis! If in doubt... replace with new parts.

4	Front disc 8.4" diameter	GBD90806£11.40
5	Front disc pads set (4 piece)	.GBP281 £1 <b>2.90</b>
	Rear brake drum spaced	.GDB106Z <b>£17.00</b>
6	Rear brake shoe set (4 piece)	GBS834AF £13.70
7	Rear wheel cylinder	GWC1102Z £7.00

#### **MPI SUSPENSION PARTS & RUNNING GEAR**

Knocks and bangs are quite common on Mini, usually caused by part of the suspension being badly worn. The MPI model does seem to suffer a little


more mainly due to the larger and wider wheels fitted. The common failure parts are listed below.

8	Suspension cone metric genuine Rover FAM3968 £56.00 Radius arm complete RH OE new NAM7162N . £222.00
9	Radius arm complete RH OE newNAM7162N .£222.00
10	Front tie bar (each)
11	Fulcrum pin front lower arm
	Upper arm repair kit
12	Swivel pin kits one side upper and lower GSJ166 £8.10
13	Knuckle joint inc: gaiter & cup (each) GSV1118 £3.18
14	Taper front wheel bearing kit (each) GHK1140 £25.20

#### **MPI GENERAL PARTS**

Here are some of the parts we get asked for on a regular basis. Helping you to keep your Mini alive and in the best possible shape is why we are here and we are constantly checking not only our product but also our prices!

	Engine mounts
	Engine steady bar bush (fitted in pairs) CRC5329 £1.70
15	Track rod end (each)
16	Outer CV joint
	Gaiter kit outer CV joint OE heavy duty GSV1053 £8.00
	Water pump, no bypass
	Steering rack gaiter kit OE steel clips GSV1153 £6.00
	Rocker cover gasket
	Inlet & exhaust manifold gasket LKI100580EVA .£7.50



# Classic Mini **Restoration Parts**



#### **Ordering Information**

#### **Notification of prices**

Due to the volatility of world markets and currency fluctuations the prices in this catalogue are subject to change. Moss make every attempt to keep prices competitive and stable, however in common with all other suppliers in our industry, we reserve the right to alter these prices without prior notice.

For the latest prices, please visit our website www.moss-europe.co.uk. All prices are per unit (unless otherwise stated) and include (UK) VAT at 20% (where applicable) and are correct at the time of going to print. Postage and packaging is not included. E&ÔE. Where the price is replaced with NCA this part is Not Currently Available. Please visit our website (moss-europe.co.uk) or call our sales staff for the latest availability information or to enquire if we can offer an alternative part.

#### **Product supersessions**

Moss Europe's policy is to detail the most up to date part information in our catalogues. Where possible parts are kept to original specification. However, in some instances we have to supersede to the most viable alternative product to maintain supply and keep cars on the road. Every effort is made to ensure high quality products.

We accept orders by mail, telephone, e-mail, fax and on-line at www.moss-europe.co.uk. If you have the opportunity, we invite you to visit one of our branches. Remember, supplying details of your car, (i.e. engine, commission or Vehicle Identification Number (VIN) LHD or RHD, year of manufacture and any modifications) saves time and helps us to help you. Please inform us of your customer number, as this will speed up the processing of your order.

#### Overseas ordering

We accept orders by mail, telephone, e-mail, fax and on-line at www.moss-europe.co.uk. If you visit the U.K. please come and visit one of our branches. When ordering, please ensure that you enclose full details of your name, address and customer number, plus details of your car (i.e. engine, commission or Vehicle Identification Number (VIN) LHD or RHD, year of manufacture and any modifications).

Please note: Overseas orders are often subject to local import duties, taxes and Customs clearance, which will need to be paid for at the point of entry. These charges are NOT included in the price of the goods or delivery prices. All relevant Customs forms and documentation needed to ensure the order arrives with the minimum of delay, will be included with your shipment. If you have any special requirements, please contact us to discuss them. Delivery charges are dependent upon the size and weight of the shipment. If a quotation is required prior to placing an order, please contact the export department at your chosen branch and they will be pleased to supply a full quotation.

#### Parts back-order system

A back-order system is used when a part is not in stock at the time of ordering. If the item is expected to become available within 6 months, then it will be put on back-order, unless the customer instructs us otherwise. When we have the parts in stock, the back-order will be processed automatically and the item will be dispatched to the customer. If the particular part becomes No Longer Available (NLA) or does not become available within 6 months the back-order will be cancelled. If you are unsure when you placed a back-order contact your local branch.

#### Dispatch & delivery methods

Orders for delivery in the UK may be dispatched by regular post for small/lightweight items, larger items may be dispatched via a courier. Please call us for the best delivery option for your order and the latest delivery prices. For delivery outside the UK we offer the following services.

- Economy delivery (by road): 2 to 5 days (approximately).
  Express delivery (by air): 1 to 2 days (Guaranteed) next day service to most countries.
- · For small and low value orders we also use airmail.

For these services, please ask for prices and the best delivery option when you place your order. Most deliveries (except airmail) are 'trackable', (inc: e-mail updates and internet access for selected carriers). Please remember, all carriage charges are dependent on weight band, volume, destination and delivery time. If a quotation is required prior to placing your order, please contact a member of the sales department. Alternatively, you can arrange your own delivery and dispatch.

#### Windscreen delivery information

We always suggest that windscreens should be collected from one of our branches to ensure you are able to transport your glass with the utmost of care. However, we understand that this is not always possible.

To minimise the possibility of damage to the windscreen in the shipping process, it is now Moss Europe's policy to ship windscreens packed in a specially designed heavy duty 'Tri-Wall' cardboard box. The price of this box is £35.00 (Ex VAT), non-refundable and is not included in the price of the product. The crate's dimensions will also increase shipping costs, particularly in EU countries. The crate dimensions are 150cm x 33cm x 74cm. The maximum volumetric weight is 92kgs. For more information please contact your nearest Moss branch.

#### Hazardous goods delivery information

At the time of going to print, Moss Europe Ltd conforms to international shipping regulations regarding packaging and transportation of Hazardous Goods by road and sea freight (only). Due to these international shipping regulations and licencing rules all goods deemed as Hazardous are currently available for shipping to the UK and Europe only. If you place an order containing Hazardous goods and your shipping address is not in the UK or Europe, we will not be able to ship this item to you. Please contact your local branch or visit our website moss-europe.co.uk for the latest delivery information of Hazardous goods.

#### **Quotations & payment methods**

We will be pleased to provide a full parts quotation detailing price, availability and relevant shipping costs. Payment may be made by cash, personal cheque (to the card guarantee limit), Certified Bank Draft, Sterling Travellers Cheques and credit or debit card including: Mastercard, Visa, Delta. If you intend to make payment by Cheque or Bankers Draft when using our fast mail-order parts service, please confirm parts availability and carriage charges. We can accept payments using PayPal for website, email and phone orders.

#### Value added tax (VAT)

Value Added Tax (VAT) at the current rate will be levied on all orders being dispatched to all countries within the European Community. EU countries may be charged at their local VAT rate, please contact us or see website for details. VAT is not charged on goods dispatched to countries outside of the EU. However, such orders are often subject to local import duty, taxes and Customs clearance, which MUST be paid by you at the port of entry. Such charges are not included in the cost of the goods or delivery prices.

#### **Exchange units**

We are able to offer a full rebuild service on numerous major components in our product range. We offer this service as an alternative to direct replacement parts, or when a brand new item is no longer available. However, the continuity of this exchange scheme needs the understanding and co-operation of our customers in relation to several important points: It is important to remember that "rebuilt" does not mean "brand new". Rebuilding a unit involves stripping, cleaning, inspecting and re-assembling the unit. During this process, parts showing signs of wear will either be completely replaced or suitably renovated. However, it is not always feasible for major sub-components to be replaced with brand new ones, for example, an exchange engine will not have a new block. Due to the nature of certain product lines, some items can only be offered on a "one for one" exchange basis. This effectively means that you must offer us a viable unit before we can release a fully rebuilt item from our stock. In some instances we can only carry out reconditioning of your own unit. Our staff will inform you if this is the case.

All exchange units are subject to a surcharge. This surcharge serves two purposes; firstly, it acts as an incentive for you to return your old unit, and secondly it provides us with financial cover if your returned unit proves unsuitable for exchange purposes.

Whether or not your returned unit is suitable for exchange purposes cannot be ascertained until it is made available to us for inspection. As a general rule, suitable for exchange basically excludes any items that are beyond reasonable repair (e.g. crankcases pierced by a connecting rod) or units irrevocably damaged. We are also unable to accept units unless they are returned in whole, complete form (i.e. differential units which are returned partly stripped with no bearings and all the shims missing are not generally accepted), nor do we accept a "box of bits".

Surcharges will only be refunded once our core department has passed the item as serviceable. Under no circumstances can any exchange unit be shipped overseas until we receive your original unit. We have predetermined prices for our exchange units based on our experience of repair costs for a gearbox, axle or engine. Occasionally, however, the damage to the unit is so great that we will contact you before beginning work on your unit to advise you of any additional cost that may be incurred during the rebuild of the unit. We can return the unit (at your cost) if this proves unacceptable.

#### 'Old unit' returns

Exchange items including reconditioned engines are subject to a surcharge that is refunded when a rebuildable unit (core) is returned. When you receive the rebuilt unit, attached to it will be a Core Return Authorisation Tag. This tag must be removed from the rebuilt unit and attached to the returned core in order to receive credit. Cores must be returned within 90 days of purchase in the original box, carton or engine cradle supplied with the rebuilt unit. Cores must be shipped clean and empty of fluids. Cores must be complete, assembled and rebuildable to receive credit or refund. You must pay all shipping charges for the return of the core and these charges are not refundable.

#### Warranty

All parts are warranted against defects in materials and workmanship for a period of twelve (12) months from the date of purchase. The warranty does not cover failure resulting from incorrect installation or misuse; failure during any competition, motorsports or track events; failure of any, or caused by any, related component. The warranty does not cover labour charges, nor will a warranty settlement be greater than the cost of the original component. Should you need to make a warranty claim, please contact us immediately at the branch of purchase. We will then advise you as to the best course of action. With all warranty claims a copy of the original purchase invoice must be produced.

#### Warranty returns

Parts that fail in use may be returned for 12 months from the date of purchase. Returns must be accompanied by the original invoice - no warranty claims will be paid without a copy of the original invoice. Return freight will be reimbursed. Electrical parts returned for warranty will be tested and if found functional, no return credit will be given and the part will be returned. Reimbursement is made by the original payment method. Complete the return form included in each order, pack the items securely and use the shipping return label supplied.

#### Non-warranty returns

All uninstalled parts, in their original packaging may be returned within 90 days for any reason. A copy of the original invoice or the picking label (which is generally attached to the original packaging) must accompany the return. Return freight is paid by the customer. If the return is due to our error, the return freight will be reimbursed. Parts returned outside of this policy or in non-resalable condition may not be accepted or may be assessed a 15% handling fee. Reimbursement is made by the original payment method. Complete the return form included in each order, pack the items securely and use the shipping return label supplied.

#### **Customer service**

We value your custom and wish to ensure that you receive the very best service. Every effort will be made to provide you with Quality Parts and Expertise in a relaxed, helpful and friendly manner. Should you consider the service you receive from us to be unsatisfactory, or you have any problems with the part(s) purchased, please advise a member of the sales team at the originating branch. If the matter is not resolved to your satisfaction, please contact our Customer Services Department and we will do our very best to resolve the issue, either email: customerservices@moss-europe.co.uk or write to: Customer Services, Moss Europe Ltd Unit 16, Hampton Business Park, Bolney Way, Feltham TW13 6DB England.

#### **British Motor Heritage**

Moss Europe Ltd is a British Motor Heritage approved specialist. Our agreement with British Motor Heritage allows us the use of marque logos and some of the artwork contained within this catalogue.



A	
	Dogo 70
A post	-
A series identification	-
Accelerator cable	•
Accelerator pedal	Page 40
Aerial	Page 85
Air duct	Page 62
Air filter	Page 43
Alternator	-
Alternator pulley	-
Anti run on valve	-
And full oil valvo	ugo 20
В	
	Dogo 04
Badges & decals	ŭ
Battery	
Battery box	-
Battery cables	Page 61
Bodyshell	Page 71
Body repair panels	Page 72-76
Bonnet	Page 72-75-77
Bonnet release kit	-
Boot floor	-
Boot lid	-
	-
Brake back plates	-
Brake caliper	
Brake disc	
Brake drums	-
Brake hoses	Page 56-57
Brake master cylinder	Page 54-55
Brake pipe conversion kit	Page 56-57
Brake pad set	Page 52
Brake pipes	
Brake servo	-
Brake shoes	-
Brake/clutch fluid	
	-
Bump stops	-
Bumper	-
Bypass hose	Page 38
C	
Cam follower	
Calli lulluwei	Page 14-17
Camshaft	-
	Page 14-17
Camshaft	Page 14-17 Page 85
Car cover	Page 14-17 Page 85 Page 39-40
Camshaft	Page 14-17 Page 85 Page 39-40 Page 85
Camshaft	Page 14-17 Page 85 Page 39-40 Page 85 Page 66
Camshaft	Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 66 Page 84 Page 40
Camshaft	Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25
Camshaft	Page 14-17Page 85Page 39-40Page 85Page 66Page 84Page 40Page 24-25Page 26-27
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 27
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 66 Page 44 Page 24-25 Page 26-27 Page 26-27 Page 27 Page 26-27
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25 Page 26-27 Page 27 Page 27 Page 60
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 66 Page 84 Page 40 Page 24-25 Page 26-27 Page 27 Page 26-27 Page 60 Page 14-17 Page 60
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 30 Page 14-17 Page 60 Page 60 Page 38
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 30 Page 14-17 Page 60 Page 60 Page 38
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 38 Page 60 Page 60 Page 38 Page 14-17
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 84 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 38 Page 14-17 Page 14-17
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 38 Page 14-17 Page 14-17 Page 74
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 38 Page 14-17 Page 14-17 Page 74 Page 74 Page 74
Camshaft . Car cover . Carburettor . Carpet set . Centre binnacle kit . Chassis plates . Choke cable . Clutch assembly . Clutch fluid . Clutch fluid . Clutch slave cylinder . Coil . Con rod . Condenser . Contact set . Cooling fan . Crank pulley . Crankshaft . Crossmember . Crown wheel . CV joint .	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 84 Page 84 Page 40 . Page 24-25 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 38 . Page 14-17 Page 31 Page 31 Page 31
Camshaft . Car cover . Carburettor . Carpet set . Centre binnacle kit . Chassis plates . Choke cable . Clutch assembly . Clutch fluid . Clutch fluid . Clutch slave cylinder . Coil . Con rod . Condenser . Contact set . Cooling fan . Crank pulley . Crankshaft . Crossmember . Crown wheel . CV joint . Cylinder head .	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 84 Page 84 Page 84 Page 24-25 . Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 60 Page 14-17 Page 74 Page 31 Page 31 Page 49 . Page 18-19
Camshaft . Car cover . Carburettor . Carpet set . Centre binnacle kit . Chassis plates . Choke cable . Clutch assembly . Clutch fluid . Clutch fluid . Clutch slave cylinder . Coil . Con rod . Condenser . Contact set . Cooling fan . Crank pulley . Crankshaft . Crossmember . Crown wheel . CV joint .	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 84 Page 84 Page 84 Page 24-25 . Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 60 Page 14-17 Page 74 Page 31 Page 31 Page 49 . Page 18-19
Camshaft . Car cover . Carburettor . Carpet set . Centre binnacle kit . Chassis plates . Choke cable . Clutch assembly . Clutch hose . Clutch fluid . Clutch slave cylinder . Coil . Con rod . Condenser . Conlact set . Cooling fan . Crank pulley . Crankshaft . Crossmember . Crown wheel . CV joint . Cylinder head . Cylinder head .	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 84 Page 84 Page 84 Page 24-25 . Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 60 Page 14-17 Page 74 Page 31 Page 31 Page 49 . Page 18-19
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 Page 86 Page 86 Page 84 Page 40 Page 26-27 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 14-17 Page 18-19
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 86 Page 84 Page 26-27 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 18-19 Page 60
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 14-17 Page 14-19 Page 85
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 14-17 Page 14-19 Page 85
Camshaft	. Page 14-17 Page 85 Page 39-40 Page 85 Page 86 Page 66 Page 40 Page 24-25 Page 26-27 Page 26-27 Page 26-27 Page 60 Page 14-17 Page 60 Page 14-17 Page 14-19 Page 85 Accessories
Camshaft Car cover Carburettor Carpet set Centre binnacle kit Chassis plates Choke cable Clutch assembly Clutch hose Clutch fluid Clutch slave cylinder Coil Con rod Condenser Contact set Cooling fan Crank pulley Crankshaft Crossmember Crown wheel CV joint Cylinder head Cylinder head Cylinder head Cylinder head gasket  D Damp shield kit Dash panel kits Dash pot cover Dash rail	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40 Page 86 Page 84 Page 40 . Page 24-25 . Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 . Page 60 . Page 14-17 . Page 31 . Page 31 . Page 31 . Page 49 . Page 18-19 . Page 18-19 . Page 60 . Page 85 . Accessories . Page 72
Camshaft Car cover Carburettor Carpet set Centre binnacle kit Chassis plates Choke cable Clutch assembly Clutch hose Clutch fluid Clutch slave cylinder Coil Con rod Condenser Contact set Cooling fan Crank pulley Crankshaft Crossmember Crown wheel CV joint Cylinder head Cylinder head Cylinder head Cylinder head gasket  D Damp shield kit Dash panel kits Dash panel kits Dash panel kits Dash panel cover Dash rail Decals	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40
Camshaft . Car cover . Carburettor . Carpet set . Centre binnacle kit . Chassis plates . Choke cable . Clutch assembly . Clutch hose . Clutch fluid . Clutch slave cylinder . Coil . Con rod . Condenser . Conlact set . Cooling fan . Crank pulley . Crankshaft . Crossmember . Crown wheel . CV joint . Cylinder head . Cylinder head . Cylinder head . Cylinder head . Damp shield kit . Dash panel kits . Dash pot cover . Dash rail . Decals . Differential unit . Dipstick .	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 86 Page 86 Page 84 Page 26-27 Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 Page 14-17 . Page 18-19 . Page 85 . Accessories . Page 81
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40 Page 86 Page 84 Page 40 . Page 24-25 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 84 Page 14-17 Page 31 Page 85 Accessories
Camshaft Car cover Carburettor Carpet set Centre binnacle kit Chassis plates Choke cable Clutch assembly Clutch hose Clutch fluid Clutch slave cylinder Clutch slave cylinder Coil Con rod Condenser Contact set Cooling fan Crank pulley Crankshaft Crossmember Crown wheel CV joint Cylinder head	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40 Page 86 Page 84 Page 40 . Page 24-25 . Page 26-27 . Page 26-27 . Page 26-27 . Page 26-27 . Page 60 . Page 14-17 Page 60 Page 84 Page 49 . Page 14-17 Page 31 Page 80
Camshaft	. Page 14-17 Page 85 . Page 39-40 Page 85 . Page 39-40

Drive flange	Page 49 Page 49 Page 30 . Page 14-17
Electric cooling fan	Page 13 Page 13 Page 20 Page 20-21 .Page 34-35 .Page 34-35 Page 18-19
Expansion tanks	Page 36-37
F Fan belt Flasher unit Floor panel Flywheel Fog lamps Front panel Fuel hose Fuel injection Fuel pump Fuel sender unit Fuel tank Fuse box cover Fuses	Page 61 Page 74-75 Page 24 Page 69 Page 72-75 Page 42 Page 41 Page 42 Page 42 Page 42 Page 42 Page 61
G	
Gauge face kit . Gauge, ammeter . Gauge, clock . Gauge, dual . Gauge, fuel . Gauge, oil pressure . Gauge, oil temperature . Gauge, speedometer . Gauge, speedometer . Gauge, voltmeter . Gauge, water temperature . Gear lever . Gearbox . Gears . General hardware . Glazing . Grille, front .	Page 66 Page 29 Page 28-33 Page 30-31 Page 86-88 Page 81
H Handbrake cable	Page 77 Page 78-80 Page 79 Page 18 Page 68 Page 68 Page 62-63 Page 62-63 Page 62-63 Page 64 Page 60 Page 60 Page 46-48 Page 48-49
Idler gear Indicator Inlet manifold Inlet valves Inner sills Interior lamp	Page 68-69 Page 34-35 Page 18-19 Page 74
J Jet assembly	Page 39

Knuckle joint	. Page 46-48
L Layshaft	. Page 30-31
Main bearings	. Accessories
Mudflaps	
Number plate lamp	Page 70
O Oil breathers	Page 22 22
Oil controls	
Oil filler cap	
Oil filters	
Oil hoses	
Oil pump	
Ordering options and procedures	
Outer sills	
Over riders	Page 83
P	
Pedal, accelerator	
Priston set	
Push rods	
Q Overter light	Dogo 01
Quarter light	
additor panoriti	ago o
R	
Radiator	
Radius arm	
Rear lamp	
Rear screen	
Ring gear	
Rocker set	
Roof panel	Page 72
Rotor arm	Page 60
S	
Seat belts	
Shock Absorbers - front	
Shock Absorbers - rear Side repeater lamp	
Sound insulation	
Spark plug	
Speedometer drive cable Starter motor	-
Starter solenoid	
Steering arm	Page 46-47
Steering column	
Steering lock	
Steering wheels	
Stub axle	Page 48
Stub stack	
Subframes	
Sun visors	
Suspension, front	
Suspension cones	
Switches, dash	
Switches, miscellaneous	Page 65
Swivel pin kits	.Page 46-47

Thermostat Page 36	-37
Thermostat housing Page 36	-37
Throttle body Page	41
Thrust washer set	15
Tie bars	-47
Timing chain	-17
Tool rolls	-17
Track rad anda Page	. 60
Track rod ends	יסכ
Trim panel kits Page	85
Trunnion rear subframe Page	45
V	
- Vacuum unit Page	60
Valance, rear Page	73
Valve guides Page 18	
Valve springs	
Van panels Page	73
Voltage stabiliser Page	66
voltage stabiliser	, 00
W	
Washer bottle Page	64
Washer jet Page	64
Washer pump Page	
Water pump Page	38
Water pump pulley Page	38
Water heater valve Page	63
Weather strip Page 78	-81
Wheel arch extensions Page	83
Wheel cylinders	
Window regulator Page	ดด
Window regulator Page	70
Windscreen	01
Wing front	70
Wing, front	70
Wing, rear	12
Wiper arm	64
Wiper blade Page	64
Wiper bush kit Page	64
Wiper motor Page	64
Wiper wheel box	64
Wiring loom Page	67
Wood body kit	73



## **Engine Preparation**

This is a general guide to correct procedures and will apply, wholly or partly to all types of engine rebuild. However, before the engine rebuild can begin the engine needs to be stripped down, cleaned and examined, a procedure which many undertake with undue haste. During the strip down the following should be observed:

- Wait for the engine to cool properly before removing the cylinder head this applies
  especially to aluminium type heads. The consequence of not waiting can result in a
  warped head.
- Mark the location (and, where applicable, orientation) of all major components especially valves, tappets, camshafts, pistons and rods, shell bearings by placing in clearly marked containers or racks.
- Before removing bearing caps (e.g. camshaft, con rod, main bearing), make sure they are clearly marked for position and orientation.

Note: They must go back in the same position or on the same con rod and the right way round.

Once stripped all parts should be thoroughly cleaned and inspected with specific attention to any areas of bad wear or damage e.g:

- Blown head gasket/burnt out valves cylinder heads should always be thoroughly examined for cracks or distortion. Simply fitting a new gasket or valve is not the answer.
- Damaged piston/rings always check the cylinders for wear and damage. If the
  pistons need replacing, a rebore or cylinder hone is almost certainly needed as
  well. Damage to bores often appearing at the limits of the piston ring travel may
  well be what dictates the need for a rebore or at least a professional hone.
- 3. Badly worn crankshaft shell bearings if the crankshaft is badly scored it must be reground to the next undersize. However, just as important are the con rod and main bearing housings that the shell bearings fit into. These are often overlooked and any wear or distortion in these areas will cause premature engine failure.

Cleaning should include removal of all oil gallery plugs to enable thorough cleansing with brushes. Many parts can be re-used during the rebuild but the following items should always be replaced:

1. All Gaskets And Seals. 2. Shell Bearings. 3. Timing Belts Or Chains. 4. Timing Belt/Chain Tensioners. 5. Piston Rings. 6. Oil Pump Drives. 7. All Major Fastenings Including Cylinder Head, Con Rod And Flywheel Bolts.

## **Engine Rebuild**

The following highlight important procedures during the re-assembly of a modified engine:

- THOROUGHLY clean and check ALL parts your engine's worst enemy is dirt, even new parts may need cleaning. This includes the head and block and all oil galleries.
- ALWAYS fit new high quality gaskets and seals, ensuring all shafts and mating surfaces are free from burrs and defects. Use correct sealants or lubricants where necessary.
- LIBERALLY oil all internal parts during assembly. Use the special assembly lube or gear oil on cam lobes and tappet faces.

- 4. ALWAYS replace cam followers when fitting a new camshaft.
- ALWAYS replace con rod, flywheel and cylinder head studs and bolts. All other
  fastenings should be checked for wear or damage and replaced as necessary. For high
  specification engines, race quality fastenings are available for most applications.
- CLEAN all threads and fastenings prior to fitment and use a good quality torque wrench on all critical components. Apply an anti-seize lubricant to all cylinder head fixings.
- IF you are fitting high lift cams, special pistons, or large valve heads, always carry
  out a dummy engine build and check valve to piston/block clearances. Machine
  piston crowns/valve pockets or block face as necessary.
- INCORRECT cam timing can severely reduce the power output so don't overlook this area during assembly. Use adjustable cam pulleys or sprockets where available.
- CHOOSE compatible parts for your specific conversion. A full race specification head will be next to useless if fitted to a mild road stage engine. Modified camshafts and cylinder heads in particular should be chosen with care.



- UNLESS you know what you are doing, avoid over-lightening components. Reducing the weight of some parts may also reduce their strength to a critical level.
- ALWAYS have the engine assembly balanced it will make a lot of difference to the smoothness and help maintain optimum reliability.
- DON'T forget the clutch depending on the power increase, a suitable heavy duty or competition clutch assembly will be required.
- OIL And FILTER the importance of using the correct specification of oil cannot be overstated. Please contact your local branch for advice.

Most engine modifications should be followed up with a professional engine tune. Apart from emissions, the correct ignition timing and fuelling is paramount if you want the best return for all the expense and effort you have put in. Get these important settings wrong and you may loose more than just a bit of power. Over-fuelling (rich mixture) can result in excessive piston, ring and bore wear. Under fuelling (weak mixture) or retarded ignition can cause overheating problems. An ignition set with too much advance is likely to induce detonation or 'pinking' which, if left uncorrected, can shatter pistons and place excessive loads on the bottom end. You have been warned!

Lastly, please check that your suspension and braking systems are adequate for the power increase you have achieved. A full range of optional equipment can be found further in the Moss Europe catalogue.

#### **Camshafts**

#### **Camshaft Fitting Instructions**

The installation and first few moments of running are critical factors in the life of the camshaft. Failure to install the camshaft correctly will have a drastic effect on the life of the camshaft and in the worst cases can result in immediate failure. The following instructions must be adhered to in order to obtain maximum performance from the engine and to ensure a long and trouble free life from both camshaft and associated components. These instructions are also provided in addition to the original manufacturer's installation procedure.

Where a camshaft is being replaced due to excessive wear, it would be highly recommended to strip the engine and fully clean the internals. Metal particles present in the sump, oil pump, bearings and oil galleries will soon play havoc with the new cam. It would also be wise to check the oil feed system. Low oil pressure due to a worn pump, blocked pick-up pipe or blocked oil galleries will quickly wear the new cam to the same state as the one being replaced. In other words, before replacing a failed camshaft, make sure you find out the reasons for the failure and correct it!



Before fitting the camshaft, check that it is identical in every aspect (with the exception of the lobe profiles) to the one being replaced. Special attention should be given to the oil feed positions and journal diameters as variations may occur during the manufacture of the engine. Also check that any gallery bungs present on the old cam are also in place on the new cam. Do not remove the black phosphate coating from the new cam lobes. Liberally coat both the camshaft and cam followers with a proprietary cam lube or engine assembly compound. We recommend and use a colloidal graphite paste. Failure to do this can cause scuffing between the surfaces of the cam and followers, which will result in premature wear. Ensure that followers are free to rotate in their bores where applicable. It is essential that new followers are always fitted, regardless of the condition or limited use of the old followers. Failure to do so may cause premature components failure and consequently will invalidate any warranty claim.

Upon installation, the valve springs must be checked to ensure that:

- The fitted length (installed height) of the valve springs match the figure provided by the manufacturer. If too small, then the valve seat areas in the head will require machining. If too large, shims can be added to the spring seat. Due to varying manufacturing tolerances of cylinder heads, all springs should be checked and measured for clearance.
- Coil binding does not exist at full valve lift. This is the condition where the spring is fully compressed. As a guide, the spring should be able to compress a further 0.060" (1.5mm) before the coil bound condition is reached. This can be checked by inserting

feeler gauges between each coil of the spring and adding the results together to get a total clearance figure. Due to varying manufacturing tolerances of cylinder heads, all springs should be checked and measured for clearance

Check the clearance between the bottom face of each retainer and the top of the guide or stem seal at full lift. This should be a minimum of 0.080" (2mm). If this clearance cannot be achieved, the top of the guides must be machined. When double valve springs are being installed in place of singles, ensure the inner spring is correctly located and the correct retainers and platforms are used where applicable. When modifying engines that utilise finger followers, it is imperative that you ensure the followers remain in the original attitude relative to the cylinder head. Failure to do so will alter the rocker geometry, increasing or decreasing valve lift and can result in failure of both cam and followers or excessive valve stem/quide wear. For OHV engines, attention should be paid to rocker arm geometry for the same reasons.



#### **Camshaft Timing**

#### **Determining True Crank TDC Position - Head Off Block**

Although the crank pulley will have a mark to show TDC position, this point may not be accurate due to manufacturing tolerances. It is always recommended to calculate the actual position of TDC rather than rely on the mark on the crank pulley. Fit the timing disc to the front of the crankshaft. A pointer for the timing disc can be made from a piece of bent wire secured under a suitable front cover bolt. Position a dial gauge to measure the travel of No 1 piston.

Turn the crank until the piston is at its maximum height and zero the gauge. You will find that there is a dwell period of approx. 10 degrees where the piston is at its maximum height. True TDC position is at the centre of this dwell period. To accurately measure the position of TDC, rotate the crankshaft and stop at a figure just before TDC, for example 0.020" on the dial gauge. Record the figure on the timing disc from the pointer. Now rotate the crankshaft and stop at the same figure (0.020") after TDC. Record the figure on the timing disc again. True TDC is positioned in the middle of these two figures. The TDC position can be calculated by adding the two figures together and dividing by two. Adjust the timing disc so that it reads zero on the pointer at true TDC.

#### **Determining True Crank TDC Position - Head On Block**

If the head has not been removed when changing the cam, it is still possible to measure the true TDC position. The procedure is the same as above but the movement of the piston is recorded by using an extension resting on the piston crown (such as a socket extension or push rod). Access to the piston crown is made through the spark plug hole.

#### **Formula**

#### **Engine Capacity/Displacement**

Information required: 1. Cylinder bore, 2. Crankshaft stroke, 3. Number of cylinders.

Calculation: 0.7854 x bore x bore x stroke x number of cylinders.

Example: Bore = 73.5mm (7.35cm), Stroke = 81.3mm (8.13cm), cylinders.

Solution:  $0.7854 \times 7.35 \times 7.35 \times 8.13 \times 4 = 1379.79cc.$ 

In the above example we have used centimetres to calculate capacity in cubic centimetres. To find the displacement in cubic inches simply substitute maccuraments is inches. 7.35cm = 2.893" and 8.13cm = 3.200" giving 0.7854 x 2.893" x 2.893" x 3.200" x 4 = 84.13 cu.in.

To quickly convert from cc's to cu.ins. divide by 16.387 and from cu.in. to cc. Multiply by 16.387.

#### Crankshaft Stroke

Information required: 1. Bore size, 2. Engine capacity, 3. Number of cylinders.

Calculation: Divide engine capacity by:  $(0.7854 \times bore \times bore \times no. of cylinders)$ .

1380cc 4 cylinder engine with an 73.5mm bore size.

Solution:  $1380 \div (0.7854 \times 7.35 \times 7.35 \times 4) = 169.717086, 1380 \div 169.717086 = 8.13cm.$ 

#### **Compression Ratio**

Information required: 1. Capacity of ONE cylinder, 2. Compressed volume.

Cylinder capacity is the total engine displacement divided by the number of cylinders. E.g. 4 cylinder 1000cc engine = 250cc per cylinder.

Compressed volume is the area above the piston crown when the piston is at its highest point or top dead centre (TDC).

- The combustion chamber (usually in the cylinder head as shown, but can also be in the piston crown).

  The head gasket thickness.

  The area between the cylinder block face and the piston crown, commonly referred to as the 'deck height'.

#### **Procedure:**

Measure the volume of the cylinder and/or piston chambers using a suitable burette filled with paraffin. Calculate the volume of the gasket and deck height areas and add these to the chamber volume to arrive at the total compressed volume. Some engines with irregular piston crown shapes, especially raised areas, may be difficult to quantify with any degree of accuracy. In such cases it is best to measure the compressed area with the cylinder head fitted. Make sure the piston is at TDC and seal the gap between the cylinder wall and the piston with grease (this will prevent seepage past the rings giving a false reading). Refit gasket and cylinder head and measure the volume through the spark plug hole.

Note: The spark plug hole must be at the highest point when carrying out this procedure.

Calculation: (Cylinder volume + compressed volume) ÷ compressed volume.

1000cc 4 cylinder engine with a compressed volume of 27cc's.

. (250cc + 27cc) ÷ 27cc = 277cc ÷ 27 = 10.26 or 10.26:1 compression ratio.

#### Valve Size

The maximum airflow through any valve occurs when it has been lifted 25% of its diameter. For example, a 37mm (1.45'') valve will require a lift of no more than 9.25mm (.364'') and a 31mm (1.22'') valve a lift of 7.75mm (.305'') to reach their maximum flow capabilities.

#### **Timing In The Camshaft**

Rotate the crankshaft clockwise to 90 degrees after TDC. This will make sure all the pistons are half way down the bore. Now position the dial gauge so that it can read the lift of the inlet valve of number 1 cylinder from the top of the valve retainer. Rotate the cam until the gauge shows that the valve is at full lift. As with the crankshaft, there will be a dwell period where the valve is at full lift. True full lift is at the centre of this dwell period. Roughly position the cam at true lift position.

Now rotate the crankshaft clockwise to the full valve lift position (as specified on the camshaft data sheet - this figure is typically from 100 to 120 degrees after TDC), fit the timing belt or chain and set up the tensioner. Now rotate the crank clockwise until the inlet valve of number one cylinder is just off full lift position (such as 0.005" or 0.15mm). Record the figure on the timing disc from the pointer. Then continue to rotate the crank clockwise until the valve has fully opened and then closed by the same distance as previously used (0.005" or 0.15mm). Read the figure on the timing disc again. The position of full lift is the middle of these two figures. The full lift position can be calculated by adding the two figures together and dividing by two. Adjustments can then be made to the camshaft timing, using an adjustable cam pulley or offset dowels, if this figure does not agree with the one on the data sheet. Check the timing again after adjustments using the same procedure.

Having timed the camshaft, check that there is no piston to valve contact. Minimum clearance is 0.060" (1.5mm). This can only be checked by dummy building the engine with a piece of plasticine placed on the crown of the piston. As the engine is turned, the valves will indent the plasticine. The clearance is then measured as the thickness of the plasticine between the piston crown to the bottom of the valve indent. Before starting the engine, turn the engine over by hand to ensure that it turns freely. Prime the oil system and check that everything is set to ensure that the engine starts straight away. The engine must not be turned over for any length of time on the starter. Once started, do not allow the engine to idle for the first 20 minutes and keep the revs to a minimum of 2500 rpm. This

will ensure adequate lubrication of the cam and followers and reduce the contact force between the cam and follower. If any adjustments need to be made within the first 20 minutes, then shut the engine down. DO NOT ALLOW THE ENGINE TO IDLE. Please note that new hydraulic lifters may in some cases operate with excessive noise for a few minutes before they are fully charged with oil.

#### **Performance Camshafts**

All the Kent camshaft applications/part numbers below with the suffix 'P' are for the original pin drive oil pump/ camshaft. If you have changed your camshaft and oil pump to either 'Star' drive or 'Metro Slot', use the suffix 'S' or 'M' on the part number. All Piper cams with the suffix E are Star Drive unless otherwise stated.

To assist in selecting a suitable camshaft we have prepared a table showing their various characteristics, these will change from engine to engine and with other modifications such as carburettor or valve size. A scatter profile is where the cam timing on No.2 and 3 engine cylinders has been altered slightly to combat the poor scavenging of the siamese port design. This will benefit both the tickover and high end performance.

The effect of a larger engine is to lower the camshaft's power range slightly. Care must be taken to ensure that installation is carried out correctly and that components all work together or you will not get the expected power output or reliability. It is essential that the new cam is fitted with new followers as they mate with the lobe that they run on and should never be used on another lobe. Lightened and Tuftrided followers wear more slowly and put less load on high lift cam lobes: They are also manufactured with a drainage hole. Another essential is the special lubricant that must be used with all new cams, it provides vital lubrication during initial starting and protects your cam from extreme wear in its first minute of use. (S/T = Special Tuning) Don't forget the camshaft assembly lubricant or the cam timing degree disc (TT2929), you will need this to set your cam timing.

KENT CAMS CAMSHAFT TYPE	PART NO.	INLET	EXHAUST INL - EXH	DURATION	CAM LIFT	DESCRIPTION
Road	KMD256	21/53	53/21	220-254°	0.263"	998cc Street Cam
Fast Road	KMD266	24/56	61/29	260-270°	0.263"-0.270"	1275cc Smooth Idle
Road Rally	KMD276	29/61	66/34	270-280°	0.293"-0.315"	1275cc Slightly Lumpy Idle Very Good Street Cam
Rally	KMD286	34/66	71/39	280-290°	0.315"-0.324"	1275cc Lumpy Idle Max Street Cam
Rally Scatter	KMD286SP	34/66	71/39	280-290°	0.315"-0.324"	1275cc Lumpy Idle Max Street Cam
Race	KMD296	39/71	76/44	296-300°	0.324"-0.340"	1275cc Race/1380cc Slightly Lumpy
Race Scatter	KMD296SP	39/71	76/44	296-300°	0.324"-0.340"	1275cc Race/1380cc Slightly Lumpy
Full Race Scatter	KMD310SP	49/81	81/49	310°	0.340"	Full Race
S/T Road	STA600S	33/65	63/31	278-274°	0.293"	Classic Road Cam
S/T Fast Road/Rally	STA731	24/64	59/29		0.263"	Classic Fast Road Cam
S/T Fast Road/Rally	STA800S	24/64	59/29		0.263"	Classic Fast Road Cam
PIPER CAMSHAFT Type	PART NO.	INLET	EXHAUST INL - EXH	DURATION	CAM LIFT	DESCRIPTION
Fast Road (Stage 2)	AHR2702E	39/73	73/39	292°	0.288"	1275cc Fast Road Cam
Fast Road	AHR270E	37/71	73/39	288°	0.277"	1275cc Road Cam
Road Rally	AHR2852E	39/73	66/32	292-278°	0.299"	1275cc Max Street/1380cc Road Cam
Rally	AHR300E	46/74	74/46	300°	0.316"	1380cc Fast Road Cam
Sprint	AHR320E	54/82	82/54	316°	0.316"	Race
Race 2	AHR3202E	62/86	86/62	328°	0.322"	Full Race
ACCESSORIES	PART NO.					DESCRIPTION
Cam Lube	KEN2					250ml Cam Lubricant
Cam Timing Disc	TT2929					360° Timing Wheel

## **Carburettor Jet Selection**

This is a quick guide to jet selection for 1275cc Weber carburettors.

Note: Jet selections shown are a basis to work from, they may need adjustment to suit your application, this can only be carried out on a rolling road.

1275cc WEBER CARBURETTOR	40 ROAD	45 FAST ROAD	45 FAST ROAD AND SPRINT	45 RACE
Auxiliary Venturi	3.5	4.5	4.5	4.5
Choke	34			
Main Jet	145		170	
Air Cor.	175	180		175
Emulsion Tube	F2	F2	F2	F2/F9
Pump Jet	45			55/60
Idle Jet	45F8	50F8	55F8	55F8

## Suspension

#### **Suspension Geometry**

There are five basic factors that control front suspension geometry:

Kingpin Inclination. Caster Angle.

Д Camber Angle. Tracking.

Bump Steer.

Note: On a Mini only three of these can be altered easily

#### **Front Suspension**

#### **Kingpin Inclination**

The Kingpin Inclination is not independently adjustable although it will alter as other adjustments are made.

#### **Bump Steer**

Bump steer is in fact a change in toe angle as a wheel moves up or down in its suspension travel. When a bump is encountered in a turn, the resulting toe change will cause a slight steering effect which is felt as anything from a slight "twitch" to a major direction change. This can be optimised but is far more complicated and would require specialist measuring tools.

#### **Caster Angle**

Caster angle this is left to the adjustable front tie bar kit (WPT9003X). This is quite an easy adjustment if the tie bar bushes (31G1155H road hard/31G1155VH race hard rubber or 31G1155SPK poly. bushes) are lubricated on installation, as the tie bar can actually be rotated (therefore lengthened or shortened) in situ.

#### **Camber Angle**

Camber angle is adjusted by the replacement of the lower arms with lengthened or adjustable

WPT9001X are 3/8 inch longer, giving 1.5 degrees more negative camber than standard.

WPT90012X are 1/2 inch longer, giving 2 degrees more negative camber than standard.

WPT90013X are 5/8 inch longer, giving 2.5 degrees more negative camber than standard.

C-AJJ3363 rose jointed length adjustable, giving fully adjustment capabilities.

Again as with the tie bars it is advisable to use harder bushes (21A1882SPK) to achieve less free play.

#### Tracking

Tracking probably the most well known, is adjusted via the track rod end on the steering rack. This is not to be overlooked as with implementing the above modifications to the suspension your tracking is sure to have been affected and will require adjustment to bring back to the correct setting.

Note: If lowering the suspension or adding lots of negative camber, you will require lengthened track rod ends (GSJ158) as the standard ones may only be hanging on by a few threads.

#### **Rear Suspension**

Rear suspension, at the rear of the Mini we are really stuck with only track and camber adjustment.

#### **Camber Angle**

Camber angle is adjusted via the outer radius arm bracket. There are two types available fixed (WPT9002X) at 1.5 degrees, and adjustable (WPT90021). These adjustable brackets also allow the track to be adjusted. If purchasing the fixed camber brackets the track can be altered, to alter toein is quite a simple affair this is done by adding spacer shims between the radius arm outer bracket and the rear subframe and elongating the fixing holes on the underside of the radius arm bracket.

Adjusting toe-out is not so simple this requires the removal of the radius arms to allow access to the inner radius arm mount, this now requires the mounting hole for the radius arm pin to be elongated. Once the correct track has been found it will be necessary to lock this in position to stop it returning to toe-out after some suspension movement. This elongating of the inner mount brings with it another problem by raising the rear suspension. The thought of all this labour should have put off purchasing the fixed brackets and brought your attention to back to the adjustable brackets, in my view well worth the money and the sore knuckles.

#### **Dampers, Springs & Adjustable Height Suspension**

We supply three different manufacturers of suspension dampers for the Classic Mini SPAX, GAZ and KONI, all of them offering dampers with adjustment facilities on both bump and rebound. Nearly all offer this facility via an adjustment knob or screw on the lower body of the damper unit. this controls both the bump and rebound. This is the easiest method of adjusting your damper.

Koni on the other hand have a different method of adjustment which requires the shock to be removed and adjusted under compression. Although this sounds like a long job this really only takes about 1 hour tops and only this long because the fuel tank has to be repositioned while removing the left hand rear damper.



#### **Front Dampers**

GAC84011X	SPAX Shock Absorber - Standard Height.
GAC84021X	SPAX Shock Absorber - Lowered Height.
GAC8405X	KONI Shock Absorber - Standard Height.
GAC8046X	KONI Shock Absorber - Lowered Height.
GAC8041XG	GAZ Shock Absorber - Standard Height.
GAC8042XG	GAZ Shock Absorber - Lowered Height.

#### **Rear Dampers**

GAC84031X	SPAX Shock Absorber - Standard Height.
GAC84041X	SPAX Shock Absorber - Lowered Height.
GAC8407X	KONI Shock Absorber - Standard Height.
GAC8408X	KONI Shock Absorber - Lowered Height.
GAC8403XG	GAZ Shock Absorber - Standard Height.
GAC8404XG	GAZ Shock Absorber - Lowered Height.

These of course are only the damper units and not the spring unit; this job on a Classic Mini is left to a rubber cone. Perfect for the job in many ways it is a bit harsh for the requirements we expect today. There are several ways to change this harshness. The cheapest way is to remove the springs and drill holes into the rubber although this could take some time with trial and error (please see Dave Vizards'... How to Modify Your Mini book part number MGL0248.

We also supply replacement spring kits that actually replace the rubber cone units completely. These are available in two different spring rates. The softer of the two kits (FAM3968X) is the one we would recommend for road use as it is disciplined over bumps and pot holes yet still gives plenty of enjoyment in the corners. The firmer of the two kits (FAM3968HX) is the kit that we would recommend for fast road, sprint and possibly some competition applications.

There is also the choice of coilover damper/spring kits (SPCK19 lowered kit and SPCK20 standard height kit). These as the name suggests are one piece units, the damper units have top and bottom (height adjustable at the bottom) platforms to facilitate the fitment of a spring around the body of the damper. With these units you can remove nearly all of the other original spring components e.g: Rubber cone, suspension trumpets and knuckle joints. These kits come with their own top and bottom mounting brackets for the front and require slight modification to the rear inner arches to allow fitment of the dampers and 1.9" diameter springs. If staying with standard rubber cones or converting to the spring replacement it is still possible to have adjustable height suspension. This is done via adjustable suspension trumpets: These trumpets replace the standard trumpets and have a threaded adjuster to allow a huge range of adjustment.

#### Hi-Lo's

GAC8437X	Hi-Lo Adjustable Height Suspension Kit - Front And Rear.
GAC84371	Hi-Lo Adjustable Height Cones Kit - 2 x Hi-Lo Cones And 2 x 21A423.
GAC84372	Extension Rods (Pair) - Use With GAC84371 When Fitting To Rear Suspension.
GAC84374	Front Allen Bar - Allen Head Bar For Adjusting Suspension Heights.
GAC84373	Rear Allen Bar - Allen Head Bar For Adjusting Suspension Heights.

#### Adjusta Ride

GAC8432X	Adjusta-Ride Adjustable Height Suspension Kit - Front.
GAC8433X	$\label{eq:Adjusta-Ride} \mbox{Adjustable Height Suspension Kit-Rear}.$

#### **Useful Tools**

GAC9424X	Cone Compres	ssor loc
MTR4201	Caster/Cambe	r Gauge

(This gauge allows you to correctly set up your suspension to get the best from your Mini where it excels most (the corners). Very easy to use supplied with instructions).

Note: Please remember that any change in height is going to affect other suspension geometry parameters and these will require checking and adjustment once the desired height has been reached.

#### **Brakes**

Over the 41 years of the Mini production life there have many upgrades to the braking systems. A summary of standard Mini brake fitment throughout its production life.

#### **Drum Brakes**

1959-1964

Front drum brakes with single leading shoes. Rear drum brakes. This system had only one hydraulic wheel cylinder fitted in each drum. This system was hardly adequate then and should only be kept if car is trying to retain OE specification.

1964-1985

Front drum brakes with twin leading shoes. Rear drum brakes. This system although an improvement on the single leading shoe setup is only just adequate for standard performance cars and again retaining OE specification.

#### Disc Brakes

1961-1964

7 inch disc brakes at the front, two pot calipers. Rear drum brakes. Fitted to the Mini Cooper 997cc. This system although discs still had a very small pad surface to disc area and because of this these where not all that good. Parts for this system are virtually impossible to find therefore making it hard to maintain.

1964-1969

7 inch disc brakes at the front, two pot calipers. Rear drum brakes. Fitted to the Mini Cooper 998cc. This system had redesigned callipers and larger pad to discs surface area. This system was better than the 997 system but for today's standards it is still a little poor. Good for standard 10 wheel applications.

1963-1974

7.5 inch disc brakes at the front, two pot calipers. Rear drum brakes. Fitted to the Mini Cooper S and Mini Clubman GT. Much larger pad to disc surface area and improved cooling efficiency. This along with a remote servo makes a very effective braking system for those who wish to keep their 10" wheels.

1974-1979

8.4 inch disc brakes at the front, two pot calipers. Rear drum brakes. Fitted to the Mini Clubman GT. The larger discs really help with the pad to disc surface area and the cooling. These systems where non served and still gave very good stopping power.

1985-2000

8.4 inch disc brakes at the front, two pot calipers. Rear drum brakes. Fitted to the Mini as standard.

to the Milli as Standard

1989 8.4 inch vented disc brakes at the front, four pot calipers. Rear drum brakes. Fitted to the ERA Turbo Mini.



#### **Improving Your Mini's Brakes**

Any Mini can have its brake improved by moving to the next standard upgrade, i.e: Single leading shoe to Twin leading shoe etc... But most of you will be more interested in converting either from drums to discs or from small discs to large discs or maybe even four pot calipers. First of all you should be honest with yourself with what you want from your braking system.













All of us would like to believe that we are overlooked, Eddie Irvine's (guess where I'm from) but the truth is usually that we are just spirited drivers who probably have to use our Saturday Mini race car as weekday commuter. Big discs and hard pads are great for the race track but in real life they can be noisy and juddery, and in the worst cases give poorer performance if the pads do not reach their working temperature.

The cheapest brake performance upgrade for all of the disc type systems is an upgraded pad swap. There are lots of manufactures out there producing upgraded material pads.

#### Performance Brake Pads

GBP102G EBC Green Pad Set 998 Cooper. GBP102KV FBC Keylar Pad Set 998 Cooper GBP103G EBC Green Pad Set Cooper S. GBP103KV EBC Kevlar Pad Set Cooper S. 8G8996 MINTEX M1144 Pad Set Cooper S. STR505G EBC Green Pad Set GT & 1984-On. STR505KV FBC Keylar Pad Set GT & 1984-On STR5051 MINTEX M1144 Pad Set GT & 1984-On. STR5052 MINTEX M1155 Pad Set GT & 1984-0n. GBP258 MINTEX 4 Pot Metro And Alloy Calipers. TMG309474 MINTEX M1144 4 Pot Metro And Alloy Calipers.

Something usually overlooked when looking at braking systems is replacement over braided brake hoses these give you a firmer feel at the pedal as these hoses do not expand when pressurised as rubber hoses do.

If you wish to fit the ultimate in braking systems we have several 4 pot calipers and even 6 pots.

#### This kit is for 13 inch wheels only:

MT5411

6 Pot Vented Big Brake Kit. For 13" wheels where a no compromise front brake setup is required our big disc conversion can be used. This combines a one piece 6 pot caliper with a 265 x 18mm vented disc with separate alloy mounting bell. Supplied with fast road pads and front braided brake lines. This is a competition oriented brake upgrade as the calipers are not fitted with dust seals.

#### **Identification Numbers**

#### **Engine Identification Numbers**

#### 850cc

8A Austin Up To 25000. 8MB Morris Up To 25000. 8AM Austin & Morris 25000 On. Austin & Morris Automatic. 8AH

8AJ Austin & Morris closed circuit breathing.

Austin & Morris automatic with closed circuit breathing. 8AK

8WR Wolseley Hornet & Riley Elf.

8AC Moke.

85H/101 All variants 1969-0n

Note: Third suffix letter denotes compression type, L = Low, H = High, e.g: 8AM/U/H101 denotes high compression.

#### 998cc

Wolseley Hornet & Riley Elf Mkll, pre closed circuit breathing. 9WR

9AD Austin, Wolseley Hornet & Riley Elf Mkll with remote type gearbox and closed circuit

9AE Wolseley Hornet & Riley Elf Mklll.

Wolseley, Riley, Mini 1000, Clubman 1000 1970-On & MkIII with dished piston. 99H/-101on

99H/791 Mini 1974-On with dished piston

99H/997 1980-On A+ block, flat top pistons, economy fitment with 2.95 final drive. 99H/A97P A+ block with dished pistons, pre-A+ gears, 3.44 final drive & 12" wheels.

A+ block with centre locating tag in main cap, 1985 onwards, Flat top piston with 998

circlip gudgeon pin retention.

99H/B81 Up To engine number 127431. Up To engine number 105023. 99H/C20

From engine number 127422 with 2.95 final drive99H/A35P 99H/997

#### Flat top piston with press fit gudgeon pin

99H/B81 From engine number 127432. 99H/C20 From engine number 105024.

99H/D80

#### Flat top pistons with press fit gudgeon pin, lead-free cylinder head

99H/G30 or G32 or G33 99H/F15 or F16 99H/E20 or E21 99H/D81 LBB10089

#### Dished pistons with circlip gudgeon pin retention

99H/B83P Up To engine number 102908. Up To engine number 100216. 99H/B84P

#### Dished pistons with press fit gudgeon pin

99H/B83P From engine number 102909. 99H/B84P From engine number 100217.

#### Dished pistons with press fit gudgeon pin, lead-free

99H/G31 99H/E22 LBB10175

#### 1100cc (1098cc)

10AMW/Ta Clubman Estate and Austin 110 (ADO16 shape)

10H791 Clubman Saloon.

10H/-/H All Austin 1100 2 & 4 door derivative Saloons (AD016 shape).

10GR/Ta/H MG1100 (AD016 shape).

10GRB/Ta/H MG1100 & Wolseley 1100 (AD016). Vanden Plas 1100 (ADO16 shape). 10V/Ta/H

#### 997 Cooper

9F/Sa/H101 To 2637 except 19201 To 20410 (became 1070S).

#### 998 Cooper (January 1964 On)

9FA/Sa/H Mkl Austin pre closed circuit breathing.

Mkl Morris up to engine number 1934, all Austin Mkll closed circuit breathing and 9FD/Sa/H

Morris Mkll from engine number 1935-33660 with closed circuit breathing.

9FD/Xe/H 4 synchro gearbox introduced 99/-/H Last of manufacture 1969.

#### **Cooper S Variants**

#### 970cc

9F/Sa/X Engine numbers 29001-29003 with Tecalamit filter. 9FD/Sa/X Closed circuit breathing introduced with Tecalamit filter. 9FE/Sa/X Closed circuit breathing, oil filter with oil light switch introduced.

9F/Sa/X Engine numbers 29039-30029 Purolator oil filter with oil light switch and closed

circuit breathing

1070cc

Engine numbers 26501 To 33660 and 19201 To 20410. 9F/Sa/H

Engine numbers 33661 To 33948 with closed circuit breathing and oil light switch 9FD/Sa/H

in oil filter head.

#### 1275cc

9F/Sa/Y Engine numbers 31001 To 31504 pre closed circuit breathing with Purolator oil filter. 9FD/Sa/Y Closed circuit breathing with oil light switch on filter housing after engine no.32178. 9FE/Sa/Y Closed circuit breathing with oil light switch on Purolator filter housing and piston design change.

9F/Sa/Y From engine number 32378 onwards, closed circuit breathing with Purolator filter

with oil light switch, Aeg510 camshaft introduced at engine number 40006, crossdrilled EN40B crank at engine number 42730 and metal dipstick tube at engine number 42548 onwards

12H397 Cooper S MkIII with dynamo, negative earth and Tuftrided EN16T crankshaft. 12H398 Cooper S MkIII with alternator, negative earth and Tuftrided EN16T crankshaft.

Note: Only Cooper S engines with prefix '9F' had EN40B forged steel, nitrided crankshafts. All other A-series engines had EN16T steel crankshafts which were only Tuftrided on MkIII 'S' and Austin 1300GT (AD016) and were stamped 12G1683.

#### 1275cc Solid Wall Block (No Tappet Chest Covers)

12G/Ta/H ADO17 shape Wolseley, Riley, MG & Vanden Plas fitted with S rods. 12H379 1275GT with dynamo, negative earth, electric fuel pump and remote gearbox. 12H380 1275GT with alternator, negative earth, electric fuel pump and remote gearbox. 12H389 1275GT with dynamo, negative earth, mech. fuel pump and remote gearbox. 12H390 1275GT with alternator, negative earth, mech. fuel pump & remote gearbox. 12H706 1275GT with alternator, negative earth, mech. fuel pump & rod change gearbox. 12H397 Cooper S MkIII with dynamo and negative earth 12H398 Cooper S MkIII with alternator and negative earth.

12H/-/ 1275 Austin AD016 & Allegro

12H610/635 Innocenti Mini with duplex cam drive gears and 11-stud head. 12H719/832 Innocenti Mini with simplex cam drive gears and 11-stud head.



#### 1275cc 1990 Onwards (12A Numbers)

12A/2A Carburettor type.

12A/2B Carburettor and catalyst type.

100 100 0 105 5 1 1 1

Spi (Single Point injection - Tbi, throttle body injection) with 9.4-1 CR. 12A/2D 12A/E

Spi (Tbi - throttle body injection) with 10-1 CR.

#### With the following suffixes:

F53	10.0-1CR, 3.105 final drive, catalyst, oil cooler.
F75	9.4-1CR, spi, 3.105 final drive, closed loop catalyst.
F76	9.4-1CR, automatic with closed loop catalyst.
F77	10.0-1CR, spi Cooper, 3.2 final drive, closed loop catalyst.
G01	10.0-1CR, 3.105 final drive, catalyst, no oil cooler.
G03	9.4-1CR, 3.105 final drive, catalyst, (May 1992-On).
G04	9.4CR, 2.76 final drive, catalyst, French only spec.

G05 9.4-1CR, automatic with catalyst. 8G28

8G154

8G155

## Factory Replacement Engine Reference Numbers (i.e. New, Gold Seal Units)

oboto on recu to primary gear type crank with 1.575 men tan share.
850cc - Deva bush conversion type crankshaft with 1.375-inch tail shaft.
850cc - Gold Seal, 1.5-inch self oiling primary gear/crankshaft type.
850cc - Gold Seal unit.
850cc - Silver Seal unit.
850cc - Gold Seal unit, 85H prefix replacement.
997cc Cooper - Oil feed to primary gear type crankshaft.
997cc Cooper - Deva bush type primary gear and crankshaft.
997cc Cooper - Oil feed converted primary gear and crankshaft.
998cc Cooper - Fitted with 28G193 (12G202) cylinder head.
998cc Cooper - 28G222 (12G295) cylinder head introduced.
998cc Cooper - Closed circuit breathing rocker cover and side plates.
998cc Cooper - Purolator oil filter with oil light switch introduced.
998cc Cooper - Gold Seal unit, was RKM1120E Silver Seal.
998cc Cooper - Silver Seal unit.
998cc - New from 1969 and exchange for all pre-A+ To 1981.
998cc -Gold Seal unit, was RKM1119E Silver Seal unit, pre-A+ To 1981.
998cc - Silver Seal unit, replaced by RKM1102E, pre-A+ To 1981.
998cc - Low compression dished piston, CAM6267 camshaft, early cylinder head
and crankshaft main bearings with side locator tag, A+.
998cc - High compression flat top piston, CAM4717 camshaft, early cylinder
head and crankshaft main bearings with side locator tag, A+.
998cc - Low compression piston, CAM6267 camshaft, late A+ cylinder head
and crankshaft main bearings with central locator tag, A+.
998cc - High compression press-fit wrist pin piston, CAM4717 camshaft, late
A+ cylinder head and crankshaft main bearings with central locator tag, A+.
998cc - Low compression press-fit wrist pin piston, CAM6267 camshaft, lead free
late A+ cylinder head and crankshaft main bearings with central locator tag, A+.
1100cc - Clubman, Special and Austin 1100 (AD016).
1100cc - Silver Seal unit for Clubman and Special.
1100cc - Silver Seal unit for Clubman and Special.
1100cc - New and Gold Seal units for Clubman and Special, 1974-80.
1100cc - New & Gold Seal units for Clubman & Special, A+ Block, 1980-0n.
970cc - Gold Seal unit, pre closed circuit breathing, Cooper S.
970cc - Gold Seal unit with closed circuit breathing side plates, Cooper S.
970cc - Gold Seal unit with oil light switch in filter housing, Cooper S.
1070cc - Gold Seal unit, pre closed circuit breathing, Cooper S.
1070cc - Gold Seal unit with closed circuit breathing side plates, Cooper S.
1275cc - Pre closed circuit breathing unit, Cooper S.

1275cc - Closed circuit breathing side plates unit, Cooper S.

1275cc - Oil filter housing with oil pressure light switch, Cooper S.

850cc - Oil feed to primary gear type crank with 1.375-inch tail shaft.

38G464	1275cc - Introduced in 1970, most were fitted with EN16 Tuftrided crankshaft.
8G200	1275cc - New and Gold Seal units Clubman 1275GT.
38G527	1275cc - New and Gold Seal units for engine numbers prefixed 12H706, 12H707 and 12H831 for Clubman 1275GT.
RKM1130E	1275cc - Silver seal unit, was RKM1112E, for Clubman 1275GT, pre-A+.
RKM1152E	1275cc - Silver Seal unit for Clubman 1275GT, pre-A+.
RKM1112E	1275cc - Silver Seal unit for Clubman 1275GT, pre-A+.
BHM1220	1275cc - A+ unit for Clubman 1275GT.
8G199E	1275cc - Gold Seal unit with Duplex cam drive gears for 1300GT (AD016) and
	Innocenti 1300, 11-stud cylinder head.
38G559E	1275cc - Gold Seal unit with Simplex cam drive gears for engine numbers prefixed 12H719 and 12H832, for 1300GT (AD016) and Innocenti 1300, 11-stud cylinder head.

1275cc - Gold Seal unit for 1300GT (AD016) and Innocenti 1300, 11-stud cylinder

1275cc - Silver Seal unit for 1300GT (AD016) and Innocenti 1300, 11-stud

1275cc - Gold Seal unit, replaced all Innocenti 1300 engines from engine

Note: All engines pre-fixed with 'GSE' or 'RKM' were of UNIPART origin when BL split it's parts organisation.

'E' at the end of a part number denotes it is a reconditioned, service unit only (basic engine assembly with no ancillaries).

'N' at the end of a part number denotes a brand new unit.

cylinder head.

GSE1109E

RKM1133E

BHM1209E

#### **Standard Production Crankshaft Identification**

numbers prefixed 12H610, 12H635 and 12H832.

Below is a list of crankshaft identification data by forging or stamped numbers - yes, contrary to what many say/express, all cranks are forged. None are cast. They wouldn't last 2 minutes in an engine if they were cast - they'd be way too brittle. The differences are in the material used, finish machining detail and any heat treatments applied.

It is by no means complete and utterly correct/infallible since Austin/Morris, British Leyland, Leyland Cars, Austin Rover, Rover, et al were seriously prone to not adhering to specifications and applications lists. But it is better than nothing at all!

22A62	850cc - Early type with oil feed for primary gear, 1.375" dia. tail.
22A63	850cc - Early type with oil feed for primary gear, 1.375" dia. tail.
22A298	850cc - Early type thin-nose crank, 1.375" dia. tail.
12A670	850cc - Later type with 1.5" dia. tail.
12A298	997cc - Original Cooper crank.
12A375	997cc - Cooper crank with oil feed hole for primary gear



12A595	998cc - Early EN16T spec.
12A1451	998cc - Later, pre-A+ EN16T spec.
BHM1436	998cc - A+ spec, 1985-0n (12A1451 forging).
12G82	1100cc - Standard across the board transverse A-series EN16T spec.
AEG330	970cc - EN40B forged, non-cross drilled.
AEG171	1071cc - EN40B forged, non-cross drilled.
AEG315	1275cc - Cooper S, EN40B forging, Nitrided, 1.625" dia. big ends, non-cross drilled.
AEG316	1275cc - Cooper S, EN40B forging, Nitrided, 1.625" dia. big ends, non-cross drilled.
AEG479	1275cc - Cooper S, EN40B forging, Nitrided, 1.625" dia. big ends, cross drilled.
AEG480	1275cc - Cooper S, EN40B forging, Nitrided, 1.625" dia. big ends, cross drilled.
AEG623	1275cc - Cooper S, EN16T forging, Tuftrided, 1.625" dia. big ends.
12G1287	1275cc - Non-S, EN16T with 1.625" dia. big ends.
12G1288	1275cc - Non-S, EN16T with 1.625" dia. big ends.
12G1505	1275cc - Non-S, EN16T with 1.75" dia. big ends.
12G1683	1275cc - 12G1505 forging, non-S, EN16T with 1.75" dia. big ends, Tuftrided.
CAM6232*	1275cc - Rolled-fillet radius on bearing journals, A+ with 1.75" dia. big ends.

\*Note: This crankshaft was used in all 1275cc, A+, transverse engines including the MG Metro Turbo. There are various unconfirmed opinions on the subject of whether the material was any different, or whether it was heat treated differently. It would appear that early Turbos had just the standard spec, EN16T, non-heat treated type fitted.

Later examples certainly appear to have been heat-treated, probably an up-to-date, emissionsfriendly version of 'Tuftriding' (a recognised ICI registered process) - possibly a forerunner to Nitro-Carburising. These crankshafts have a distinctly charcoal-grey/black finish - mostly detectable on the webs, water pump/alternator pulley end and in the rolled fillet radii. The later being fairly 'deep'

Compression ratio is hugely important to an engines performance, work out your compression ratio and the combustion chamber volume you need, make sure the head you are buying - especially if its of the shelf - has the right volume. David Vizards book 'Tuning the a series engine' has invaluable information in it concerning this.

Valve sizes are no guarantee of flow, just because it has big valves does not mean it flows big, take a valve out and look into the port, the guide should be bullet nosed, and is the seat unnecessarily wide, maybe a wide 'pre cut' to the seat? Are the seats cut accurately for height, run your fingers across inlet and exhaust differences - are they the same for all the chambers?

Look down into the ports, is there a raised section around the guide (a boss), all our heads have these removed for full flow is the finish consistent across all the ports, and not highly polished - a polished finish can actually reduce power due to fuel being drawn out of the air, due to surface tension.

Hold a suitable gasket up to the manifold and chamber faces, have the chambers and ports been accurately modified? Usually on cheaply modified heads the ports are flared out to meet the gasket giving the appearance but not performance.

# **Cylinder Head Casting Numbers**


Number	Inlet Dia.	Exhaust Dia.	Nom. cc	Standard fitment
2A628	1.0625"/26.99	1.00"/25.4	24.5	850, 998 Mini & 948 Sprite
2A629	1.0625"/26.99	1.00"/25.4	24.5	948, A35 & Morris Minor
12A1456	1.0625"/26.99	1.00"/25.4	24.5	850, 998 Mini & 948 Sprite
12G202	1.156"/29.36	1.00"/25.4	26.1	997 Cooper, Austin 1100 Mk
CAM4180	1.0625"/26.99	1.00"/25.4	25.5	998 Mini A+ (80 on) & lead free
12G206	1.218"/30.93	1.00"/25.4	28.3	Early 998 Cooper, MG1100
12G295	1.218"/30.93	1.00"/25.4	28.3	998 Cooper, MG1100
12A185	1.401"/35.6	1.22"/31.0	21.4	First MkI Cooper S
AEG163	1.401"/35.6	1.22"/31.0	21.4	Later Mkl & Mkll Cooper S
12G940*	1.312"/33.33	1.15"/29.2	21.4	1275GT, Austin 1300, late A+ model inc. Turbo not MG Metro
12G940	1.401"/35.6	1.15"/29.2	21.4	12G1805 Stamped on flat area by thermostat MG1300, 1300GT & MkIII Cooper S
12G940*	1.401"/35.6	1.15"/29.2	21.4	as above plus MG Metro

\*Note: A+ head castings - despite having the same 12G940 casting number - are considerably different in appearance, loosing the flat area behind the thermostat housing and around the rest of the rocker/head stud areas to a sculptured look - where these areas are replaced by a 'sunken' cast finish.

The A+ castings were introduced with the appearance of the Metro in 1980, although some late 1275GTs 1979-On had them fitted. Generally they are easily recognised by their colour - a putrid yellow on the small-bore castings and bright red on the large-bore ones, a paint finish that is VERY difficult to remove, even in a chemical tank. The MG Metro Turbo shares the same valve sizes with the other non-'big valve' 12G940 variants but has 8mm valve stems, sodium-filled exhaust valves.

A+ heads generally have three collet grooves in the valves, collets are 14-degree cone taper instead of the 10-degree on single groove collets (so parts are not interchangeable) and the topcaps have a raised ridge around the collet hole.

#### **Car Identification**




**Engine Numbers** 

The engine number is located immediately above the alternator.




Cars Produced Between 1980-84

In 1980 the use of the vehicle identification numbers was introduced. The V.I.N. plate is located on the left hand flitch, in front of the radiator




Cars Produced Up To 1979

The commission number can be found on a red plate fitted to the bonnet slam panel.



**Cars Produced After 1984** 

The V.I.N. plate can be found fitted to the right hand flitch, near the bonnet prop locating bracket



ill.	Part Number	Price £ea.	Description	Req.	Details						
Re	Replacement Engines										
1	8G57E	£1,206.40	ENGINE, 998cc, rebuilt	1	pre A+						
Eng	Engine Units (Lead Free)										
Abb	reviations for re	eplacement e	ngines: HC = High Compression, LC	= Low	Compression						
1	LBB10175E	£1,192.30	ENGINE, 998cc, exchange	1	LC A+						
	LBB10089E	NCA	ENGINE, 998cc, exchange	1	HC A+						
2	LBB10399E	£1,496.60	ENGINE, 1275cc, exchange	1	Cooper 1300cc & SE						
	MT1101	NCA	ENGINE, 1293cc, exchange	1	A+						
	MT1102	NCA	ENGINE, 1293cc, exchange	1	A series						
	MT1103	NCA	ENGINE, 1380cc, exchange	1	A+						
	MT1104	NCA	ENGINE, 1380cc, exchange	1	A series						

Note: Old units must be clean and in a re-buildable condition. Old units will be checked before refunding any surcharge. If you wish to convert to lead free fuel, you will need to re-set the ignition timing.

# **Cylinder Block Components**

3	CAM150	£4.43	STUD, cylinder head, long	4	
	AEG248	£10.90	BOLT, cylinder head	1	Cooper S only
4	CAM151	£3.18	STUD, cylinder head, short	5/4	qty. reduced with
					TAM1617
	TAM1617	£7.00	STUD, cylinder head	1 ]	when coil bracket
				j	fitted
	TMG10864	£194.20	STUD KIT, competition	1 ]	9 studs and nuts,
					(Kent Cams)
	MGS10864	£231.20	STUD KIT, competition	1 ]	11 studs and nuts,
				j	(Kent Cams)
	AHT280	£70.00	STUD KIT, competition	1 ]	11 studs and nuts
					EN24 Nickel Chrome
					Moly
5	2K8169	£1.00	CORE PLUG, (1 5/8")	4	pre A+ models
	AEC876	£1.62	CORE PLUG, (1 5/16")	5	all A+ models
	AEH592	£1.20	CORE PLUG, (1.647)	4	Cooper S
6	2K1345	£2.06	PLUG, oil release	2	To 1985
	TAM2009	NCA	PLUG, oil release	2	1985-0n
7	CHS2613	£1.45	STUD, filter head to block	2	all 998cc models
	LYG10008	£2.12	SCREW, filter head to block	2	Cooper 1300cc
	BH605301	£1.92	BOLT, filter head to block	2	paper element
8	2A265	£4.27	BLANKING PLATE, fuel pump		when fitting electric
	2A265K	£6.30	BLANKING PLATE KIT, fuel pump		pump
			(Includes blanking plate, gasket & ha		
9	2A113	£0.62	GASKET, fuel pump/blanking plate*	1	/ -
10	CHS2515	£1.36	STUD, fuel pump	2	
	SH505071	£0.42	BOLT, fuel pump/blanking plate	2	Cooper 1097cc
			(All models except vehicles prior to e		
			15633. Also suitable for pre A+ engi		
			type blanking plate).		g
11	GHF332	£0.28	WASHER, locking	2	
12	GHF201	£0.12	NUT	2	
13	2A54	£0.65	COLLAR, main cap location	6	all 998cc models
14	12G1268	£5.00	DOWEL, main cap	6	Cooper 1300cc
15	1A1964	£2.63	RESTRICTOR, camshaft oil feed	1	осоро. Тососо
16	12A1910	NCA	BOLT, main cap	6	all 998cc models
	12G1398	£2.50	BOLT, main cap	6	Cooper 1300cc
17	6K927	£1.10	LOCKTAB, main bearing	6	pre A+ 998cc only
••	CMS1000	£8.50	MAIN STRAP, centre 1000		the main cap must
	20.000	20.00	(Includes: longer high tensile bolts).		be machined
	CMS1300	£8.50	MAIN STRAP, centre 1300		the main cap must
	001000	20.00	(Non S inc: longer high tensile bolts).		be machined
			(11011 0 into longer mgn tendile bolta).		. Do maoimioa

Note: Centre main straps are used to help reduce flexing in the crank on modified engines.

18	53K2853	£6.14	PLUG, blanking	1	
19	3H576	£20.40	TAP, block draining	1]	alternative to
				j	53K2853
20	6K638	£0.28	WASHER	1	
21	12G619B	£1.36	GASKET, front plate*	1	without tensioner
	GUG705554GM	£1.70	GASKET, front plate	1	with tensioner
22	GHF120	£0.28	SCREW, front plate to main cap	2	998cc
	53K2016	£0.73	SCREW, front plate to main cap	2	Cooper 1300cc
	AEA687	£1.00	SCREW SET, front plate to main cap	2	when duplex fitted
23	GHF332	£0.28	WASHER, locking	2	998cc
	WE600041	£0.42	WASHER, locking	2	Cooper 1300cc
24	12G2506	NCA	TIMING COVER, pre tensioner	1	998cc pre A+
25	CAM4904	NCA	TIMING COVER, pad type tensioner	1	
	CAM4868	£66.50	TIMING COVER, with breather	1	Cooper 1300cc
	LJR10168	£62.90	TIMING COVER, with breather	1	1991-0n
26	12A956B	£1.32	GASKET, timing cover*	1	without tensioner
27	GUG705550GM	£1.60	GASKET, timing cover	1	with tensioner
28	12A1148	£2.70	OIL THROWER	1	


	ill.	Part Number	Price £ea.	Description	Req.	Details
	29 30	SH604031 GHF300	£1.04 £0.19	SCREW, cover to front plate WASHER	6 6	
į	31	GHF331	£0.17	WASHER, locking	6	
i	32	GHF120	£0.28	SCREW, cover to block	5	
į	33	GHF301	£0.22	WASHER	5	
į	34	GHF332	£0.28	WASHER, locking	5	1991-0n
i	35	88G561	£2.23	OIL SEAL, timing cover*	1	998cc model
i		LUF10006	£5.90	OIL SEAL, timing cover	1	1300cc 1991-0n
	36	12A1212	£22.00	TAPPET COVER, with breather	1	
	37	12A1386	NCA	TAPPET COVER, no breather	1	early 1970's
į	38	GUG5505GM	£1.30	GASKET, tappet cover*	2	& 1991-0n
į	39	BH605101	£0.79	BOLT, tappets cover	2	998cc models
i	40	12A1177	£1.04	CUP WASHER	2	
	41	12A1176	£1.10	SEAL*	2	
		MRC1980A	£1.00	SEAL*	2 ]	alternative to 12A1177 & 12A1176

\*Note: Gaskets and seals marked are included in the gasket sets shown below.


42	GUG1543CS	£39.80	GASKET SET, conversion	1	998cc pre A+
	GUG1543CSZ	£16.00	GASKET SET, conversion	1	998cc pre A+
	GUG1509CS	£13.20	GASKET SET, conversion	1	998cc A+
	GUG701615CS	NCA	GASKET SET, conversion	1	1275cc
	AJM206Z	£14.80	GASKET SET, conversion	1	1275cc
	GUG701619CS	£38.90	GASKET SET, conversion	1	Cooper 1300cc

# **Engine Paints**

1	spray can
1	brush
1	spray can
1	brush
1	spray can
1	brush
1	spray can
1	brush
	1 1 1



101	anchese	CI O I O	1 400 0402 1 4113 0		0 00 20 30						
ill.	Part Number	Price £ea.	Description F	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
In	ternal End	aine Co	mponents			8	22A321	£16.20	THRUST WASHER, (0.110/0.112")	1	1
		,					22A322		THRUST WASHER, (0.112/0.114")	1	- H 000
1	8G2733R	£424.40	CRANKSHAFT	1	998cc To 1984	1	22A323 22A324	£21.60 NCA	THRUST WASHER, (0.114/0.116") THRUST WASHER, (0.116/0.118")	1 1	all 998cc models
	BHM1436	NCA	CRANKSHAFT	1	l inc: bearings 998cc 1985-On		22A450	NCA	THRUST WASHER, (0.118/0.120")	1	j
	12A1451	NCA	CRANKSHAFT	1	998cc		DAM6490	£42.30	THRUST WASHER, (0.112/0.114")	1	
	CAM6232	NCA	CRANKSHAFT	1	Cooper 1300cc		DAM6486 DAM6487	£32.00 £44.70	THRUST WASHER, (0.114/0.116") THRUST WASHER, (0.116/0.118")	1 1	Cooper 1300cc
Not	te: These cranksl	hafts are al	so available on an exchange basis, the	ey are	supplied with bearings and		DAM6488	NCA	THRUST WASHER, (0.118/0.120")	1	
thr	ust washers to th	ne appropria	te size.			9	DAM6489 22A319	NCA £9.50	THRUST WASHER, (0.120/0.122") 'C' CLIP, primary gear retainer	1	J
2	8G2198	£18.00	BEARING SET, con rod, std	1	850cc	10	88G549		THRUST WASHER, rear	1	
-	8G2198/10	£18.00	BEARING SET, con rod, 0.010"	1	998cc & 1098cc	11	BHM1211	£23.70	BEARING SET, camshaft	1	all 998cc models
	8G2198/20	£18.00	BEARING SET, con rod, 0.020"	1		12	BHM1210 12G123	£16.50 £67.00	BEARING SET, camshaft CON ROD, numbers 2 & 4	1	Cooper 1300cc 1 998cc with 'floating'
	8G2198/30 8G2198/40	£18.00 £18.00	BEARING SET, con rod, 0.030" BEARING SET, con rod, 0.040"	1 1.			12G126	£66.00	CON ROD, numbers 1 & 3	2	gudgeon pin
	8G2553	£27.70	BEARING SET, con rod, std	1	Cooper 1300cc	i	12A1997	£150.00	CON ROD, numbers 2 & 4	2	998cc A+ with 'press
	8G2553/10 8G2553/20	£27.70 £27.70	BEARING SET, con rod, 0.010" BEARING SET, con rod, 0.020"	1 1		13	12A1999 BHM1137	£150.00 £99.10	CON ROD, numbers 1 & 3 CON ROD, (set of 4)	1	I fit' gudgeon pin Cooper 1300cc
	8G2553/30	£27.70	BEARING SET, con rod, 0.030"	1			AEG624	£156.20	CON ROD, (single)	4	Cooper S 1.625 big ends
	8G2553/40	NCA	BEARING SET, con rod, 0.040"	1.		14	2A660 12G2217	£1.10 £7.80	LOCK TAB BOLT, big end	4 8	pre 998cc A+
3	8G2332 8G2332/10	£30.60 £30.60	BEARING SET, main, std BEARING SET, main, 0.010"	1 <sup>1</sup>	998cc A and A + To 1984 locating lip on both halves	1 10	CAM6126	£5.20	BOLT, big end	8	998cc A+
	8G2332/20	£30.60	BEARING SET, main, 0.010"	1	locating lip on both haives	İ	TMG10880	NCA	BOLT, big end, uprated	8	848-1098cc
	8G2332/30	£30.60	BEARING SET, main, 0.030"	1		16	LFH10006 MGS10880	£5.50 £136.70	BOLT, big end BOLT, big end uprated	8 1	Cooper 1300cc Cooper S 1275cc
	8G2332/40 8G2391	£19.80 £21.60	BEARING SET, main, 0.040" BEARING SET, main, std	1.	l   1098-1275cc		WIGS 10000	2130.70	(Car set supplied with nuts)	'	12G engine
	8G2391/10	£21.60	BEARING SET, main, 0.010"	1	GT 1969-80, locating		TMG10781	£118.00	BOLT, big end uprated	1	Pre A+ 1275cc 12H
	8G2391/20	£21.60	BEARING SET, main, 0.020"	1	tabs on edge of	; ! 17	13H5872	£2.05	(Car set supplied with nuts) NUT, big end bolt	8	l engine Cooper 1300cc
	8G2391/30 8G2391/40	£21.60 £21.60	BEARING SET, main, 0.030" BEARING SET, main, 0.040"	1 1.	upper and lower halves	! "	AEG147	£1.90	NUT, big end bolt	8	•
	BHM1573	£41.70	BEARING SET, main, std	1	998cc A + 1984-0n	1	101100	0470.00	DIOTON OFT O O 4 OD Probability		& 1275cc
	BHM1573/10	£41.80	BEARING SET, main, (0.010")	1	these bearings were used until the	18	12A120 12A120/20	£178.00 £178.00	PISTON SET, 8.3:1 CR, dished, std PISTON SET, 8.3:1 CR, dished, +20	1	848cc,
	BHM1573/20 BHM1573/30	£40.50 NCA	BEARING SET, main, (0.020") BEARING SET, main, (0.030")	1	introduction of		12A120/30	£178.00	PISTON SET, 8.3:1 CR, dished, +30		5 ring,
	BHM1573/40	NCA	BEARING SET, main, (0.040")	1.	colour coding		12A120/40 12A120/60	£178.00 £178.00	PISTON SET, 8.3:1 CR, dished, +40 PISTON SET, 8.3:1 CR, dished, +60		pinch bolt
	BHM1574 BHM1574/10	£42.60 £42.60	BEARING SET, main, std BEARING SET, main, 0.010"	1	1275cc A + 1990-0n,   locating tabs on		ADU3922	£176.00	PISTON SET, 8.3:1 CR, dished, std	1	
	BHM1574/20	£42.00	BEARING SET, main, 0.020"	1	edge of upper half	1	ADU3922/20	£174.00	PISTON SET, 8.3:1 CR, dished, +20		998cc,
	BHM1574/30	£47.00	BEARING SET, main, 0.030"	1	and centre of		ADU3922/30 ADU3922/40	£174.00 £174.00	PISTON SET, 8.3:1 CR, dished, +30 PISTON SET, 8.3:1 CR, dished, +40		4 ring, circlip fit
	BHM1574/40 LEB10001CN	NCA NCA	BEARING SET, main, 0.040" BEARING, upper/red	3	l lower half   998cc (each)	1	ADU3922/60	£174.00	PISTON SET, 8.3:1 CR, dished, +60		1
	LEB10002CNX	NCA	BEARING, lower/red	3	engine No:		CPS1015	£215.80	PISTON SET, 8.4:1/9.1:1 CR, flat, s		000
	LEB10001HE LEB10002HE	NCA NCA	BEARING, upper/green BEARING, lower/green	3	99HD81/105361 On 99HE20/111592 On	i i	CPS1015/20 CPS1015/30	£215.80 £215.80	PISTON SET, 8.4:1/9.1:1 CR, flat, + PISTON SET, 8.4:1/9.1:1 CR, flat, +		998cc, 3 ring,
	LEB10002TIL	NCA	BEARING, upper/yellow	3	99HE21/102215 On		CPS1015/40	£215.80	PISTON SET, 8.4:1/9.1:1 CR, flat, +	40 1	circlip fit
	LEB10002FMK	NCA	BEARING, lower/yellow	3	99HE22/104631 On	1	CPS1015/60 TAM2052	£215.80 £196.00	PISTON SET, 8.4:1/9.1:1 CR, flat, + PISTON SET, 10.3:1 CR, flat, std	60 1	
					99H F15-F16-F32- G30-G31-G32-G33-		TAM2052/20	£196.00	PISTON SET, 10.3:1 CR, flat, +20	1	
					G34-G39	İ	TAM2052/30	£196.00	PISTON SET, 10.3:1 CR, flat, +30	1	3 ring,
	CDU4062	NCA	BEARING, upper/red BEARING, lower/red	3			TAM2052/40 TAM2052/60	£196.00 £196.00	PISTON SET, 10.3:1 CR, flat, +40 PISTON SET, 10.3:1 CR, flat, +60	1 1	press fit
	CDU4065 CDU4063	NCA NCA	BEARING, upper/green	3		İ	TAM2050	£194.40	PISTON SET, H/C, dished, std	1	1
	CDU4063/10	£18.20	BEARING, upper/green (+0.010")	3	Cooper 1300cc (each)		TAM2050/20	£194.40	PISTON SET, H/C, dished, +20	1	1275cc,
	CDU4066 CDU4066/10	NCA £7.50	BEARING, lower/green (+0.010")	3		i	TAM2050/30 TAM2050/40	£194.40 £194.40	PISTON SET, H/C, dished, +30 PISTON SET, H/C, dished, +40	1 1	3 ring, press fit
	CDU4064	NCA	BEARING, upper/yellow	3			TAM2050/60	£194.40	PISTON SET, H/C, dished, +60	1	]
	CDU4067	NCA	BEARING, lower/yellow	3 .		i	CAJJ3382/20 CAJJ3382/40	NCA £74.00	PISTON, flat, +20 PISTON, flat, +40	4	1275cc,
4	BHM1292 BHM1292/3	£12.50 £15.50	THRUST WASHER SET, (4), (std) THRUST WASHER SET, (4), (0.003")	1	all 998cc models		CAJJ3382/60	£74.00	PISTON, flat, +60	4	supplied
	BHM1292/10	NCA	THRUST WASHER SET, (4), (0.010")	1		i	CAJJ3378/20	NCA	PISTON, 6.5cc dish +20	4	individually
	BHM1292/30 BHM1293	NCA £14.40	THRUST WASHER SET, (4), (0.030") THRUST WASHER SET, (4), (std)	1. 1			CAJJ3378/40 CAJJ3378/60	NCA £74.00	PISTON, 6.5cc dish +40 PISTON, 6.5cc dish +60	4	
	BHM1293/5	£14.40 £12.60	THRUST WASHER SET, (4), (5td) THRUST WASHER SET, (4), (0.003")	1	Cooper 1300cc						
_	BHM1293/30	£20.00	THRUST WASHER SET, (4), (0.030")	1.		¦ Ca	mshafts				
5	22A1493 DAM8888	£137.30 £180.00	PRIMARY GEAR, 24 teeth PRIMARY GEAR, 29 teeth	1	·	19	AEA630	£120.00	CAMSHAFT, pin drive	1	998cc pre A+
	22G1053	£160.00	PRIMARY GEAR, 24 teeth	1			CAM6267	NCA	CAMSHAFT, slot drive		998cc A+
	DAM8890	£310.20	PRIMARY GEAR, 29 teeth	1	Cooper 1300cc	i	CAM4717	NCA	(Engine codes: 99H/B83P/B85P/D8 CAMSHAFT, slot drive		998cc A+
	CSTR122	£126.40	PRIMARY GEAR, 22 teeth (Use this straight cut gear with EVO id		1275cc s/cut EV0 STR30/A/T/TA and				(Engine codes:99H/B81P/B82P/D80	P/D81	P).
	0070105		input CSTR230/240/250).				CAM6648 KMD266S	NCA £148.00	CAMSHAFT, slot drive CAMSHAFT, fast road, star drive		Cooper 1300cc smooth idle in
	CSTR123	NCA	PRIMARY GEAR, 23 teeth (Use this straight cut gear with EVO id		1275cc s/cut EV0 CSTR30/A/T/TA and		MIDLOUG	2170.00	Granionini i, idol iodu, stai unive	'	1275cc+
			input CSTR230/240/250).				KMD276S	£148.00	CAMSHAFT, road/rally, star drive	1	slightly lumpy idle
Die	aca noto: EVA	on goore c-	o intorchangoable to give different	nc F-	point than changing						in 1275cc (Very good street cam).
	erential ratios.	op ytais di	e interchangeable to give different ratio	υο. Εά	www.man.chanyiny		KMD286S	£148.00	CAMSHAFT, rally, star drive	1	slightly lumpy idle
		0.5	BUOU BEAD								in 1275cc (Max street cam).
6 7	22G109 DAM8887	£12.00 £20.20	BUSH REAR, primary gear BUSH FRONT, primary gear	1 1	small bore		KMD296S	£148.00	CAMSHAFT, race, star drive	1	1380cc+
	DAM8889	£16.00	BUSH FRONT, primary gear	1	large bore		KMD310S	NCA	CAMSHAFT, full race, star drive	1	lumpy idle in 1380cc
	DAM8889X	NCA COLUMN	BUSH FRONT, primary gear	1	large bore floating		KMD266KS	NCA	CAMSHAFT KIT, fast road, star drive		smooth idle in 1275cc+
	MRAC104	£218.60	DROP GEARS S/C, straight cut set	1	1-1 ratio 1275cc A+	1					



# **Internal Engine Components (Continued)**

internal Englise Components (Continued)								
	KMD266M	£148.00	CAMSHAFT, fast road, slot drive		smooth idle in			
	KMD276M	£133.00	CAMSHAFT, road/rally, slot drive	1	slightly lumpy idle in 1275cc (Very good street cam).			
	KMD286M	£148.00	CAMSHAFT, rally, slot drive (Slot Metro drive).	1	,			
	KMD296M	£148.00	CAMSHAFT, race, slot drive (Slot Metro drive).	1	1380cc+			
	KMD266P	£148.00	CAMSHAFT, fast road, pin drive	1	smooth idle in 1275cc+			
	KMD276P	£148.00	CAMSHAFT, road/rally, pin drive	1	slightly lumpy idle in 1275cc (Very good street cam).			
	KMD286P	£148.00	CAMSHAFT, rally, pin drive	1	slightly lumpy idle in 1275cc (Max street cam).			
	KMD296P	£148.00	CAMSHAFT, race, pin drive	1	1380cc+			
	KMD286SPS	£230.00	CAMSHAFT, scatter, star drive	1	slightly lumpy idle in 1275cc (Max street cam).			
	KMD296SPS	NCA	CAMSHAFT, scatter, star drive	1	1380cc+			
	KMD310SPS	NCA	CAMSHAFT, scatter, star drive	1	lumpy idle in 1380cc			
	KMD286SPM	£190.10	CAMSHAFT, scatter, metro drive	1	slightly lumpy idle in 1275cc (Max street cam).			
	KMD296SPM	£184.00	CAMSHAFT, scatter, metro drive	1	1380cc+			
	KMD310SPM	NCA	CAMSHAFT, scatter, metro drive	1	lumpy idle in 1380cc			
20	WKN505	£1.25	KEY, cam gear locating	1				
	MGS108251	£10.00	KEY, cam gear locating	1	1° offset			
	MGS108252	£12.00	KEY, cam gear locating	1	2° offset			
	MGS108253	£12.00	KEY, cam gear locating	1	3° offset			
	MGS108254	£12.00	KEY, cam gear locating	1	4° offset			
	MGS108255	£10.00	KEY, cam gear locating	1	5° offset			
	MGS108256	£12.00	KEY, cam gear locating	1	6° offset			
	MGS108257	£9.20	KEY, cam gear locating	1	7° offset			
	MGS108258	£9.50	KEY, cam gear locating	1	8° offset			
	MGS108259	£9.00	KEY, cam gear locating	1	9° offset			
			(These offset keys make getting the b					
			Please see manufacturers data for cor	rect	timing figures).			

Note: When installing a new camshaft always use a cam lubricant to ensure the cam is protected on 1st start up. We recommend KEN2.

	KEN2	£8.30	CAM LUBE	1	cam assembly lubricant
21	AHU2379	£10.80	PLATE, camshaft locating	1	
22	GHF117	£0.28	SCREW, plate retaining	3	all 998cc models
23	GHF321	£0.19	WASHER, locking	3	
24	12G4337	£22.60	GEAR, camshaft	1	
	12G4337	£22.60	GEAR, camshaft	1]	998cc A+ and
				J	Cooper 1300cc
	CAJJ3324	£48.00	DUPLEX KIT, cast lightened	1	fast road
	CAJJ3325	NCA	DUPLEX KIT, steel lightened	1	road/race
	TMG10828	£117.00	DUPLEX KIT, vernier adjustable	1	Kent Cams kit
	CAJJ3328	NCA	DUPLEX KIT, adjustable belt	1	toothed belt kit, race
	BELTBELT	£47.40	BELT, replacement timing belt	1	used with CAJJ3328
25	8G549	£2.00	RING, tensioner rubber	1	use with 2A85

Note: Camshaft gear 2A85 is no longer available. If you require a new gear you must purchase the later type 12G4337, although it is possible to replace the rubber damper rings 8G549.


26	6K629	£3.00	NUT, camshaft	1	
27	2A759	£1.32	LOCK TAB, camshaft	1	
28	3H2127	£4.43	TIMING CHAIN, 'Simplex'	1	
	2H4905	£5.62	TIMING CHAIN, 'Duplex'	1	
	2H4905Z	£4.24	TIMING CHAIN, 'Duplex'	1	aftermarket
	2H4905UR	£30.50	TIMING CHAIN, 'Duplex'	1	high quality
29	6K836	£5.50	KEY, crank gear	1	
30	6K628	NCA	SHIM, crank gear	a/r	
31	8G725	£13.00	SPROCKET, crankshaft	1	
32	12G2621	£7.00	TENSIONER, timing chain	1	A+
NI	12G2628	£31.70	TENSIONER PLATE, timing	1	A+
33	12G2629	NCA	PIN, tensioner pivot	1	A+
34	12G4499	£48.80	SPINDLE, distributor drive	1	998cc pre A+
	12G3560	NCA	SPINDLE, distributor drive	1]	998cc A+ and
				J	Cooper 1300cc
35	2A13	£2.76	CAM FOLLOWER	8	
	TMG10709	£8.15	CAM FOLLOWER, lightened	8 ]	40 gram with oil
				J	drain hole
36	12A250	£1.66	PUSH ROD	8	850-1100cc
	2A14	£9.11	PUSH ROD	8	850-1100cc, alternative
	AEG314	£3.18	PUSH ROD	8	1275cc

	CAM6323 AHU1878	£36.00 £117.10	PULLEY, crank, no damper PULLEY, crank, with damper
38	AEA312 TAM2019	£9.90 £11.20	,
39	12A398 TAM2020	£0.89 £1.40	LOCK TAB, crankshaft pulley

1	998cc pre A+
1	] 998cc A+ and
	Cooper 1300cc
1	998cc pre A+
1	] 998cc A+ and
	J Cooper 1300cc
1	998cc pre A+
1	] 998cc A+ and
	Cooper 1300cc

ill.	Part Number	Price £ea.	Description F	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
C	ylinder H	ead Con	nponents			2	TMG10824B CHS2515	£850.00 £1.36	CYLINDER HEAD ASSEMBLY, stage 4 STUD, thermostat housing	1 3	1275cc 998cc models
1	TAM2168 LDF10213	NCA NCA	CYLINDER HEAD, new, bare CYLINDER HEAD, new, bare	1 1	998cc Cooper 1300cc lead free A+	3	51K881 51K885 51K1473	£2.05 £2.23 £1.73	STUD, thermostat housing STUD, rocker cover, (long) STUD, rocker post, (short)	3 2 2	Cooper 1300cc
	451-875	£1,122.00	CYLINDER HEAD, new, bare	1	alloy head casting with improved water jackets	5	53K402 GHF331	£1.73 £1.50 £0.17	STUD, heater valve WASHER, locking	2 2	998cc models
	GCG1001A GCG1007	NCA £428.00	CYLINDER HEAD ASSEMBLY, recon. CYLINDER HEAD ASSEMBLY, recon.	1 1	all 998cc all 998cc unleaded	7	GHF200 TAM1368	£0.19 NCA	NUT SCREW, heater outlet	2 8	all models 1989-0n
	GCG1009	£428.00	CYLINDER HEAD ASSEMBLY, recon.	1	1275cc unleaded, with bypass	8	12G1111 12G1963 TMG10819	£2.95 £2.12 £59.40	VALVE GUIDE VALVE GUIDE, tapered nose VALVE GUIDE SET, bronze	8 1	all models all models I for use with stainless
	GCG1009A TMG10803B	£420.00	CYLINDER HEAD ASSEMBLY, exch.  CYLINDER HEAD ASSEMBLY, Stage 3	1 1	1275cc unleaded, no bypass 1275cc unleaded	11	6K808	NCA	PLUG, brass, oil hole	1	steel valves 998cc pre A+

ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
12	RU612123	NCA	RIVET, oil hole	1	998cc A+	1 '	, ,		by either a sintered steel rocker (CAM2	,	,
	CDU2601	NCA	RIVET, oil hole	1		i is a	dvisable to replac	ce in sets d	lue to the difference in weight when c	ompa	ared with the original rocker.
	12G2092	NCA	PLUG, water hole	3		1	12A1950K	0100 10	DOCKED ACCEMBLY robuilt	4	
	AEA771 12G3503	£5.05 £2.20	PLUG, water hole PLUG, head cleaning	2 2		23 	CAHT436	£123.19 £170.00	ROCKER ASSEMBLY, rebuilt ROCKER ASSEMBLY, high lift	1	] 1275cc EN16
	FHS2512	£1.50	STUD, manifold	6	all models		0/1111100	2170.00	Trockert Aboember, mgm int		d/forge 1.5 ratio
	AMS1	NCA	STUD SET, manifold	1	stainless steel		AHT437	NCA	ROCKER ASSEMBLY, roller rockers	1	1275cc 1.3 ratio
1/-	luca Caar						AHT438	£272.40	ROCKER ASSEMBLY, roller rockers		1275cc 1.5 ratio
v a	lve Gear						TMG10848 AHT440	NCA NCA	ROCKER ASSEMBLY, roller rockers ROCKER ASSEMBLY, roller rockers		1275cc 1.5 ratio 1 850cc-1098cc
998	Bcc Models						AIII440	NOA	HOOKEH AGGEWIDET, TOILET TOCKETS	'	1.5 ratio
						24	12A1950	£18.85	ROCKER SHAFT	1	
17	CAM6391	£7.50	VALVE, inlet	4	99H353EH302624		12A1950Z	NCA	ROCKER SHAFT	1	aftermarket
	12G3034	NCA	VALVE, inlet	4	31mm 998cc Cooper and 1098cc	25	TMG10817 12G1926	£29.00 NCA	ROCKER SHAFT POST, rocker, with oil feed	1	tuftride shaft post nos. 1, 3 and 4
	12A1987	£7.40	VALVE, exhaust	4	99H353EL291101		12G1927	NCA	POST, rocker, tapped	1	,
18	88G459	£1.25	COTTER, valve cap retainer	16	99H353PH824	27	CAM289	£17.00	ARM, rocker, sintered	8	998cc A+ and
20	88G616	£2.86	CAP, valve	8	99H503RH19766		1001001	011.00			Cooper 1300cc
21	AEA311 CAM6520	£1.96 NCA	VALVE SPRING SHIM, valve spring	8 8 1	99H791P?* To		12G1221	£11.00	ARM, rocker, forged (Must be reamed to suit rocker shaft	8	not illustrated
22	0/11/100Z0	NOA	ornini, varvo opring		538152	28	2A21	£2.05	BUSH, rocker arm	.,. 8	
						29	12A1215	£5.52	SCREW, adjusting	8	use with 2A964/
*Not	te: Question ma	ark indicates	an unknown introduction point. N	CA.			401100=0	04.00	000514 " "		2A533
17	CAM6502	NCA	VALVE, inlet	4.1	99H791P538153		12H3376 12H3376	£1.60 £1.60	SCREW, adjusting SCREW, adjusting	8	
17	UAIVIUJUZ	NOA	VALVE, IIIIGE	4	On	30	6K654	£1.60	NUT, adjuster locking	8	
	CAM6505	NCA	VALVE**, exhaust, lead free	4	99H997P/100/101		01.001	2	rior, adjuster tootang	Ū	2A533
	CAM6503	NCA	VALVE, exhaust	4	99H998P/100101		51K1178	£0.42	NUT, adjuster locking	8	
19	ADU4905	£0.80	SEAL, valve guide	8	99HA53P100101 - 110783		CVEEE	01.00	CDACED WACHED	0/=	J and CAM289
18	88G459	£1.25	COTTER	16 ]	99HA941100101 -		6K555 6K556	£1.20 £2.23	SPACER WASHER SPRING, rocker spacing	a/r 3	
					100997		CAEG392	£14.00	SPACER SET ROCKER, solid	1	
20	88G617	£4.96	CAP, valve	8			2A258	£0.90	PEG, rocker shaft locating	1	
21	12G1015	£2.59	VALVE SPRING	8	100427	34	2A515	NCA C1.20	PLATE, rocker shaft peg locating	1	1 nro A . onginoo
21	1201013	£2.39	VALVE SPRING	0			51K1193 12H2178	£1.20 £0.32	NUT, cylinder head WASHER, flat, hardened	9	1.
**No	ote: Exhaust v	alve CAM6	503 was only fitted on these	engines:	99H791P 538153 on, and		51K1193B	£1.85	NUT, cylinder head	9	
99H	A97P100101 to	100427.				38	GUG197HG	£11.00	GASKET, cylinder head	1	
47	T4144000	NOA	MALNE C.L.		L'. L (I		GUG702560HG	£18.20	GASKET, cylinder head	1	
17	TAM1062	NCA	VALVE, inlet	4	high flow 850cc - 1098cc		AHT188	£20.80	GASKET, cylinder head	1	l turbo l copper composite
	CAEG588	NCA	VALVE, inlet 31.7 mm	4	99HA539P 110784		7.11.100	220.00	artorizi, ojimaor rioda	·	competition
				]	On		CSTR1057	NCA	GASKET, cylinder head*	1	group A turbo.
	TAM1770Z	£11.00	VALVE, exhaust	4	high flow 850cc - 1098cc	   *No	to this gookst is	only for a h	ore of 1075ee (2.700) + 040 (2.92) T	Thio (	rooket has an outre reinferee
	CAEG587	NCA	VALVE, exhaust 26.5 mm	4 ]			-	-	ore of 1275cc (2.780) +.040 (2.82). T g the block to the following DATA:	IIIS Ų	jasket nas an extra reinforcet
	0.120001		There, omitaget 2010 mm	·	1098cc	1	ing that roquiro		g and 510011 to and 1011011111g 57117 ii		
19	ADU4905	£0.80	SEAL, valve guide	8	99HA94P 100998		ring recess OD i				
10	CAM6975	£1.70	COTTER, valve cap retainer	16	On 99HA97P 100428	Fire	ring recess dept	h in block	top = 0.027/0.029		
10	CAMO973	£1.70	GOTTEN, valve cap retainer	10	On	39	AJM601	£2.05	GASKET, manifold to cylinder head	1	
20	AHU1897	£6.35	CAP, valve	8	+ for engine no		TMG10836	£4.44	GASKET, large bore tubular manifold	1	
				]	codes; B83, B84	40	LDR10074	£48.90	ROCKER COVER	1	•
21	12G1015 AEA311	£2.59 £1.96	VALVE SPRING VALVE SPRING	8 8	B85, D83 E22, G31	i	WPA9007X GAC4068P	£38.40 £26.40	ROCKER COVER, alloy ROCKER COVER, alloy	1	ribbed plain
21	ALASTI	21.50	VALVE SENING	0	L22, 031	41	GFE6003	£3.30	FILLER CAP	1	piaiii
Va	lve Gear						8G612CP	£7.60	FILLER CAP, chrome	1	for alloy rocker covers
0 -		Maria I.					8G612	£7.20	FILLER CAP, matt steel	1	
CO	oper 1300 <b>N</b>	vioaeis				42	2A150 2A150CP	£1.36 £3.20	NUT, rocker cover NUT, CHROME, rocker cover	2	
17	TAM1058	£8.35	VALVE, inlet	4	33mm lead free		12H2557	£3.53	NUT, rocker cover, with stud	2	
	CAM6669	£5.00	VALVE, inlet	4	35mm		WPA9029X	£9.60	NUT, knurled rocker nuts, pair	1	•
	TAM1061	£15.00	VALVE, exhaust	4		43	1B2925	£1.25	SPACER	2	
	TAM1061Z CAEG569	£9.00 £27.50	VALVE, exhaust VALVE, inlet 33.3 mm	4	high flow 1275cc	i   1/1/1	CAM6921 1A2156	£1.55 £1.00	SPACER CHROME CUP WASHER	2	
	CAEG569 CAEG544	£17.00	VALVE, inlet 35.6 mm	4	high flow 1275cc	44	12G679	£1.00	CUP WASHER CHROME	2	
	CAHT55	NCA	VALVE, inlet 37.2 mm	4	high flow 1275cc	45	12A1358	£0.46	GROMMET, rocker cover	2	
	CAHT110	NCA	VALVE, inlet 37.7 mm	4	high flow 1275cc	46	GUG705009VC	£1.32	GASKET, rocker cover	1	
	MST2021	£33.30	VALVE, inlet 35.6 mm	4	rimflo comp 1275cc		296-006 296-007	£13.70	GASKET, rocker cover, silicone	1	
	MST2022 CAEG106	NCA £16.00	VALVE, inlet 36.57 mm VALVE, exhaust 29.4mm	4	rimflo comp 1275cc high flow 1275cc	l I	296-007 AJM417	£16.10 £2.40	GASKET, rocker cover, silicone GASKET, rocker cover, 11 stud head	1	•
	CAEG107	£18.00	VALVE, exhaust 31.0 mm	4	high flow 1275cc	47	GHF201	£0.12	NUT, rocker pedestal	4	•
	MST2011	£30.20	VALVE, exhaust 29 mm	4	rimflo comp 1275cc	1	GHF222	£0.62	NUT, nyloc, rocker pedestal	4	
10	MST2012 ADU4905	£31.20 £0.80	VALVE, exhaust 31 mm SEAL, valve stem	4 8	rimflo comp 1275cc		GHF301 AJM102	£0.22 £18.60	WASHER, rocker pedestal GASKET SET, top end	4 1	
	CAM6975	£1.70	COTTER	16		1 73	AJM102Z	£9.00	GASKET SET, top end, alternative	1	
	88G459	£1.25	COTTER	16	high flow valves		GUG701152HS	£31.25	GASKET SET, top end	1	998cc A+
20	AHU1897	£6.35	CAP, valve	8			AJM1140	£25.00	GASKET SET, top end	1	1
21	TMG10816 12G1015	£17.30 £2.59	CAP, valve, alloy SPRING VALVE	8 8		i I	AJM1140Z AJM1238	£13.80 £7.30	GASKET SET, top end, alternative GASKET SET, top end	1	] 1275CC A+
<u>- 1</u>	TMG10807	£39.00	SPRING SET, dual spring set	1	road use		GUG1089HS	£15.50	GASKET SET, top end	1	
	TMG10808	£131.50		1	race use		AJM1141X	£28.00	GASKET SET, top end	1	1300cc with AF460
Mot	o Original va-l	ore ore no	u no longor quailable they were	oithar a-	ot (2A522) or proceed start	i i	CHC701110HC	NOA	CACKET CET top and	4	gasket
NOTE	. ungmal rock	cers are nov	v no longer available, they were	enner ca	St (ZADSS) OF Pressed Steel	1	GUG701113HS	NCA	GASKET SET, top end	1	injection head set





## **Engine Mountings**


KAD3283

13 21A2387

£67.30 STEADY BAR

£20.50 BRACKET, steady bar to block

1	21A1902	£3.64	ENGINE MOUNT, manual only	2	
	21A1902X	£7.30	ENGINE MOUNT, easy fit	2 (	aptive nuts easy fit
	21A1902P	NCA	ENGINE MOUNT, poly, split	2 t	wo part type
	22A1018	£12.60	ENGINE MOUNT, auto	2 1	eft hand side
	22A917	£45.00	ENGINE MOUNT, auto	1 r	ight hand side
2	SH605051	£0.32	SCREW, fine		nount to radiator pracket
	SH505061	£0.60	SCREW, coarse		engine mount to fly wheel
3	GHF332	£0.28	WASHER, locking	3	
4	GHF120	£0.28	SCREW, mounting to subframe	4	
5	GHF332	£0.28	WASHER, locking	4	
6	GHF201	£0.12	NUT	!	not required when using 21A1902X



ill. Part Number Price £ea. Description Req. Details


# **Engine Stabiliser**

#### The ultimate engine steady kit

A common problem with Minis is their tendency to destroy engine mounts and steady bar bushes, leading to exhaust down pipe breakage. This is the best engine steady kit available. It mounts neatly on the top two bolts of the water pump and on to the bulkhead. It has an adjustable tie rod with rubber bushes, but can be uprated with one piece SuperPro bush. Suitable for all models including LHD cars.


clutch master cylinder


7	ABR024	£37.80	ENGINE STABILISER KIT	1
8	CRC5329SP	£4.82	BUSH KIT, steady bar, poly	2 one piece bush



ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
To	p Engine	ser			BH505181 SH505051		BOLT, long, bracket to block SCREW, short, bracket to block	1 1			
9	CRC5329		BUSH, steady bar, rubber	4	standard		GHF332 BH605151	£0.28 £0.79	WASHER, locking BOLT, steady bar to bulkhead	2	
	CRC5329SP C-STR630		BUSH KIT, steady bar, poly BUSH KIT, steady bar, hard rubber	1	one piece bush 4 x bush, 1 x spacer	18	GHF302	£0.60	WASHER, plain	1	
10	21A1108	£2.23	SLEEVE, spacer in bush	1	steady bar to block	1	GHF333	£0.28	WASHER, locking	1	
11	21A1108	£2.23	SLEEVE, spacer in bush	1	steady bar to bulkhead	20	GHF201	£0.12	NUT	1	
12	21A1109	£41.30	STEADY BAR	1		21	14A6733	£13.00	BRACKET, engine stabiliser	1	fits under brake &


alloy adjustable





ill.	Part Number	Price £ea.	Description	Req. Details
Lo	wer Nea	r Side R	ear Stabiliser	
25	21A2569	£18.40	STEADY BAR	1
26	21A2763	£5.20	BRACKET, gearbox	1
27	CRC5329	£1.70	BUSH, steady bar*	4
28	31G1085	£2.59	SLEEVE, spacer in bush*	2
29	GHF302	£0.60	WASHER, plain	2
30	PWZ306	£0.42	WASHER, plain*	2
31	GHF333	£0.28	WASHER, locking*	2
32	BH606181	£1.36	BOLT*	2 ] steady bar to bracket and sub-frame
33	GHF202	£0.19	NUT*	2

50	KKU10080	£9.00	BRACKET, on clutch housing	1	998cc
	KKU10080	£9.00	BRACKET, on clutch housing	1	1275cc
51	FAM2758	£23.00	STEADY BAR	1	1990-0n
52	CRC5329	£1.70	BUSH, steady bar*	4	
53	31G1085	£2.59	SLEEVE, spacer in bush*	2	
54	BH606181	£1.36	BOLT*	2	steady bar to bracket and sub-frame
55	GHF333	£0.28	WASHER, locking*	2	
56	PWZ306	£0.42	WASHER, large	1	
57	GHF302	£0.60	WASHER, plain	1	
58	GHF202	£0.19	NUT*	2	



1			
1			


ill. Part Number Price £ea. Description

ill. Part Number Price £ea. Description


Req. Details

# **Lower Off Side Rear Stabiliser**


40	21A2785	£6.00	BRACKET, on clutch housing	1
41	21A2787	£22.60	STEADY BAR	1
	21A2787K	£42.80	STEADY BAR KIT	1
42	CRC5329	£1.70	BUSH, steady bar*	4
43	31G1085	£2.59	SLEEVE, spacer in bush*	2
44	PWZ306	£0.42	WASHER, large, plain*	3
45	GHF302	£0.60	WASHER, plain*	2
46	GHF333	£0.28	WASHER, locking*	2
47	BH606181	£1.36	BOLT*	2 ] steady bar to bracket J and sub-frame
48	GHF202	£0.19	NUT, Nyloc*	2



ill.	Part Number F	Price £ea.	Description	Req.	Details	ill.	Part Number P	rice £ea.	Description	Req.	Details
C	il Control						OCHK105	£50.70	OIL PIPE KIT, rubber	1	oil cooler pipe kit 1985-On
1	GLP142 GLP141		OIL PUMP, pin drive	1	850-1098cc pre A+		OCHK106	£60.60	OIL PIPE KIT, stainless steel	1	oil cooler pipe kit 1985-On
	GLP141 GLP139	£23.00 £23.10	OIL PUMP, star drive	1	1275cc pre A+ 998cc A+		OCHK101	£42.00	OIL PIPE KIT	1	
	GLP139 GLP138	£23.10 £17.40	OIL PUMP, slot drive	1	1275cc A+					-	Clubman
	GLP130 GLP110	£41.20	OIL PUMP, slot drive	1	turbo	11	2A715	£21.10	BANJO BOLT, oil pipe to block	1	
2	GUG705560GM		GASKET, oil pump	1	turbo	12	AED172	£1.15	WASHER, sealing	2	
3	BH604141	£1.04	BOLT, oil pump	3	998cc		LZB10017	£4.18	OLIVE SEAL	2	collapsible olive seal
Ü	TAM1174	NCA	BOLT, oil pump	4	1275cc A+				(For standard metal injection oil fe	ed pipe	).
4	12G926	£1.96	LOCK WASHER, pin drive pumps	1	127000711	13	TAM2119	NCA	ADAPTOR, oil pipe to housing	1	
5	12H865	£4.24	VALVE, oil release	1		14	TAM2097	£22.60	HOUSING, filter head	1	
·	12H865X	£0.70	VALVE BALL, oil release	1	no more sticking	15	GUG705553GM	£1.80	GASKET, filter housing to block	1	
	121100071	2011 0	riere si iee, on roioaco	·	valves	16	GHF333	£0.28	WASHER, locking	2	
6	6K853	£1.20	SPRING, oil valve	1		17	GHF202	£0.19	NUT	2	
	6K853C	£1.20	SPRING, oil valve	1	use with 12H865X	18	8G684	£8.30	OIL FILTER, felt element	1	early
7	6K431B	£0.73	WASHER, copper	1			GFE103	£3.58	OIL FILTER, paper element	1	]
8	12A1851	£4.50	CAP, oil pressure release valve	1			GFE104	£4.24	OIL FILTER, paper element	1	auto
9	12A116	NCA	DIPSTICK	1	pre A+		GFE166	£2.76	OIL FILTER, canister	1	all models
	LQM100380	£20.30	DIPSTICK	1	A+ without tube	i	LPW100180	£3.68	OIL FILTER, canister	1	mpi 1996-0n
	GAC8457X	£10.80	DIPSTICK, blue	1	A+	19	GHF101	£0.28	SCREW, bracket to gearbox case	2	
	GAC8458X	£10.80	DIPSTICK, red	1	A+	20	22A1365	NCA	LOCK TAB	1	
10		NCA	OIL PIPE, block to filter	1	Cooper, no oil	21	22A343	NCA	BRACKET, oil pipe support	1	
			,		cooler	22	22G1150	NCA	PIPE, oil suction	1	
	MT1501	£62.70	OIL PIPE, block to filter, braided	1	12a 1990-0n		CAHT54	£30.00	PIPE, oil suction	1	
	MT9101	NCA	OIL PIPE, turbo oil feed	2	braided oil feed				(Central pick up required too ensur	re cons	tant oil delivery
			,		pipe				under heavy cornering).		
	OCHK100	£25.60	OIL PIPE KIT, rubber	1	oil cooler pipe kit	23	22A542B	£1.66	GASKET, pipe to gearbox case	1	
			,		To 1979	24	SH604031	£1.04	SCREW, strainer to bracket	2	
	OCHK102	£45.30	OIL PIPE KIT, stainless steel	1	oil cooler pipe kit	25	22A388	NCA	LOCK TAB	1	
					To 1979	26	22A341	NCA	'O' RING	1	
	OCHK103	£15.00	OIL PIPE KIT, rubber	1	oil cooler pipe kit 1979-84	27	22A335	NCA	STRAINER, oil suction	1	
	OCHK104	£72.50	OIL PIPE KIT, stainless steel	1	1979-64   oil cooler pipe kit   1979-84						



ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Br	eather H	ose & F	ittings				UAM1600	£5.30	T PIECE, servo hose to valve	1	] 1275cc Cooper ] 1990-91
99	8cc Mode	els					GRH1006M	£6.14	HOSE, servo to valve 1m length	1	
28	12A1735	£6.85	HOSE, breather, tappet	1	chest to carburettor	lnj	ection Models				
29	GHC11022 GHC11020	£2.05 £1.96	CLIP, large, hose CLIP, small, hose	1	to tappet chest to carb		LLC10051	NCA	OIL SEPARATOR	1	auto and mpi
Co	oper 1275c	o and CE	Madale			43	LLH10082	NCA	HOSE, breather	1	metal rail to throttle body
00						44	LLH10132	£4.75	HOSE, breather	1	metal rail to timing
30 31	12A1735 12G2134	£6.85 £2.90	HOSE, breather 'Y' PIECE	1	timing cover to 'Y' piece	45	LLH10135	NCA	HOSE, breather	1	metal rail to clutch
32	GHC11020 LLH10056	£1.96 £2.42	CLIP, hose HOSE, breather	3	'Y' piece to carb.	46	LLH102240	NCA	HOSE, breather	1	cover metal rail to throttle
33 34	LLH10056	NCA	HOSE, breather	1	'Y' piece to carb.	1 47	1111404000	NOA	HOOF, howelfeet		body top inlet mpi
35 36	GHC11022 LLC10047	£2.05 £36.20	HOSE CLIP OIL SEPARATOR	1	flywheel housing	47	LLH101830	NCA	HOSE, breather	1	metal rail to throttle body top inlet spi
37	GUG705551GI	M NCA	GASKET, oil separator	1	,	48	LLP10026	NCA	PIPE, metal (Metal supply pipe to hoses runs be	1 hind	rocker cover hov spi)
38 39	SH505061 GHF332	£0.60 £0.28	SCREW, oil separator WASHER, locking	1	to flywheel housing	49	LLP100300	NCA	PIPE, metal	1	.,
	GHF201	£0.12	NUT	1		į			(Metal supply pipe to hoses runs be	ehind	. ,
	53K2171	£1.25	STUD, separator on housing	1		50	MAH10035	£9.10	HOSE	1	hose to purge valve
40	WTB100760	NCA	CANISTER CHARCOAL	1	carburettor models	¦ 51	AUU1503	NCA	PURGE VALVE	1	
			(Supplied with bracket assembly).			52	JZV1223	NCA	TUBE PLASTIC, purge valve	1	
41	MAQ10008	NCA	SWITCH, carburettor vacuum	1	thermostatic control	53	JZV1224	NCA	CLIP, purge valve tube	1	
41a	ADU9535	£76.70	VALVE, anti run on	1	1275cc Cooper 1990-91	1					



# Diaphragm Clutches

ill. Part Number Price £ea. Description

וט	apnragm	Clutch	es	
1	GCK100AF	£49.00	CLUTCH ASSEMBLY	1 contains items 2, 3 and 4
2	GCP204AF	£31.00	CLUTCH PLATE	1
	GCP204BB	£57.60	CLUTCH PLATE, B&B	1 aftermarket
	GCP596	£131.00	CLUTCH PLATE, road rally	1
3	GCC103	£48.00	CLUTCH COVER, (diaphragm)	1
	GCC103BB	£40.80	CLUTCH COVER, B&B	1 aftermarket
	GCC481	£39.00	CLUTCH COVER, road rally	1
	GCC482	£37.80	CLUTCH COVER, rally race	1
4	GRB238	£8.00	RELEASE BEARING	1
5	22A598	£100.00	PRESSURE PLATE	1
	CAHT230	£100.00	PRESSURE PLATE	1 lightweight 3.56.lbs
6	2A3657	£2.80	SCREW	3 diaphragm to plate
7	GHF323	£0.19	WASHER, shake-proof	3
8	2A3658	£7.40	STRAP, driving	6 ] road use or 9 for
				race/rally
9	2A3659	£2.38	SCREW, strap to flywheel	3
10	2A3512	NCA	LOCKTAB, for above	3
11	GHF302	£0.60	WASHER	3
14	12G3014	NCA	FLYWHEEL	1
	CAEG619	£165.00	FLYWHEEL, steel	1 super light 8.38lbs
			(For 107 tooth ring gear with inertia s	,
	CAEG620	NCA	FLYWHEEL, steel	1 super light 8.38lbs
			(For 129 tooth ring gear with pre-eng	-
	CAEG420	£165.00	FLYWHEEL, steel	1 light weight 11lbs
			(For 129 tooth ring gear with pre-eng	-
15	12G676	£27.80	RING GEAR	1 wide type
			(Standard manual transmission 107 to	,
	22G2613	£26.00	RING GEAR	1 thin type
			(As used on race fly wheels 107 tooth	,
16	88G508	£9.00	KEY, flywheel to crankshaft	1
17	22A747	£8.40	BOLT, flywheel	1
18	22A1155	£2.90	LOCKTAB, flywheel bolt	1

#### **Verto Clutches**

Note: Verto manufactured clutches were first used on the Metro range in 1983, to counter problems with clutch judder and reliability. They were built as an assembly and dynamically balanced to reduce these problems.

Although it is possible to purchase component parts, we only offer the assembly as it promises less maintenance and reduces the risk of a juddering clutch.

20	GCK149AF	£142.00	CLUTCH ASSEMBLY, inertia starter	1	998cc
			(180mm centre plate, diaphragm and	relea	ase bearing).
	GCK2123AF	£150.70	CLUTCH ASSY, pre-engaged starter	1	1275cc
			(190mm centre plate, diaphragm and	relea	ase bearing).
	GCU90122AF	NCA	CLUTCH ASSEMBLY	1	Cooper 1275cc
					and SE
21	GCP90311AF	£50.00	CLUTCH PLATE, verto	1	998cc
	GCP90832AF	£53.00	CLUTCH PLATE, verto	1	1275cc
	GCP596	£131.00	CLUTCH PLATE, road/rally	1	
22	GRB239	£6.55	RELEASE BEARING	1	
23	AHU1564	£35.90	THRUST SLEEVE	1	
24	DAM5922	£10.00	BOLT, with lock-washer	1	
25	DAM5923	£14.00	KEY, crankshaft to fly wheel	1	
26	DAM2821	NCA	DUSTSHIELD, primary gear seal	1	
27	12G2445	NCA	RING GEAR, 107 teeth	1	inertia starter
	PSF10003	£27.50	RING GEAR, 129 teeth	1	pre-engaged starter
			(Verto or pre-Verto fly wheel with pre-	-enga	aged starter).
28	BAU2319	£0.86	BOLT, cover fixing	6	
29	GHF323	£0.19	WASHER, cover fixing	6	
30	88G302	£5.30	BEARING, idler gear	1	1959-68, 3 synchro gearbox
			(1.004" ext. dia.)		
	13H7848	£6.60	BEARING, idler gear	1	1968-79, 4 synchro gearbox
			(1.065" ext. dia., 0.750" int. dia.)		
	AHU1707	£14.40	BEARING, idler gear	1	1979 on, 4 synchro gearbox
			(1.375" ext. dia., 0.875" int. dia.)		
	DAM3745	£18.60	BEARING, idler gear with sleeve	1	Pre A+ inner diameter
			(1.375" ext. dia., 0.750" int. dia.)		with A+ outer diameter.

Note: For 3 synchro gearbox models (1959-68) none of the 4 synchro flywheel housings can be used. When fitting an A series idler gear to A+ housing, use DAM3745 which has a special sleeve. DAM3745 has a pre A+ inner diameter and A+ outer diameter, meaning you can use the larger A+ housing with a smaller pre A+ idler gear.


If you are unsure what is original for your car, you can check the size required by measuring the bearing location in the flywheel housing (to get the external diameter for the idler bearing) and measure the idler gear shaft diameter (to get the internal diameter required). This should give you the size of bearing required to suit your needs.

31	AAU8424	£15.20	BEARING, 1st motion shaft spigot	1
32	2A3643	£4.20	SPRING RING, for bearing	1

į	ill.	Part Number	Price £ea.	Description	Req.	Details
ł	33	13H2934	£3.18	OIL SEAL	1	
ŀ		LUF10005	£6.79	OIL SEAL, improved seal	1	standard 1991-On
į	34	AHU1106	NCA	COVER, with timing hole	1	
į	35	22A2237B	£3.30	GASKET, housing to transmission	1	
i	36	BH605141	£1.04	SCREW, housing to block	3	long
ł		DAM7758	NCA	BOLT, flanged, housing to block	3	long
ŀ		GHF103	£0.54	SCREW, housing to block	3	short
į	38	FNZ505	£0.68	NUT, housing, stud from gearbox	9	
į	39	GHF332	£0.28	WASHER, locking	9	
į	41	DAM7755	£0.79	SCREW, cover to housing	7	
i	42	GHF301	£0.22	WASHER, plain	1	
ŀ		GHF332	£0.28	WASHER, spring	1	use with DAM7755
ŀ	43	22A1299	NCA	PLATE, dowel retaining	1	
į	46	22A180	£7.30	PLUNGER, clutch	1	press fit To 1979
į		DAM1955	£35.00	PLUNGER, clutch	1	floating fit 1979-84
i	47	DAM2413	£2.63	RING, locking, plunger to bearing	1	Ü
ŀ	Note	e: Always renev	N DAM2413 \	when replacing release bearing.		
ł		-				
į	48	DAM5353	NCA	PLUNGER	1 ]	Verto clutches
į		DAM5353Z	£16.94	PLUNGER, aftermarket	1	
i	49	AAU2866	£2.30	'O' RING, plunger to bearing	1	use with DAM5353
i	50	22A427	£6.00	STOP, plunger	1	
ŀ	51	NT610041	£0.84	NUT, plunger stop locking	1	
ŀ	52	22A2204	£26.00	LEVER, clutch release, long	1	diaphragm clutches
į	53	DAM5355Z	£18.30	LEVER, clutch release, short	1	Verto clutches
į	54	CLZ628	£1.86	CLEVIS PIN, clutch pivot	1	
i	55	GHF302	£0.60	WASHER	1	
ŀ	56	GHF502	£0.19	SPLIT PIN	1	For CLZ628
ł	57	GHF101	£0.28	SCREW, clutch lever stop	1	
į	58	JN2107	£0.28	LOCKNUT	1	
į	59	CLZ518	£1.55	CLEVIS PIN	1	
i	60	2A3601	£4.40	SPRING PLATE, lever end	1	
ł	61	GHF301	£0.22	WASHER	1	
ŀ	62	GHF502	£0.19	SPLIT PIN	1	
ŀ	63	1G5999	£1.92	SPRING, clutch arm return	1	
į	64	2A3600	NCA	SPRING PLATE, slave cylinder end	1	
į	65	18G8086	NCA	LOCK TAB SET	1	
ì				(This set contains all lock tabs requ	uired for	re-assembly of
ł				the flywheel housing, on later cars		
ŀ				used instead of studs, these replace	e the lo	ck tabs as they

Note: Whenever work has been carried out on the clutch assembly or the flywheel has been removed, its good practice to have the assembly balanced again before it's reinstalled. This will help achieve a smoother running engine. An out of balance flywheel can cause a great deal of damage and shorten the life of the engine.

are self locking).



#### Req. Details

# **Clutch Hydraulics & Pedal**


1	GMC1008	£47.00	MASTER CYLINDER, clutch, plastic	1	
	AAU4969	£71.00	MASTER CYLINDER, clutch, metal body	1	original
2	GRK3007	£12.00	SEAL KIT, 1 ring seal, 1 cap seal	1	early spec, To 1985
	GRK3007Z	£4.40	SEAL KIT, 1 ring seal, 1 cap seal	1	] early spec, alternative,
					To 1985
	GRK3004Z	£5.00	SEAL KIT, 2 ring seals	1	late spec, 1985-On
3	513123A	£4.00	CAP, fluid reservoir	1	
4	31G279	£1.96	WASHER, under master cylinder	1	
5	FNZ505	£0.68	NUT, master cylinder to bracket	2	
6	GHF332	£0.28	WASHER, locking	2	
7	GPP12AA	£11.75	PIPE, master cylinder to hose	1	RHD
	GPP32AA	£13.66	PIPE, master cylinder to hose	1	LHD
9	GVP1020	£8.10	HOSE, pipe to slave cylinder	1	diaphragm clutches
	21A2234Z	£10.75	HOSE, pipe to slave cylinder	1	To 1980
	MT2401	£24.80	HOSE, pipe to slave cylinder	1	stainless steel
			(From master cylinder to slave cylinder	r	braided
			eliminates use of solid intermediate pig	oe,	diaphragm clutches).
	GAC8446X	NCA	HOSE, pipe to slave cylinder	1	To 1983 stainless
			(Diaphragm clutches).		steel braided
10	GVP1009	£12.70	HOSE, pipe to slave cylinder	1	Verto clutches
	GAC8447X	£14.50	HOSE, pipe to slave cylinder	1	1983-On stainless
			(Banjo end, Verto clutches).		steel braided
	MT2401	£24.80	HOSE, pipe to slave cylinder	1	1983-On stainless
			(From master cylinder to slave		steel braided
			cylinder, Banjo both ends, Verto clutch	es)	
11	2K8686	£1.20	NUT, pipe to bulkhead	1	
12	WE600101	£0.42	WASHER, locking	1	
13	C5192A	£5.40	BOLT, banjo, hose to cylinder	1	] Verto clutches
14	3H550	£0.60	WASHER, copper, large	1	]
15	233220A	£0.84	WASHER, copper, small	1	
16	GSY110	£28.00	SLAVE CYLINDER	1	diaphragm clutches
17	GRK4008	£6.90	SEAL KIT	1	hose screw into body
	GRK4008Z	£2.63	SEAL KIT, aftermarket	1	]
18	GSY118	£40.80	SLAVE CYLINDER	1	] Verto clutches
17	GRK4001	£6.00	SEAL KIT	1	
	GRK4001Z	£4.27	SEAL KIT, aftermarket	1	banjo holds hose
					to body
19	3H2428	£0.95	BLEED NIPPLE	1	
20	13H396	£6.40	PUSH ROD	1	

Note: For clevis pin and fittings please see General Hardware at the back of this catalogue.


21	SH506101	£0.94	SCREW, slave cylinder to housing	2	To fit GSY110
22	GHF105	£0.37	SCREW, slave cylinder to plate	2	To fit GSY118
23	GHF333	£0.28	WASHER, locking	2	
24	DAM5992	£22.90	PLATE, slave cylinder	1]	
25	GHF165	£0.37	SCREW, plate to housing	2	
26	GHF333	£0.28	WASHER, locking	2	
27	SH604141	£0.62	BOLT, plate to housing via spacer	1	use with GSY118
28	GHF331	£0.17	WASHER, spring	1	
29	17H2518	£2.95	SPACER	1	alternative CTF
30	2A3034	£5.70	BUSH, in pedal	2	for brake & clutch
31	2A5880	£36.00	PIVOT PIN	1	
32	GHF222	£0.62	NUT, nyloc	1	
33	CLZ512	£1.52	CLEVIS PIN, pedal to master cylinder	2	
34	GHF503	£0.28	SPLIT PIN	2	
35	GPR104A	£0.95	RUBBER, brake & clutch pedal	2	To 1976
	GPR107A	£1.20	RUBBER, brake & clutch pedal	2	1976-90
	SZU10001	£5.50	RUBBER, brake & clutch pedal	2	1990-0n



36	GBF4102 GBF4103	£6.50 £11.65	BRAKE/CLUTCH FLUID, DOT4 BRAKE/CLUTCH FLUID, DOT4	a/r a/r	500ml 1 litre
37	GBF4104 GBF5102	£46.80 £8.10	BRAKE/CLUTCH FLUID, DOT4 BRAKE/CLUTCH FLUID, DOT5.1		5 litre racing 500ml
31	GBF5103	£15.14	,		racing 1 litre




ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number F	rice £ea.	Description	Req.	Details
G	earbox Ex	ternals					DAM3745	£18.60	BEARING, idler gear	1	] (1.375" O/D, ] 0.750" I/D)
1	18G8085	NCA	KIT, gearbox lock tabs	1		i	AHU1707	£14.40	BEARING, idler gear	1	] (1.375" O/D,
2	GHF102	£0.42	BOLT, long, block to gearbox	5		1					] 0.875" I/D
	GHF101	£0.28	SCREW, short, block to gearbox	5		24	51K3565	£0.29	CIRCLIP, (when 13H7848 fitted)	1	
3	BH604141	£1.04	BOLT, rear dowel	1		25	DAM5219	NCA	COVER, speedo drive housing	1	
4	12A1150	NCA	COLLAR, rear of block	1		26	22A541B	£1.00	GASKET, drive housing	1	
5	22H983	NCA	DOWEL, hollow block to gearbox	1	rear	27	2A3626	NCA	PLATE, speedo drive housing	1	
6	GHF300	£0.19	WASHER, locking	1		28	GUG705564GM	NCA	GASKET, speedo drive case plate	1	
7	GHF200	£0.19	NUT, plain, block to gearbox	1		29	12G1318	NCA	ADAPTOR PLATE, rad' mounting	1	
8	GHF331	£0.17	WASHER, spring 1/4"	13		30	12G1319	£1.66	SCREW, adaptor, gearbox casing	1	
9	FHS2410	£1.10	STUD, thin flange block	2	A+ models	31	6K9012	£0.54	WASHER, locking	1	
10	12H1824	NCA	DOWEL, block to gearbox	1	front	32	2A3606	£0.37	'O' RING, oil suction	1	case to block
11	TAM1617	£7.00	STUD, long	4/2		33	22A542B	£1.66	GASKET, oil drilling	1	
	22G1834	NCA	STUD, short	2		34	2A3637	NCA	PLATE, oil drilling blanking	1	
12	GHF332	£0.28	WASHER, locking	6		į	MS3313	£31.40	MAGNETIC TRAP	1	
13	FNZ506	£0.62	NUT, diff housing stud 3/8" UNF	4					(Replaces plate with magnetic sum	p plug	extra safety in oil
	FNZ505	£0.68	NUT, diff housing stud+front cover	6	5/16" UNF	1			delivery pipe).		
14	22A152	£3.00	STUD, flywheel housing, long	6		35	2K4874	NCA	LOCKTAB	1	
	53K547	£1.20	STUD, flywheel housing, short	3		36	BH604131	£1.00	BOLT, blanking plate to block	2	
16	22A153	NCA	DOWEL, diff housing	2		37	DAM7335	£22.70	DRAIN PLUG, magnetic	1	
17	22A97	NCA	DOWEL, flywheel housing	2		38	AED172	£1.15	WASHER, drain plug	1	
18	22A13	NCA	DOWEL, speedo drive housing	2		39	GUG3007SG	£2.20	GASKET SET, gearbox to engine	1	
19	42H500	NCA	LOCKTAB, diff housing	1			GUG3007SGA	£1.25	GASKET, gearbox to engine	1	front gasket
20	22A251	NCA	LOCKTAB, diff housing	1		1	GUG3007SGB	£1.25	GASKET, gearbox to engine	1	rear gasket with
21	2A3505B	£0.37	GASKET, upper, diff housing	1		į					hole for oil pipe
22	2A3506B	£1.45	GASKET, lower, diff housing	1	pre rod change	40	AHU1959	£6.00	SEAL	1	crescent front of crank
	22G1836B	£0.54	GASKET, lower, diff housing	1	rod change		AHU1959Z	£2.53	SEAL	1	to gearbox case
	GGL1009	£14.04	RTV BLACK SILICONE COMPOUND	1		41	13H7286	£4.50	BUSH, gear lever steady rod	1	
			(Rover now use silicone in place of	these	gaskets for upper	42	SH504061	£0.28	SCREW, adaptor plate to housing	2	
			and lower differential housing).			43	GHF331	£0.17	WASHER, spring	2	
23	13H7848	£6.60	BEARING, idler gear	1	] (1.065" O/D,		GUG708010TS	£11.20	GASKET SET, gearbox	1	
					0.750" I/D)		GUG708010TSZ	NCA	GASKET SET, gearbox	1	




1   2261930   NCA   EXTENSION ROD, to gear lever   1   2261930   NCA   EXTENSION ROD, to gear lever   2   24241116   E28.00   COUPUNG, for extension rod   1   26   CZH4Z78   234.90   GAPIEL, quick shift   1   remote type   1   24241116   E28.03   COUPUNG, for extension rod   3   Coupling and   226.08   ROLL PIN   226.08   E28.40   GAPTE, gear lever   1   remote type   2424936   E28.40   GAPTE, gear lever   1   remote type   244936   E28.40	ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
2	Ge	ear Lever	& Fittir	ngs						, ·	1 1	,,
DAMS067	3	42H1116 RPS1416	£28.00 £2.63	COUPLING, for extension rod ROLL PIN	1 1 3	, -	26	CZH4278 22A608 FJN10003	£34.90 £28.40 £2.63	GAITER, gear lever GAITER, gear lever RETAINER, for gaiter	1 1 1 1	remote type rod type
6 GHF301		DAM5067 UKN10032	NCA NCA	STEADY ROD, gearbox to gear lever STEADY ROD, gearbox to gear lever	1 1 1		28				4	тетноге туре
9 GHF275	6	GHF301	£0.22	WASHER, locking	1 1 1							
11 DAM3670 NCA HOUSING, gear lever 1 12 42B413 £10.90 BUSH, housing steady 1 13 DAM2670 £2.80 RETAINER PIN, long, gear lever 1 14 22G2277 NCA RETAINER PIN, short, gear lever 1 15 22G2792 £40.00 EYE, extension rod 1 22G389 NCA BUSH SEAT 1   cup seat bottom of gear lever   16 DAM8621 NCA BASE PLATE, gear lever housing 1 17 22G2026 NCA BRACKET, floor to housing 1 18 BT606281 NCA BOLT, bracket to housing 1 19 LNZ106 £1.56 NUT, locking 1 20 22G205 £3.32 MOUNTING, bracket to housing 2 21A956Z £6.30 MOUNTING REAR 1   remote gear housing to under floor bracket   21 GHF332 £0.28 WASHER 4 22 GHF201 £0.12 NUT 4 23 22G1434 NCA RETAINER, gear lever 1	9	GHF275	£0.84	NUT	1 1	cmall tuno						
14       22G2277       NCA       RETAINER PIN, short, gear lever       1         15       22G2792       £40.00       EYE, extension rod       1         22G389       NCA       BUSH SEAT       1       cup seat bottom of gear lever         16       DAM8621       NCA       BASE PLATE, gear lever housing       1         17       22G2026       NCA       BRACKET, floor to housing       1         18       BT606281       NCA       BOLT, bracket to housing       1         19       LNZ106       £1.56       NUT, locking       1         20       22G2205       £3.32       MOUNTING, bracket to housing       2         21 GHF332       £6.30       MOUNTING REAR       1       remote gear housing to under floor bracket         21 GHF201       £0.12       NUT       4         22 G261434       NCA       RETAINER, gear lever       1	11 12	DAM3670 42B413	NCA £10.90	HOUSING, gear lever BUSH, housing steady	1	,,						
gear lever   gea	14	22G2277	NCA	RETAINER PIN, short, gear lever	1 1 1	gear lever locator						
17       22G2026       NCA       BRACKET, floor to housing       1         18       BT606281       NCA       BOLT, bracket to housing       1         19       LNZ106       £1.56       NUT, locking       1         20       22G2205       £3.32       MOUNTING, bracket to housing       2         21A956Z       £6.30       MOUNTING REAR       1       remote gear housing to under floor bracket         21       GHF332       £0.28       WASHER       4         22       GHF201       £0.12       NUT       4         23       22G1434       NCA       RETAINER, gear lever       1		22G389	NCA	BUSH SEAT	1	'						
21A956Z £6.30 MOUNTING REAR 1 remote gear housing to under floor bracket  21 GHF332 £0.28 WASHER 4  22 GHF201 £0.12 NUT 4  23 22G1434 NCA RETAINER, gear lever 1	17 18 19	22G2026 BT606281 LNZ106	NCA NCA £1.56	BRACKET, floor to housing BOLT, bracket to housing NUT, locking	1 1 1 1 2							
22 GHF201 £0.12 NUT 4 23 22G1434 NCA RETAINER, gear lever 1	20	21A956Z	£6.30	MOUNTING REAR	_							
	22 23	GHF201 22G1434	£0.12 NCA	NUT RETAINER, gear lever	4 4 1 1							

30




ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Ge	earbox In	ternals				Th	rust Washe	ers For A-			
1	22G943 CSTR30	£100.00 £62.00	GEAR, idler 31 teeth, shaft dia 0.75" GEAR, idler 30 teeth, shaft dia 0.75" GEAR, idler 30 teeth shaft dia 0.75"	1 1 ]	pre A + pre A+ straight cut EVO pre A+ straight		DAM5914 DAM4823 DAM4824 DAM4825	NCA £30.70 £15.00 £25.00	THRUST WASHER, idler THRUST WASHER, idler, yellow THRUST WASHER, idler, red THRUST WASHER, idler, blue	a/r a/r a/r a/r	0.130-0.135" 0.134-0.135" 0.136-0.137" 0.138-0.139"
	0011101	2203.00	(Roller bearing).	' ]	cut EVO	3	22G849	£58.00	GEAR, 1st motion, 24 teeth	1	pre A+
	DAM2924	£132.00	GEAR, idler 37 teeth, shaft dia 0.875	" 1 ]	998cc A+ and Cooper 1300		DAM2925	NCA	GEAR, 1st motion, 29 teeth	1	998cc A+ and Cooper 1300cc
	CSTR30A	£62.00	GEAR, idler 30 teeth, shaft dia 0.875		A+ straight cut EVO		CSTR230	NCA	GEAR, 1st motion, 23 teeth	1	straight cut EVO
	CSTR30TA	£176.00	GEAR, idler 30 teeth, shaft dia 0.875	" 1	A+ straight cut EV0		CSTR240	£57.90	(Can be used with different primary GEAR, 1st motion, 24 teeth	gear t	o change gear ratio). straight cut EVO
	CSTR31	£205.00	(Timken bearing). GEAR, idler 30 teeth, shaft dia 0.875	" 1	A+ straight cut EVO	i	U31N24U	237.90	(Can be used with different primary	gear t	•
	0011101	2200.00	(Roller bearing).	Ċ	711 diaigni dat 210	I I	CSTR250	£57.90	GEAR, 1st motion, 25 teeth	1	straight cut EVO
	MRAC104	£218.60	DROP GEARS S/C, straight cut set	1	1-1 ratio 1275cc A+	l			(Can be used with different primary	gear t	,
	MRAC105	NCA	DROP GEARS S/C, straight cut set	1	1-1 ratio 1275cc A	l I	MRAC104	£218.60	DROP GEARS S/C, straight cut set	1	1-1 ratio 1275cc A+
The		Fa D					MRAC105	NCA	DROP GEARS S/C, straight cut set	1	1-1 ratio 1275cc
III	rust Washe	rs For Pr	e A+			1	ADU7619	£39.50	BALL BEARING, 1st motion	1	J A series
2	22A1545Z	£17.50	THRUST WASHER, idler, green	a/r	0.130-0.131"	5	22G850	NCA	CIRCLIP, bearing	1	1 alternatives
_	22A1546	£17.00	THRUST WASHER, idler, green	a/r	0.132-0.133"		22G851	NCA	CIRCLIP, bearing	1.	
	22A1547	£19.00	THRUST WASHER, idler, white	a/r	0.134-0.135"	6	DAM4000	£2.50	LOCK TAB, washer	1	
	22A1548	£18.00	THRUST WASHER, idler, blue	a/r	0.136-0.137"	7	2A3548	£6.46	NUT	1	
	22A1549	NCA	THRUST WASHER, idler, red	a/r	0.138-0.139"	8	22G1093	£48.00	SHAFT, 1st motion	1	]
	DAM4822	£26.40	THRUST WASHER, idler, no code	a/r	0.131-0.133"		2A3643	£4.20	CIRCLIP, 1st motion shaft	1	retains nose bearing


ill	Part Number	Price Sea	Description F	Reg.	Details	! ill.	Part Number	Price Sea	Description	Reg.	Details
9	CHM172	£5.40	BEARING, needle	1	Details	45	ATA7043	£1.15	BOLT, crown wheel to cage	6	Details
10	22G927	NCA	LAYGEAR, 15, 20, 25, 29 teeth	1			ATA7385	£2.46	LOCK TAB, crown wheel bolt	3	
11	22A1371Z	£18.20	LAYSHAFT	1	3 synchro gearbox						
12	22G931 13H9513	£25.00 £4.44	LAYSHAFT BEARING, needle roller, small end	1	engine No. ranges To 99H829P/871	Cro	wn Wheels For	Pre A+			
13	CHM141	£3.92	BEARING, needle roller, large end	2	99H889AJ/423	47	22A411	NCA	CROWN WHEEL, 62 teeth, 3.4;1	1	18 tooth pinion
14 15	22G1852 22G825	NCA NCA	GEAR, reverse idler BUSH, reverse gear	1	99H889V/2864 + To 99H791P/320664	Cro	wn Wheels For	Λ.			
16	22G833	£140.00	SHAFT, 3rd motion	1	10 00111 0117 02 000 1		***** *********************************	AT			
17 18	22G1095 22G1094	NCA £85.00	SPEED GEAR, 3rd SPEED GEAR, 2nd	1		i	DAM2677	NCA	CROWN WHEEL, 62 teeth, 3.4;1	1	18 tooth pinion
19	22G1094 22G1096	£92.00	SPEED GEAR, 2110 SPEED GEAR, 1st	1			DAM6327 DAM2806	£267.30 NCA	CROWN WHEEL, 59 teeth, 3.1;1 CROWN WHEEL, 61 teeth, 3.2;1	1	19 tooth pinion 19 tooth pinion
20	22A413	£48.00	PINION, final drive, 3.44;1	1			DAM5925	NCA	CROWN WHEEL, 59 teeth, 2.95;1	1	20 tooth pinion
	22A399 DAM5927	£20.90 NCA	PINION, final drive, 3.7:1 PINION, final drive, 2.95;1	1		Cor	npetition Crowi	n Whool A	nd Dinion Sate		
8	DAM3092	NCA	SHAFT, 1st motion	1		601	iipetitioii Growi	II WIIEEI AI	ilu Fillioli Sets		
0	2A3643 13H9513	£4.20	CIRCLIP, 1st motion shaft	1	retains nose bearing	i	CBTA1001	NCA	CROWN WHEEL + PINION, 3.46:1	. 1	
9 10	DAM3169	£4.44 NCA	BEARING, needle roller LAYGEAR, 15, 20, 25, 29 teeth	1			CBTA1002	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 3.76:1	std or 1	cross pin differentials).
11	DAM3187	£24.70	LAYSHAFT	1		i	051111002		(Stronger semi helical cut teeth for		cross pin differentials).
12 13	13H9513 CHM141	£4.44 £3.92	BEARING, needle roller, small end BEARING, needle roller, large end	1	A+ engine ranges 99H829P/872 On		CBTA1003	NCA	CROWN WHEEL + PINION, 3.93:1	1 otd or	araga nin difforantiala)
	TUB10020	NCA	GEAR, reverse idler, 1 bush	1	99H889AJ/4234 On	i	CBTA1004	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 4.07:1	5tu 01	cross piir unierendais).
15	TUB10020 22G825	NCA	GEAR, reverse idler, 2 bush	1	99H889V/2865 On 99H791P/320665 On	1			(Stronger semi helical cut teeth for	std or	cross pin differentials).
15	TUJ10001	NCA £7.00	BUSH, for DAM3189 BUSH, for TUB10020	2	To 99H791P/Z500101		CBTA1005	NCA	CROWN WHEEL + PINION, 4.31:1 (Stronger semi helical cut teeth for	1 etd or	cross nin differentials)
16	DAM168	NCA	SHAFT, 3rd motion	1	To 99HA53/P100101	i	CBTA1006	NCA	CROWN WHEEL + PINION, 4.57:1	1	cross piri diricrendals).
17	DAM7484 22G1095	NCA NCA	SHAFT, 3rd motion GEAR, 3rd speed	1			00744007	NOA	(Stronger semi helical cut teeth for	std or	cross pin differentials).
18	22G1094	£85.00	GEAR, 2nd speed	1		į.	CBTA1007	NCA	CROWN WHEEL + PINION, 4.67:1 (Stronger semi helical cut teeth for	ı std or	cross pin differentials).
19	22G1096	£92.00	GEAR, 1st speed	1			CBTA1250	NCA	CROWN WHEEL + PINION, 3.46:1	1	oroco piir amoromaaloji
20	DAM2679 DAM5927	£54.00 NCA	PINION, final drive, 3.44;1 PINION, final drive, 2.95;1	1			CBTA1248	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 3.76:1	limited 1	slip differentials only).
8	DAM3167	NCA	SHAFT, 1st motion	1	18 teeth 1275cc GT	1	GDTATZ40	NGA	(Stronger semi helical cut teeth for	-	slip differentials only).
	DAM4930 2A3643	£96.00 £4.20	SHAFT, 1st motion CIRCLIP, 1st motion shaft	1	17 teeth retains nose bearing		CBTA1252	NCA	CROWN WHEEL + PINION, 3.93:1	1	
9	13H9513	£4.44	BEARING, needle roller	1	Totaliis nose bearing	i	CBTA1246	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 4.07:1	limited 1	slip differentials only).
10	DAM4931	NCA		1	A+ engine ranges		OBIAIZHO	NOA	(Stronger semi helical cut teeth for		slip differentials only).
11 12	DAM3187 13H9513	£24.70 £4.44	LAYSHAFT BEARING, needle roller, small end	1 1	99H791P/Z500101 On 99HA53P/100101 On	i	CBTA1251	NCA	CROWN WHEEL + PINION, 4.23:1	1	LaPa defensa Pala and N
13	CHM141	£3.92	BEARING, needle roller, large end	2	all 99HB81P, B83P,	1	CBTA1249	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 4.31:1	limited 1	slip differentials only).
14	TUB10020 TUB10020	NCA NCA	GEAR, reverse idler, 1 bush GEAR, reverse idler, 2 bush	1 1	B84P, B85P, C20P, D80P, D81P, D83P,				(Stronger semi helical cut teeth for	limited	slip differentials only).
15	TUJ10001	£7.00		1/2	E20, E22, F15, F16,		CBTA1253	NCA	CROWN WHEEL + PINION, 4.67:1	1	alia differentiale enlu
16	DAM7484	NCA	SHAFT, 3rd motion	1	G30, G31, G32, G33,		CBTA1250EVO	NCA	(Stronger semi helical cut teeth for CROWN WHEEL + PINION, 3.47:1	11111111111111111111111111111111111111	siip uillerentiais only).
1 <i>/</i> 18	DAM4933 DAM4932	£180.00 NCA	GEAR, 3rd speed GEAR, 2nd speed	1	all Cooper 1300cc	i			(Straight cut teeth for limited slip di		
19	22G1096	£92.00	GEAR, 1st speed	1		48	MRAC106 CAJJ3385	£191.50 NCA	DIFF UNIT, cross pin DIFF UNIT, cross pin	1	four planet gears four planet gears
20	DAM2679 DAM2808	£54.00 £99.00	PINION, final drive, 3.4;1 PINION, final drive, 3.1;1/3.2;1	1		i	0/100000	14071	Dir Oliri, Grood pin		EVO
21	DAM6140	£1.70	LOCK TAB, pinion to 3rd motion shaft			1	CAJJ3387	NCA	DIFF UNIT, limited slip differential	1	race
22	22G48	£7.40	NUT, pinion	1	1400)				(90/35 ramped Evolution LSD is an popular Salisbury clutch type LSD).	upgrac	ied version of the
	DAM7485	£4.69	(Use with 3rd motion shaft 22G833 & NUT, pinion	DAN 1	1168).		CAJJ3387A	NCA	DIFF UNIT, limited slip differential	1	rally, 45/45 ramp
			(Use with 3rd motion shaft DAM7484)	.).		49	CAJJ3387B ATA7378	NCA £5.50	DIFF UNIT, limited slip differential BUSH, diff housing & crown wheel	1	rally, 90/50 ramp
Th	rust Washe	are For Pr	ο Δτ			50	BTA101	£2.00	THRUST WASHER, fibre	2	
• • • • • • • • • • • • • • • • • • • •	i ust vvusiit	713 1 01 1 1	O AT			51	22G1952	NCA	SHAFT, differential output	2	pre A+
23	22G856		T/WASHER, laygear, 0.123-124"	a/r	3.12-3.14mm	i	DAM3114 CCN122	NCA £1.63	SHAFT, differential output CIRCLIP, LSD output shaft	2	all A+ ] required to hold
	22G857 22G858	NCA NCA	T/WASHER, laygear, 0.125-126" T/WASHER, laygear, 0.127-128"	a/r a/r	3.17-3.20mm 3.22-3.25mm					_	output shafts to
	22G859	NCA	T/WASHER, laygear, 0.130-131"	a/r	3.30-3.32mm	į.					differential side plate
Th	rust Washe	ers For A				52	22G2688	£7.10	CIRCLIP, output shaft	2	, piato
• • • •	i dot vvdom	710 101 74				53	2A7015	NCA	PLANET GEAR	2	pre A+
	DAM3180		T/WASHER, laygear, 0.121-123"	a/r	3.07-3.12mm	. 54	DAM6624 2A7062	£14.00 £2.40	PLANET GEAR T/WASHER, planet gear, 0.035"	2	all A+ ] no lip
	DAM3181 DAM3182	NCA NCA	T/WASHER, laygear, 0.124-126" T/WASHER, laygear, 0.127-129"	a/r a/r	3.10-3.20mm 3.22-3.27mm		2A7062Z	£2.95	T/WASHER, planet gear, 0.054"	2 .	]
	DAM3183	NCA	T/WASHER, laygear, 0.130-132"	a/r	3.30-3.35mm	55	DAM5071 C-BTA166	£4.40 £15.80	T/ WASHER, planet gear to cage DIFF PIN, competition	2	with lip
24 25	22G860 DAM8038	£14.30 NCA	T/WASHER, laygear, large SHAFT, reverse idler gear	1		56	RPS1418	£0.79	ROLL PIN, cross pin to diff. cage	1	
26	22G2033	£14.40	BAULK RING	4	all gears	57	AHU1856	£13.40	BEARING, differential cage	2	
	DAM7456 BLS107	£230.00	HUB, 3rd & 4th synchro	1	3 nor hub	58	2A3535B 2A3534B	NCA NCA	SHIM, differential bearing, 0.002" SHIM, differential bearing, 0.003"	a/r a/r	
28 29	BLS107 22G2262	£0.37 £2.00	BALL BEARING, synchro hubs SPRING, synchro hubs	6 6	3 per hub 3 per hub	i	DAM3108	£1.45	SHIM, differential bearing, 0.006"	a/r	
30	AAU1816	£40.40	BEARING, 2nd & 3rd gear	2	needle roller		DAM3109	£1.30	SHIM, differential bearing, 0.010"	a/r	
31 34	22G947 22G839	NCA NCA	THRUST WASHER, 3rd gear THRUST WASHER, 2nd gear	1		59	DAM3633 TRK10004B	£1.50 £0.62	SHIM, differential bearing, 0.020" GASKET, output shaft cover	a/r 2	
35	DAM7455	£220.00	HUB, synchro, 1st & 2nd	1		60	CHM85	£75.00	HOUSING, output shaft	2	
36	AAU1815	£30.50	BEARING, needle roller	1 1		61	2A3538 GHF332	£3.20 £0.28	BUSH, output shaft housing WASHER, locking	2 10	
37 38	22G837 AAU1365	NCA £55.40	JOURNAL, 1st gear BALL BEARING, 3rd motion shaft	1		63	SH505101	£0.62	SCREW	10	bearing to
39	ADU4992	NCA	SPRING RING, 3rd motion bearing	1		64	ADIJE790	01.10	CEAL output shoft haveing	0	differential housing
40	2A3714 2A3715	£1.55 £1.34	SHIM, 0.002" SHIM, 0.010"	a/r a/r		04	ADU5738 AHU1082	£1.10 £2.23	SEAL, output shaft housing SEAL, output shaft housing	2	hardy spicer S type
43	DAM2377	£3.40	LOCK TAB	2							
44	SH505071	£0.42	SCREW, retainer	4		I					



	ill.	Part Number	Price £ea.	Description	Req.	Details				
	Gearbox Internals									
	1	22A1881	NCA	PINION, speedo 17 teeth	1 ]	To 1984 10" wheels				
		DAM2905	NCA	PINION, speedo 16 teeth	1	12" wheels				
	2	2A3624	£1.36	BUSH, metal seating	1					
	3	DAM8488	NCA	ADAPTOR, speedometer	4 ]	cable to pinion housing				
	4	2A3628	NCA	GASKET	1					
	5	22A862	NCA	FORK	1					
	6	GHF331	£0.17	WASHER, locking	1					
	7	SH504071	£0.42	SCREW, fork retaining	1					
	8	2A3720	£55.70	SPINDLE, speedo drive, (6 teeth)	1	10" wheels				
		DAM6028	£70.00	SPINDLE, speedo drive, (7 teeth)	1]	blue gear 12" wheels				
	9	22G1858	£51.00	SHAFT SELECTOR	1					
	10	22G1844	NCA	INTERLOCKING SPOOL	1					
	11	22G1854	NCA	SHAFT SELECTOR	1	for selector forks				
	12	DAM7425	£75.00	SELECTOR FORK, 1st & 2nd	1					
	13	TSP100400	NCA	SELECTOR FORK, 3rd & 4th	1					
	14	22G2595	£2.30	ROLL PIN, (fork to rod), 3rd & 4th	1					
	15	BLS110	£0.37	DETENT BALL	1					
	16	22G2083	£0.42	DETENT SPRING	1					

ill.	Part Number	Price £ea.	Description	Req.	Details
17	22G1870	NCA	DETENT SLEEVE	1	
18	22G1417	£0.68	'0' RING, for sleeve	1	
19	DAM3022	£2.30	GAITER, rod change oil seal	1	
20	AHU1672	£1.70	OIL SEAL, gear linkage	1	rod change
	AHU1672Z	£1.25	OIL SEAL, gear linkage, aftermarket	1.	gear linkages
	CAJJ4014	£520.00	GEAR KIT, remote	1	straight cut
	CSTN76	NCA	GEAR KIT, rod	1	straight cut
	CSTN77	£520.00	GEAR KIT, rod A+	1	straight cut
	CAHT54	£30.00	PICK UP PIPE, central	1	
			(To ensure a constant supply of oil	during	hard cornering).





Req. Details

ill. Part Number Price £ea. Description

Req. Details


#### **Reconditioned Gearboxes**

Reconditioned gearboxes are a great way to rectify problems with the Minis bottom end. Not everyone is able to strip down a Mini gearbox and rebuild it themselves as the procedure is quite complex.

Common problems with the Minis gearboxes are jumping out of gears when driven or stiffness selecting gears or crunching gears when selected. Some of these issues can be caused by bulk rings being badly worn or teeth on the gears being worn or missing. All these problems require the engine and gearbox to be removed from the in order to be rectified. Our reconditioned gearboxes are a great way to keep your Mini on the road where it belongs.

Please note you will need to retain the speedo pinion from your old gearbox and ensure you ask for the correct differential ratio! This is so your speedo reads correctly after fitting a reconditioned gearbox.

MT2101 £504.00 GEARBOX, reconditioned, (exchange) 1 rod type £481.00 GEARBOX, reconditioned, (exchange) 1 remote type 2 MT2102



i. Part Number	Price £ea.	Description	Req.	Details	¦ III.	Part Number	Price £ea.	Description	Req.	Details
Manifolds (	& Fitting	gs			3	CAM6618 LKB10477			1 1	Copper 1300cc + SE spi 1991-0n
12G3279	NCA	MANIFOLD	1	998cc models	¦ 5	LKB106930	NCA	MANIFOLD, inlet	1	mpi 1996-0n
CHS2613	£1.45	STUD. 3/8" dia UNC/UNF 1-5/8" long	. 2	1		MT3603	£59.40	MANIFOLD, inlet	1	high flow alloy inlet
CHS2614		,			İ			(For 1.5" and 1.75" carburettors).		
CHS2616	£1.36	STUD, 3/8" dia UNC/UNF 2" long	2	manifold to	İ	LP4012	£171.00	MANIFOLD, inlet		for twin SU's (HS2 or HS4)
CHS2514	£2.12	STUD, 5/16" dia UNC/UNF 1-3/4" lor	ıg 2			C-AEG489	£78.00	MANIFOLD, inlet	1	for twin SU's (HS4
CHS2515	£1.36	STUD, 5/16" dia UNC/UNF 1-7/8" lor	ig 2							or HS6)
CHS2516	£2.05	STUD, 5/16" dia UNC/UNF 2" long	2	j		AEG349	£6.60	THROTTLE BRACKET	1	for twin SU's
	12G3279 CHS2613 CHS2614 CHS2616 CHS2514 CHS2515	Manifolds & Fitting  12G3279 NCA CHS2613 £1.45 CHS2614 £1.42 CHS2616 £1.36  CHS2514 £2.12 CHS2515 £1.36	Manifolds & Fittings           12G3279         NCA         MANIFOLD           CHS2613         £1.45         STUD, 3/8" dia UNC/UNF 1-5/8" long           CHS2614         £1.42         STUD, 3/8" dia UNC/UNF 1-3/4" long           CHS2616         £1.36         STUD, 3/8" dia UNC/UNF 2" long           CHS2514         £2.12         STUD, 5/16" dia UNC/UNF 1-3/4" long           CHS2515         £1.36         STUD, 5/16" dia UNC/UNF 1-7/8" long	Manifolds & Fittings           12G3279         NCA         MANIFOLD         1           CHS2613         £1.45         STUD, 3/8" dia UNC/UNF 1-5/8" long         2           CHS2614         £1.42         STUD, 3/8" dia UNC/UNF 1-3/4" long         4           CHS2616         £1.36         STUD, 3/8" dia UNC/UNF 2" long         2           CHS2514         £2.12         STUD, 5/16" dia UNC/UNF 1-3/4" long         2           CHS2515         £1.36         STUD, 5/16" dia UNC/UNF 1-7/8" long         2	Manifolds & Fittings           12G3279         NCA         MANIFOLD         1         998cc models           CHS2613         £1.45         STUD, 3/8" dia UNC/UNF 1-5/8" long         2         2           CHS2614         £1.42         STUD, 3/8" dia UNC/UNF 1-3/4" long         2         manifold to carburettor           CHS2616         £1.36         STUD, 3/8" dia UNC/UNF 1-3/4" long         2         carburettor           CHS2514         £2.12         STUD, 5/16" dia UNC/UNF 1-7/8" long         2         carburettor	12G3279	12G3279	Manifolds & Fittings         3 CAM6618 NCA           12G3279         NCA MANIFOLD         1 998cc models         5 LKB106930 NCA           CHS2613         £1.45 STUD, 3/8" dia UNC/UNF 1-5/8" long 2 CHS2614         £1.42 STUD, 3/8" dia UNC/UNF 1-3/4" long 2 CHS2616         2 manifold to carburettor         LP4012         £171.00           CHS2514         £2.12 STUD, 5/16" dia UNC/UNF 1-3/4" long 2 CHS2515         £1.36 STUD, 5/16" dia UNC/UNF 1-7/8" long 2         CAEG489         £78.00	12G3279	12G3279

M	Manchester 0161 480 6402 Paris 01 30 80 20 30								
ill.	Part Number	Price £ea.	Description R	leq.	Details				
	TT10850	£161.50	MANIFOLD, inlet (Single Weber inlet manifold 10cm (4 bulkhead modifications).	1 inch	) long. Will require				
	TMG10850	£186.30	MANIFOLD, inlet (Single Weber inlet manifold 15cm (6	1 inch) long. Will require					
	TWM0071	£353.00	bulkhead modifications).  MANIFOLD, inlet (Single Weber inlet manifold 15cm (6 complete with direct acting throttle lir	, , , , , ,					
	LP42411	£94.90	bulkhead modifications). LINKAGE KIT (Single cable, these are very easily installed and offer smooth operation).		Weber single carburettor				
6	12G297	£1.36	RING, manifold locating	2					
7	CHS2514	£2.12	· · · · · · · · · · · · · · · · · · ·	2					
	CHS2516	£2.05	STUD, long	2					
8	CAM6745	NCA	MANIFOLD, exhaust	1	Copper 1300cc + SE				
9	LKC10090	NCA	MANIFOLD, exhaust		spi and mpi 1991-On				
10	LKK10025	NCA	HEAT SHIELD, for injection manifold		] spi and mpi ] 1991-On				
	GAC8463X	£98.50	MANIFOLD LCB (Maniflow long centre branch (LCB) exapplications up to 100bhp includes projece with clamps).						
	MT6502	NCA	MANIFOLD LCB (Long centre branch manifold with lin carburettor model).	1 k pip	pe to catalyst,				
	MT6505	£156.00	MANIFOLD LCB (Long centre branch manifold with lin	1 k pip	ne to catalyst,				
			injection model, mild steel).						
	MT6502	NCA		1	stainless steel				
11	GHF261	£0.42	NUT, brass, manifold to cyl. head	6	all models				
	GHF261A	£2.42	NUT, brass (Longer ST version of GHF261).	6	longer alternative				
12	GHF301	£0.22	WASHER, plain	2					
13	12A1211	£0.79	WASHER, plain	4					
14		£2.05	GASKET, manifold to cylinder head	1					
	LKJ100580EVA		GASKET, manifold to cylinder head	1	mpi models				
	GUG704063MG	£16.00	GASKET, manifold to cylinder head	1	ERA turbo				
	TMG10836	£4.44	GASKET, manifold to cylinder head	1					
			(Large bore allows fitment of performa	ance	exhaust				
			manifolds with larger primary pipes).						
Ех	hausts & I	Fitting	S						
15	GEX106	£54.00	EXHAUST SYSTEM, single box	1	saloon				
	GEX154	£54.60	EXHAUST SYSTEM	1	twin box saloon				
	GEX1285	£31.80	EXHAUST DOWNPIPE (For single box GEX1562 (from exhaust)	1 st ma	front repair section anifold to side exit				
	GEX155	£63.00	kink at front of rear subframe). EXHAUST SYSTEM, 2x silencers (Mild steel).	1	van & estate				
16	GEX12052	£62.95	DOWNPIPE, single pipe	1	carb std to catalyst				
	WCP10021	NCA	SAMPLE PIPE	1	C/O sample pipe attaches To GEX12052				
	GEX12017	£234.50	DOWNPIPE, twin pipes		Cooper 1300cc to				
	GEX12043	£133.50	DOWNPIPE, twin pipes	1	with flat face flange1300cc spi and mpi to catalyst				
	GEX7779	£2.95	GASKET	1	for GEX12043				
17	GEX8069	£253.60	CATALYST ASSEMBLY	1	spi and mpi				

FX110041

GEX33479

GEX33515

GEX33516

GEX3674

C-STR811

C-STR811S

GEX33519

GEX33679

GEX7046

GEX7801

GEX7526

21

22

18 GEX7761

19

£2.05 NUT, catalyst

£109.70 TWIN BOX, rear

£84.00 TWIN BOX, rear

£214.40 TWIN BOX, rear

GASKET, catalyst flange

(From catalyst back to vin 22123).

(From catalyst back from vin 22124).

(With intermediate pipe from catalyst).

(With intermediate pipe from catalyst).

TWIN BOX, rear

TWIN BOX, rear

SINGLE BOX, rear

SINGLE BOX, rear

SINGLE BOX, rear

£3.92 CLAMP, pipe to manifold

CLAMP, pipe to manifold

£3.18 BRACKET, gearbox to front pipe

£1.92

£110.60

£142.20

£29.95

£80.00

£130.00

£2.53

] 1991-0n

Cooper 1300cc

1 Cooper 1300cc

1 | Cooper spi from catalyst back

RC40 rear box

1 ] stainless steel RC40

1 ] standard spi from catalyst back

1 mpi from cat. back

all 998cc models

Cooper 1300cc + SE

1 1959-69

rear box

2

4

2


	ill.	Part Number	Price £ea.	Description	Req.	Details
	23	GEX7053	£3.30	CLIP, front pipe to gearbox bracket	1	
	24	SH605051	£0.32	SCREW, clip to bracket	2 ]	998cc models
	25	GHF301	£0.22	WASHER	2 ]	
	26	GHF331	£0.17	WASHER, locking	7	
	27	GHF201	£0.12	NUT	2	
	28	GEX7081	£2.23	MOUNTING, centre, rubber	1	
	29	SH605051	£0.32	SCREW, mounting to subframe	2	
	30	GHF332	£0.28	WASHER, locking	2	
	31	GEX7082	£0.62	STRAP, centre, twisted	1	998cc models
		GEX7273	£1.04	STRAP, centre, twisted	1	van, pick up, estate
		GEX7778	NCA	STRAP, centre, twisted	1	Cooper 1300cc + SE
		GEX7082	£0.62	STRAP, centre, twisted	1	1275cc GT, S, RC40
	32	GHF201	£0.12	NUT	1	
	33	SH605071	£0.60	SCREW, strap to centre clip	1	
	34	GEX7251	£1.42	MOUNTING, bobbin, rubber	1/2	
		GEX7251P	NCA	MOUNTING, bobbin, poly	1/2	
	35	GEX7084	£1.92	CLIP, rear mount, twisted	1	998cc models
		GEX7778	NCA	STRAP, twisted, rear	1	Cooper 1300cc + SE
		GEX7249	£2.05	STRAP, rear	1	1275cc GT, S, RC40
I				(Fits to subframe via two bobbins).		
	36	GHF120	£0.28	SCREW, clip	1	
	37	GEX9551	£11.90	FITTING KIT, exhaust	1	998cc models
		GEX40FK	£12.50	EXHAUST FITTING KIT	1]	fitting kit for RC40
					J	exhaust
1	38	GEX7661	£3.55	EXHAUST HANGER, rubber	2	late type exhaust
1		GEX7661P	NCA	EXHAUST HANGER, poly	2	late type exhaust
	39	KHU10011	£3.25	HANGER BRACKET, large	1]	requires welding
	40	KHU10012	£2.50	HANGER BRACKET, small	1 ]	to subframe

## **Performance Exhausts**

Note: Also see Accessories section for our full range of sports exhausts.

GEX40RC	£60.76	EXHAUST SYSTEM, sports	1	RC40 two box
		(Inc: intermediate pipe to downpipe).		] system
GEX50RC	£228.00	EXHAUST SYSTEM, sports	1	0141111000 01001 110 10
		(Two box system includes intermediate	pi	ipe to downpipe).
PM34	£31.10	LINK PIPE, stainless steel	1	to rear boxes
MT6501	NCA	CARBON FIBRE REAR BOX	1	1992-On late type
		(Carbon fibre box with stainless steel		hangers
		end caps, weighs just 3.7kg).		
AN180V	£17.00	INTERMEDIATE PIPE	1	
		(Connects direct from Cooper freeflow	ma	anifold to
		performance rear boxes, requires short	en	ing for LCB
		manifolds).		
PME41	£154.00	REAR BOX	1	1 centre exit single
		(With outward rolled lip).		tailpipe
PME42	£162.20	REAR BOX	1	1 centre exit twin
		(With straight cut).		tailpipe
FES200	£155.00	REAR BOX	1	1 side exit single
		(With outward rolled lip).		tailpipe
FES201	£198.00	REAR BOX	1	1 centre exit twin
		(With DTM style upswept straight cut).		tailpipe
WPE3001X	£14 40	FITTING KIT	1	, milipo
WPE3002X	£27.60	FITTING KIT	1	
WPE3003X	£42.00	FITTING KIT	1	
WPE3004X	£9.60	FITTING KIT	1	
WPE1104X	£4.24	BLANKING PLUG, lambda sensor	1	
WFLIIU4A	24.24	DLANKING FLOG, Idilibud Selisui	1	

Note: When fitting any exhaust system to the classic Mini check that the engine mounting and engine stabiliser bushes are in good condition! Excessive movement of the engine will damage the exhaust causing leaks and bad running. See the Engine mountings section.



#### ill. Part Number Price £ea. Description Req. Details **Radiator and Hoses** 12G103 £7.80 HOUSING, thermostat 1 ] all 998cc and A series 1275cc 12G103Z NCA HOUSING, thermostat 1 ] all 998cc and A series 1275cc PEQ10010 NCA HOUSING, thermostat 1 ] standard 1300cc 1990-0n HOUSING, thermostat Cooper 1300cc PEQ10019 £37.00 PEQ100650 NCA HOUSING, thermostat mpi 1996-0n (Front mounted radiator). PEQ100690 £55.00 HOUSING, thermostat 1 spi £40.00 PLATE, thermostat housing PEM10036 5 PEG100030 £40.00 PLATE, thermostat housing sandwich plate mpi (12mm drilling for MEK100060 1996-0n temperature sensor). PEG10002 £58.10 PLATE, thermostat housing sandwich plate 6 1 (10mm outlet). 7 GHF301 £0.22 WASHER, 3 8 GHF332 £0.28 WASHER, locking 3 GHF201 £0.12 NUT 3 DAM7760 BOLT, thermostat housing £3.32 3 housing and sandwich plate GASKET, thermostat 10 GTG101 £0.37 summer GTS102 £3.58 THERMOSTAT, 74°C, (165°f) 1 THERMOSTAT, 82°C, (180°f) GTS104 £3.80 standard To 1985 THERMOSTAT, 88°c, (190°f) standard 1985-On GTS106 £4.43 1 THERMOSTAT, blanking sleeve kit AJJ4012 £9.70 replaces thermostat GRD210 £83.20 RADIATOR all 998cc models GRD172 £84.00 RADIATOR Cooper 1300cc £84.00 RADIATOR, front mounted GRD974 mpi 1996-0n 13 **High Performance Radiators** GRD4442 £160.00 RADIATOR, 2 core, road/race 1 ] high performance radiator GRD4442TDF RADIATOR, 3 core, road/race 1 ] high performance £77.10 (With sensor boss at top) radiator GRD4443 £160.00 RADIATOR, 2 core, road/race 1 | high performance (With fan switch) radiator

Note: Aluminium radiators are made to high specification, aluminium radiators are substantially more efficient then the original unit in which they replace. This leads to an overall increase in performance and reliability.

1 ] high performance ] radiator

1 side mounted

RADIATOR, 4 core, grass track

GRD4444

MT3104

£150.00

£255.00 RADIATOR, alloy


14	PGK10034	£85.00	COWLING, radiator	1	
15	SH604031	£1.04	SCREW, radiator to cowl	4	
16	GRC180	£2.78	RADIATOR CAP, 13 psi	1	998cc To 1976
	GRC180SS	£6.14	RADIATOR CAP, 13 psi, stainless steel	1	998cc To 1976
	GRC1110	£2.78	RADIATOR CAP, 15 psi	1	998cc 1976-0n
	GRC1110SS	£6.14	RADIATOR CAP, 15 psi, stainless steel	1	998cc 1976-0n
	GRC207	£5.62	EXPANSION CAP	1	Cooper 1300cc
17	CAM4619	£14.00	BRACKET, radiator top mount	1	all 998cc models
	12G617	£12.10	BRACKET, radiator top mount	1	1275cc and S
	12G617S	£11.50	BRACKET, radiator top mount	1]	1275cc and S
				]	stainless steel
	PCU10135	£16.50	BRACKET, radiator top mount	1	Cooper 1300cc
18	12A361	£116.60	BRACKET, radiator to engine	1	all models
19	HBZ534	£1.96	BOLT, bracket to gearbox	2	
20	12A2153	£15.00	BRACKET, lower radiator mounting	1	
21	ARP1073	£11.40	SPACER	1	
22	BH605261	£1.52	BOLT, cowl to bracket	1	
23	SH605051	£0.32	SCREW	2	
24	11G227	£1.80	GROMMET, upper radiator mounting	2	all 998cc models
25	CAM4415	£5.00	SLEEVE, for grommet	2	
	11G228	£3.20	SLEEVE, for grommet, 11G227	2	
	12A1985	£2.63	SLEEVE, for grommet, 11G227	2	replaces 11G228
26	GHF117	£0.28	SCREW	2	
	CAM4618	£1.50	BUSH, top mounting	2	Cooper 1300cc + SE
27	GRH244	£4.92	TOP HOSE	1	1959-67
	GRH245	£3.92	TOP HOSE	1	all 998cc models
	GRH247	£3.58	TOP HOSE	1	1275cc and S
	GRH469	£11.00	TOP HOSE	1	1275cc GT
	GRH1140	£9.95	TOP HOSE	1	Cooper 1300cc
	GRH1212	£23.30	TOP HOSE	1	Cooper spi
28	GRH1465	£12.00	TOP HOSE	1	mpi 1996-0n
			(Front mounted radiator fitment).		
	GRH1216	£110.20	HOSE	1]	spi thermostat to
				]	manifold and heater
29	GRH240	£10.20	BOTTOM HOSE	1	all 998cc models
	GRH468	£14.40	BOTTOM HOSE	1	Clubman

¦ ill.	Part Number	Price £ea.	Description	Req.	Details
30	GRH1159	£114.10	BOTTOM HOSE (Modify GRH1159 to suit Cooper	1 SE 1300c	Cooper SE 1300cc c models).
31	GRH1159	£114.10	BOTTOM HOSE	1	Cooper 1300cc
	GRH1242	£106.20	BOTTOM HOSE	1	Cooper spi
32	GRH1466	£58.00	BOTTOM HOSE	1	mpi 1996-0n
			(Front mounted radiator fitment (valve/thermostat).	water pun	np/rad/expansion tank/water
33	GHC11022	£2.05	HOSE CLIP, heater outlet hose	1	To 1989
34	GHC11025	£2.17	HOSE CLIP, heater outlet hose	2	1990-0n
35	GHC11035	£2.45	HOSE CLIP, top & bottom hose	4	
36	PCF10056	NCA	EXPANSION TANK	1	not stainless steel
	PCF10097	NCA	EXPANSION TANK	1	1991-96
37	PCF101240	£77.00	EXPANSION TANK	1]	mpi 1996-On front
					mounted radiator
				J	fitment
38	GRH1213	NCA	HOSE, expansion tank	1 ]	Cooper 1300cc
39	UKC3803	£0.84	CLIP, expansion hose	2 ]	
40	GRH1001M	£2.12	PIPE, overflow	1 ]	all 998cc models
41	ARA951	£1.45	CLIP, overflow pipe to cowling	2 ]	
42	KRD10009	NCA	SEAL, rubber, radiator to flitch	1	Cooper 1300cc
43	GHF332	£0.28	WASHER, spring	4	


#### **Fan Switches**

Fan switches for use with GRD4442TDF, MT3104 can be used to switch any electric fan on or off. Electronic fan controller (RFC010) can be adjusted for different temperatures.

IM50100	£8.00	Thermo switch, 82-68°c	1
IM50120	£8.30	Thermo switch, 88-79°c	1
IM50200	£8.80	Thermo switch, 92-87°c	1
IM50250	£8.30	Thermo switch, 88-74°c	1
RFC010	£78.00	Electronic fan controller	1
		(Thread fitting M22 x 1.5).	



ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
W	Water Pump						12G2129 2A998	£19.00 £43.00	FAN, 11 blade, plastic FAN, 6 blade, metal	1 1	1.5" thick blades export & performance
1	GWP132	£18.00	WATER PUMP	1	998-1098cc		2A997	£34.40	FAN, 2 blade, metal	1	special tuning
	GWP134	£18.00	WATER PUMP, with bypass outlet	1	] 1275cc						
	GWP187	£18.70	WATER PUMP, no bypass outlet	1	]	Not	e: 2A997 can a	lso be doubl	ed up to make a 4 blade fan for qui	eter ru	nning. For 4 blade fan simply
	GWP188	£36.40	WATER PUMP, no alternator lug	1	MPI 1996 on	ord	er two 2A997.				
2	88G215	£0.60	GASKET, water pump	1							
3	12A2075	£5.95	ADAPTOR, on cylinder head	1	all 998cc models	15	GZA2083	£1.42	HOSE, bypass	1	1
4	SH605141	£1.15	BOLT, pump to block, long	2	]		GZA2083X	£2.63	HOSE, bypass, silicone	1	İ
	TAM1180	£0.73	BOLT, flanged, pump to block, long	2	Cooper 1300cc		GZA2083Z	£4.00	HOSE REPAIR KIT, bypass hose	1	998cc models
5	SH605101	£0.84	BOLT, pump to block, short	2	all 998cc models	16	3H2963	£0.94	CLIP, bypass hose	2	
	TAM1178	£1.25	BOLT, flanged, pump to block, short	2	Cooper 1300cc	10	CAM4126	£8.50	PLUG COVER	1	1
6	GHF332	£0.28	WASHER, locking	4		1	CAIVI4 I 20	20.00		od or i	J
7	12G2077	NCA	DOWEL, pump to block	2					(Covers bypass tube on cylinder he	au or v	vater pump when
8	CAM6239	NCA	PULLEY, water pump	1	To 1985				bypass is not being used).		
	CAM6239A	£63.00	PULLEY, water pump, aluminium	1	To 1985	17	GCB10813	£5.42	FAN BELT, 813mm long	1	To 1985
	CAM6408	£46.60	PULLEY, water pump	1	1985-0n		GCB10838	£4.63	FAN BELT, 838mm long	1	A115 alternator
9	PEZ100100	NCA	PULLEY, water pump, multi V belt	1	mpi 1996-0n						J 1981-85
10	PQR10028	£49.10	PULLEY TENSIONER	1	mpi 1996-0n		GCB10825	£5.20	FAN BELT, 825mm long	1	A127 alternator
11	12A312	NCA	SPACER, fan to pulley	1	•						] 1985-0n
12	SH604041	£0.37	SCREW, fan to pump	4			GMB50920	£10.80	FAN BELT, multi groove	1	mpi 1996-0n



ill.	Part Number	Price £ea.	Description
_			

10 GTR185

13 GHF331

**Electric Cooling Fan** PGF10038 NCA FAN NCA BRACKET, cowl to inner wing PGU10006 £79.20 THERMAL SWITCH & SEAL 3 YWL10010 4 YMV10069 NCA HARNESS NCA FAN, long PGG10046 PGL10008 NCA SHIELD PGU10007 £21.60 BRACKET, fan to inner wing NCA MOUNTING KIT, fan to flitch PGG10046FK GVS104 £8.40 THERMAL SWITCH TEMPERATURE TRANSMITTER

£9.90

£0.17 WASHER, locking

Cooper SE models

Req. Details

Cooper 1300cc

1 | spi 1991-0n

ill. Part Number Price £ea. Description

£10.50 TEMPERATURE TRANSMITTER 11 MEK100060 PYF10036 NCA WASHER, sealing MDY100040 £2.59 WASHER, sealing 13 PGG10058 £166.40 FAN ASSEMBLY


PGG100890 £121.60 FAN ASSEMBLY (Front mounted radiator fitment). Req. Details


mpi Mini (brown)

1 J mpi for MEK100060 1 1991-96

1 mpi 1996-0n

Note: See Performance in the Accessories section for high quality Cobalt silicone hose kits.





HIF44

ill.	ill. Part Number Price £ea. Description		Req.	Details						
Ca	rburetto	rs								
HS	HS2 Carburettor									
	AUD327T GAC6153X AUD662T	£539.80 £47.20 £619.80	CARBURETTOR REBUILD KIT, (single) CARBURETTORS, (pair)	1 1 1						
HS	HS4 Carburettor									
1 2 3 4	FZX3012 FZX3014 FZX3013 AUC8103A AUC4387 NZX4005 NZX4008	£325.30 £320.10 £325.30 £15.40 £6.20 £13.70 £13.70	CARBURETTOR, plain jet CARBURETTOR, waxstat jet CARBURETTOR, waxstat jet CAP & DAMPER, dashpot SPRING, dashpot, red NEEDLE, ADE NEEDLE, ADH	1 1 1 1 1 1	1973-76 1976-82 1982-0n					

£13.70 NEEDLE, AAC

Note: Due to the number of different types of needle we have been unable to list all the carburettor tag numbers, (the number is on a tag on the dashpot cover screw) when ordering needles please check the three letter code stamped around the top of the needle. Please contact your local Moss Europe Ltd branch for help.

5	AUD9451A	£20.40	JET ASSEMBLY	1	
6	LZX1111A	£45.30	JET ASSEMBLY, waxstat cap 1		
7	WZX1101A	£10.50	FLOAT VALVE KIT, needle & seat	1	
8	WZX1300	£11.35	FLOAT, plastic	1	
	GAC9201X	£10.70	GROSE JET	1	
			(Superior replacement for original style	needle and seat. The	
			ball bearing design allows a much great	ater area of the	
			surfaces to meet for a better seal and	longer life).	
	WZX1852X	£38.50	SERVICE KIT	1 ] single HS4 pre	
			(Includes Instructions, diagrams, new	waxstat	
			main jet, needle valve, gaskets and wa	ashers).	
	WZX1865	£80.70	SERVICE KIT	1 single HS4 waxstat	
			(Inc: Instructions, diagrams, new main	jet, needle valve,	
			gaskets & washers).		
9	CRK219	£67.00	REBUILD KIT	1 plain jet	
			(Includes All service items and throttle	shaft, throttle disc, 2	
			screws and 2 bushes, (needles not inc	luded).	
	CRK227	£86.50	REBUILD KIT	1 plain jet	
			(With over run throttle disc includes all	service items and	
			throttle shaft, throttle disc, 2 screws an	nd 2 bushes, (Needles	
			not included).		
	CRK121	£76.20	REBUILD KIT	1 waxstat jet	
			(Includes All service items and throttle	shaft, throttle disc, 2	
			screws and 2 bushes, (needles not inc	luded).	

# **HIF38 Carburettor**

CUD1002

FZX3004 NCA CARBURETTOR

ill.	Part Number	Price £ea.	Description
НП	F44 Carbure	ettor	

FZX3006	£398.80	CARBURETTOR	1
GAC8100	£46.60	SERVICE KIT	1
		(Includes Instructions, new main jo	et, needle valve, gaskets
		and washers).	
CRK167	£81.28	REBUILD KIT	1
		(Includes All service items and thr	ottle shaft, throttle disc,
		2 screws and 2 bushes).	
LZX2085	£24.30	CAP & DAMPER, dashpot	1
AUD4355	£3.90	SPRING DASHPOT, red	1
NZX8071	£13.70	NEEDLE, BFY	1
WZX1453A	£17.95	JET	1
WZX1099A	£18.90	FLOAT VALVE KIT, needle & seat	1
WZX1509A	£12.25	FLOAT, plastic	1
WZX1505A	£12.25	KIT, gasket & seals	1
	GAC8100 CRK167 LZX2085 AUD4355 NZX8071 WZX1453A WZX1099A WZX1509A	GAC8100 £46.60  CRK167 £81.28  LZX2085 £24.30 AUD4355 £3.90 NZX8071 £13.70 WZX1453A £17.95 WZX1099A £18.90 WZX1509A £12.25	GAC8100 £46.60 SERVICE KIT (Includes Instructions, new main juing and washers).  CRK167 £81.28 REBUILD KIT (Includes All service items and thr 2 screws and 2 bushes).  LZX2085 £24.30 CAP & DAMPER, dashpot AUD4355 £3.90 SPRING DASHPOT, red NZX8071 £13.70 NEEDLE, BFY WZX1453A £17.95 JET WZX1099A £18.90 FLOAT VALVE KIT, needle & seat WZX1509A £12.25 FLOAT, plastic

## **HIF6 Turbo Carburettor**

FZX1435 £560.60	CARBURETTOR, turbo	
-----------------	--------------------	--

# **Twin Carburettor Kits**

FZX3052	£759.20	TWIN CARBURETTOR KIT	1	HS2	
		(Includes: Manifold, heat shields, car	rburett	tors, linkages etc	С
		except air filters).			
AUD662T	£619.80	TWIN CARBURETTOR ONLY, (pair)	1	HS2	
FZX3054	£795.60	TWIN CARBURETTOR KIT	1	HS4	
		(Includes: Manifold, heat shields, car	rburett	tors, linkages etc	C
		except air filters).			
12G292	£10.00	FUEL PIPE, twin carb	1		


# **Dash Pot Covers**

## **HS4/6 Dash Pot Covers**

£11.50	COVER, dash pot	1	chrome
£15.50	COVER, dash pot	1	polished
£18.10	COVER, dash pot	1	red anodised
£18.10	COVER, dash pot	1	blue anodised
	£15.50 £18.10	£11.50 COVER, dash pot £15.50 COVER, dash pot £18.10 COVER, dash pot £18.10 COVER, dash pot	£15.50 COVER, dash pot 1 £18.10 COVER, dash pot 1

## **HIF44/6 Dash Pot Covers**

SFR175	£9.70	COVER, dash pot	1	chrome
SFR24	£15.50	COVER, dash pot	1	polished
SFR24R	£10.13	COVER, dash pot	1	red anodised
SFR24B	NCA	COVER, dash pot	1	blue anodised
	SFR175 SFR24 SFR24R SFR24B	SFR24 £15.50 SFR24R £10.13	SFR24         £15.50         COVER, dash pot           SFR24R         £10.13         COVER, dash pot	SFR24         £15.50         COVER, dash pot         1           SFR24R         £10.13         COVER, dash pot         1



ill.	Part Number	Price £ea.	Description		Details		
Carburettor Fixings							
1 2 3 4 5 6 7 8 9	AEC2083 12H1389 12G766 GHF333 NT606041 ACC5062 GHF502 12A4 21A839 1E5537 GHF200	£0.60 £18.10 NCA £0.28 £0.54 £1.90 £0.19 £1.85 £2.40 £2.15 £0.19	BRACKET, cable & spring WASHER, locking, carb. to manifold NUT, carburettor to manifold LEVER PIN SPLIT PIN TAG, return spring on lever	3 1 1 2 2 1 1 1 1 1 1 1 1	HS4 carburettors		
11 12 13 14 15 16	GHF200 GHF300 112867 112866 CAM4942 GHF332 NT605041	£0.19 £0.62 £3.49 NCA £0.28	WASHER GASKET, carburettor to manifold SPACER, carburettor to manifold	1 3 1 1 4 4	HIF44 carburettors		
Engine Controls							

1 all 998cc models

1 special tuning cable

£6.00 ACCELERATOR CABLE

£6.10 ACCELERATOR CABLE


(Nylon inner sleeved to create smoother action. 5 inches

longer making it ideal for Weber fitment).

17 NAM7914


CAHT85

F					
¦ i∥.	Part Number	Price £ea.	Description	Req.	Details
l I	MCR104	£11.90	ACCELERATOR CABLE, RHD	1]	1300cc Cooper
	MCR104	£11.90	ACCELERATOR CABLE, RHD	1 J	SBB10099 alternative
į	SBB10126	£14.17	ACCELERATOR CABLE, LHD	1	1300cc Cooper
i	SBB102510	£11.00	ACCELERATOR CABLE, RHD	1]	late spi
				j	VIN 604847 On
l I	SBB103400	£21.70	ACCELERATOR CABLE, RHD	1	mpi 1996-0n
İ	SBB103720	£68.00	ACCELERATOR CABLE, LHD	1	mpi 1996-0n
	NNS10001	£96.30	SWITCH, ECU	1]	accelerator pedal
			(Input, (ECU), electric control unit spi	). j	switch
18	11H1172	£2.20	CLIP, cable to pedal	1]	From VIN253000
				j	To VIN303802
i	DCP7342	£1.40	CLIP, cable to pedal	1	From VIN303803 On
19	21A1202	£19.50	CHOKE CABLE	1	Mkl and Mkll
	21A2329	£13.33	CHOKE CABLE	1	998cc To VIN278182
1	MCR106	£19.63	CHOKE CABLE	1	998cc VIN278183 On
	MCR105	£13.60	CHOKE CABLE	1]	Cooper 1300cc
	MCR105	£13.60	CHOKE CABLE	1	SBF10031
i				j	alternative
20	AUE34	£2.05	NIPPLE, cable end	1/2 ]	quantity reduced
1				j	for 998cc
21	516962A	£0.68	CLIP, choke cable to bracket	1	
i					



Multi Point Injection

ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Fu	iel Injecti	on				35	MHN10004 MJN100670	NCA NCA	CLIP, hold fuel injector FUEL DELIVERY RAIL	2	mpi mpi
	ngle Point l	•				37	BAU5325	£8.40	SEAL	2	mpi '0' ring seal fuel delivery & return pipes to fuel rail
22 23 24	LZV1101EVA MLB10028 MMJ10003	£17.30 £425.40 £170.60	SPACER, throttle body THROTTLE BODY THROTTLE POTENTIOMETER	1 1 1	spi includes injector spi	38	MYP100300	£1.60	BOLT	4	fuel hose to delivery rail
25	MMJ10003	NCA	INJECTOR ASSEMBLY	1	spi	39	WJH103900	£55.70	HOSE, fuel supply	1	
26 27	WJH104300 WJH104310	NCA NCA	HOSE, fuel supply HOSE, fuel return	1		40 41	WJH103910 MHB000480	£66.50 £682.20	HOSE, fuel return THROTTLE BODY, plastic	1	mpi 48mm
28	AUU1503	NCA	PURGE VALVE	1			MT3601	NCA	THROTTLE BODY, alloy	1	] mpi replacement ] 48mm
29 30	JZV1223 JZV1224	NCA NCA	TUBE, purge valve CLIP, tube	1			MT3602	NCA	THROTTLE BODY, alloy	1	mpi replacement 52mm
31 32	GFE7059 EDP9976	£11.20 £2.20	FILTER, fuel SEAL	2	seal at fuel filter	42	AUU1503	NCA	PURGE VALVE	1	. 02
33	NPC10001	£19.60	FUEL TRAP	1		43	JZV1223 JZV1224	NCA NCA	TUBE, purge valve CLIP, tube	1	
	NNS10001	£96.30	PEDAL SWITCH	1		45	GFE7059	£11.20	FILTER, fuel	1	MPI 1997-98
Mı	ulti Point In	jection				46	WJN101190 EDP9976	£10.40 £2.20	FILTER, fuel SEAL	1 2	MPI 1998-On seal at fuel filter
34	MJY100460	£100.00	FUEL INJECTOR	2	mpi	47	MHK100600	£130.00	SENSOR, manifold pressure	1	



#### Req. Details

# **Fuel Tank and Pump**

Note: 5.5 gallon fuel tanks are no longer available. Use ARP1043 with 21A2838 strap.

1	ARP1043	£274.00	FUEL TANK, 7.5 gallon	1	carburettor models
	WFE106090	£343.10	FUEL TANK, 7.5 gallon	1	injection models
	21A2838	£14.00	STRAP SUPPORT, fuel tank	1	7.5 gallon tank, diagona
	2A2226	£9.00	STRAP SUPPORT, fuel tank, upper, long	j 1 <sup>*</sup>	5.5 gallon tanks, two
					piece retaining strap
	SH605181	£1.36	SCREW, strap to floor	1	
	346071A	£1.66	CAGED NUT, on boot floor bracket	1	
2	XNB10007	£21.20	SENDER UNIT, fuel tank	1	carburettor only
	XNB100380	£33.40	SENDER UNIT, fuel tank	1	injection only
3	WFX10045	NCA	FUEL PUMP	1	spi
4	WFX100810	£156.00	FUEL PUMP	1	] mpi
	WFX100810Z	NCA	FUEL PUMP, alternative	1.	
5	ARA1502	£2.47	SEAL, sender unit	1	
6	EDP9317	£35.00	SEAL, fuel pump	1	injection only
7	ARA1501	£1.20	RING, locking, sender unit	1	
8	GWW202M	£1.15	PIPE, tank vent	a/r	per metre
9	GSS154	£14.40	FUEL CAP, locking, vented	1	carburettor models
	GSS154Z	£12.00	FUEL CAP, locking, vented, slimline	1.	
	WLD10027	£6.00	FUEL CAP, non locking, non vented	1	injection models
	WLD100310	£14.40	FUEL CAP, locking, non vented	1.	
	21A2109	£3.32	SEAL, fuel cap	1	
10	14A7057	£7.30	SEAL, filler neck to body	1	
	2A2069	£1.36	SEAL, filler neck foam	1	alternative
11	MPKF225	£47.40	PIPE, fuel, tank to pump, kunifer	1	1/4" O/D x 25ft long
	21A2183	£390.00	FUEL TANK, right hand	1	Cooper S, 5.5 gal
	21A2185	NCA	FUEL TANK, right hand, alloy	1	Cooper S, 5.5 gal
	MT3121	£62.00	FITTING KIT, right hand tank	1	tank fitting kit
	GAC8436X	£18.00	FILLER NECK KIT	1	
			(If you want the right hand tank look v		
			dummy filler neck is the answer, supp	olied	complete with
			neck seal).		
	GAC8436Q2	£2.71	NECK SEAL	1	dummy seal for
					GAC8436X
	21A291	£245.00	FUEL TANK, van/estate/pickup	1	use only vented cap
	WLD10027	£6.00	FUEL CAP, non locking	1	vented
	21A2109	£3.32	SEAL, fuel cap	1	
	AAU8340	£31.40	SENDER UNIT	1	
	2H1082	£0.48	GASKET, sender unit	1	
	293-401	£8.00	GASKET SET, VITON	1	
	21A304	£1.96	NUT, large	3	fits at rear of tank
	AB614101	£1.00	SCREW, large	3	for 21A304
	21A305	£1.50	NUT, small	3	fits at rear of tank
	AB614061	£1.04	SCREW, small	3	for 21A305

Note: For the main feed pipe 4 metres is required. This can then be cut to the correct length.

CDU2283M NCA HOSE, fuel, rubber a/r per metre

		WIAI
ol fit	1	
	14	GGT1
		GGT1
		GGT1
	1	GGT1
	l I	GGT1
	15	GGT1
		AZX1
	1	AZX1
	l I	AZX1
	17	GUG7
	18	GUG7
		CHS2
		GHF3
	21	GHF2
		AUF2
	l I	AUF2
		AUB6
	i	AUB6
	l I	AUB6
	I	AUB6
	i I	WZX1

ill.	Part Number	Price £ea.	Description	Req.	Details
pipe	11", main pipe	e to pump 3"	, pump to pipe 3", pipe to carburetto	r 3".	
12	ACB8474	£1.36	GROMMET	1	fuel pipe through
					floor
13	RFN403	£1.60	GROMMET	1	tank vent pipe
					through floor
	WYA10001	£9.30	GROMMET, oval hole 2in fuel lines	.1	MPI
	007404	00.00	(Required also if a new body shell h		' '
14	GGT101	£2.23	HOSE, fuel, braided		2.5" long
	GGT102	£4.56	HOSE, fuel, braided	a/r	
	GGT104	£5.60	HOSE, fuel, braided	a/r	
	GGT105	£6.00	HOSE, fuel, braided	a/r	•
	GGT106	£6.00	HOSE, fuel, braided	a/r	14" long
15	GGT1117X	£1.50	CLIP, for braided hose	a/r	
16	AZX1818	£54.00	FUEL PUMP, mechanical		For all mechanical pump
	AZX1818	£54.00	FUEL PUMP, mechanical, aftermarke		
	AZX1817	£54.00	FUEL PUMP, mechanical	1	Cooper 1990-91
17	GUG705603GN		SPACER, pump to block	1	
18	GUG705779GN		GASKET, mechanical pumps	2	
19	CHS2515	£1.36	STUD, for mechanical pump	2	
20	GHF332	£0.28	WASHER, locking	2	
21	GHF201	£0.12	NUT	2	
	AUF214		FUEL PUMP, electric	1	point type To 1970
	AUF214Z	£57.00	FUEL PUMP, electric, aftermarket	1	point type To 1970
	AUB6106A	£12.60	CONTACT SET	1	
	AUB663	£5.10	BANJ0	2	
	AUB676		SEALING WASHER	a/r	
	AUB617	£4.56	FILTER	1	
	WZX1701	£12.00	VALVE KIT	1	
			***		

# **Interrupter Fuel Pump Kits**

Note: These pumps can be mounted either at the front or rear of the car.

TMG2930K	£114.40	FUEL PUMP KIT, negative earth	1 18 gal/hr flow 4.0 psi
TMG2930P	£76.70	FUEL PUMP KIT, positive earth	1 18 gal/hr flow 4.0 psi
MGS2930K	£119.60	FUEL PUMP KIT, negative earth	1 25 gal/hr flow 5.0 psi
TT2930	£103.00	FUEL PUMP KIT, negative earth	1 ] 38 gal/hr flow
			6.5-7.0 psi

# **Solid State Fuel Pump Kits**

Note: These pumps are required to be fitted within 12 inches of the fuel supply (tank) and below the fuel outlet because they rely on a gravity feed.

TMG2931K	£61.40	FUEL PUMP KIT, negative earth	1 ] 18 gal/hr flow 4.0-5.5 psi
MGS2931	£43.70	FUEL PUMP KIT, negative earth	1 25 gal/hr flow 6.0- 7.0 psi

Note: We recommend that you fit an in line pressure regulator/filter.

TT2927 £75.90 FILTER/REGULATOR 1 road, competition (67mm deep glass bowl, 6mm unions).


ill.	Part Number	Price £ea.	Description	Req.	Details
	C41220AX	£36.30	INERTIA SWITCH KIT (Cuts electrical supply to pump).	1	inline switch
Fu	el Pump Ur	nions			
					Pipe

				Pipe	Thread
FPA903B	£1.92	UNION, straight	a/r	1/4 (6mm)	1/8 npt
M0C1604	£3.64	UNION, straight	a/r	5/16 (8mm)	1/8 npt
FPA904/B	£3.07	UNION, straight	a/r	3/8 (10mm)	1/8 npt
M0C1841	£6.14	UNION, 90°	a/r	5/16 (8mm)	1/8 npt
TT2930A	£13.20	UNION, 90°, (pair)	a/r	5/16 (8mm)	1/4 npt
FPA902B	£12.20	UNION, 90°, (pair)	a/r	3/8 (10mm)	1/4 npt

## Fuel Filter/Regulators & Unions

Note: We recommend fitting an in line pressure regulator/filter with uprated fuel pumps. Also see Accessories.

				Pipe	Thread
TT29321	£8.64	UNION, (pair)	a/r	1/4 (6mm)	1/8 npt
TT2927	£75.90	FILTER/REGULATOR	1	road/compe	tition
		(67mm deep glass bowl, 6mm un	ons).		
C41220AX	£36.30	INERTIA SWITCH KIT	1	inline switch	h
		(Cuts electrical supply to pump).			
PR0804	£10.80	IN LINE FILTER, chrome/glass	1		
PR0895	£1.00	SEAL, in-line fuel filter	1		
PR0896	£5.12	ELEMENT, filter pack	1	Pack of 3	



ill. Part Number	Price £ea.	Description	Req.	Details
Air Filters				
19 12G4298 20 GFE1002 GFE1008 GFE1096 GFE1143 21 12G1811 22 12A1436 23 12A1437	NCA £7.00 £6.50 £4.30 £12.40 NCA £0.94 £0.62	AIR FILTER ASSEMBLY ELEMENT, air filter ELEMENT, air filter ELEMENT, air filter ELEMENT, air filter WING NUT, filter casing WASHER, steel WASHER, fibre	1 1 1 1 1 2 2 2	998cc non servo all 850cc models all 998cc models Cooper 1300cc + SE injection spi and mpi

 $Note: If you \ require \ a \ high \ performance \ air \ filter, \ please \ see \ the \ Accessories \ section \ for \ K\&N \ range \ of \ air$ filters, or contact your local branch.

:	24	12G1812 CAM4694	NCA NCA	ELBOW, filter case to carburettor ELBOW, filter case to carburettor	1 1	all 998cc models Cooper 1300cc + SE
	25	12A1433	£2.00	SEAL, elbow to filter seal	1	000pci 1000cc + 0L
	26	12G2125	£0.37	GASKET, elbow to carburettor	1	all 998cc models
		GUG705576GM	£1.04	GASKET, elbow to carburettor	1	Cooper 1300cc + SE
	27	12G3210	£22.60	CONTROL, air temperature	1	all 998cc models
:	28	12H4344	£3.50	HOSE, (cut to length)	1 ]	998cc non servo
					J	and Cooper
		LKM10002	NCA	HOSE, (cut to length)	1	998cc direct servo
- 1	29	12G3213	NCA	DUCT, warm air	1	998cc non servo
		TAM2149	NCA	DUCT, warm air	1	998cc direct servo
		CAM6767	NCA	DUCT, warm air	1	Cooper 1300/1275cc

# **K&N Air Filters**

## **Replacement Elements**

Note: These filters fit inside the standard air filter case.

KNE2601	£46.20	K&N ELEMENT, air filter	1	HS4 and HIF38
KNE9172	£48.60	K&N ELEMENT, air filter		injection cars, spi
				and mpi

#### **Bolt-On Air Filters**

Note: These filters replace the air filter and elbow, bolts directly to carburettor.

1 HS4 1-1/2" SU KN56-9128 £87.50 AIR FILTER

ill.	Part Number	Price £ea.	Description	Req.	Details
	KN56-9142	£90.50	AIR FILTER, oval (7" wide x 5" high x 1-3/4" deep).	1 ]	HS6 1-3/4" SU with offset hole
	KN56-9320	£102.00	AIR FILTER, tapered	1	HS4 1-1/2" SU
i	KN56-9327	£110.00	AIR FILTER, tapered	1	HS6 1-3/4" SU
i	KN56-9330	£110.20	AIR FILTER, tapered	1	HIF6/44 1-3/4" SU
	KN62-1010	£29.20	BREATHER FILTER	a/r	1/2" inlet
-	KN62-1330	£24.00	BREATHER FILTER	a/r	1/2" inlet
-	KN99-0621	£12.30	CLEANING FLUID, 11tr	a/r	
1	KN99-11312	£5.17	FILTER OIL, sachet, 14ml	a/r	
i	KN99-0533	£6.35	FILTER OIL, 250ml	a/r	
	KN99-0516	£10.80	FILTER OIL, aerosol, 335ml	a/r	

# **57i Induction Kits**

Note: These kits replace the air filter case and are supplied with cold air ducting.

KN57-0082	£93.20	57i INDUCTION KIT	1	spi models
KN57-0189	£136.60	57i INDUCTION KIT	1	mpi models

## **Stub Stacks**

## **HS4 Stub Stacks**


SFR430 SFR430R SFR430B	NCA NCA	STUB STACK, 30mm STUB STACK, 30mm STUB STACK, 30mm	1 1 1	silver polished red anodised blue anodised
SFR2 SFR8		STUB STACK, short STUB STACK, long	1	period style period style
SENO	£17.50	STUB STACK, IOTIG	1	periou style

#### **HS6 Stub Stacks**

SFR650	£27.40	STUB STACK	1	silver polished
SFR650R	NCA	STUB STACK	1	red anodised
SFR650B	NCA	STUB STACK	1	blue anodised
SFR3	£17.50	STUB STACK, short	1	period style
SFR9	£17.50	STUB STACK, long	1	period style

#### **HIF SU's Stub Stacks**

SFR4430	£29.30	STUB STACK	1	silver polished
SFR4430B	£24.90	STUB STACK	1	blue anodised




ill.	Part Number	Price £ea.	Description	Req.	Detail	S			
Fr	ont Subf	rame							
1	21A2570	£500.00	FRONT SUBFRAME, BMH		1	1969-75			
	KGB10022	£471.20	FRONT SUBFRAME, BMH		1	1976-92,	998cc		
	KGB10027	£471.20	FRONT SUBFRAME, BMH		1	1991-96,	1275cc		
	KGB100500	£471.20	FRONT SUBFRAME, BMH		1	1997-0n			
	KGB10024	£471.20	FRONT SUBFRAME, BMH		1	1976-0n,	Automati		
	HMP241001	£1,980.00	ASSEMBLED FRONT SUBFRAME, BMI	Н	1	1976-96			
			(Includes full suspension, brakes, hul	os &	drive sh	afts).			
	HMP241003	£1,980.00	ASSEMBLED FRONT SUBFRAME, BMI	Н	1	1997-0n			
			ncludes full suspension, brakes, hubs & drive shafts).						
2	21A2624	£12.00	FRONT MOUNTING, teardrop, OE	2					
	21A2624Z	£3.80	FRONT MOUNTING, teardrop	2	aftern	narket			
	21A2624X	£28.70	FRONT MOUNTING, teardrop, (single)	2		innodised ined billet			
	CSTR641	£20.00	FRONT MOUNTING, teardrop, (pair)	1	cast a	illoy			
Note	e: See the Acce	essories secti	on for more polyurethane and solid su	bfrar	ne moui	nting optio	ns.		
3	GHF103	£0.54	SCREW, mounting to valance	2					
4	GHF332	£0.28	WASHER, locking	2					
5	GHF301	£0.22	WASHER	2					
6	FNZ505	£0.68	NUT	2					
7	2A4292	£9.60	PACKING	a/r					
			(Subframe to front valance standard	fitme	ent 96 or	n required			
			when fitting 13 inch wheels or 165/6	0/12	tyres to	4.5 +			
			wide wheels to space the front panel	slig	htly forw	/ard).			
_	04 44 0 44	00.00	EVE DOLT	_					


8 21A1241

£9.60 EYE BOLT

ill.	Part Number	Price £ea.	Description F	Req.	Details
	KPU100160	NCA	EYE NUT, towing eye	2	female fitment
9	GHF105	£0.37	BOLT	2	alternatives
10	GHF302	£0.60	WASHER, plain	2	
11	GHF333	£0.28	WASHER, locking	2	
12	FNZ506	£0.62	NUT	2	
13	21A2596	NCA	BOLT, subframe tower mounting	2	
14	53K3755	£1.20	WASHER	2	
15	KGE100050	£3.92	BUSH, bolt to crossmember	2	
	KGE100050SP	£6.35	BUSH, bolt to crossmember, polyurethan	ne 2	
	KAD1013297	£17.30	BUSH, alloy, bolt to crossmember	2	solid subframe
			(Eliminates front subframe movement	t)	mounting
	CSTR640	£19.20	BUSH KIT, alloy kit, set of 4	1	solid tower mount kit
			(Replaces both top and bottom pads	betwe	een cross member
			and subframe).		
16	KGE100060	£6.00	PAD, subframe to body, rubber	2	
	KGE100060SPF	£39.50	PAD KIT, subframe to body, poly	1	
			(Kit includes: 2 tower mounting pads	& 2 t	tower bolt washers).
17	21A2599Z	£3.58	REAR MOUNTING	2	
	CSTR642	£20.00	REAR MOUNTING, (pair)	1	solid steel subframe
			(Eliminates front subframe movement	t)	mount
18	SH605061	£0.19	SCREW	8	Mounting to toe
					board and subframe
19	WC108051	£0.28	WASHER, plain	8	
20	GHF332	£0.28	WASHER, locking	12	
21	GHF201	£0.12	NUT	8	



	Part Number Pr	ica faa	Description	Rea.	Details	iii	Part Number	Price Sea	Description	Rea.	Details
111.	rait Nullibei Fi	ilo Loa.	Description	neq.	Details	.	rait Nullibel	riide Lea.	Description	neq.	Details
Rear Subframe						4	21A2560	£5.00	MOUNTING BUSH, large, rubber	2	] 1976-0n
							21A2560SPK	£17.75	MOUNTING BUSH KIT, large, poly	1	front mount
1	KHB10026	NCA	REAR SUBFRAME, BMH	1	1959-97				(Kit includes: 2 bushes for one pair	of trur	inions).
	(Hook/rod type ex	khaust h	angers. With mounting trunnions).		pre-injection, dry	5	21A1440	£20.00	SUPPORT PIN, front mounting	2	
	FAM6292	NCA	REAR SUBFRAME, BMH	1	1	6	PWZ207	£0.73	WASHER, plain	4	
	(Bolt-on/cotton re	el exha	ust hangers).		1959-91	7	LNZ207	£1.04	NUT, nyloc	4	
	FAM6292Z		REAR SUBFRAME, aftermarket	1	pre-injection, dry	8	BH605101	£0.79	BOLT, front trunnion, short	2	To 1976
	(Bolt-on/cotton re	el exha	ust hangers).				BH605201	£1.20	BOLT, front trunnion, long	2	To 1976
	FAM6292A	NCA	REAR SUBFRAME, BMH, Hi-Lo	1	] 1959-91		BH605201	£1.20	BOLT, front trunnion, long	4	1976-0n
	(Bolt-on/cotton re	el exha	ust hangers).		pre-injection, dry	9	GHF332	£0.28	WASHER, locking	4	
	KHB10024	NCA	REAR SUBFRAME, BMH	1	1992-0n	10	2A5819	£36.00	TRUNNION, stepped	2	To 1976
			(Includes rods for rubber exhaust me	ountin	gs).	11	2A5818	£1.36	MOUNTING BUSH, split type, rubber		all models
	KHB10023	NCA	REAR SUBFRAME, BMH	1	Germany		2A5818SPK	£16.94	MOUNTING BUSH KIT, split type, pol	•	l rear mount
(Hook/rod type exhaust hangers. Without mounting trunnions)					(Kit includes: 4 bushes for one pair of trunnions).					inions).	
	KHB100590	NCA	REAR SUBFRAME, BMH	1	13"Wheels (Silverstone,		PWZ207	£0.73	WASHER, plain	4	
(Hook/rod type exhaust hangers).		Sportpack & Cooper.	13	LNZ207	£1.04	NUT, nyloc	4				
	21A2160	NCA	REAR SUBFRAME, BMH	1	1964-71 hydrolastic	14		£0.79	BOLT, rear trunnion, short	2	
			(Not Cooper or Cooper S)				BH605201	£1.20	BOLT, rear trunnion, long	2	
	HMP241002		ASSEMBLED REAR SUBFRAME, BMH			15	GHF301	£0.22	WASHER	4	
	(Hook/rod type ex	khaust h	angers. Includes full suspension, brake	s & h	ubs).	16	GHF222	£0.62	NUT, nyloc	4	
Mad	In 1070 Has used		a constant and a second second second		front according and the case II	17	21A195	£20.80	BRACKET, radius arm RH	1	
			ne were changed to a large single bush of mountings. The large bushes are used			18	21A197	£20.80	BRACKET, radius arm LH	1	
							WPT90021	£39.60	BRACKETS, radius arms, (pair)	1	adjustable camber
the Accessories section for more polyurethane and solid subframe mountings.							WPT9002X	£30.00	BRACKETS, radius arms, (pair)	1	+ 1.5° extra -ve
2	2A5819	£36.00	TRUNNION, stepped, front mount	2	To 1976						camber
	21A2558	£36.00	TRUNNION, front mount	2	1976-0n	19	GHF120	£0.28	SCREW, bracket to rear subframe	8	
3	2A5818	£1.36			To 1976	20	GHF332	£0.28	WASHER, locking	8	
	2A5818SPK	£16.94	7 - 1 - 7 - 7 - 7 - 7 - 7 - 7	-	front mount	21	GHF301	£0.22	WASHER	8	
			(Kit includes: 4 bushes for one pair	of trur	nions).						



ill	Part Number	Orion Con	Description	Rea.	Details
			·	ney.	Details
Fr	ont Suspe	nsion	(Dry)		
1	FAM3968	£56.00	RUBBER CONE, standard, metric thre	ad 2	genuine Rover
	FAM3968RX	£68.00	RUBBER CONE, uprated, metric thre		use with Hi-Lo kit
	FAM3968X	£420.00	COIL SPRING KIT, blue	1	
					rear spring kit, replaces rubber cone
	FAM3968HX	£360.00	COIL SPRING KIT, red	1	
					rear spring kit,
2	21A530	£39.00	STRUT	2	replaces rubber cone
	GAC8437X	£128.11	HI-LO, suspension kit		adjustable height kit
	GAC84371	£55.00	HI-LO TRUMPET		front and rear adjustable height
	UA00437 I	233.00	(Inc: 2 x Hi-lo cones and 2 x 21A42)		cones kit
	GAC84374	£7.00	ALLEN BAR, front		adjustable
	GAC8432X	£61.80	ADJUSTA-RIDE, suspension kit		suspension heights adjustable height
	UA00402A	201.00	ADJUGIA-HIDE, Suspension Kit		kit front
3	21A1845	£3.74	WASHER, packing	a/r	to raise ride height
4	GSV1118	£3.18	(Cars with 12" wheels require 1 pac KNUCKLE JOINT	cking v 2	asher per side).
4	21A423	£1.15	CUP		suspension knuckle
					cup
	21A425	£0.90	GAITER	2	suspension knuckle aaiter
5	GSA71541	£15.60	SHOCK ABSORBER	2	gaitoi
	GAC84011XPR		SHOCK ABSORBER, Spax, pair	2	standard height
	GAC84021XPR GAC8401XG	£139.70 £55.00	SHOCK ABSORBER, Spax, pair SHOCK ABSORBER, Gaz	2	lowered height standard height
	GAC8402XG	£57.20	SHOCK ABSORBER, Gaz	2	lowered height
	MT1302	£29.30	SHOCK ABSORBER, Gmax	2	30% uprated
	SPCK19	£641.70	SHOCK ABSORBER KIT, Spax (Adjustable ride height for front and		coil over kit,
	SPCK20	£641.70	SHOCK ABSORBER KIT, Spax		coil over kit,
•	0111000	04.00	(Adjustable ride height for front and		lowered height
6 7	21A1230 21A504	£1.36 £2.81	BUSH, shock absorber SLEEVE	4	shock absorber
8	AJD7162	£0.42	WASHER		bush
9	GHF223	£0.48	NUT, nyloc	2	top mount
10	21A471 21A474	£24.00 £24.00	MOUNTING, RH MOUNTING, LH	1	shock absorber top
11	GHF117	£0.28	SCREW, bracket to inner wing	8	юр
12	GHF331	£0.17	WASHER, locking	8	
13 14	2A4337 BH606321	NCA £1.62	PIN, lower shock absorber mount BOLT, lower shock absorber mount	2	alternatives to
15	21A2694	£3.00	SPACER, (use with BH606321)		item 13
16	GHF223	£0.48	NUT, nyloc	4/2	04) ' 1)
17	GHF302	£0.60	(Quantity reduced when item 14, (B WASHER	H6063 2	21) IS USEQ).
18	21A2690	£223.00	UPPER ARM, RH	1	
10	21A2691	£223.00	UPPER ARM, LH	1	
19 21	2A4325K 2A4326	£15.60 £3.49	REPAIR KIT, top fulcrum shaft THRUST COLLAR	2	
22		£3.00	THRUST WASHER	2	
23	2A7327 115702SP	£0.60	SEAL, rubber ring on top arm	4	altarnativa
24	GHF335	£2.26 £0.32	SEAL, polyurethane WASHER, locking, shaft end	4	alternative
25	FNZ508	£1.42	NUT, shaft end	4	
26 27	2A4327 SH604051	£6.66 £0.28	PLATE, shaft retaining SCREW, plate retaining	2 4	
28	GHF331	£0.28	WASHER, locking	4	
29	88G302	£5.30	NEEDLE ROLLER, top arm	4	
30 31	UHN445 21A371	£1.45 £70.70	GREASE NIPPLE, top arm HUB CARRIER, RH	2	drum brakes
٠,	21A372	NCA	HUB CARRIER, LH	1.	
	FAM2390	£70.00	HUB CARRIER, RH	1 1	disc brakes
32	FAM2391 GSJ166	£57.60 £8.10	HUB CARRIER, LH SWIVEL PIN KIT, (per side)	2	
	GSJ166SK	£1.36	SHIM KIT, swivel pin, (per side)	2	
33	FNZ507	£0.79	NUT, high tensile	4	
34 35	GHF334 BTA377	£0.37 £1.04	WASHER, locking DUST COVER	4	
36	2A4240	NCA	SHIM, 0.005" (0.127mm)	a/r	
37 38	2A4238 21A370	£1.90 NCA	LOCKTAB SPRING	4	
39	2A4315	£4.44	BOLT, steering arm to hub carrier	4	
40	2K5377	£1.66	LOCKTAB, steering arm	2	
41	BTA896 BTA897	NCA £47.30	STEERING ARM, RH STEERING ARM, LH	1 1	
	BTA894	£19.50	STEERING ARM, RH	1	Cooper S
	BTA895	£19.50	STEERING ARM, LH	1	Cooper S
42 43		£4.44 £0.73	DOWL, steering arm locating GREASE NIPPLE, swivel pin	4	
70	31111 100	20.10	S IOE IIII I EE, OWIVEI PIII	-	

¦ ill.	Part Number	Price £ea.	Description	Req.	Details
44	21A1879	£39.00	LOWER ARM, RH	1	
	21A1881	£39.00	LOWER ARM, LH	1	
	WPT9001X	£60.00	LOWER ARMS, negative camber	1	
	C-AJJ3363	£114.00	LOWER ARMS, adjustable	1	sold in pairs
			(1 piece, forged, spherical-jointed ro	d end,	adjustable lower
			arms (with joint) to allow adjustment	for ca	ımber. Heat tested
			and crack tested).		
45	2A4362	£18.00	FULCRUM PIN, lower	2	
46	GHF333	£0.28	WASHER, locking	2	
47	FNZ506	£0.62	NUT	2	
48	2A4294	NCA	BUSH, lower arm, straight hole	4	1959-65
	21A1882	£1.32	BUSH, lower arm, tapered hole	4 ]	
	21A1882SPK	£19.90	BUSH KIT, lower arm, polyurethane	1 ]	
. 40	04 4 4 5 0	00.00	(Kit includes: 2 bushes & 2 tubes).	•	
49	21A450	£8.90	TIE BAR	2	
	8G4249	£14.20	TIE BAR & BUSH SET	2	per side
	WPT9003X	£27.40	TIE BAR SET, heavy duty, pair (This set does not include bushes).	1	
50	31G1155	£0.68	BUSH, tie bar end, rubber	4	
<sub> </sub> 30	31G1155H	£2.23	BUSH, tie bar end, rubber	4	harder road spec
	31G1155VH	£2.47	BUSH, tie bar end, rubber	4 1	
	31G1155SPK	£14.40	BUSH KIT, tie bar end, polyurethane	1	
	0.0	2	(Kit includes: 4 bushes).		
51	PWZ207	£0.73	WASHER, tie bar end	2	
52	2A4328	£1.30	WASHER, cup tie bar end	2	
	ACA9759	£1.85	WASHER SET, front tie bar		contains items 51
   E0	CUEDDA	CO CO	NUT pulse tie her and		and 52
53	GHF224	£0.62	NUT, nyloc tie bar end	2	
	53K1031 GHF332	£1.66 £0.28	BOLT, tie bar to lower arm WASHER, locking	2	
	FNZ505	£0.68	NUT	2	
57	2A4332	£6.20	BUMP STOP, 2 stud fixing	2	To 1975
58	GHF331	£0.17	WASHER, locking	4	10 1070
	GHF200	£0.19	NUT	4	
	21A1598	£14.00	REBOUND BUFFER	2 1	fit hydro suspension
					cars fitted to top arm
60	FAM2764	£5.66	BUMP STOP, 1 stud fixing	2	1976-0n
61	FAM2767	£4.27	PACKING, bump stop	2 ]	12" wheel models only
62	GHF331	£0.17	WASHER, locking	2	Jj
63	GHF200	£0.19	NUT	2	
64	2A4267	£3.38	BUFFER, rebound	2	
	2A4267P	NCA	BUFFER, rebound	2	polyurethane
65	PMZ308	£0.28	SCREW, buffer retaining	4	
	MTR4201	£37.10	GAUGE, camber	1	
			(This gauge allows you to correctly s		
			to get the best from your Mini where	it exc	els most, the
	MTOOST	0.5.	corners).		
	MT9600	£29.10	CONE COMPRESSOR	1	metric cones only
	GAC9424X	£79.90	CONE COMPRESSOR		metric and imperial cones

Req. Details

ill. Part Number Pr	ice £ea. Descriptio
---------------------	---------------------

## **Rear Suspension (Dry)**

	FAM3968RX FAM3968X	£68.00 £420.00	RUBBER CONE, uprated, metric thread	1 2	use with Hi-Lo kit
	FAM3968X	£420 00			
		2720.00	COIL SPRING KIT, blue	1	softer
			(Front and rear coil spring kit that rep	laces	the rubber cone).
	FAM3968HX	£360.00	COIL SPRING KIT, red	1	firmer
			(Front and rear coil spring kit that rep	laces	the rubber cone).
2	21A1684	£110.00	STRUT	2	
	GAC8437X	£128.11	HI-LO, suspension kit	1]	adjust height kit
				]	front and rear
	GAC84371	£55.00	HI-LO TRUMPET	1]	adjustable height
			(Includes 2 x Hi-Lo cones & 2 x 21A4)	23). 🛚	cones kit
	GAC84372	£15.00	RODS, extension, (pair)	1]	used with GAC84371
					when fitting to rear
				j	suspension
	GAC84373	£7.50	ALLEN BAR, rear	1]	adjusting suspension
				]	height
	GAC8433X	£111.70	ADJUSTA-RIDE, suspension kit	1	adjustable height kit rea
3	21A1845	£3.74	WASHER	a/r ]	packing to raise
				]	ride height
4	GSV1118	£3.18	KNUCKLE JOINT	2	
	21A423	£1.15	CUP	2	suspension knuckle
	21A425	£0.90	GAITER	2	suspension knuckle
5	21A640	NCA	COVER, top shock absorber mounting	2	
6	GSA71542	£13.20	SHOCK ABSORBER	2	
	GAC84031XPR	£139.70	SHOCK ABSORBER, Spax, pair	1	standard height
	GAC84041XPR	£139.70	SHOCK ABSORBER, Spax, pair	1	lowered height
	GAC8403XG	£55.00	SHOCK ABSORBER, Gaz, each	2	standard height
	GAC8404XG	£57.20	SHOCK ABSORBER, Gaz, each	2	lowered height
	GAC8408XPR	NCA	SHOCK ABSORBER, Koni, pair	1	lowered height
	SPCK19	£641.70	SHOCK ABSORBER KIT, Spax	1	coil over kit
			(Height adjustable front and rear kit s	tanda	ard height).
	SPCK20	£641.70	SHOCK ABSORBER KIT, Spax	1	coil over kit
			(Height adjustable front and rear kit lo	were	ed height).
7	517984	£1.40	WASHER, lower bush retaining	2	
8	517985	£1.25	BUSH, lower top, s/absorber	2	
9	C2542	£5.00	BUSH, upper top, s/absorber	2	
10	517984	£1.40	WASHER, upper bush retaining	2	
11	GHF273	£0.37	NUT, nyloc, top s/absorber mount	2	
12	21A504	£2.81	SLEEVE, bottom s/absorber bush	2	
13	21A1230	£1.36	BUSH, bottom s/absorber mounting	2	
14	AJD7162	£0.42	WASHER	2	
15	GHF223	£0.48	NUT, nyloc	2	
16	GSV1125	£12.00	REPAIR KIT	2	radius arm fulcrum pin

Note: GSV1125 requires a special tool for reaming after installation of the bearings. The special reamer 18G588 is NCA. However reconditioned and new radius arms are available. See below.


	ACA9099	£8.60	SHAFT, radius arm	2
17	UHN400	£0.73	GREASE NIPPLE, fulcrum pin	2
18	FNZ508	£1.42	NUT, fulcrum pin	4

ill.	Part Number	Price £ea.	Description	Req.	Details
19 20	GHF335 2A7327 115702SP	£0.60	WASHER, locking SEAL, radius arm SEAL, poly version of 2A7327	4 4 4	
Re	ar Hub & S	tub Axle			
21	21A2023	£33.20	HUB, with short studs	2 ]	10" wheel

21	21A2023	£33.20	HUB, with short studs	2 ]	10" wheels To 1984
	RLH10021	NCA	HUB, with long studs	2 ]	12" wheels
	21A2023XR	NCA	HUB, alloy, with long studs, red	2	includes bearings
	21A2023XB	£100.13	HUB, alloy, with long stude, four	2	includes bearings
22			, ,,	8 1	•
22	21A2064	£1.36	WHEEL STUD, short	١٥	10" wheels
				]	To 1984
	RLJ10001	£1.42	WHEEL STUD, long	8 ]	12" wheels
				]	1984-0n
23	GHK1548	£12.50	HUB BEARING KIT, taper roller type	2	heavy duty
26	BTA672	£3.32	WASHER, hub	2	
28	GHS227	£1.50	SEAL, grease	2	all models
29	51K328	£2.90	NUT, RH hub	1	
	FNN2410	£5.05	NUT, LH hub	1	
30	ATB4098	£6.70	GREASE CAP	2	
31	88G322	£0.79	WHEEL NUT, round chamfer	16	standard 10" wheels
	113087	£1.32	WHEEL NUT, 60° chamfer angle	16	standard 12" wheels
	FAM5701	£8.30	WHEEL NUT, round chamfer*	16	10" with hub caps
	FAM3428	NCA	WHEEL NUT, 60° chamfer*	16	12" with hub caps
	RRD10009	£3.74	WHEEL NUT, 60° chamfer	16	Rover alloy wheels
			(Feature a loose washer and stainles	s cap)	).

\*Note: If your car is fitted with wheel trims retained by the wheel nuts, you will require wheel nuts marked with an asterisk. Care must be taken when ordering as 'radius' and 'chamfered' wheel nuts are not interchangeable!

32	2A7351	£29.00	STUB AXLE, RH, rear	1	
l	2A7364	£29.00	STUB AXLE, LH, rear	1	
33	2A7352	£5.00	CIRCLIP, stub axle retaining	2	
34	NAM7162	£282.00	RADIUS ARM, RH, new	1	
	NAM7162N	£222.00	RADIUS ARM, RH, new, loaded	1	
			(Supplied with bearing, reamed bush	, shaf	ft and seals).
i	NAM7162R	£64.00	RADIUS ARM, RH, reconditioned	1	
I I			(Refundable surcharge on this item -	old u	nit required).
I	NAM7163	£282.00	RADIUS ARM. LH, new	1	
	NAM7163N	£222.00	RADIUS ARM, LH, new, loaded	1	
			(Supplied with bearing, reamed bush	, shaf	ft and seals).
	NAM7163R	£64.00	RADIUS ARM, LH, reconditioned	1	
l			(Refundable surcharge on this item -	old u	nit required).
l I	21A1577Z	£78.65	HYDROLASTIC PIPE, suspension	2	universal replacement
	MTR4201	£37.10	GAUGE, camber measuring	1	
			(This gauge allows you to correctly s	et up	your suspension
i			to get the best from your Mini where	it exc	cels).
1	21A1517	NCA	BUMP STOP, cone type	2	original
	21A1520	£10.00	BUMP STOP, flat type	2	alternative



1111.	rait Nullibel	רווטט גטמ.	Describitori

## **Drive Shafts and Flanges**

2

3

5

8

10

11

GCV1104	£127.30	DRIVE SHAFT RH, no inner joint	1]	drum brakes
GCV1103	£127.30	DRIVE SHAFT LH, no inner joint	1 j	To 1984
GCV1100	NCA	DRIVE SHAFT RH, no inner joint	1]	disc brakes
GCV1101	NCA	DRIVE SHAFT LH, no inner joint	1 j	1984-0n
GCV1105	£35.00	CV JOINT, outer	2	drum brake models
GCV1013	£36.00	CV JOINT, outer	2	disc brake models
GSV1185	£13.60	GAITER KIT, heavy duty, OE	2 ]	to fit GCV1105
GDG233	NCA	GAITER KIT, standard duty, OE	2 j	
GSV1053	£8.00	GAITER KIT, heavy duty, OE	2 ]	to fit GCV1013
GDG202	£7.70	GAITER KIT, standard duty, OE	2 ]	
GDG999	£3.00	GREASE, separate sachet, 50cc	a/r	
37H8706	£2.05	CIRCLIP, inner CV thick section	2	
17H8597	NCA	CIRCLIP, outer CV tin section	2	
27H7880Z	£140.00	HARDY SPICER JOINT, inner	2	auto and Cooper S
GCV1102	£36.40	POT JOINT, inboard	2	
GCD101	£30.36	COUPLING, drive shaft, rubber	2	early Mini
QL5000	£67.00	COUPLING, nylon	1	upgrade to GCD101
GUJ101	£8.60	COUPLING REPAIR KIT	2	auto and Cooper S
		(Repair kit for Hardy Spicer, (27H7	880Z).	
GSV1192	£1.70	GAITER	2 ]	sliding joint to drive shaft
GSV1192Z	NCA	GAITER KIT		sliding joint to drive shaft
21A963	NCA	GAITER, OE		sliding joint to drive shaft
GSV1073	£10.20	GAITER KIT, heavy duty, OE	2 ]	to fit GCV1102
GSV1073	£10.20	GAITER KIT, standard duty, OE	2 ]	
DMR54680	NCA	INSTALL TOOL, CV boot	1]	used to fit the CV gaiter
21A231	£36.40	DRIVE FLANGE	2	drum brakes
21A1270	£26.50	DRIVE FLANGE		7.5in disc brakes Cooper S
21A2695	£32.60	DRIVE FLANGE	2 ]	8.4in disc brakes
NAM6450F	£42.00	DRIVE FLANGE	2 ]	8.4in disc brakes

Req. Details

vented

ill.	Part Number	Price £ea.	Description	Req.	Details
12	SF604061	£0.37	SCREW, drive flange to disc		7.5in disc brakes Cooper S
	BTA370	£1.42	BOLT, drive flange to disc		8.4in disc brakes disc
13	2A4295	£3.58	COLLAR, oil seal	2	drum brakes
14	FAM9270	£8.50	COLLAR, outer, tapered	2	disc brakes


Note: FAM9270 collar should be replace whenever the hub nut BTA249 is removed! When re-installing the drive flange, collar and nut re-torque BTA249 without the collar but using a suitable sized flat washer then replace the flat washer with the tapered collar and retorque.

15	2A7323	£3.00	WASHER, outer, plain	2	drum brakes
16	BTA249	£4.94	NUT, hub 1 5/16" AF	2	disc brakes
	21A79	£2.57	NUT, hub 1 1/8" AF	2	drum brakes
17	GHK1140	£25.20	HUB BEARING KIT, includes seals	2	disc brakes
	GHK1018	£22.30	HUB BEARING KIT, includes seals	2	drum brakes
18	GHS101	£1.52	OIL SEAL, outer	2	
	GHS173	£2.00	OIL SEAL, inner with shield	2	
19	2A4361	NCA	SPACER, 0.094" seal to bearing	2	disc brakes
	21A1307	NCA	SPACER, 0.229" seal to bearing	2	drum brakes
20	NAM5645	£2.57	STUD, 1.1875", 30mm, shaft length	8	disc brakes
	21A2064	£1.36	STUD, 1.375", 35mm, shaft length	8	drum brakes
21	88G322	£0.79	WHEEL NUT, round chamfer	8 ]	standard 10" road wheels
	113087	£1.32	WHEEL NUT, 600 chamfer angle	2 ]	standard 12" road wheels
	FAM5701	£8.30	WHEEL NUT, round chamfer*	16	10" with hub caps
	FAM3428	NCA	WHEEL NUT, 600 chamfer*	16	12" with hub caps
	RRD10009	£3.74	WHEEL NUT	16	Cooper 1300cc
22	FAM2563	NCA	WASHER, for wheel nut*	16	

\*Note: If your car is fitted with wheel trims retained by the wheel nut, then you will require the wheel nuts marked with an asterisk. Care must be taken when ordering as 'radius' and 'chamfered' wheel nuts are not interchangeable!

23	GCD101	£30.36	DRIVE COUPLING, rubber	2	sold individually
	QL5000	£67.00	DRIVE COUPLING KIT	1	sold as a pair
			(nylon & roller hearing)		

50



Steering Rack

ill. Part Number Price £ea. Description

**RHD Steering Rack** 

GSJ158Z

NY210041

GHF223

1	GSR371 CAJJ1570	£126.70 £116.00	STEERING RACK STEERING RACK, quick rack	<ul><li>1 new</li><li>1 2.2 turns lock to</li></ul>	lock
LH	D Steering	Rack			
2	GSR1163 CAJJ1571	£126.70 £119.00	STEERING RACK STEERING RACK, quick rack	1 new 1 2.2 turns lock to	lock
Ga	niters All Mo	dels			
3	GSV1153	£6.00	GAITER KIT, for OE racks	1 ] 2 boots and 4 m	etal
	GSV1153	£6.00	GAITER KIT	1   2 boots and plas	tic
	GRG205	NCA	GAITER KIT, for OE racks	1 ] 2 boots and 4 ] plastic ties	
	GRG210Z	£10.90	GAITER KIT, aftermarket racks	1 2 boots and 4 plastic ties	
4	17H6298	£3.07	GAITER, OE racks only	2 single, no clips	
5	ADG1682	£2.08	CLIP, large	2 ] gaiter to rack	
6	GGT1117X	£1.50	CLIP, small	2 gaiter to track ro	d
7	GSJ734	£15.00	TRACK ROD END	2	
	GSJ734Z	£5.40	TRACK ROD END	2	
	GSJ158	£7.30	TRACK ROD END	2   slightly longer in	
			(Use when lowering car and or	thread	
			adding negative camber).		

Req. Details

2 1 track rod end

2 I to steering arm.

Note: Due to Rover changing sources on the track rod ends, the pin thread can vary. Please check before ordering, nuts with imperial threads use a 9/16" AF spanner.

TRACK ROD END, reproduction

NUT, nyloc, imperial

NUT, nyloc, metric

9	FNZ208	£0.62	LOCK NUT, track rod end to track rod	2
10	2A6208	£7.90	U BOLT, rack mounting to body	2
11	21A2553	£1.20	PACKING PIECE, nylon strip	2
12	GHF222	£0.62	NUT, nyloc	4

£6.00

£0.48

£1.36

Steering Column

QYF10005

ill. Part Number Price £ea. Description


Note: See Accessories section for our full range of steering wheels.

21A2252 NCA HORN PUSH, centre 1 ] Mini motif Mkll and MkIII 13 GSV1095 BUSH, column top £2.90 14 GSV1127 £6.02 BUSH, column lower, felt To VIN 380107 BUSH, column lower From VIN380108 On NAM8563 £5.00 NAM8563SP £7.80 BUSH, column lower, polyurethane alternative 15 NAM8527 £338.00 COLUMN fits all models To 1996 COLUMN ASSEMBLY mpi 1996-0n QMB101550PMA £402.00 21A30 £1 45 SEAL, rack to body 16 17 BH604111 £0.68 BOLT, pinching clamp 18 GHF331 £0.17 WASHER, spring 19 GHF200 £0.19 NUT BRACKET, clamp to body 20 21A2463 NCA DROP BRACKET, steering column GAC8426X £3.60 21 21A2666 £4.85 CLAMP, column to bracket 22 51K4006 £5.00 SHEARBOLT, column clamp 2.69" long SHEARBOLT, bracket to body 23 51K4002 £4.80 1.45" long NUT PLATE, bracket to body 24 21A2464 £9 90 21H295 NUT, column clamp 25 £3.32 26 18G8892 NCA LOCK, steering, key in side To 1976 BHM7107 LOCK, steering, key facing driver 1976-0n £43.00 BHM7252 NCA LOCK, steering, key facing driver Mini 25 LOCK, steering, key in side ORF100750 £64 20 mpi 1996-0n SHEARBOLT, steering lock 28 51K4001 £2.26 2 29 18G8803 NCA COWLING 1 (With steering lock, single stalk). 30 13H3737 NCA SCREW, cowl to column To 1976 SPIRE CLIP, on column 31 GHF711 £0.25 4 COWLING, twin stalks, black 32 BHM7085 £50.00 33 AD606083 £1.20 SCREW, cowl to column 3 1976-0n GHF711 £0.25 CLIP, on column 2 SCREW, cowling, (twin stalks) 35 AC606051 £0.32 1 36 ACH6001 £5.12 NUT, steering wheel retaining 1 5/16" AF QYH10007 £11.10 NUT, steering wheel retaining 1" AF 37 6K900 £1.00 WASHER, shakeproof use with ACH6001


NCA WASHER, shakeproof

use with QYH10007

Req. Details



ill.	Part Number P	rice £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
F	Front Brakes						GWC127 GWC127Z	£12.70 £7.80	WHEEL CYL. LH, 0.9375 bore size WHEEL CYL. LH, 0.9375 bore size	2	
Drum Brake Twin Leading Shoe (10" Wheels)					Not	e: When replaci	ng the whee	I cylinders you will probably need to	replace	e the bolts (items 10 and 12).	
1 2 3 4 5 6	GHF332 GBS733AF AAU8243 GWC102 GWC102Z GWC103Z GWC126	£38.50 £38.50 £0.32 £0.28 £13.00 £1.80 NCA £12.40 £14.00	BACK PLATE, LH BOLT, backplate to hub WASHER, locking BRAKE SHOES, set of four SPRING, brake shoe return WHEEL CYL. RH, 0.8125 bore size WHEEL CYL. RH, 0.8125 bore size	2	asbestos free  ] Mkl only, early ] back plate ] Mkl only, early ] back plate ] Mkl only, early ] back plate	7 8 9 10 11 12 13 14 15 16	GRK2002 GRK2002Z 3H2428 37H3833 7H7520 GHF331 SH605051 GHF332 27H3753 GDB105Z CMZ407	£3.84 £3.84 £0.95 £0.73 £2.95 £0.17 £0.32 £0.28 £5.30 £12.00 £0.73	REPAIR KIT, wheel cylinder REPAIR KIT, wheel cylinder BLEED NIPPLE GASKET, w/cylinder to back plate BOLT, w/cyl to back plate, (small) WASHER, spring BOLT, w/cyl to back plate, (large) WASHER, spring SPRING, retaining, shoe to cylinder BRAKE DRUM SCREW, brake drum retaining	4 4 4 4 4 4 4 4 4 4	
	GWC126Z	£7.80	WHEEL CYL. RH, 0.9375 bore size	2		1					




Req. Details

## **Brakes**

## Front Disc Brakes 7.0" (10" wheels)

Note: Calipers for 7.0" disc brake model's are not available.

1	GRK5009Z	£3.68	SEAL KIT, per caliper	2	
2	GBP102KV	£17.10	PAD SET, EBC Ultimax	1	road
	GBP102G	£32.00	PAD SET, EBC Greenstuff	1	road/fast road
	GBP102Y	£57.00	PAD SET, EBC Yellowstuff	1	fast road/track
3	BTA193	£60.00	DISC	2	
4	CMZ407	£0.73	SCREW, disc to drive flange	8	




ill. Part Number Price £ea. Description

Req. Details

## Front Disc Brakes 7.5" (10" Wheels)

1	27H4656	£46.00	CALIPER, RH, original	1	
	27H4657	£46.00	CALIPER, LH, original	1	1275GT & Cooper S
	27H4656Z	£88.00	CALIPER, RH, aftermarket	1	
	27H4657Z	£88.00	CALIPER, LH, aftermarket	1	
2	GRK5006	£6.00	SEAL KIT, per caliper	2	
	GRK5006Z	£5.00	SEAL KIT, per caliper, aftermarket	2	
3	17H8626SS	£9.00	PISTON, caliper, stainless steel	4	
4	3H2428	£0.95	BLEED NIPPLE	2	
5	GBP103AF	£17.80	BRAKE PAD SET, front, standard	1	
	GBP103KV	£17.60	BRAKE PAD SET, front, EBC Ultimax	1	road
	GBP103G	£38.30	BRAKE PAD SET, front, EBC Greenstuff	1	road/fast road
	GBP103Y	£59.00	BRAKE PAD SET, front, EBC Yellowstuf	f1	fast road/track
6	TMG307521	£1.96	SPILT PIN	4	
7	GBD101	£28.00	BRAKE DISC, 7.5" diameter	2	
8	SF604061	£0.37	SCREW, disc to drive flange	8	
9	53K1048	£0.94	BOLT, caliper to hub	4	
10	GHF333	£0.28	WASHER, locking	4	

Warning: Do not split the caliper into two halves unless absolutely necessary.



ill. Part Number Price £ea. Description

Req. Details


## Front Disc Brakes 1984-On (12" Wheels)

۰						
	13	GBC141E	£69.00	CALIPER, RH, exchange	1	
		GBC138E	£69.00	CALIPER, LH, exchange	1	
į	14	GRK5008	£7.80	SEAL KIT, per caliper	2	
l	15	17H7960	£10.00	PISTON, caliper	4	
	16	3H2428	£0.95	BLEED NIPPLE	2	
i	17	GBP281	£12.90	PAD SET	1	
		GBP281CM	£23.95		1	road
		STR505G	£37.30		1	road/fast road
i		STR505Y	£80.70	,	1	fast road/track
		STR5051	£58.80	PAD SET, Mintex M1144	1	fast road/track
	18	GBK1010	£0.84		1	
i	19	17H7963	£1.32		2	
		17H7963X	£1.96		2	
		17H2460	£1.45		4	
i	21	53K1048	£0.94	7 1	4	
	22	GHF333	£0.28	WASHER, spring	4	
	23	GBD90806 GBD90806Z	£11.40 NCA	DISC DISC, aftermarket	2	
i	24	BTA370	£1.42	BOLT, disc to drive flange	8	
	25	21A2613	£1.42 £21.60	BACK PLATE, RH top	1	
	20	21A2613Z	£14.00	BACK PLATE, RH top, aftermarket	1	
i					1	
		21A2617	£20.00	BACK PLATE, LH top		
		21A2617Z	£14.00	BACK PLATE, LH top, aftermarket	1	
į	26	21A2614	£24.00	BACK PLATE, RH lower	1	
i		21A2614Z	£14.00	BACK PLATE, RH lower, aftermarket	1	
		21A2618	NCA	BACK PLATE, LH lower	1	
į		21A2618Z	£14.00	BACK PLATE, LH lower, aftermarket	1	
i	27	PMZ308	£0.28	SCREW, backplate	4	
	28	WL700101	£0.19	WASHER, locking	4	
	29	GHF206	£0.13	NUT	4	
ĺ	30	BTA1208	£4.10	BRACKET, back plate RH	1	
l		BTA1209	£4.10	BRACKET, back plate LH	1	
		17H7679	£1.25	SEAL, caliper bridge	2	seal not shown


Warning: Do not split the caliper into two halves unless absolutely necessary.

## **Front Disc Brake Parts - 4 Pots**

GBD496	£19.50	BRAKE DISC, vented, each	2	
MS0508	NCA	BRAKE DISCS, vented, 7.9", (pair)	1	fit 10" wheel only
KADDISC12	NCA	BRAKE DISCS, vented, (pair)	1	fit 12" wheel only
		(To fit 12" wheels with Metro or KAD	type	vented calipers).
MT1203	£35.00	BRAKE DISCS, vented, (pair)	1	fit 12" wheel only
		(To fit 12" wheels with Metro or KAD	type	vented calipers).
GBP258	£15.80	PAD SET, standard	1	
GBP258KV	£28.80	PAD SET, EBC Ultimax	1	road
GBP258G	£45.00	PAD SET, EBC Greenstuff	1	road/fast road
GBP258Y	£71.60	PAD SET, EBC Yellowstuff	1	fast road/track
TMG309474	NCA	PAD SET, Mintex M1144	1	fast road/track
GRK5003	£10.30	SEAL KIT, brake caliper, '4 pots'	2	Metro/4 pot calipers
MT5402	£12.20	PISTON, caliper, stainless steel	8	Metro/4 pot calipers



ill.	Part Number	Price £ea.	Description R	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Re	ar Brake	S					GWC1126Z	£9.70	WHEEL CYLINDER, diagonal system	2	not UK 1976-77
1	GDB105Z	£12.00	BRAKE DRUM	2 ]	10" wheels To 1984	 	GWC1131 GWC1131Z GWC1101	£14.00 £12.20 £14.40	WHEEL CYLINDER, OE diagonal sys. WHEEL CYLINDER, diagonal system WHEEL CYLINDER, OE	2 2 2	not UK 1976-77 not UK 1976-77 To 1967
2	GDB106Z	£17.00	BRAKE DRUM, with spacer	2 ]	12" wheels		GWC1101Z GWC1102	£10.80 £9.56	WHEEL CYLINDER WHEEL CYLINDER. OE	2	To 1967 1967-On
	MT1210	£80.00	BRAKE DRUM, with spacer	1	1984-On alloy superfins		GWC1102Z	£7.00	WHEEL CYLINDER	2	1967-0n
3	CMZ407	£0.73	SCREW, brake drum	4	To fit GDB105Z		GWC1134	NCA	WHEEL CYLINDER, OE (Japan/Norway).	2	no locating pin
4 5	SF604121 GBS834AF	£0.70 £13.70	SCREW, brake drum BRAKE SHOES, car set of 4 shoes	4 1	To fit GDB106Z	14	BHM7015	NCA	REPAIR KIT, wheel cylinder	2	To fit GWC1126
6	21A1058 21A1060	£37.75 £37.75	BACK PLATE, RH BACK PLATE. LH	1			GRK2003 GRK2014	NCA £6.00	REPAIR KIT, wheel cylinder REPAIR KIT, wheel cylinder	2	To fit GWC1131 To fit GWC1102
	21A1000	£37.73	BACK PLATE, LIT	1		i	GRK2014Z	£6.20	REPAIR KIT, wheel cylinder, aftermarke		To fit GWC1102
	, ,,		te is now available. When replacing a b	ack p	plate, you may need to drill a		8G8801Z 18G9071Z	£8.70 £3.18	REPAIR KIT, wheel cylinder REPAIR KIT, wheel cylinder	2	To fit GWC1101 to fit GWC1134
nev	noie for the Wi	neer cylinder	locating roll pin.			15	513118A	£1.60	BLEED NIPPLE	2	All except GWC1131
7	17H7621	£2.53	SPRING, lower shoe return	2			3H2428	£0.95	BLEED NIPPLE	2	to fit GWC1131 only
8	17H8092	£2.42	SPRING, upper shoe return	2		16	17H7949	£0.65	CIRCLIP, w/cylinder retaining	2	
9	SMN10005	£26.00	LEVERS, handbrake operating, (pair)	1	set of 2	17	37H4642	£1.00	GASKET, w/cylinder to back plate BRACKET. RH. handbrake cable	2	
10	17H8057	£2.38	DUST SEAL, lever aperture	2		18	21A1669 21A1670	£14.90	, ,	1	
11	17H7619	£5.05	ADJUSTER WEDGE	2		10	GHF103	£14.90	BRACKET, LH, handbrake cable	ı	
12	17H7618	£4.90	ADJUSTER TAPPETS	4		19		£0.54	SCREW, back plate to radius arm	6	
	17H7620	£8.30	ADJUSTER KIT, per side	2 ]	includes tappets and adjusters	20	GHF332 GHF201	£0.28 £0.12	WASHER, locking NUT	6 6	
13	GWC1126	£18.74	WHEEL CYLINDER, OE diagonal sys.	2	not UK 1976-77						



ill.	Part Number	Price £ea.	Description	Req.	Details
D.,	alea Maas	· · · · · C· · II · ·	al a se		

## **Brake Master Cylinders**

## Type A: Single Line System

1	GMC153	NCA	MASTER CYLINDER, brake, 0.75" bore (Aftermarket with plastic reservoir).	1	drum brakes 1959 -62; Coopers with servo 1961-62
	GMC171	£81.30	MASTER CYLINDER, brake, 0.7" bore (Original type with round metal 60mm high reservoir. Use DOT4/5 fluid only).	1	drum brakes 1962- 75; replacement for original GMC105
	GMC171Z	£51.20	MASTER CYLINDER, brake, 0.7" bore Aftermarket with plastic reservoir).	1	Coopers without servo
	GMC172	£80.40	MASTER CYLINDER, brake, 0.7" bore (Original type with round metal 75mm high reservoir. Use DOT4/5 fluid only).	1	disc brake Coopers & 1275GT 1963-75
2	GRK1026	£8.00	REPAIR KIT, 0.75" bore master cyl. (With one end cap seal one ring seal on piston).	1	GMC153 type

Note: Before ordering a seal kit for a 0.7" master cylinder, please check which type of piston seals are used in your master cylinder. The master cylinder manufacturer changed the specification of the piston seals; early pistons used one cap seal (located on the end of the piston) & one ring seal. Later master cylinders have two ring seals.

GRK1028	£11.00	REPAIR KIT, 0.7" bore master cyl. (With one end cap seal one ring seal	1	
GRK1028Z	£6.00	on piston). REPAIR KIT, 0.7" bore master cyl. (Aftermarket, with one end cap seal	1	for 0.7" bore cylinders GMC171 and GMC172 type
GRK1006Z	£3.58	one ring seal on piston).  REPAIR KIT, 0.7" bore master cyl.  (with two ring seals).	1	
513123A	£4.00	CAP	1	all cylinders

## Type B: Front To Rear Split System

3	GMC159	NCA	BRAKE MASTER CYLINDER	1 ] round plastic l reservoir
2	GRK1019	NCA	REPAIR KIT	1
	GRK1019Z	£29.40	REPAIR KIT	1
	AAU3815	£10.90	CAP	1

## Type C: Diagonal Split System

3	GMC160	NCA	BRAKE MASTER CYLINDER	1	round plastic reservoir
2	GRK1019	NCA	REPAIR KIT	1	

ill.	Part Number	Price £ea.	Description	Req.	Details
	GRK1019Z		REPAIR KIT	1	
	AAU3815	£10.90	CAP	1	

## Type D: Diagonal Split System

4	GMC167	NCA	BRAKE MASTER CYLINDER	1 ] square plastic
2	GRK1002	£36.00	REPAIR KIT	1
	GRK1002Z	£9.25	REPAIR KIT, aftermarket	1
	GRK907014	NCA	CAP	1

# Type E: Front To Rear Split System

**BAH5654** 

5	GMC227	£106.60	BRAKE MASTER CYLINDER	1 ] square plastic
2	GRK1035	£30.00	REPAIR KIT	1
	AEU1796	NCA	CAP, with failure switch	1


Note: Between 1980 and 1985 the Mini had 4 different types of master cylinder fitted, these being part numbered GMC173 and GMC198 having a pressure failure switch fitted to the body of the cylinder and GMC192 and GMC195 with a fluid level switch fitted to the cap, all these cylinders are superseded by GMC227.

As the cylinder is manufactured with metric fittings the conversion pipes must be used in conjunction with GMC227 when replacing an original master cylinder. Although it is possible to rebuild the original master cylinder with a repair kit.

1 RHD

i		DA03034	200.00	FIFE CONVENSION KIT		niiD
i		BAU5655	£24.65	PIPE CONVERSION KIT	1	LHD
	All	Models				
	6	14A6733	£13.00	BRACKET, engine stabiliser	1	fitted under brake and clutch master cylinders
i	7	31G279	£1.96	GASKET, single line master cylinder	1	
į		31G840	£2.05	GASKET, dual master cylinder	1	
i	8	FNZ505	£0.68	NUT, master cylinder to bracket	2	
i	9	GHF332	£0.28	WASHER, locking	2	
i	10	CLZ512	£1.52	CLEVIS PIN, pedal to push rod	1	
į	11	GHF502	£0.19	SPLIT PIN	1	
i						

£33.30 PIPE CONVERSION KIT



Req. Details

## Front To Rear Split System With Direct Acting Servo

1 GMC90376 £111.20 BRAKE MASTER CYLINDER\*

1 metric fittings 1989-0n

\*Note: The early direct acting brake master cylinder is no longer available, it has been superseded by the later version GMC90736, which has metric threads. Please check your pipe work carefully before fitting. A rebuild kit is available for GMC242, see GRK1032 below.

2	GRK1032	£18.00	REPAIR KIT	1			
	GRK1032Z	£14.00	REPAIR KIT, aftermarket	1			
3	GRK6009	£14.00	CAP, with float switch	1			
4	GSM119	£127.90	SERVO UNIT	1	1989-0n		
			(Direct-acting attached to master cylinder).				
5	GSM120	NCA	REPAIR KIT	1			
6	NAM8568	NCA	VACUUM HOSE, with return valve	1			
7	NAM8540	NCA	CLEVIS PIN, bell crank	2			

ill. Part Number Price £ea. Description

 8
 511032
 £0.94
 SPLIT PIN

 9
 2A715
 £21.10
 BANJO BOLT, brake servo

 ADP210
 £6.24
 PLUG, manifold blanking

10 AED172 £1.15 WASHER

1
1
1 j if servo take-off not required
a/r j use 2 washers with banjo bolt


Req. Details


# Remote Servo Kit

Note: This servo kit fits all single line brake systems.

TT3949	£198.00	SERVO KIT, remote	1	lockheed
TT3949Z	£95.50	SERVO KIT, remote	1	aftermarket
18G8938	£57.60	REPAIR KIT, servo	1	for TT3949
	TT3949Z	TT3949Z £95.50	TT3949Z £95.50 SERVO KIT, remote	TT3949Z £95.50 SERVO KIT, remote 1

Note: As MkIII S TT3949 can be used as conversion on Minis, comes as complete kit. Fitting a remote servo means less effort required when braking.





Req. Details

## **Brake Pipes**

## **Brake Pipes For Single Line Brakes (Drum Brakes)**


	0004444	044 ==	DDAVE DIDE		
1	GPP14AA	£11.75	BRAKE PIPE		master cylinder to 3 way union
2	3H2424	£7.80	CONNECTOR, 3 way	1	
3	GPP18AA	£12.20	BRAKE PIPE, 3 way		union to banjo connector
4	GPP46AA	£13.66	BRAKE PIPE		banjo connects to LH front hose
5	GBH170	£6.50	BRAKE HOSE, front, flexible	2	LIT II OIIL 11000
Ü	GBH170Z	£5.40			aftermarket
	GAC8412X	NCA	BRAKE HOSES, 4, stainless steel	_	front and rear
	MT5105	NCA	BRAKE HOSES, 5, stainless steel		front and rear
			(Includes GAC8447X clutch hose).	•	none and roa
	MT5401	NCA	BRAKE HOSES, 5, stainless steel	1	front and rear
	11110101	110/1	(Includes GAC0080 clutch hose).		none and roa
	233220A	£0.84	WASHER, copper, brake to cylinder	2	
6	GPP10AA	£11.75	BRAKE PIPE, front hub bridge pipe	2	
7	GPP102AA	£19.00	BRAKE PIPE	_	3 way union to
,	di i iozak	213.00	DIVICETILE		regulator valve
8	GPP6AC	£9.05	BRAKE PIPE		regulator valve to
U	ai i ono	25.00	DIVICETILE		RH rear hose
9	GPP26AC	£12.00	BRAKE PIPE	-	regulator valve to
5	di i zono	212.00	DIVICETILE		LH rear hose
10	21A2031	NCA	REGULATOR VALVE		mounted on rear
10	21/12/001	NOA	HEADERTON VALVE		subframe
11	GBH250	£4.96	BRAKE HOSE, rear, flexible	2	Juditutio
	GBH250Z	£3.60	BRAKE HOSE, rear, flexible		aftermarket
	MT5101	£24.80	BRAKE HOSES, rear, stainless steel	_	pair
	MT5104	NCA	BRAKE HOSES, rear, stainless steel		pair
	W113104	NOA	(From subframe to wheel cylinder).	'	μαιι
12	NT606041	£0.54	NUT, locking, hose to radius arm	2	
13	GHF323	£0.19	WASHER, locking	2	
14	GHF202	£0.19	NUT	2	
15	GPP10AC	£11.75	BRAKE PIPE	_	rear brake hose to
10	di i iono	211.70	DIVICETILE		wheel cylinder
16	WE600101	£0.42	WASHER, locking	2	Wilder Cyllinder
17	21A228	£3.32	NUT, locking to subframe RH/LH	1	
	2K8686	£1.20	NUT, locking to subframe RH/LH	1	
18	3H550	£0.60	WASHER, copper	1	
19	11D5263	£27.70	UNION, 2 way banjo	1	
20	233220A	£0.84	WASHER, copper	3	
21	7H7995	£12.60	BOLT, banjo for brake light switch	1	
	AEHU1A	£1.90	UNION. female UNF thread	a/r	
23	TM606031	£0.94	UNION, male UNF thread	a/r	
24	GHF101	£0.28	BOLT, 3 way connector to bulkhead	1	
25	GHF331	£0.17	WASHER	1	
	11K9181	£0.60	CLIP, pipe to subframe	a/r	
		20.00	52 , p.po to odbirdino	a, i	


ill. Part Number Price £ea. Description

\*Note: If replacing these pipes ensure the correct ones are used!

ŀ	26	GPP13DD	£11.26	PIPE, m/cyl. to P.D.W.A., (tandem)*	1 long, RHD
		GPP30DD	£13.15	PIPE, m/cyl. to P.D.W.A.	1 long, LHD
i	27	GPP10DD	£11.75	PIPE, m/cyl. to P.D.W.A., (tandem)*	1 short, RHD
		GPP29DD	£13.15	PIPE, master cylinder to P.D.W.A.	1 short, LHD
i	28	13H5905	NCA	FAILURE SWITCH, 4 way, P.D.W.A.	1 To 1975, LHD
		FAM7821	£98.00	P.D.W.A.	1 ] All RHD and LHD
i					1975-0n
1	29	GPP9DD	£10.00	BRAKE PIPE, P.D.W.A. to connector*	1 *in-line connectors
	30	BMK2466A	£14.60	CONNECTOR, in-line	1
	31	GPP10AD	£11.75	BRAKE PIPE, connector to banjo	1
	32	GPP44AA	£13.66	BRAKE PIPE, banjo to LH front hose	1
	33	11K9181	£0.60	CLIP, pipe to subframe	2
	34	GBH170	£6.50	BRAKE HOSE, front	2 1 drum
	04	GBH170Z	£5.40	BRAKE HOSE, front	2 aftermarket
i		GBH249	£5.90	BRAKE HOSE, front	2 disc
		GBH246	NCA	BRAKE HOSE, front, flexible	4 ERA turbo twin feed
i			£10.30		4   ERA turbo non
		GBH246Z	£10.30	BRAKE HOSE, front, flexible	1
		CAC0410V	NCA	DDAYE HOCEC 4 stainless steel	J genuine 1 front and rear
i		GAC8412X		BRAKE HOSES, 4, stainless steel	
		MT5102	NCA	BRAKE HOSES, 2, stainless steel	1 front, (pair)
i		MT5105	NCA	BRAKE HOSES, 5, stainless steel	1 front and rear
i				(Including GAC8447X clutch hose).	
		MT5401	NCA	BRAKE HOSES, 5, stainless steel	1 front and rear
i				(Including GAC0080 clutch hose).	
		233220A	£0.84	WASHER, copper	2 ] brake hose to
					] cylinder
	35	GPP10AA	£11.75	BRAKE PIPE, front bridge pipe	2
1	36	GPP97AD	£18.40	BRAKE PIPE	1 P.D.W.A. to rear
i					] T piece
	37	3H2424	£7.80	T PIECE	1
	38	SH604091	£0.79	SCREW, T piece to rear subframe	1
	38	GHF331	£0.17	WASHER, locking	1
	40	GHF200	£0.19	NUT	1
	41	GPP6AC	£9.05	Brake Pipe	1   T piece to RH rear
i					] hose
1	42	GPP26AC	£12.00	Brake Pipe	1   T piece to LH rear
					hose
i	43	GBH250	£4.96	BRAKE HOSE, rear, flexible	2
		GBH250Z	£3.60	BRAKE HOSE, rear, flexible	2 aftermarket
		MT5101	£24.80	BRAKE HOSES, rear, stainless steel	1 pair
i		MT5104	NCA	BRAKE HOSES, rear, stainless steel	1   pair, subframe to
1					wheel cylinder
	44	GPP10AC	£11.75	BRAKE PIPE, rear hose to w/cylinder	2
	45	C5192A	£5.40	BOLT, banjo	1
	46	WE600101	£0.42	WASHER, locking	2
ĺ	47	21A228	£3.32	NUT, locking to subframe	1 RH
		2K8686	£1.20	NUT, locking to subframe	1 RH/LH
1	48	3H550	£0.60	WASHER, copper	1
	49	11D5263	£27.70	UNION, 2 way banjo	1
l	50	233220A	£0.84	WASHER, copper	3

Brake	Pipes	For	Split	System	(Front	To R	ear)
Note: PΓ	. W Δ —	(Pres	sure Dif	ferential W	arninα Δα	tuator	١





ill.	Part Number	Price £ea.	Description	Req.	Details
52 53 54 55 56	GHF323 GHF202	£0.19 £0.19	NUT, locking, hose to radius arm WASHER, locking NUT UNION, female UNF thread UNION, male UNF thread	2 2 2 a/r a/r	

## **Brake Pipes for Diagonal Split System (RHD)**

1	GPP10AD	£11.75	BRAKE PIPE	1 ] master cylinder to RH 3 way union
2	GPP34AD	NCA	BRAKE PIPE	1   master cylinder to
-	ar r o m b	110/1	DIVINE I II E	LH 3 way union
3	3H2424	£7.80	UNION, 3 way	2
4	GHF101	£0.28	SCREW, 'T' piece to bulkhead	2
5	GHF331	£0.17	WASHER, locking	2
6	GPP18AA	£12.20	BRAKE PIPE	1 ] 3 way union to RH
				front hose
7	GPP20AA	£11.45	Brake Pipe	1 ] 3 way union to LH
				front hose
8	GBH170	£6.50	BRAKE HOSE, front	2 1 drum brakes
	GBH170Z	£5.40	BRAKE HOSE, front, flexible	2 aftermarket
	GAC8412X	NCA	BRAKE HOSES, 4, stainless steel	1 front and rear
	MT5102	NCA	BRAKE HOSES, 2, stainless steel	1 front, (pair)
	MT5105	NCA	BRAKE HOSES, 5, stainless steel	1 front and rear
			(Inc: GAC8447X clutch hose).	
	MT5401	NCA	BRAKE HOSES, 5, stainless steel	1 front and rear
			(Includes GAC0080 clutch hose).	
9	GPP10AA	£11.75	BRAKE PIPE, wheel cyl. bridge pipe	2
10	GPP122AD	NCA	BRAKE PIPE, RH	1 ] 3 way union to LH
			,	rear connector
11	GPP118AD	NCA	Brake Pipe, LH	1 ] 3 way union to RH
			,	rear connector
12	BMK2466A	£14.60	CONNECTOR, rear pipes	2
13	GPP8CD	£8.20	BRAKE PIPE	2 rear connector to he
14	GBH250	£4.96	BRAKE HOSE, rear	2
	GBH250Z	£3.60	BRAKE HOSE, rear, flexible	2 aftermarket
	MT5101	£24.80	BRAKE HOSES, rear, stainless steel	1 pair
	MT5104	NCA	BRAKE HOSES, rear, stainless steel	1 ] pair, subframe to
				wheel cylinder
	NT606041	£0.54	NUT, locking, hose to radius arm	2
	GHF323	£0.19	WASHER, locking	2
	GHF202	£0.19	NUT	2
15	GPP10AC	£11.75	Brake Pipe	2 ] rear hose to wheel
				1

# **Brake Pipes For Diagonal Split System (LHD)**

Note: With failure switch (illustrated)

16	GPP10AA GPP30TT		Brake Pipe, RHD Brake Pipe, LHD	
17	GPP10AA	£11.75	BRAKE PIPE, RHD	
	GPP32AA	£13.66	Brake Pipe, LHD	
18	GPP17AA	NCA	Brake Pipe	

2.1	aftermarket
1	front and rear
1	front, (pair)
1	front and rear
1	front and rear
2	
1]	3 way union to LH
]	3 way union to LH rear connector
1]	3 way union to RH

ar connector ar connector to hose ermarket ir, subframe to neel cylinder

2 ] rear hose to wheel cylinder

1	
İ	master cylinder to
I	failure switch

1 ] failure switch to RH front hose

ill.	Part Number	Price £ea.	Description	Req.	Details
19	GPP29AA	NCA	BRAKE PIPE	1 ]	failure switch to connector
20	BCA4002	£2.80	CONNECTOR	1	
21	GPP17AA	NCA	BRAKE PIPE	1 ]	connector to LH front hose
22	GBH170	£6.50	BRAKE HOSE, front	2	drum brakes
	GBH170Z	£5.40	BRAKE HOSE, front, flexible	2	aftermarket
	GBH249	£5.90	BRAKE HOSE, front	2	disc brakes
	MT5103	£51.80	BRAKE HOSES, 2, stainless steel	1	front, (pair)
	GAC8412X	NCA	BRAKE HOSES, 4, stainless steel	1	front and rear
	MT5102	NCA	BRAKE HOSES, 2, stainless steel	1	front, (pair)
	MT5105	NCA	BRAKE HOSES, 5, stainless steel	1	front and rear
			(Including GAC8447X clutch hose).		
	MT5401	NCA	BRAKE HOSES, 5, stainless steel	1	front and rear
			(Including GAC0080 clutch hose).		
23	GPP10AA	£11.75	BRAKE PIPE, wheel cylinder bridge	2	drum brakes only
24	GPP96CT	£14.90	BRAKE PIPE	1 ]	failure switch to RH rear hose
25	GPP120CT	£21.95	BRAKE PIPE	1 ]	failure switch to LH rear hose
26	GBH250	£4.96	BRAKE HOSE, rear	2	
	GBH250Z	£3.60	BRAKE HOSE, rear, flexible	2	aftermarket
	MT5101	£24.80	BRAKE HOSES, rear, stainless steel	1	(pair)
	MT5104	NCA	BRAKE HOSES, rear, stainless steel	1 ]	(pair), subframe to wheel cylinder
27	GPP10CT	£11.75	BRAKE PIPE, rear hose to w/cyl	2	
28	13H5905	NCA	FAILURE SWITCH	1	
29	BAU1704A	£11.00	REPAIR KIT, failure switch	1	

#### **Brake and Clutch Fluids**

When Did You Last Change Your Brake Fluid?


DOT3 fluid ought to be completely discarded, DOT4 ('GBF4') should be installed and replaced every 2 years, as recommended by manufacturers. An alternative, especially if you are replacing master cylinders, brake calipers and/or wheel cylinders, is to thoroughly flush out the pipes and install Silicone fluid (D0T5 'ABF'), which is 'Non-Hygroscopic', so it doesn't promote rust problems in the hydraulic system. The bonus is that it won't damage paint work. When silicone is in use it will provide years of trouble free braking and an end to the monotonous and expensive pastime of repairing or replacing worn or leaking hydraulic components. Racing Fluid (DOT5.1 'GBF5') really is the ultimate in brake fluid. Its anti-boil properties mean that even when the brakes get hot the fluid will remain efficient, rather than boiling locally (such as in the calipers) into useless vapour. Ideal on the race track or when the brakes are used to their limits. Due to its high 'Hygroscopic' nature, DOT5.1 Racing fluid should be replaced annually otherwise the quality and effectiveness will be drastically reduced.

GBF4102 GBF4103 GBF4104 ABF3 ABF4 GBF5102	£6.50 £11.65 £46.80 NCA NCA £8.10	BRAKE/CLUTCH FLUID, DOT4 BRAKE/CLUTCH FLUID, DOT4 BRAKE/CLUTCH FLUID, DOT4 BRAKE/CLUTCH FLUID, DOT5 BRAKE/CLUTCH FLUID, DOT5.1	a/r a/r	racing 500ml
GBF5103	£15.14	BRAKE/CLUTCH FLUID, DOT5.1	a/r	•

Note: When bleeding the Minis brake system always start with the cylinder furthest away from the master cylinder, so for a RHD car this would mean start with the passenger side rear then the drivers side, keep the car as high a possible on the cylinder you are bleeding! Always use axle stands when working under your car, they may be little but the are still quite heavy, Safety first.

ill.	Part Number	Price £ea.	Description	Req.	Details
На	ndbrake	Cables	And Fittings		
1	2A5858	£2.57	NUT, cable adjusting*	1/2	
2	PWZ204	NCA		4	
3	ACH8508	£1.36	- · · · · · · · · · · · · · · · · · · ·	1/2	
4	GVC1022	£3.68	,	2	twin cable system
	01101001	04.00	(Dry suspension saloon).		
	GVC1021	£4.98	,	2	twin cable system
	01/04/000	0= 00	(Hydrolastic suspension saloon).		
	GVC1020	£5.30	,	2	twin cable system
_	E414000	040.00	(Van, estate and pick up).		
5	FAM628	£12.00		1	
6	31G5049	£4.56	, ,	1	faul. to beauthurles laves
7	CLZ513	£0.70		1	fork to handbrake lever
8	GVC1035	£4.80		1	lever to compensator
	FAM625	£6.50		1	
0	EANACO4	005.70	(Pick up, van or estate). COMPENSATOR	4	
9	FAM621	£25.70		1 1	h - h
10		£7.30			between wheels
11	21A2454	£11.40		2	
	CLZ549		CLEVIS PIN	2	
14	AWZ105 GHF502	£0.42 £0.19	- ,	2	For CLZ549
14	GHF501			2	For CLZ549 For CLZ409
15		£0.42	*· =· · · · · ·	2	cable to brake levers
		£1.32		_	cable to brake levers
	ACA5522	£3.32	,	1/2	
17		£2.23	, ,	1/2	
18		£0.62	, 0	2/4	
19 20	WL700101 GHF206	£0.19 £0.13	WASHER, locking* NUT*	2/4 2/4	
			twin cables fitted to early cars.	2/4	

Req. Details




			·	•				·		
Starter Motors						GXE2257	NCA	ALTERNATOR, A115/45, rebuilt	1	1981-85
					1	GEU2297	£80.40	ALTERNATOR, A127/45, rebuilt	1	1985-0n
1	GEU9404	£90.00	STARTER MOTOR, inertia, new	1 To 1985	17	GNU2521	£162.80	ALTERNATOR, multi groove belt	1	1996-On fitment mpi
	GXE4404X	£222.80	STARTER MOTOR, high torque	1 To 1985	18	BAU5819	£6.00	PULLEY, alternator, (A115/45)	1	use with GXE2257
			(Replaces inertia type starter motors. S		i	ADU7778	NCA	PULLEY, alternator, (A127/45)	1	use with GXE2297
			section for more information).		i .	GCB10813	£5.42	ALTERNATOR BELT, (813mm long)	1	To 1985
2	GSB105	£5.30	BRUSH SET, 35J type starter	1		GCB10838	£4.63	ALTERNATOR BELT, (838mm long)	1	A115 alternator
3	67H5010	£21.30	PINION, 9 teeth	1 1 alternatives	1					1981-85
	BAU5781	£30.50	PINION. 10 teeth	1	į	GCB10825	£5.20	ALTERNATOR BELT, (825mm long)	1	A127 alternator
4	13H5952	£9.00	SOLENOID. inertia starter	1						1985-0n
5	BCA4501	£29.30	SOLENOID, inertia starter early	1 round push button	i	GMB50920	£10.80	ALTERNATOR BELT, multi groove	1	mpi 1996-0n
6	GXE4527	£87.40	STARTER MOTOR, pre-engaged	1 1985-On	¦ 19	AAU3956A	£12.00	FAN, alternator, (A115/45)	1	use with GXE2257
	GXE4527X	£222.80	STARTER MOTOR, high torque	1 pre-engaged type	1	AUU1097	NCA	FAN, alternator, (A127/45)	1	use with GXE2297
			(Replaces pre-engaged type starter mo		20	12G1053	£9.50	BRACKET, rear mounting	1	pre A+ engines
			Accessories section for more informati			CAM4853	£12.60	BRACKET, rear mounting	1	A+ engines
7	NAF10004	NCA	SOLENOID, pre-engaged starter	1	21	GHF120	£0.28	SCREW, bracket to block	2	
8	BAU5448	NCA	BRUSH SET, pre-engaged starter	1	22	GHF332	£0.28	WASHER, locking	2	
9	YWB10032	£4.56	RELAY, pre engaged starter	1	23	BH605131	£0.84	BOLT	2	alternator to rear
10	SH506101	£0.94	SCREW, starter to housing	2	į					bracket + water
11	GHF332	£0.28	WASHER, locking	2 ] for both types	i					pump
12	GHF302	£0.60	WASHER, plain	2 starter motor	24	GHF332	£0.28	WASHER, locking	2	
			71		25	GHF201	£0.12	NUT, plain 5/16" UNF	2	
Αl	ternators				26	WC108051	£0.28	WASHER, plain	1	
					27	12G289	£6.90	PILLAR, adjustment link	1	pre A+ engines
13	GEU2206	£65.30	ALTERNATOR, 18 ACR, new	1]	i	SH606111	£0.73	SCREW, 3/8"	1	A+ engines
	GXE8211	£55.00	ALTERNATOR, 17 ACR	1 diternatives	i .					engine front plate to
	GEU250	£4.50	PLUG, cable end	1		PWZ306	£0.42	SPACER, adjusting link	2 .	alternator link
14	12G1054	£14.95	PULLEY, 2.750" diameter	1	28	GHF202	£0.19	NUT, plain, 3/8" UNF	2/1	quantity reduced
	BAU1461A	£15.90	PULLEY, 2.500" diameter	1	29	GHF333	£0.28	WASHER, locking	2/1	with SH606111
15	C37222A	£18.74	FAN, alternator	1 use with 12G1054	30	GHF302	£0.60	WASHER, plain	2/1 .	
			(ACR types; 23640, 23725, 23774, 237	750, 23748 & 23804).	31	GHF223	£0.48	NUT, nyloc	1	not used with
	AAU3956A	£12.00	FAN, alternator	1 use with BAU1461	1					SH606111
			(ACR type: 23802).		32	12G2627	£8.75	LINK, alternator adjustment	1	
			,							

ill. Part Number Price £ea. Description


Req. Details


ill. Part Number Price £ea. Description

60



ill.	Part Number	Price £ea.	Description R	Reg. D	etails	ill.	Part Number	Price £ea.	Description	Reg.	Details
						l I					
Di	stributor	S					GDC156 GDC156CLEAR	£3.08 NCA	CAP, distributor CAP, distributor	1 1]	Cooper 1300cc + SE Cooper 1300cc A+
1	BAU1962	NCA	DISTRIBUTOR (45D)		98cc pre A+		OD40114	00.00	DOTOD ADM	]	SE, clear
	ADU3766	NCA	DISTRIBUTOR (45D)	1 9	98cc A+	8	GRA2114 GRA2114H0	£2.86 £6.95	ROTOR ARM high quality	1	Lucas 45D and 49D
			(Use prior to AAU9142 or ADU4049).				GRA2114HQ	£0.95 £2.86	ROTOR ARM, high quality ROTOR ARM	1	Ducellier distributor
	AAU9142	NCA	DISTRIBUTOR (59D)		98cc A+		GRA2123B	NCA	ROTOR ARM	1	Ducellier distributor
			(For engine codes: 99H/791P/792P/A	197P/B83	3P/B84P/B85P/		GRA2143	£2.86	ROTOR ARM	1	Cooper 1300cc + SE
			D83P/E22).			9	GSC2109	£2.95	CONDENSER	1	Lucas 45D and 59D
	ADU4049	£100.00	DISTRIBUTOR (59D)		98cc A+	9	GSC113	NCA	CONDENSER	1	Ducellier distributor
			(For engine codes: 99H/997P/998P/A	153P/A94	4P/B81P/B82P/	10	GCS118	£3.76	CONTACT SET	1	Lucas 45D
	ADUE700	0400 70	C20P/D80P/D82P).	4 0	00 4	10	GCS119	£5.65	CONTACT SET	1	Ducellier distributor
	ADU5789	£199.70	DISTRIBUTOR (59D)		98cc A+ lead free		GCS124	£4.24	CONTACT SET	1	Lucas 59D
	AUU1536	00.08£	DISTRIBUTOR, electronic		ooper 1300cc + SE	11	37H4229M	£1.60	VACUUM PIPE	1	sold per metre
	TMG10871	£200.00	DISTRIBUTOR		erformance		MAQ10008	NCA	VACUUM SWITCH	1	1992-0n
	TMC10070	0100.00	(Fast road ignition curve, with vacuum				111111111111111111111111111111111111111	110/1	(This thermostatically controlled va		
	TMG10873	£168.20	DISTRIBUTOR		erformance				thermostat housing).	044 0	
			(Fast road ignition curve, without vacu	uum uni	It for a series	13	12B2062	£1.36	CONNECTOR, vacuum pipe	1	angled
	TMG10869	£153.70	only, side entry cap fitted). DISTRIBUTOR	1	erformance	14	12B2095	£1.90	CONNECTOR, vacuum pipe	1	straight
	1101010009	£103.70				15	GCL110	£13.85	COIL	1	To 1982
	TMG10870	£140.10	(Fast road ignition curve, without vacu DISTRIBUTOR		erformance	1	GCL132	£11.90	COIL, Ballast resistor	1	all 1982-0n
	1101010070	£140.10	(Fast road ignition curve, without vacu				GCL143	£17.10	COIL, electronic	1	
2	513682A	£1.00	'O' RING, distributor	1	it for A+ offiy).		GCL204	£38.00	COIL, coil pack	1	1996-On mpi
3	37H8225	£25.00	VACUUM UNIT, Lucas		o 1976	16	12G2994	£9.00	BRACKET, coil mounting to head	1	Lucas coil
J	37H8414	£25.00	VACUUM UNIT, Lucas		976-89	17	SH605041	£0.32	SCREW, coil to bracket	2	
	07110414	220.00	(Use with distributor AAU9142).		370 03	18	GHF332	£0.28	WASHER, locking	2	
	37H8226	NCA	VACUUM UNIT, Lucas	1 1	980-89	19	WC108051	£0.28	WASHER, plain	2	
	07110220	11071	(Use with distributor ADU4049 and AE			20	GHT7003	NCA	HT LEAD, right angle	4	1968-69
	BAU5252	NCA	VACUUM UNIT, Ducellier	1	,		GHT241	£14.40	HT LEAD SET	1	1275cc
	BAU5309	NCA	VACUUM UNIT, Lucas		ooper 1300cc	21	GHT289	£21.80	HT LEAD SET	1	1996-On mpi
			(Use with distributor AUU1536).			22	BP6ES	£3.30	SPARK PLUG, non resistor	4	998cc To 1986
4	NJL100060	£27.00	MODULE, electronic ignition	1 C	ooper 1300cc + SE		BP5ES	£3.79	SPARK PLUG, non resistor	4 ]	998cc 1987 To
5	613857A	£8.00	CLAMP, distributor		To 1985						September 1989
	TAM1671	£8.50	CLAMP, distributor	1 A	+ 1985-0n		BPR4ES	£4.96	SPARK PLUG, resistor, lead free	4 ]	998cc October
6	CAM6105	NCA	BOLT, distributor clamp	1 A	To 1985						1989-0n
	TAM1706	£1.66	BOLT, distributor clamp	1 A	+ 1985-0n		BPR6ES	£5.15	SPARK PLUG, resistor	4 ]	1275cc Cooper
										_	carburettor and TBI
Ig	nition Sy:	stem Se	ervice Parts			23	8G727	£5.40	COVER, coil	1	not fitted as standard
_						24	AUU1104	NCA	COVER, distributor	1]	VIN 315055
7	GDC136	£4.80	CAP, distributor	1 L	ucas 45D and 59D	25	BHM773	£29.10	COVER, moulded plastic, grille		van
	GDC142	£7.00	CAP, distributor side entry	1 L	ucas 45D and 59D	26	BHM1675	£105.20	SHIELD KIT, ignition system	1	From VIN 315056
							BHM1676	£21.50	SHIELD KIT, ignition system	1	0 05 0 1055
Note	e: The side entr	y push fit ca	p, GDC142 requires slight modification	n to fit. T	he two screws need to be		NJT10004	£34.00	SHIELD KIT, ignition system	1	Cooper SE & 1300cc
rem	oved and a gro	ove filed. Fit	s 45D distributors with a clip retained o	cap GDC	2136.	0-	GDS102A	£11.90	SHIELD KIT, ignition system	1	small saloon
						27	13H6461	£4.50	TURN BUTTON, shield retaining	3	01000
	GDC214	£13.50	CAP, distributor	1 D	ucellier distributor	28	54966877	£6.76	PLUG & LEAD, electronic module	1	Cooper 1300





Req. Details

## **Batteries and Cables**


1 GBY5601D £90.00 BATTERY, 12 volt, 30 A/hr, dry GBY5601W £90.00 BATTERY, 12 volt, 30 A/hr, wet

Note: Dry batteries can be delivered worldwide, customers must arrange their own filling of dry batteries with suitable electrolyte and initial charge.

2	5L877	£21.90	COVER, battery	1	
3	14A7776	£9.00	STRAP, battery cover retaining	1	
4	HAM2457	£8.90	BAR, battery retaining	1	
5	5L1158	£1.96	HOOK BOLT, rear, 2 1/8"	1	
	YJH100010	£1.80	HOOK BOLT, rear, 3"	1	
6	5L1159	£1.80	HOOK BOLT, front, 2 1/8"	1	
	YJJ100040	£1.86	HOOK BOLT, front, 3"	1	
7	GHF200	£0.19	NUT, hook bolt	4	
8	GHF300	£0.19	WASHER, plain	2	
9	078447A	£4.70	PACKING STRIP	1	cut to length
10	5L885	NCA	CABLE, battery to solenoid	1	inertia starters
	AUU1089	£43.90	CABLE, battery to solenoid	1	pre engaged starters
11	5L924	£13.00	CABLE, battery earth	1	

Note: To ensure good reliability of your Mini make sure the earth leads are in good condition. A damaged or old earth lead can be a major source of problem on the Mini, bad starting and sticky Throttle cables are quite common due to a neglected earth cable.

12	YMS10090	£5.90	CABLE, engine earth	1	
13	5L925	£8.00	CABLE, solenoid to starter	1	inertia starters only
14	2K8645	£0.24	SCREW, cable to battery terminal	1	
	GHF2750	£5.22	CLAMP, battery terminal, -VE	1	
	GHF2755	£5.22	CLAMP, battery terminal, +VE	1	



ill. Part Number Price £ea. Description

Req. Details

## **Fuse Box, Fuses and Flasher Units**

15	606253A	£12.05	FUSE BOX, (2 fuses required)*	1	To 1976
16	505158A	£4.44	COVER, fuse box	1	
17	RTC440A	£18.00	FUSE BOX, (4 fuses required)*	1	1976-0n
18	AFU3103	NCA	FUSE BOX	1	1996-0n mpi
			(Located inside car under dash in	drivers f	ootwell).

\*Note: Fuse boxes do not come with fuses.

19	37H4727A	£2.00	COVER, fuse box	1	
	BST440	£22.60	COVER, fuse box, stainless steel	1	
20	YQH100720PMA	NCA	COVER, fuse box	1 1	996-0n mpi
21	GFS3015	£1.66	FUSES, 15A, pack of five	1]	
	GFS3025	£2.05	FUSES, 25A, pack of five	1 a	is required
	GFS3035	£2.05	FUSES, 35A, pack of five	1 ]	
22	GHF1030	£0.54	NUT, insert in bulkhead	1/2	
			(Qty. increased for fuse box RTC440	ΙA).	
23	AB610081	£0.37	SCREW, self tapping	2 u	ise with RTC440A
24	AB608031	£0.19	SCREW, self tapping	1 u	ise with 606253A
25	GFU2124	£4.32	FLASHER UNIT	1 ] 0	ars with or without
				] r	epeater lamps
	GFU2204	£4.60	FLASHER UNIT, hazard lights	1	
	GFU2218	£5.12	FLASHER UNIT	1 t	wo pin
	GFU2208	£14.00	FLASHER UNIT	1 ] t	hree pin hazard
				Jv	varning
26	BHA4780	£2.80	CLIP, square flasher unit	a/r	
27	GHF425	£0.19	SCREW, clip to bulkhead	a/r	

ill. Part Number Price £ea. Description

Req. Details

## Horns

Note: R-Numbering of horns.


28	GGE101	£12.70	HORN, high tone, single terminal		France, To Vin 175685
	GGE164	£10.20	HORN, high tone, twin terminal	1	
	GGE165	£10.20	HORN, low tone, twin terminal	1	
	MT9143	£16.70	HORN, Chrome, twin terminal	1	
29	57H5309	£4.55	BRACKET	1	To VIN175685

Note: Brackets may require modification due to metric threads on horns.


30	YWC10050	£18.00	RELAY, dim dip control	1	
31	YWB10022	£160.10	RELAY, spi and mpi	1 ] engine managemen ] relay	ıt
32	YWB10012	£10.00	RELAY, multi use	a/r	

(Headlamps, horn, driving lamps, direction indicator lamps).


62



ill.	Part Number F	Price £ea.	Description Re	q.	Details	⊨ill.	Part Number	Price £ea.	Description	Req.	Details
Не	eater Unit	And D	ucting		CZH700 346999A	NCA £12.00	HOSE, air box to RH face vent HOSE, air box to heater	1			
1	JGC10008	NCA	MOTOR, with fan	1	To VIN 073750	29	CZH1318	NCA	DUCT, air intake, LH	1	
2	JGC10008 JGC100110	NCA	,		From VIN 073751	31	GHF306	£0.28	WASHER	3	
3	JEC100110 JEC101790	NCA	MOTOR, with fair		mpi From VIN 134455	32	AB608031	£0.19	SCREW, self tapping	3	air intake to front panel
4	37H7216	£80.10	HEATER MATRIX, 0.50" bore		To VIN 212068	33	JCG10001	NCA	CLIP, HOSE LH	1	
4	BAU5043	£47.80	HEATER MATRIX, 0.625" bore		From VIN 212069	34	EAM7097	NCA	HOSE, nozzle to face vent, LH	1 1	From VIN 073751
5	JEF10005	£78.00	,		plastic casing				, , , , , , , , , , , , , , , , , , , ,		To 5740
J	JLI 10003	210.00	(Inlet and outlet unions are not supplied		, 3		627527	£10.40	HOSE, nozzle to face vent, LH	1	alternative
	JEP10008	£32.80	OUTLET PIPES. heater matrix		for JEF10005	35	JKC10025	NCA	NOZZLE, screen demister	2	To VIN 073750
6	BAU1924	NCA			fits all	1	JKC10025	NCA	NOZZLE, screen demister	2	From VIN 073751
7	JFC101620PMA				1996-On mpi						To 5740
8	JGM100100	NCA	,		1996-On mpi	36	AB610051	£0.28	SCREW, nozzle to dash	4	From VIN 073751
Ü	Jun 100 100		(For twin speed heater JEC101790).	•	1000 on mp.						To 5740
9	BAU1923	NCA		1		37	CZH1753	£31.60	HOSE, heater to nozzle	2	To VIN 073750
10	GHF243	£1.00		2			JKC10024	£20.10	HOSE, heater to nozzle	2	
11	GHF302	£0.60		2		1					To 5740
12	AB610071	£0.62	SCREW, heater to parcel shelf	2		38	14A9988	£30.00	CABLE, heater	1	original Bakerlite
13	WL700101	£0.19	WASHER, locking	2							type knob
14	GHF306	£0.28	WASHER, plain	2		i	MCR101	£16.70	CABLE, heater, 30"	1	
15	GHF713	£0.37	SPIRE NUT	2			MCR102	£19.63	CABLE, heater, 30"	1	
16	JKA10012	NCA	DUCT, air intake behind grille, RH	1							To VIN 463230
17	JPC6876	NCA	SEAL, duct to flitch	1			MCR103	£20.16	CABLE, heater, 30", (less motif)	1	From VIN 463231
18	EAM7437	NCA	HOSE, duct to air box	1		1	IED 10000	24.44			not TBI
19	AHH5714	£2.57	CLIP, air hose to flitch	1	To VIN 290002		JFD10039	£4.44	MOTIF, knob, (for above)	1	1001.0
	JCG10001	NCA	ozn j an nooc to mton	1	From VIN 290003		JFF10051	£13.20	CABLE, heater, 40"	1	1991-0n
20	GHF200	£0.19		2			JFF100910	£76.10	CABLE, heater	1	mpi, remote heating
21	WE702101	£0.28	- , <b>3</b>	2			MCR101	£16.70	CARLE booter	1	valve To 1989
22	CZH1717	NCA	SEAL, hose to air box		To VIN 336452		MCR101	£10.70 £19.63	CABLE, heater CABLE, heater	1	
	JPC6876	NCA	OE IE, HOOD to all Don		From VIN 336543		WICK 102	£19.03	CABLE, Heater	1	for JFF10003
23	CZH1951	NCA	Tant Bord no tago Tonto	1			MCR103	£20.16	CABLE, heater	4.1	30" option for
	CZH1755	NCA	Tant Bord Trial 1000 Tonto		To VIN 504653		MICHIUS	£20.10	CADLE, Heater	'	JFF10048
	JKQ10002	NCA	AIR BOX, with face vents		From VIN 504654	39	CAM5969	£2.00	GROMMET	1 1	
	WE702101	£0.28		4		1 39	CAMIJOOS	22.00	GNOWINE	'	bulkhead
25	ANZ103	£1.15	****	4		40	53K1016	£0.60	SCREW, cable to water valve	1	
26	CZH693	NCA	SEAL, air box to face vent	1	T. 1//N 000540	41	24G1482	NCA	TRUNNION, cable end	1	tap on nouu
2/	CZH1717	NCA	SEAL, air box to flitch		To VIN 336542	42	24G1482K	£2.05	TRUNNION KIT, cable end		remote tap
	JPC6877	NCA	SEAL, air box to flitch	1	From VIN 336543	1 12	LIGI POLIC	22.00	THOMAS TAT, SUBJECTION		Tomoto tup



						1					
Н	eater Hose	S				11	88G221	£0.40	GASKET, water outlet to cylinder hea	d 1	
						12	TAM1368	NCA	SCREW, water outlet to cylinder head	1 2	
Н	eater Hoses &	& Taps	To VIN 396448			¦ 13	NAM8677	NCA	HOSE, outlet to water valve	1	
						14	PEU10016	£2.32	CLIP, heater hose to rocker cover	1	
1	ADU9102	NCA	HEATER VALVE, angled type	1		15	JJB10011	£31.70	WATER VALVE, remote mounted	1	
	ADU9102Z	£19.90	HEATER VALVE, angled type	1	aftermarket	i	JJB100260	£36.10	WATER VALVE, remote mounted	1	mpi
	JJC10018	£33.60	HEATER VALVE, straight type	1	Morris Minor fitment	16	CDU2153	NCA	CLIP, hose to hose	1	
	000.00.0	200.00	(Alternative, uses original type gaske	et & ha		¦ 17	JHB10002	£11.65	HOSE, valve to heater In	1	998cc models
	2A180	£3.80	BLANKING PLUG	1	l when water valve	18	JHC10004	£29.60	HOSE, heater return	1	To VIN504670
					not fitted	17	GRH1211	£28.50	HOSE, valve to heater In	1	998cc models
2	88G221	£0.40	GASKET, heater tap	1		18	GRH1219	NCA	HOSE, heater return	1	From VIN504671
3	53K402	£1.50	STUD. heater tap	2		19	PCP10006	£19.80	CONNECTOR	1	heater return to
4	GHF331	£0.17	WASHER, locking	2							bottom hose
5	GHF200	£0.19	NUT	2		20	GHC11030	£2.45	CLIP, hose 0.625"	a/r	
6	GRH1006M	£6.14	HOSE, valve to heater	1	1974-89 per metre	į					
			(0.50" bore, cut to length RHD = 29	" and	LHD = 26").	i He	eater Hoses	Cooper '	1300 Models		
7	602057	£17.40	HOSE, heater return 0.50 bore	1	aftermarket						
						21	12G2534	£24.00	WATER OUTLET, cylinder head	1	
No	ote: (0.50" bore) for	r LHD cut	to 35" length.			22	88G221	£0.40	GASKET, water outlet to cylinder hea		
						23	TAM1368	NCA	SCREW, water outlet to cylinder head	1 2	
6	BMP366	NCA	HOSE, inlet RHD & LHD	1	1984-89	24	PEH10021	NCA	HOSE, water outlet to manifold	1	
			(Stepped bore 0.5"/0.625", cut to le	ngth F	RHD = 29" and	25	GRH1006M	£6.14	HOSE, alternative, CTF	1	manifold to valve
			LHD = 26").			i					and bottom hose
7	GRH905	£6.14	HOSE, heater return RHD	1	1984-89	26		NCA	HOSE, heater outlet to valve	1	To VIN031529
			(Stepped bore 0.5"/0.625").			27	JJB10011	£31.70	WATER VALVE, remote mounted	1	To VIN134454
	BMP366	NCA	HOSE, heater return LHD	1	1984-89	1	JJB100260	£36.10	WATER VALVE, remote mounted	1	From VIN134455
			(Stepped bore 0.5"/0.625").			28	CDU2153	NCA	CLIP, hose to hose	1	
8	CAM4412Z	NCA	CONNECTOR, heater hose	1	return to bottom hose	29		£29.60	HOSE, thermostat to heater, RHD	1	
9	GHC11022	£2.05	CLIP, hose, 0.500"	a/r		1	JHC10007	NCA	HOSE, thermostat to heater, LHD	1	
	GHC11030	£2.45	CLIP, hose, 0.625"	a/r		30	PCP10006	£19.80	CONNECTOR	1	To VIN504670
						1			(Heater return to bottom hose).		
Н	eater Hoses F	rom VI	N 396449 On			į.	PCP10095	NCA	CONNECTOR	1	From VIN504671
									(Heater return to bottom hose).		
10	12G2534	£24.00	WATER OUTLET, cylinder head	1		31	GHC11030	£2.45	CLIP, hose 0.625"	a/r	




ill. Part Number Price £ea. Description

Req. Details

W	Windscreen Wiper System						GWW102 GWW102B	£18.00 £21.60	WASHER PUMP, manual WASHER PUMP, manual, plastic	1	
1	GXE7708	£48.00	WIPER MOTOR, new	1	less drive gear	22	GWW125	£9.90	WASHER PUMP, electric	11	remote mounted
2	GXE7708P	£8.80	PLUG & LEAD, wiper motor wiring	1	1633 UTVE YEAT				,	j	1976 To VIN107477
_	CALITION .	20.00	TEOG & EEAD, WIPOT MOTOR WITING				GWW1069	NCA	WASHER PUMP, electric	1	
Not	e. Due to the mo	tor assemb	ly being used in many different cars, th	he dr	ive near is not supplied with		GWW1192	£17.70	WASHER PUMP, electric	1	1989-0n
			be retained from the original.	iio ai	ivo godi io not odppilod vital	23	GWW906	£14.40	BOTTLE, 1 litre	1	bulkhead mounted
COTT V	Monarigo accomi	ory, it illuot	bo rotalilou iloni tilo original.			24	GWW917	£17.10	WASHER POUCH	1	fitted to early Minis
3	RTC198A	£12.90	BRUSH KIT	1			GWW917X	£22.60	WASHER POUCH, including motor	1	fitted to early Minis
4	520160A	£20.00	PARK SWITCH	1		25	BHA4919	£7.90	BRACKET, washer pouch	1	
5	37H3694	£2.23	FERRULE, wiper motor	1		26	PMZ308	£0.28	SCREW	2	
6	608092A	£34.90	GEAR, (110 degree), 46 teeth	1		27	GHF306	£0.28	WASHER, flat	2	
7	37H4836SS	£10.70	STRAP, motor to bulkhead	1	stainless steel	28	WL700101	£0.19	WASHER, spring	2	
8	150844A	£1.92	PAD, wiper motor to bulkhead	1		29	GHF206	£0.13	NUT	2	
9	AB612051	£1.92	SCREW, strap retaining	2	self tapping	30	GWW918K	£9.30	WASHER BOTTLE, with lid	1	plastic, Mkl & Mkll
	SE604051	£1.92	SCREW, strap retaining	2	machine thread	31	13H232	£6.40	BRACKET, washer bottle	1	
	GHF300	£1.92	WASHER, plain	2	not illustrated		13H232SS	£8.00	BRACKET, washer bottle	1	stainless steel
10	GHF1029	£1.92	NUT, insert in bulkhead	2		32	AHH6848	£4.50	TOP WASHER BOTTLE	1	
11	AAU1909A	£1.92	TUBE KIT, wiper rack quide	1	cut and flare to fit	33	GWW506	£1.92	FOOT, VALVE	1	
12	RTC202A	£1.92	WIPER RACK	1	cut to fit	43	PMZ306	£0.42	SCREW	2	
13	37H7200	£1.92	WIPER WHEEL BOX	2	1971-On	35	PWZ203	£0.17	WASHER, flat	2	
14	37H7201	£1.92	WIPER BUSH KIT	2		36	WL700101	£0.19	WASHER, spring	2	
15	17H8769	£1.92	WIPER WHEEL BOX NUT	2		37	GHF206	£0.13	NUT	2	
16	14A7091	£1.92	PLUG, unused wiper Holes	2		38	GWW951	£2.05	CAP	1	
	WPA9022X	£1.92	WIPER ARMS AND BLADES KIT, RHD	1]	inc: GWB219 x2	39	CZH1624	£6.66	BRACKET	1	
				]	and 13H5629 x2	40	GHF423	£0.28	SCREW, bracket to bulkhead	2	
	WPA9023X	£1.92	WIPER ARMS AND BLADES KIT, LHD	1]	inc: GWB219 x2	41	GHF1030	£0.54	NUT, insert in bulkhead	2	
				J	and 13H5626 x2	42	GWW935	NCA	BOTTLE & CAP	1]	VIN 107478 To
17	13H5629	£1.92	WIPER ARM, s/steel, LH side, RHD	2					(Mounted on flitch)	ļ	396448
	13H5626	£1.92	WIPER ARM, s/steel, RH side, LHD	2		43	GWW940	£49.90	BOTTLE & CAP		VIN 396449 To
	CZH4331	£1.92	WIPER ARM, black, LH side, RHD	2					(Mounted on flitch, direct acting servo)	. !	504653
	CZH4173	£1.92	WIPER ARM, black, RH side, LHD	2			GWW973	NCA	CAP, washer bottle	1	
18	GWB219	£1.92	BLADE, wiper, stainless steel	2		45	GWW130	£8.50	WASHER PUMP, fitted in bottle	1	
	GWB219Z	£1.92	BLADE, wiper, stainless steel	2		46	GWW202M	£1.15		a/r	per metre
	GWB911	£1.92	BLADE, wiper, black	2		47	GWW601	£5.00	VALVE, in bottle	1	
19	DKB101480	£1.92	WIPER ARM, hook fitting, RHD	2 ]		48	GWW401	£1.42	T-PIECE	1	1980-0n
	DKB101490	£1.92	WIPER ARM, hook fitting, LHD	2	1990-0n	49	GWW804	£3.38	JET, black plastic	2	MkIII, to 1978
20	GWB911	£1.92	BLADE, wiper, hook fitting	2 ]			GWW829	£2.30	JET, black plastic	2	1978-0n

Req. Details



ill.	Part Number	Price £ea.	Description	Req.	Details
Co	olumn Swi	tches			
1	2A6215	£62.00	SWITCH, indicator	1	Mkl with indicator warning lamp on the end of stalk
	47H5200	£1.56	LENS, green	1	for MkI indicator warning lamp
	13H7779	£49.10	SWITCH, indicator with horn and dig	) 1	To 1976
2	21A2658	£36.50	SWITCH, indicator, RH side	1	RHD, 1976 To VIN   196212
	21A2660	£36.00	SWITCH, indicator, LH side	1	From VIN 196213-
	BAU5345	£35.00	SWITCH, indicator, LH side	1	VIN290003 On
3	XPC100200PMP	£132.00	SWITCH, indicator, LH side	1	1996-On mpi
4	37H8285	£24.76	SWITCH, wipers, LH side	1	RHD, 1976 To VIN196212
	37H8286	£49.10	SWITCH, wipers, RH side	1	From 196212- 290002
	BAU5346	£15.00	SWITCH, wipers, RH side	1	VIN290003 On
5	XPE100420PMF	£77.00	SWITCH, wipers, RH side	1	1996-On mpi

Note: For manual washer pump fitted prior to 1976 please see windscreen wiper system section.

Note: Between 1976 & 1984 BL Cars bought switches from both Lucas and Bonnella. Only Lucas switches are currently supplied, so when replacing a Bonnella switch both Lucas switches must be purchased as the two makes are not compatible. To quickly identify which is fitted to your car, Lucas type wash/wipe is fitted to the indicator switch by a hex-headed self tapping screw whereas the Bonnella type is riveted.

# **Dash Switches**


6	13H6343 BHA5110	SWITCH, wipers, single speed SWITCH, wipers, two speed	1   Lucas terminals 1   To 1976
7	13H6342	SWITCH, lights	1 ]
8	YUF101030	SWITCH, lights	1 ]

i	ill.	Part Number	Price £ea.	Description Re	eq.	Details
i	9	ADU4791 YUF000110	NCA £11.30	SWITCH, fog lights SWITCH, fog lights	1	
i	10	YUF101680	£10.80	SWITCH, heated rear screen	1	pin terminals
i	11	ADU4794	NCA	SWITCH, brake check switch	1	1976-On
i		YUF101650	£11.10	SWITCH, brake check switch	1	
i	12	13H8725	NCA	SWITCH, hazards	1	
į		YUF101660	£14.30	SWITCH, hazards	1.	
į	13	GLB280	£1.45	BULB, illuminating switches	a/r	
i	14	YUF101090	£7.90	SWITCH, heater control	1	
1	15	YUM10002	£1.92	KNOB, rotary switch	1	
į	16	YUK100140	NCA	SWITCH, headlamp level	1	rotary switch
į	17	YWN10002	£14.60	LED LIGHT, burglar alarm	1	alarm indicator LED
i						light fits into dash
i	18	XHC100010	£7.80	WARNING LAMP	1	seat belt indicator
i	19	YUC10004	NCA	SWITCH, sunroof	1	fitted to British open
į						classic
į		14E3386	NCA	SWITCH PANEL	1	Mkl
i		14A7172	£16.00	BEZEL, switch panel	1	Mkl
i		ALE2960	£18.00	SWITCH PANEL, grey	1	MkII
į		24G6617	£4.56	SWITCH PLINTH, auxiliary	1	
i				(For fog light switch, fitted under lowe	r da	sh).

# **Miscellaneous Switches**

20	YUE10003	£8.20	SWITCH, door courtesy light	2
21	GAE191A	£7.45	SWITCH, reverse lights	1
22	54K1723	£0.84	LOCK NUT, reverse light switch	1
23	13H3735	£3.58	SWITCH, brake lights	1 ] mechanical type,
	13H3735X	£11.60	SWITCH, brake lights, uprated	1 I fitted on pedal box
24	FNZ208	£0.62	NUT, locking	1
25	C16062A	£4.27	SWITCH, brake lights	1   hydraulic type,
				fitted in brake line
26	GTR101	£6.00	SENDER UNIT, water temperature	1 all 998cc models
	GTR185	£9.90	SENDER UNIT, water temperature	1 Cooper 1300
27	GPS133	£3.68	SWITCH, oil pressure	1

66




Req. Details

ill. Part Number Price £ea. Description

Req. Details

	i dit ivallibol	11100 200.	Doddiption	ioq.	Dotano	i	T GIT TTGTTTDOT	11100 200.	Doddiption	rioq.	Dotallo	
Ins	nstruments And Gauges						GAE129M	£73.40	GAUGE, 52mm, oil temperature	1	magnolia half face	
			3				GAE130A	£165.80	GAUGE, 80mm, 0-10000 tacho	1	black full face	
Ce	ntre Binnac	le Instru	ments			1	GAE130M	£159.30	GAUGE, 80mm, 0-8000 tacho	1	magnolia full face	
-		10 1110414				į.						
1	ADU2341	NCA	SPEEDOMETER, MPH, 90MPH	1	3.4 final drive	All Saloons After 1980 (Smiths Only)						
	13H4442	£189.00	SPEEDOMETER, MPH, 130MPH	1	Cooper S	1						
	13H4442M	£194.40	SPEEDOMETER, MPH, 130MPH	1	•	12	ADU2281	£94.45	SPEEDOMETER, MPH	1	] HL models	
	10114442101	2104.40	OF ELDOWIETER, WITTI, TOOMITTI		face	İ	ADU2283	NCA	SPEEDOMETER, KPH	1.	To VIN122248	
	13H4444	£182.20	SPEEDOMETER, KPH, 200KPH	1			ADU6142	NCA	SPEEDOMETER, MPH	1	HLE, Mayfair & Ritz	
	13H4444M	£265.00	SPEEDOMETER, KPH, 200KPH	1	•	1			(From VIN122249 To VIN290002).			
	13114444101	2203.00	SELLDOWLELLI, REII, 200REII	'	face	1	BAU5340	NCA	SPEEDOMETER, KPH	1	HLE & Mayfair only	
0	C34770A	012.00	VOLTAGE STABILISER	1	BR1310/00	į.			(From VIN122249 To VIN290002).		, ,	
2	13H2133E	£13.00	FUEL GAUGE	1	DN1310/00		BAU5340	NCA	SPEEDOMETER, KPH	1	Ritz only	
3		£49.80		1		1			(From VIN277263 To VIN290002).	-		
4	13H4460	£52.50	GAUGE, water temperature			1	BAU5402	NCA	SPEEDOMETER, MPH	1	From VIN290003	
_	13H4460W	£46.90	GAUGE, water temperature	1	magnolia face	į	BAU5403	NCA	SPEEDOMETER, KPH	1.	!	
5	13H4459	£81.00	GAUGE, oil pressure	1		12	ADU1197E	NCA	TACHOMETER	1	To VIN290002	
	13H4459W	£70.50	GAUGE, oil pressure	1	magnolia face	13	BAU5404	NCA	TACHOMETER	1	From VIN290003	
6	21A804	£17.45	OIL PIPE, gauge to hose	1		1 1/	13H5894	NCA	FUEL GAUGE	1	To VIN122248	
7	11B2037	£4.25	NUT	1		14						
8	2K4936	£0.28	SEALING WASHER	1		i i	ADU6455	NCA	FUEL GAUGE	ı	From VIN122249	
9	ACA5420	£9.30	OIL HOSE	1			DALIE 40E	NOA	FUEL CALICE	4	To VIN290002	
	MT9102	NCA	OIL HOSE	1	braided 4ft long	Lan	BAU5405	NCA	FUEL GAUGE	1	From VIN290003	
10	GGT1113X	£1.60	OIL HOSE CLIP	2		15	13H5893	NCA	TEMPERATURE GAUGE	1	To VIN122248	
11	LUSIB703	£13.90	HOSE, plastic, oil gauge	1	alternative, with	i .	ADU6456	NCA	TEMPERATURE GAUGE	1	From VIN122249	
					fittings	1					To VIN290002	
	CAM4202	£18.20	OIL PIPE, hose to cylinder block	1		1	BAU5406	NCA	TEMPERATURE GAUGE	1	From VIN290003	
	GLB987	£0.62	BULB, dash illumination	a/r		16	37H4881	NCA	PRINTED CIRCUIT BOARD	1	2 clock pod	
	24A2702	£34.30	BINNACLE, 3 clocks	1	centre clocks	i	BAU1930	NCA	PRINTED CIRCUIT BOARD	1	3 clock pod	
	14A9907	£18.00	FINISHER TRIM, centre binnacle	1			CDU3247	£75.00	PRINTED CIRCUIT BOARD	1	3 clock pod	
	14A9796	£1.60	CLIP, trim to binnacle	14		1					1989-96	
	GAC8460X	£8.30	BINNACLE, crinkle black, single aux	1	for 80mm gauge	į	YAH100750	NCA	PRINTED CIRCUIT BOARD	1	3 clock pod	
	GAC8461X	£10.50	BINNACLE, crinkle black, two aux	1	for 80mm + 52mm	i i					1996-0n	
					j gauge	¦ 17	BMK1539A	£24.90	VOLTAGE STABILISER	1		
	GAC8468X	£9.80	BINNACLE, crinkle black, single aux	1	for 52mm gauge	18	GLB297	£1.60	BULB, dash illumination	a/r		
	GAC8469X	NCA	BINNACLE, crinkle black, two aux	1	for 52mm gauge	19	13H5270	NCA	BULB HOLDER	a/r		
	GAE120	£54.40	GAUGE, dynamo ammeter	1	black half face	20	GSD152	£12.80	DRIVE CABLE, speedometer	1	centre binnacle	
	GAE121	£52.70	GAUGE, 52mm, alternator ammeter	1	black half face	1	GSD102	£9.00	DRIVE CABLE, speedometer	1	To VIN122248	
	GAE122M	£55.40	GAUGE, 52mm, voltmeter	1	magnolia half face	1	GSD415	£13.20	DRIVE CABLE, speedometer	1	From VIN122249	
	GAE122	£50.00	GAUGE, 52mm, voltmeter	1	black half face	İ	GSD402	£12.60	DRIVE CABLE, speedometer	1	LHD all models	
	GAE123M	£94.30	GAUGE, 52mm, oil pressure	1	magnolia half face	i	GSD487	£11.65	DRIVE CABLE, speedometer	1	1989-0n	
	GAE123X	£89.50	GAUGE, 52mm, oil pressure	1	black half face	1	MT9501B	£25.90	GAUGE FACE KIT, blue	1	Nippon Seiko 89-On	
	GAE124M	£55.40	GAUGE, 52mm, electric water temp.	1	magnolia half face	1	MT9501G	£25.90	GAUGE FACE KIT, green	1	Nippon Seiko 89-On	
	GAE124W	£53.30	GAUGE, 52mm, electric water temp.	1	black half face	į.	MT9501M	£26.50	GAUGE FACE KIT, magnolia	1	Nippon Seiko 89-On	
	GAE125X	NCA	GAUGE, 80mm, 0-7000 tacho	1	black full face	i	MT9501R	NCA	GAUGE FACE KIT, red	1	Nippon Seiko 89-On	
	GAE127X	£162.00	GAUGE, 52mm, w/temp + o/press	1			MT9501S	£25.90	GAUGE FACE KIT, silver	1	Nippon Seiko 89-On	
	UMETZIA	2102.00				1	MT9501W	£25.90	GAUGE FACE KIT, white	1	Nippon Seiko 89-On	
	CAELOOM	COE OO	(Capillary water temp and capillary of		,	Ĺ	MT9501Y	NCA	GAUGE FACE KIT, yellow	1	Nippon Seiko 89-On	
	GAE128M	£85.00	GAUGE, 52mm, clock	1	magnolia full face		GAC8453X	£450.00	CENTRE BINNACLE KIT	1	Accessories section	
	GAE128X	£90.00	GAUGE, 52mm, clock	1	black full face	1		2.00.00				



	scription	l.	Price £e	Number	. P	ill
--	-----------	----	----------	--------	-----	-----

# **Wiring Looms**

Note: Although most of the Mini wiring looms are shown as NCA most are still available as a special order item. Please contact your local branch to discuss your requirements.

Req. Details

## **Front Wiring Looms**


5L503	£227.10	MAIN LOOM	1	1963-67
		(850 Super Deluxe, Cooper Mkl RHD).		
5L518	£227.10	MAIN LOOM	1	1965-67
		(Cooper Mkl complete)		
5L1332	NCA	MAIN & TAIL LOOM	1	1959-60
		(850 Coil on bell housing, No temperat	ture	gauge).
5L518LHD	£231.60	MAIN LOOM	1	MkI COOPER LHD
		(1275 with oil filter light).		
5L1331	£213.70	MAIN & DASH LOOM	1	1972-75
		(Comm no. N20S165797A To N20S 32	2000	OOA (alternator fitted).
HAM1199	£208 10	MAIN & DASH LOOM	1	1976-77
	2200110	(Comm no. N20S320001A To N20S 35	5812	25. 2 column stalk
		switches and mechanical brake switch		zor z ooranni otani
HAM1487	£216.40	MAIN & DASH LOOM	.,. 1	1978
10 4011 107	2210.10	(Comm no. N20S358126 To N20S 363	•	
		Fuse box).	JU-1	i. Hoverse lamps 4
HAM2174	£216.40	MAIN & DASH LOOM	1	1979-81
TIMINE IT	2210.40	(Comm no. N20S363842 To N20S 122	•	
		offset instrument binnacle).		o. i og idinpo dilu
HAM2859	NCA	MAIN & DASH LOOM	1	City E model UK only
TIAWIZOJO	NOA	(VIN122249 - 179627. No reverse lam	•	Oity E model oit only
HAM2921	NCA	MAIN & DASH LOOM	ρο <i>)</i> .	City E model not UK
TIAWIZEZI	NUA	(VIN 122249 - 179658).	'	City L model not on
HAM3683	NCA	MAIN & DASH LOOM	1	City E model UK only
TIAWISOOS	NUA	(VIN179628 On).	•	Oity L model on only
HAM3682	NCA	MAIN & DASH LOOM	1	City E model not UK
TIAWISUUZ	NUA	(VIN 179659 On).	'	City L model not on
HAM2315	NCA	MAIN & DASH LOOM	1	HL model
TIAIVIZSTS	NUA	(Up To VIN 107477).	'	TIL HIUUGI
HAM2705	NCA	MAIN & DASH LOOM	1	HL model
HAIVIZ/US	NGA	(VIN 107478 - 122248. Washer pump		
HAM2861	NCA	MAIN & DASH LOOM	1	,
HAIVIZOU I	NGA		-	HLE, Mayfair, Sprite
HAM3684	NCA	(VIN 122249 - 179630. Tachometer in MAIN & DASH LOOM	ciuu 1	,
NAIVI3004	NGA		1	HLE, Mayfair, Sprite
HAMACOE	NCA	(VIN 179631 onwards).	4	All LUD Madala
HAM4625	NCA	MAIN & DASH LOOM	1	All LHD Models
		(VIN 253000 To VIN 345417. Pre-enga	igea	starter & repeater
HANAGOG	0040 40	lamps).	4	All DLID mandala
HAM4626	£240.40	MAIN & DASH LOOM	1	All RHD models
114844005	NOA	(VIN 253000 To VIN 328623).		All LUD
HAM4625	NCA	MAIN & DASH LOOM	1	All LHD models
		(VIN 345418 - 396448. Dim & dip hea	d lai	mps, ıarge
	0040 :-	indicator lamps).		411 0110
HAM4626	£240.40	MAIN & DASH LOOM	1	All RHD models

(VIN 328624 To 396448. Dim & dip head lamps).

ill.	Part Number	Price £ea.	Description	Req.	Details
	YMC10201	NCA	MAIN & DASH LOOM	1	All RHD models
	YMC10202	NCA	(From VIN 396449 To VIN 4 MAIN & DASH LOOM	1	All LHD models
	YMC10654	NCA	(From VIN 396449 To VIN 4 MAIN & DASH LOOM (VIN 426488 (approximate)	1	All RHD models
	YMC10655	NCA	MAIN & DASH LOOM (VIN 426488 (approx.) to VI	1	All LHD models
	YMC11768	NCA	MAIN & DASH LOOM	1	All manual cars
	YMC11769	NCA	(VIN 504654 On with dim/o	1	All manual cars
	YMC11428	£253.80	(VIN 504654 On without di MAIN & DASH LOOM	. 1	RHD Cooper 1300cc
	YMC11388 YMC11389	NCA NCA	MAIN & DASH LOOM MAIN & DASH LOOM	1	RHD Cooper SE LHD Cooper 1300cc & SE

## **Rear Wiring Looms**

ne	ear vviring Lo	OIIIS			
2	5L875	£34.70	BODY LOOM	1	1972-75
			(Comm no. N20S165797A to N20S 32	2000	0A. Use with 5L1331).
	HAM1301	NCA	BODY LOOM	1	1976-77
			(Comm no. N20S320001A To N20S 3	5812	25. Use with
			HAM1199).		
	HAM1286	£53.50	BODY LOOM	1	
			(Comm no. N20S35126A To N20S 435	5211	1).
	HAM1924	NCA	BODY LOOM	1	
			(Comm no. N20S358126 (VIN unknow	n), X	(L25IN100001 To
			N20S 675453).		
	HAM2920	NCA	BODY LOOM	1	
			(City Export To VIN 228613, City Europ	e &	Sprite RHD VIN
			122249 On).		
	HAM2846	NCA	BODY LOOM	1	
			(City Export VIN 228614 On, 1000cc &	HL	models
			XL25IN675454 On, City Europe & Spri	te Ri	HD VIN 140358 -
			252999, Mayfair UK VIN 100720 - 147	7143	3).
	HAM3065	£56.10	BODY LOOM	1	Mayfair UK
			(VIN 147144 - 252999).		
	HAM3835	£53.50	BODY LOOM	1	City E UK & Ritz LHD
			(VIN 25300 - 441904).		
	HAM3835	£53.50	BODY LOOM	1	Mayfair & Ritz RHD
	YMD10258	NCA	BODY LOOM	1	All RHD models
			(VIN 441905).		
	HAM3836	NCA	BODY LOOM	1	All LHD models
			(To VIN 442929).		
	YMD10259	NCA	BODY LOOM	1	
			(VIN 442930 On).		
	YMD10502	NCA	BODY LOOM	1	Sprite, Mayfair,
			(To VIN057167).		Cooper
	YMD10744	NCA	BODY LOOM	1	Sprite, Mayfair,
			(To VIN057168).		Cooper



Req. Details

# **Headlamps & Fittings**

1	13H7922	NCA	HEADLAMP ASSEMBLY, sealed beam	2	RHD, Lucas
	BHM7198	£49.00	HEADLAMP ASSEMBLY, sealed beam	2	RHD, Wipac
	XBC103220	£134.60	HEADLAMP ASSEMBLY, levelling type	2	LHD
			(Includes: headlamp, level motor & wire	e ha	arness).
	XBC105220	£74.50	HEADLAMP ASSEMBLY, levelling type	2	RHD, no chrome rim
	XBC105230	£80.70	HEADLAMP ASSEMBLY, levelling type	2	LHD
			(Includes: headlamp, level motor & wir	ing	harness).
2	13H3471A	£15.20	LAMP UNIT, sealed beam	2	RHD
	27H5981A	£22.20	LAMP UNIT, sealed beam	2	LHD
	BAU1177A	£49.09	LAMP UNIT, bulb type	2	LHD
	GLB410	£2.90	BULB, headlamp, white	2	France only
	GLB472	£5.12	BULB, headlamp, halogen H4, 60/55W	2	standard bulb
	GLB484	£6.20	BULB, headlamp, halogen H4, 100/90W	2	not road legal
	GLB472X	£10.40	BULB, headlamp, Xenon H4, 60/55W	2	
	GLB472BLU	£10.40	BULB, headlamp, Xenon H4, 60/55W	2	blue tint
3	GLB233	£0.79	BULB, side lamp, bayonet	2	
	GLB501	£0.73	BULB, side lamp, capless, push fit	2	
4	SML3	£15.20	BUCKET, headlamp, metal	2	
	SML3P	£16.60	BUCKET, headlamp, plastic	2	

Note: SML3P does not require the inner mounting ring or outer lamp retainer. It comes complete with adjusters, rubber seal and body fixings . Still requires 500929 chrome rim.

5	009403	£4.82	SEAL, bucket to body	2
6	569313	£0.60	RIVET, lamp to wing	8
7	GHF426	£0.19	SCREW	8 alternatives
8	GHF713	£0.37	SPIRE CLIP	8
9	BHM7058	£5.00	ADJUSTER KIT	2
10	27H6481	£23.45	MOUNTING RING, inner, plastic	2
	SML4	£9.00	MOUNTING RING, inner, metal	2
11	515218A	£5.50	RIM, lamp unit retaining	2
12	AB606021	£0.32	SCREW, rim retaining	6
13	BAU2111	£10.40	HARNESS, headlamp	2 ] saloon with side
				] lamp holder
	BAU2110	£7.64	HARNESS, headlamp	2   clubman without
				j side lamp
14	500929	£16.00	RIM, chrome	2
	DHF100060	£41.40	RIM, chrome	2   levelling headlamps
				j only
15	RTC465	£0.54	SCREW, headlamp rim	2
16	37H7421A	£1.80	SPIRE CLIP, headlamp rim	2

# **Halogen Conversion Kits**

Note: Halogen headlamp conversion kits. Kits include 2 lamp units, bulbs and side light fittings. Also available are kits for Clubman models without side lamp fitted in the headlamp.

GAC4023	£50.00	HEADLAMP KIT, Lucas, halogen H4	1 RHD
GAC4023Z	£51.25	HEADLAMP KIT, Wipac, halogen H4	1 RHD
GAC4023X	£50.00	HEADLAMP KIT, Wipac, crystal H4	1 RHD
GAC4022	£43.45	HEADLAMP KIT, Wipac, halogen H4	1   RHD without side   lamp
GAC4022X	£58.90	CRYSTAL LAMP KIT	1   RHD without side   lamp
LULUB802	£99.90	HEADLAMP KIT, Lucas, halogen H4	1 LHD

ill. Part Number Price £ea. Description

WPS4699


£61.60

£61.60 HEADLAMP KIT, Wipac, halogen H4 HID CONVERSION KIT, H4 £61.60

(Use with H4 headlamp conversion).

Req. Details 1 LHD 1 ] upgrade H4 halogen


headlamps



ill. Part Number Price £ea. Description Req. Details

# **Front Indicator & Side Repeater Lamps**

	1	CHM13	£7.80	LAMP, indicator, plastic amber lens	2	To 1986	
		2A9013	£15.60	LAMP, indicator, glass amber lens	2	alternatives	
	2	508162	£2.42	SEAL, rubber	2		
1	3	37H5528	£6.14	HOLDER, bulb	2		
	4	GLB382	£0.73	BULB, single filament	2		
	5	37H5520	£6.60	LENS, amber glass	2		
		37H5520Z	£4.82	LENS, amber glass	2	aftermarket	
I		37H8130	£2.84	LENS, amber plastic	2	alternative	
	6	7H5182	£2.23	RIM, lens retaining	2		
	7	AFU3389	£7.30	LAMP, indicator, screw on lens	2		
	8	CDU3374	£3.38	LENS, amber, screw fixing	2	1987-0n	
		CDU3374W	£2.53	LENS, white, screw fixing	2		
	9	GLB382	£0.73	BULB, single filament	2		
I		GLB343	£1.96	BULB, amber, single filament	2		
				(Required when fitting clear indicator	lens)		
	10	AB606061SS	£0.48	SCREW, lens retaining	2		
	11	GHF421	£0.17	SCREW, lamp to body	6		
	12	AK606021	£0.48	SPIRE CLIP, on body	6		
		AAU3296A	NCA	REPEATER LAMP	2		
I	13	AHU2592	£4.20	REPEATER LENS	2		
		AHU2592W	£5.35	REPEATER LENS, white	2		
	14	DCP8004	£9.20	HOLDER, bulb	2	1986-0n	
	15	AFU3112	£1.04	SEAL, bulb holder	2		
	16	GLB501	£0.73	BULB	2		
		GLB501X	£1.36	BULB, amber	2		
				(Required when fitting clear indicator	,		
	NI	AFU3358	£32.40	LOOM, indicator side repeater	2		




ill.	Part Number	Price £ea.	Description	Req.	Details
Re	ear Lamp	Asseml	olies		
MI	kl Models				
1	BHA4228	£53.90	LAMP ASSEMBLY, rear, RH	1	
	BHA4229	£53.90	LAMP ASSEMBLY, rear, LH	1	
2	47H5363	£9.10	LENS stop/tail, RH	1	
	47H5358	£9.10	LENS stop/tail, LH	1	
3	47H5362	£9.00	LENS, indicator, RH	1	amber
	47H5355	£9.00	LENS, indicator, LH	1.	
4	GLB380	£0.62	BULB, stop/tail, dual filament	2	
5	GLB382	£0.73	BULB, flasher, single filament	2	
6	37H5459	£3.10	TERMINAL KIT, bulb socket	2	twin contact
7	37H5452	£2.80	TERMINAL KIT, bulb socket	2	single contact
8	47H5360	£2.96	GASKET, lens to base	2	
9	57H5399	£3.30	GASKET, lamp to body	2	
	47H5356K	£8.60	SCREW SET, lens retaining	2	
10	47H5359	£1.36	SCREW, stop/rear light lens	2	
11	47H5356	£1.70	SCREW, flasher lens, long	2	
12	47H5357	£1.30	SCREW, flasher lens, short	2	
MI	kII on Mod	els			

There were several manufacturers of rear lamps during Mini production; Altissimo and Lucas/Carello. The Lucas/Carello type can be identified by the 'posts' which accept the lens retaining screws. Lucas/Carello are the most common type and are the type that are currently available.

13	13H6479	£63.35	LAMP ASSEMBLY, RH	1 ] without
	13H6480	£63.35	LAMP ASSEMBLY, LH	1 I reverse light
	XFB10082	£84.00	LAMP ASSEMBLY, RH	1 ]
	XFB10082Z	£76.50	LAMP ASSEMBLY, RH, alternative	1 with reverse light
	XFB10083	£84.00	LAMP ASSEMBLY, LH	1 and 2 piece lens
	XFB10083Z	£76.50	LAMP ASSEMBLY, LH, alternative	1 ]
14	37H2690	£8.15	SEAL, lamp to body, RH	1 ] for lamps without
	37H2689	£8.15	SEAL, lamp to body, LH	1 I reverse light
	37H2692	£10.90	SEAL, lamp to body, RH	1 ] for Lucas type
	37H2691	£10.90	SEAL, lamp to body, LH	1 J lamps
15	37H4838	£25.80	LENS, stop/tail & indicator, RH	1 ] for lamps without
	37H4837	£25.80	LENS, stop/tail & indicator, LH	1 I reverse light
16	37H6778	£1.66	SEAL, lens to lamp body	2   for lamps without
				reverse light
	XFH100460	£3.40	SEAL, lens to lamp body	2 ] for lamps with
				reverse light

ill.	Part Number	Price £ea.	Description	Req.	Details
17	XFJ10026 XFJ10026Z XFJ10027 XFJ10027Z AAU4946	£19.40 £8.65 £19.40 £8.65 £43.45	LENS, stop/tail & indicator, RH LENS, stop/tail & indicator, RH, alteri LENS, stop/tail & indicator, LH LENS, stop/tail & indicator, LH, alteri LENS SET, RH	1	for Lucas type lamps
 			(Includes: stop/tail & indicator lens, reverse lens and seal & screws).		for Altissimo type
	AAU4947	NCA	LENS SET, LH (Includes: stop/tail & indicator lens,	1	lamps
	GAC4617	£16.30	reverse lens and seal & screws) CLEAR LENS SET, stop/tail & indicator (Includes: clear stop/tail & indicator lenses only. Bulbs and seals sold separately. Requires bulbs: 2 x GLB3		use with Lucas type lamps only
			and 2 x GLB380R).		
18	XFJ10028	£14.40	LENS, reverse lamp, RH	1	
	XFJ10028Z	£8.15	LENS, reverse lamp, RH, alternative	1	for Lucas
	XFJ10029	£18.00	LENS, reverse lamp, LH	1	type lamps
	XFJ10029Z	£8.15	LENS, reverse lamp, LH, alternative	1.	
19	GLB382	£0.73	BULB, single filament (Clear bulb for standard coloured len	a/r ises).	indicator/reverse
	GLB343	£1.96	BULB, single filament, indicator (Amber tinted bulb for clear indicator	a/r	oo only)
i	GLB380	£0.62	BULB, twin filament, stop/tail	a/r	ss offiy).
			(Clear bulb for standard coloured len	ises).	
	GLB380R	£2.23	BULB, twin filament, stop/tail	a/r	
			(Red tinted bulb for clear indicator le	nses	only).
20	PMP214	£0.60	SCREW, top	2	I without
21	PMP214	£0.60	SCREW, bottom, short	2	reverse lamp
22	518868	£0.73	SCREW, bottom, long	2	
23	XYPP100310	NCA	SCREW, lens retaining	6	with reverse lamp
Re	ar Fog Lam	ps			
30	XFE10006	£25.30	FOG LAMP, rear, without bracket	1	RHD
00	XFE10007	£30.00	FOG LAMP, rear, with bracket	1	LHD
	AL LIUUU1	200.00	1 00 Dum , rour, with bracket	'	LID
31	XFU10002	NCA	BRACKET, fog lamp RHD	1	RHD
	XFU10003	NCA	BRACKET, fog lamp LHD	1	LHD
	GAC9400X	£28.30	BRACKET, fog lamp	1	RHD
			(Relocates fog lamp when fitting ove	rrider	S).




Req. Details

## **Miscellaneous Lamps**

		r I		

1	13H8919	NCA	INTERIOR LAMP, clear cover	1	To 1976
	EAM1650	£9.10	INTERIOR LAMP, white cover	1	1976-85
	AFU3003	NCA	INTERIOR LAMP, in headlining	1	1985-0n
2	37H5923	NCA	LENS, for lamp 13H8919	1	
	24G3389	£6.80	LENS, for lamp EAM1650	1	
3	GLB239	£0.79	BULB, festoon	1	
4	AB606051	£0.37	SCREW, lamp retaining	2	




ill. Part Number Price £ea. Description

Req. Details

# **Mkl Number Plate Lamp**

1	127916BLK	£30.30	NUMBER PLATE LAMP, black 0E	1 Mkl
	127916	£24.40	NUMBER PLATE LAMP, chrome	1 ] alternative
	127916Z	£14.40	NUMBER PLATE LAMP, plastic	1 J
2	502264	£11.35	COVER CHROME	1
3	17H5385	£2.05	SCREW, lens cover to back plate	1
4	601721A	£5.00	LENS, clear glass	1
5	57H5368	£3.58	GASKET	1
6	27H6713	£0.89	CONNECTOR, bullet terminal	2
7	GLB989	£0.89	BULB	2




ill. Part Number Price £ea. Description

Req. Details

# **MkIII Number Plate Lamp**

1	13H6900 GAC4614		BODY, number plate lamp BODY, number plate lamp	1 MkIII, unpainted 1 MkIII, chromed 1 metal body
2	PRC1230A	£7.30	LENS, number plate lamp	2
3	GLB239	£0.79	BULB, festoon	2
4	13H6010	£4.30	GASKET, lamp body to boot lid	1



Req. Details

## **British Motor Heritage Bodyshells**

If your car needs major bodywork repairs a new bodyshell may be the best option. The cost is less than you think, by the time you add in the labour cost of fitting body parts it may well be the cheapest option.

British Motor Heritage bodyshells are built using the original assembly jigs. Long life is ensured by the use of zinc coated steel in rust prone areas, the shells are finished in motor industry standard black electrocoat. The shells are completely immersed in an electrically charged tank of anodic etch primer. This ensures the best possible coverage and paint ingress into all area of the body. The bodyshells listed below come with doors, bonnet and bootlid, they are also available without these bolt-ons please contact your branch for details.

## **Bodyshell policy**

- Bodyshells are purchased with a 30% deposit as a special order item and customers must pay all delivery charges.
- When bodyshells are received, the customer will be notified and delivery will take place within 14-21 days
- There will be storage charge (call) per day drawn from the deposit beginning on the 22nd day following notification if the customer is unable to take delivery.
- If delivery is not taken within 30 days, the remaining deposit money will be returned to the customer and the order cancelled.

## Clubman bodyshell

The Heritage Clubman bodyshell is a direct replacement for 1976 on Clubman models with rubber mounted subframes. It can be used for earlier cars with some modifications, 1972-76 cars will need the subframes replacing with the rubber mounted versions,

ill. Part Number Price £ea. Description

1969-72 models had a different gear shift mechanism that will need some modifications to the bodyshell.

CZH594 £8,050.00 BODYSHELL, Clubman

#### MkIV bodyshell

The MkIV bodyshell is suitable for all models 1976 to 1989 with rod change and rubber mounted subframes. As with the Clubman shell this can be fitted to 1972-76 models by changing to rubber mounted subframes. For earlier models more modifications will be necessary.

The bodyshell comes with front wings without repeater holes, roof without aerial holes, slatted inner wing for side mounted radiators and the MkIV grille panel. The dashboard bulkhead panel includes the large 'rotodip' aperture making access to the centre binnacle easier. Rear seatbelt mountings are fitted and front seatbelt mountings are in the pre-1977 locations. Doors supplied with side impact bars fitted.

£7,750.00 BODYSHELL, MkIV 2 BMP343

The MkIV throttle body injection (TBI) shell is most suitable for MkIV 1990-1996 models. This bodyshell has the large round hole in the inner wing for the cooling fan.

2 AAA36002 £7,750.00 £7750.00

## MkV bodyshell

These bodyshells are for cars produced from 1997 onwards, available to either standard or Sports Pack specification. Latest specification brackets for airbag sensor, alarm and boot mounted washer bottle are not included. Compatible with front mounted radiators.


AAA360200 £7,750.00 BODYSHELL, MkV, standard AAA360210 £7,750.00 BODYSHELL, MkV, Sports-Pack

14 CZH430

CZH431

£366.00 SIDE PANEL, RH, complete

£366.00 SIDE PANEL, LH, complete




ill. Part Number Price £ea. Description

Req. Details

Fron	nt & Side	Body	Panels		15	CZH122 CZH123	£122.00 £122.00	DOOR SURROUND, RH DOOR SURROUND, LH	1 ]	1970-0n
0 - 1	1.0				1 16	HMP441014	£123.00	QUARTER PANEL, rear, RH	11	
<b>5</b> alo	on Models				10	MBP9019	£97.00	QUARTER PANEL, rear, RH, aftermarket	1	lower section below
					İ	HMP441015	£123.00	QUARTER PANEL, rear, LH	1	window line, 1970-0n
		£195.00		1 1964-75	i	MBP9020	£97.00	QUARTER PANEL, rear, LH, aftermarket		William IIIIe, 1970-011
	BP9026		FRONT PANEL	1 to 1976	1 17	HMP441012	£87.50	DOOR STEP REPAIR, RH		1970-0n
				1 1976-89	17	HMP441012	£87.50	DOOR STEP REPAIR, LH	1	1970-011
	_A8619Z			1 1976-89	1 10		£50.00	,		1070 00
	SJ36002	£194.00		1 1990-96	10	CZH426		WAIST RAIL ASSY, RH	1	1970-0n
		£194.00		1 1996-0n	1	CZH427	£50.00	WAIST RAIL ASSY, LH	1.	
2 BN	MP103		BUMPER MOUNTING RAIL	1 all models	20		£37.80	A PANEL, outer, RH	1	1050.00
3 AL	LA4583	£9.70	SUPPORT, slam panel, vertical	1 to 1996	į	14A6901Z	£16.40	A PANEL, outer, RH, aftermarket	1	1959-69
4 24	4A1918	£12.20	SUPPORT, slam panel, diagonal	1 with oil cooler	i	14A6902	£37.80	A PANEL, outer, LH	1	
5 MI	BP9001	£77.40	REPAIR PANEL, lower front panel, RH	1 aftermarket	1	14A6902Z	£16.00	A PANEL, outer, LH, aftermarket	1.	
M	BP9002	£77.40	REPAIR PANEL, lower front panel, LH	1 aftermarket	1	ALA5660	£23.00	A PANEL, outer, RH	1]	
6 24	4A1182	£182.80	BONNET	1 1959-67	į	ALA5660Z	£16.60	A PANEL, outer, RH, aftermarket	1	1970-0n
AL	LA8430	£183.00	BONNET	1 ] van & pick up	i	ALA5661	£23.00	A PANEL, outer, LH	1	
				1972-83	1	ALA5661Z	£16.60	A PANEL, outer, LH, aftermarket	1.	
AL	LA7455	£183.00	BONNET	1 1967-69	21	14A8346	£72.00	A PANEL, inner, RH	1]	1959-69
				1 1970-96	i	14A8346Z	£38.80	A PANEL, inner, RH, aftermarket	1	
CZ	ZH455Z	£150.00	BONNET, aftermarket	1 1970-96	i	14A8347	£72.00	A PANEL, inner, LH	1]	1959-69
		£183.00	,	1 1997-0n		14A8347Z	£42.50	A PANEL, inner, LH, aftermarket	1 ]	
		£182.00	BONNET	1 1997	22	14A8348	£14.00	GUSSET, A post, RH	1]	top of A post
	LA6664	£18.30		1 1967-On	į	14A8349	£14.00	GUSSET, A post, LH	1 ]	1959-69
		£104.00		1 ] to 1986	23	MBP9007	£9.10	REPAIR PANEL, closing, RH, aftermarket	1]	flitch to scuttle
		£104.00	,	1		MBP9008	£9.10	REPAIR PANEL, closing, LH, aftermarket	1	1970-0n
	4A6476Z	£78.40		1 ] no side repeater	24	14A6675	£37.00	DASH RAIL, top	1	all models
	4A6477Z	£78.40		1 hole, to 1986	25	BMP201	£51.00	DASH RAIL, bottom	1	1970-0n
		£105.00		1 ] with side repeater	26	14A6782	£3.20	SEAM COVER LOWER, rear	2	all models
	MP454Z	£80.20	,	1 hole, 1986-0n	27	BMP127	£21.00	MOULDING, front seam	2	
		£105.00		1 ] with side repeater &	1	BMP127Z	£12.70	MOULDING, front seam, aftermarket	2	
	MP455Z	£705.00	WING, LH, aftermarket	1 ] aerial hole, 1986-0n	28	BMP124	£18.60	MOULDING, rear seam, RH	1	
	SB360010	£105.00		1 ] with side repeater		BMP124Z	£15.00	MOULDING, rear seam, RH, aftermarket	1	
AS	56360010	£105.00	WING, LH	'	1	BMP125	£18.60	MOULDING, rear seam, LH	1	
0 14	440000	010.00	LIEADI AMD DINO	hole, no aerial hole	1	BMP125Z	£13.70	MOULDING, rear seam, LH, aftermarket	1	
	4A6693	£12.20		2 1959-86	į	8B12400	£31.00	MOULDINGS, front, pair	11	stainless steel
	ZH3140	£216.00	WINDSCREEN FRAME	1 1970-0n	i	8B12401	£29.20	MOULDINGS, rear, pair	1	0141111000 01001
		£138.50	, , .	1 windscreen lower	1 20	GHF1560	£0.32			for body seam
	BP9000		REPAIR PANEL, scuttle, full, aftermarket	•	23	GI II 1000	20.02	OLII (	4/1	moulding
	BP9005	£26.00	, ,	1 ] windscreen lower	1	BMP128MS	co 22	CLIP, stainless steel	./r 1	for body seam
	BP9006	£26.00		1 J corner		DIVIT I ZOIVIO	£0.32	OLIF, Stalliess steel		,
	4A5503		,	1 1969-96	1				J	moulding
44 07	711400	0000 00	OIDE DANIEL DIL	4 1 4070 0 .						

Req. Details

1970-0n



							-
ill.	Part Number	Price £ea.	Description		Req.	Details	
R	ear Body I	Panels					
S	aloon, Van 8	Pickup	Models				
1	HMP441046	£337.80	REAR PANEL	complete	1	Mkl roar lamne	

£299.00 REAR PANEL, complete

£299.00 REAR PANEL, complete

HMP441022

ALA6417

Note: The rear panel HMP441046 from BMH is supplied complete with MkI lamp and bootlid apertures. However, the rear window aperture is only for models from 1967 (MkII) on, when the screen changed to a larger one. The complete rear panel is not available with the original Mkl size rear window aperture as the pressing is made from Mkll tooling. If you have a Mkl this panel can be used as a repair section and cut to suit individual requirements.

1967-89

1990 on


1 ] with alarm bracket

	GAC8452X	£26.95	LAMP PANEL KIT, welded in	1   retro fit MkI lamps   into MkII & MkIII   body
2	HMP441019	£221.50	REAR PANEL, REPAIR	1 1967-0n
3	28G110	£333.00	BOOT LID ASSEMBLY	1 1959-69
	HMP441051	£120.00	BOOT LID SKIN, aluminium	1 1959-69
	BMP339	£205.00	BOOT LID ASSEMBLY	1 ] 1970-89
	BMP339Z	£101.30	BOOT LID ASSEMBLY, aftermarket	1 ] seal on boot lid
	BMD36001	£204.00	BOOT LID ASSEMBLY	1 ] 1990-0n
				seal on hodyshell


ill.	Part Number	Price £ea.	Description	Req. Details
1	BMP102	£64.70	SKIN, boot lid	1 1970-0n
4	HMP441009	£203.50	BOOT HINGE PANEL	1 1967-On
⊹ 5	HMP441026	£85.00	LOWER REAR PANEL CENTRE	1 ] 1967-On hinge
				panel repair
. 6	14A5497	£57.00	REAR VALANCE	1 all saloons
į.	14A6940	£57.00	REAR VALANCE	1 1959-69 no holes
	CZH3353	£57.00	REAR VALANCE	1 ] 1980-On including
				fog lamp mount
	CZH3353Z	£29.00	REAR VALANCE, reproduction	1 1980-On
. 7	14A8154	£40.00	REAR APRON CENTRE PANEL	1 all vans & pickups
į.	14A8154Z	£33.70	REAR APRON CENTRE PANEL	1
8	14A6908	£23.50	REAR APRON CORNER, RH	1
i .	14A6908Z	£16.80	REAR APRON CORNER, RH	1
¦ 9	14A6909	£23.50	REAR APRON CORNER, LH	1
1	14A6909Z	£16.80	REAR APRON CORNER, LH	1
10	CZH3293	£262.00	TAILGATE	1 pickup
j 11	14A8096	£272.00	REAR DOOR, RH	1 van & estate
12	14A8097	£272.00	REAR DOOR, LH	1 van & estate
¦ 13	14A9023	£72.10	FLOOR EXTENSION	1 commercials
¦ 14	14A7555	£227.50	SIDE PANEL, RH	1 pickup
į	14A7556	£227.50	SIDE PANEL, LH	1 pickup
į.,			=	
į V	lood Kit C	ountry	man Estate	
-	HMP341002	£1.145.00	WOOD TRIM KIT	1

£43.50 FIXING KIT, wood trim


HMP341002FK




ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Ur	nderfram	e				10	14A8337 HMP441008	£2.30 £77.90	JACKING POINT, LH HEELBOARD, complete	1	
_	07110040	0.400.00	DULKUEAD ACCEMBLY		1070.00	19	HMP441006	£17.90 £37.80	HEELBOARD, half, RH	1	
1	CZH3216	£462.00	BULKHEAD ASSEMBLY, complete		1976-89	į	HMP441007	£37.80	HEELBOARD, half, LH	1	
0	AHA36005	£316.00	BULKHEAD ASSEMBLY, complete	1	1990-0n	20	MBP9017	£24.00	HEELBOARD, repair, RH	1	
2	14A7246 14A7247	£34.00 £34.00	HINGE, bonnet, RH HINGE, bonnet, LH	1			MBP9018	£24.00	HEELBOARD, repair, LH	1	
	BMP348	£34.00 NCA	HINGE, bonnet, RH	1	l 1	21	14A8994	£15.30	CLOSING PANEL, comp. box, RH	1	
	BMP349	NCA	HINGE, bonnet, LH	1	1970-0n	į	14A8995	£15.30	CLOSING PANEL, comp. box, LH	1	
	HMP441027	£36.70	HINGE SET, bonnet	1.	1970-011	22	24A42	£7.60	BRACKET, sling, rear, RH	1	
3	14A6730	£10.20	BRACKET, engine stabiliser	1	ı		24A43	£7.60	BRACKET, sling, rear, LH	1	
4	AHP36001	£30.00	BRACKET, crossmember to dash, RF		l 1970-0n	23	14A6611	£14.60	CLOSING PANEL, wheel arch, RH	1	
	AHP36007	£30.00	BRACKET, crossmember to dash, LH				14A6612	£14.60	CLOSING PANEL, wheel arch, LH	1	
5	AHC36003R	£61.00	CROSSMEMBER, half, RH	1		24	ALA5532	£13.50	BRACKET, boot floor to bulkhead, RI	1 1	] saloon 1967-0n
-	AHC36003L	£61.00	CROSSMEMBER, half, LH	1.		1	ALA5533	£13.50	BRACKET, boot floor to bulkhead, LI	1 1.	]
6	AHA36006	£107.00	TOEBOARD	1		25	ALA5524	£29.80	CLOSING PANEL, plain, rear valance,		
	AHA36007	£81.00	TOEBOARD, lower repair section	1	1990-0n	i	MBP9013	£20.40	CLOSING PANEL, plain, rear valance,	1	
7	CZG1496	£1.96	BRACKET, washer bottle	1		1			RH, aftermarket		
8	14A9534	£41.50	SILL, outer, RH	1		1	ALA5525	£29.80	CLOSING PANEL, plain, rear valance,		
	14A9534Z	£25.40	SILL, outer, RH, aftermarket	1		į	MBP9014	£20.40	CLOSING PANEL, plain, rear valance,	1	
	14A9535	£41.50	SILL, outer, LH	1					LH, aftermarket		
	14A9535Z	£25.40	SILL, outer, LH, aftermarket	1	saloon 1970-0n	26	HMP441020	£39.80	CLOSING PANEL ASSEMBLY, rear valar	ice 1	
	HMP441028	£73.81	SILL KIT, outer, pair	1		İ	LIMD441001	020.00	RH (complete with gusset & stiffener)	1	
	BHM3	£31.30	SILL, outer, RH	1		i	HMP441021	£39.80	CLOSING PANEL ASSEMBLY, rear valar LH (complete with gusset & stiffener)	ice, i	
	BHM4	£31.50	SILL, outer, LH	1.		1 27	14A6499	£57.60	BATTERY BOX	1	
	14A9026	£34.00	SILL, outer, RH	1	van & traveller	21	14A6499Z	£26.20	BATTERY BOX, aftermarket	1	
•	14A9027	£34.00		1.		28	HMP441016	£241.90	BOOT FLOOR ASSEMBLY	1	
9	CZH2675	£63.40	CROSSMEMBER, under seat, comple		1070 0-	1 20	111111 441010	2241.50	(with battery box)	'	
	CZH2675R CZH2675L	£51.00	CROSSMEMBER, under seat, half, RI		1970-0n	1	ALA5513	£203.50	BOOT FLOOR ASSEMBLY	1	
10	CZH2673L CZH3214	£51.00 £12.00	CROSSMEMBER, under seat, half, LI BRACKET, handbrake mounting	1 1. 1		1	712 100 10	2200.00	(without battery box)		
	14A6624	£12.00	SUPPORT, rear seat to tunnel	1		29	14A6609	£21.00	BRACKET, rear subframe mounting,	RH 1	
	ADA36002E	£668.00	FLOOR ASSEMBLY, complete	1	1976-89	1	14A6610	£21.00	BRACKET, rear subframe mounting,		
12	ADA36002L	£580.00	FLOOR ASSEMBLY, complete	1	1990-0n	30	24A2204	£153.00	BULKHEAD, seat back	1	
	CZH2669	£238.50	FLOOR PANEL, main	1		¦ 31	14A9558	£95.00	WHEEL ARCH ASSEMBLY, rear, RH	1	
	HMP441004	£110.50	FLOOR PANEL, half, RH	1	1976-On rod change	i	14A9559	£95.00	WHEEL ARCH ASSEMBLY, rear, RH	1	
	HMP441005	£110.50	FLOOR PANEL, half, LH	1.		32	14A6617	£40.00	WHEEL ARCH, outer, rear, RH	1	
13	14A8374	£17.20	EXTENSION, crossmember, RH	1			14A6618	£40.00	WHEEL ARCH, outer, rear, LH	1	
	14A8375	£17.20	EXTENSION, crossmember, LH	1		33	HMP441010	£54.10	TURRET, shock absorber mount, RH		
14	24A2186	£8.00	PLATE, seatbelt mounting	2	1964-0n	i	HMP441011	£54.10	TURRET, shock absorber mount, LH	1	
15	ADA36002EC	£116.00	TUNNEL ASSEMBLY	1	1976-0n	i	MBP9009	£35.60	TURRET, shock absorber mount, univer		
	ADA36002C	£116.00	TUNNEL ASSEMBLY	1	1990-0n		24A41	£7.60	BRACKET, sling, front	2	
16	ADA36002RH	£285.00	FLOOR & SILL ASSEMBLY, half, RH		1990-0n	35	AD0360020	£39.50	COMPANION BOX ASSEMBLY, RH	1	
	ADA36002LH	£285.00	FLOOR & SILL ASSEMBLY, half, LH	1.		. 00	AD0360030	£39.50	COMPANION BOX ASSEMBLY, LH	1.	1
17	ADA36002RQ	£227.00	FLOOR & SILL ASSEMBLY, repair, RI			36	ALA5828	£12.00	FINISHER, companion box, RH	1	
	ADA36002LQ	£227.00	FLOOR & SILL ASSEMBLY, repair, LF	1 1.	to first groove on floor	1 27	ALA5829	£12.00 £2.23	FINISHER, companion box, LH CLIP, finisher	1 10	
18	14A8336	£2.30	JACKING POINT, RH	1		37	EYC10048	£2.23	CLIF, HITISHEI	10	




ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Ur	nderfram	e Repai	r Panels			4	MBP9024 MBP9015	£26.20 £60.40	FLOOR EDGE INNER, LH DOOR STEP & QUARTER, repair, RH	1 1	1969-0n 1969-0n
1	BHM9 BHM9Z	NCA £43.50	FLOOR PAN, front, RH FLOOR PAN, front, RH, aftermarket	1	1969-On 1969-On	5	MBP9016 BHM13	£60.40 NCA	DOOR STEP & QUARTER, repair, LH DOOR STEP, repair, OE		1969-0n 1969-0n
	BHM10 BHM10Z	NCA £43.50	FLOOR PAN, front, LH FLOOR PAN, front, LH, aftermarket	1	1969-On 1969-On	6	BHM13Z MBP9010	£72.60 £35.00	DOOR STEP, repair, aftermarket BOOT FLOOR EDGE	1 1	1969-0n 1969-0n
2	BHM11 BHM11Z	£62.95 £58.30	FLOOR PAN, rear, RH FLOOR PAN, rear, RH, aftermarket	1 1	1969-On, saloon only 1969-On, saloon only	7	MBP9011 MBP9012	£23.80 £23.80	BOOT FLOOR CORNER, RH BOOT FLOOR CORNER, LH	1 1	1969-0n 1969-0n
	BHM12 BHM12Z	£60.10 £58.30	FLOOR PAN, rear, LH FLOOR PAN, rear, LH, aftermarket	1	1969-On, saloon only 1969-On, saloon only	8	ALA6278RP ALA6279RP	£34.40 £34.40	INNER WING, repair, RH INNER WING, repair, LH	1 1	1969-0n 1969-0n
3	MBP9023	£26.20	FLOOR EDGE INNER. RH	1	1969-0n	1					



						7					
ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
Fr	ont Body	Panels	Clubman			5	CZH155 CZH149	£33.00 £47.00	BONNET SUPPORT PANEL BONNET LANDING PANEL	1 1	
1	CZH408 CZH409	£117.30 £117.30	FRONT WING, RH FRONT WING. LH	1		¦ 7 ! 8	CZH410 CZH567	£245.00 £263.00	INNER WING WITH A POST, RH INNER WING WITH A POST, LH	1 1	
2	CZH120	£16.40	HEADLAMP MOUNTING, RH	1		9	HMP441039 HMP441040	£241.50 £241.50	FRONT PANEL COMPLETE* FRONT PANEL COMPLETE*	1	1970-75 1976-83
3	CZH121 CZH2609	£16.40 £177.00	HEADLAMP MOUNTING, LH BONNET ASSEMBLY	1		i	111VII 441040	2241.00	*(Includes CZH120, CZH121, CZH5	63, CZF	
4	CZH563 AAM1022	£122.00 £116.00	FRONT LOWER PANEL FRONT LOWER PANEL	1 1	1970-76 1976-83						




ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
	14A8306 14A8307 14A5498 14A5498Z HMP441052 14A5499	£620.00 £620.00 £89.00 £50.00 £125.00 £89.00	DOOR ASSEMBLY, RH DOOR ASSEMBLY, LH DOOR SKIN, RH DOOR SKIN, RH, aftermarket DOOR SKIN, RH, aluminium DOOR SKIN, LH	1 1 1 1	1959-69 1959-69 1959-69 1959-69 1959-69 1959-69	4	CZH3300 CZH3300Z CZH3300AL CZH3301 CZH3301Z CZH3301AL 14A8349Z 14A8348Z	£86.40 £49.00 £57.30 £86.40 £49.00 £57.30 £33.80 £35.20	DOOR SKIN, RH DOOR SKIN, RH DOOR SKIN, alloy, RH DOOR SKIN, LH DOOR SKIN, LH DOOR SKIN, alloy, LH DOOR JAMB, repair, RH DOOR JAMB, repair, LH	1 1 1 1 1 1 1	1970-0n 1970-0n 1970-0n 1970-0n 1970-0n 1970-0n 1970-0n
3	14A5499Z HMP441053 BMP326 BMP327 BDA360100 BDA360110	£50.00 £125.00 £470.00 £470.00 £470.00 £470.00	DOOR SKIN, LH, aftermarket DOOR SKIN, LH, aluminium DOOR ASSEMBLY, RH DOOR ASSEMBLY, LH DOOR ASSY. & CRASH BAR, RH DOOR ASSY. & CRASH BAR, LH	1 1 1 1 1	1959-69 1959-69 1970-89 1970-89 1990-0n	6 7 8	CZH3355Z CZH3356Z 14A8307RP 14A8306RP CZH3350Z CZH3351Z ADU2038	£18.70 £18.90 £66.50 £66.30 £26.30 £26.30 £26.30	DOOR INNER, repair, LH DOOR INNER, repair, RH LOWER DOOR, repair, RH LOWER DOOR, repair, LH DOOR BOTTOM, repair, LH DOOR BOTTOM, repair, RH RIVET NUT, door mirror	1 1 1 1 1 a/r	1970-0n 1970-0n 1959-69 1959-69 1970 On 1970 On





ill.	Part Number	Price £ea.	Description	Req.	Details
In	ner Wing	S			
1	14A7900	£124.00	INNER WING, without A panel, RH	1	1959-69
	ABD36008	NCA	INNER WING, without A panel, RH	1	1969-0n
2	ABD36004	£215.00	INNER WING ASSY., with A panel, RF	1 1	1969-0n
3	ABD36006	£168.00	INNER WING ASSY., without A panel, R	H 1	1969-0n
4	14A7901	£157.00	INNER WING, without A panel, LH	1	1959-69
	ALA6271	£124.00	INNER WING, without A panel, LH	1	1969-89
	ABD36009	£111.30	INNER WING, without A panel, LH	1	1990-96
	ABD360180	£124.00	INNER WING, without A panel, LH	1	1997-0n
5	ABD36007	£168.00	INNER WING, without A panel, LH	1	1990-96 with fan hole

iil.         Part Number         Price £ea.         Description         Req.         Details           6         ALA6279         £215.20         INNER WING ASSY., with A panel, LH         1         1969-89           ABD360200         £215.00         INNER WING ASSY., with A panel, LH         1         1997-0n           7         ABD36005         £215.00         INNER WING ASSY., with A panel, LH         1         1990-96 with fa hole           8         HMP441023         £49.80         PANEL COOLING SLATS         1         1959-89           9         14A6498         £64.00         RADIATOR COWLING         1         1959-75           10         ALA6472         £27.30         A POST INNER STIFFENER, RH         1         1970-0n           MBP9003         £21.00         A POST INNER STIFFENER, LH         1         1970-0n, aftern           ALA6473         £27.30         A POST INNER STIFFENER, LH         1         1970-0n, aftern           MBP9004         £37.00         A POST INNER STIFFENER, LH         1         1970-0n, aftern	
ABD360200 £215.00 INNER WING ASSY., with A panel, LH 1 1997-0n 7 ABD36005 £215.00 INNER WING ASSY., with A panel, LH 1 1990-96 with fa hole 8 HMP441023 £49.80 PANEL COOLING SLATS 1 1959-89 9 14A6498 £64.00 RADIATOR COWLING 1 1959-75 10 ALA6472 £27.30 A POST INNER STIFFENER, RH 1 1970-0n MBP9003 £21.00 A POST INNER STIFFENER, RH 1 1970-0n, aftern ALA6473 £27.30 A POST INNER STIFFENER, LH 1 1970-0n	
8       HMP441023       £49.80       PANEL COOLING SLATS       1       1959-89         9       14A6498       £64.00       RADIATOR COWLING       1       1959-75         10       ALA6472       £27.30       A POST INNER STIFFENER, RH       1       1970-0n, aftern         MBP9003       £21.00       A POST INNER STIFFENER, RH       1       1970-0n, aftern         ALA6473       £27.30       A POST INNER STIFFENER, LH       1       1970-0n	n
11 ALA5686 £16.30 BOXING PLATE A PANEL, RH 1 1970-0 n ALA5687 £16.30 BOXING PLATE A PANEL, LH 1 1970-0 n	



ill.	Part Number	Price £ea.	Description	Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
В	ody Fittin	gs				24	GHF331	£0.17	WASHER, locking	4	
1 2 3	BKD360030 24A859 GFK7344 GHF504	£11.00 £2.10 £1.66 £0.19	STAY, bonnet CLIP, stay to bonnet, metal CLIP, stay retaining, rubber SPLIT PIN, retainer	1 1 1 a/r		25 26 27 28 29	GHF200 14A6584 CKE10018 14A6585 MCR107 JRC2844	£0.19 £8.90 £8.40 £0.68 £4.00 £57.00	NUT SEAL, boot lid, fitted to boot lid SEAL, boot lid, fitted to body CLIP, seal to boot lid CABLE, boot lid check strap HANDLE, boot lid, chrome	4 1 1 a/r 2 1	To VIN 398599 From VIN 398600 use with seal 14A6584 To 1980
4	14A7246 14A7247	£34.00 £34.00	HINGE, bonnet, RH HINGE, bonnet, LH	1	] 1959-69 	1 23	JRC2843	£54.00	HANDLE, boot lid, black	1	1980-84
	BMP348 BMP349 MSSK019	NCA NCA \$34.00	HINGE, bonnet, RH HINGE, bonnet, LH HINGE KIT, quick release	1 1	]   1970-On 	30	JRC8182 14A7194 CZH1747	£62.10 £59.40 £0.60	HANDLE, boot lid, nimbus HANDLE, boot lid, chrome SEAL, handle to boot	1 1 1	1984-0n 1959-69
5	PWZ204	NCA	WASHER	4		31	PMZ314	£0.28	SCREW, cable to body	2	
6	GHF200	£0.19	NUT	4			PMZ308	£0.28	SCREW, cable to boot lid	2	
7	JRC7898	£8.10	SEAL, bonnet, front	1		32	PWZ203	£0.17	WASHER, plain	6	
8	14A9010	NCA	SEAL, bonnet, rear, self adhesive		scuttle panel drain	33	WL700101	£0.19	WASHER, locking	6	
	CJE10021	£5.22	SEAL, bonnet, rear, self adhesive		to 1991   scuttle panel drain   1992-On	34 35 36	GHF206 14A5696 PMZ307	£0.13 £34.00 £0.48	NUT LATCH, boot Lock SCREW, latch to boot lid	6 1 2	
	JRC7008	£10.80	SEAL, bonnet, rear, rubber		bonnet lip, 1980-0n	37	WF702101	£0.32	WASHER, locking	a/r	
	BHH626M	£3.32	SEAL, bonnet, rear, per metre			38	GHF425	£0.19	SCREW, self tapping	2	_
9	14A6586	£7.00	PIN, bonnet	1		40	14A6468	£15.00	BACKING PLATE, number plate	1	
10	FPQ10001	£2.90	SPRING	1		41	14A6466	£7.45	HINGE, number plate, RH	1	AAL-LU
11	ADA458	£9.70	SPRING CUP	1		42	14A6467 CMZ308	£7.45 £0.28	HINGE, number plate, LH SCREW, hinge to bootlid	1 6	MkI-II,
12	ND606041	£1.15	LOCK NUT	1		43	WL700101	£0.26 £0.19	WASHER	6	not MkII Germany
13	AAM1206	£27.50	CATCH	1		45	14A7625	£2.30	BUFFER, number plate	2	
14	AAM1223	£4.40	GUIDE	1		1 43	14/1023	22.00	borren, number plate	2	1
15	SH604051	£0.28	SCREW, catch and guide to body	2							
16 17	GHF331 4G2494	£0.17 £2.40	WASHER, locking SPRING, catch return	2	1 alternatives						
17	24G3591	£4.96	SPRING, catch return	1	allerrialives						
18	ALA7608	£20.00	HOOK	1	J						
10	MCR108	£13.64	CABLE, bonnet release	1							
	GAC8425X	£32.00	BONNET RELEASE KIT	1							
19	HMP441031	£12.40	HINGES, boot, (pair)	1		i					
. •	MT8101	£14.00	HINGES, boot, (pair)	1	chrome plated	i					
20	BMP401	£0.46	GASKET, upper hinge	1							
21	BMP402	£1.40	GASKET, lower hinge	1							
22	SG604051	£1.04	SCREW	4							
23	GHF300	£0.19	WASHER	4							





## **Door Handles & Locks**

There are two different types of door handles for the early Mkl-II door. The early type, 1959-65, was a standard door handle whereas from 1966 onwards a safety boss (to stop people catching themselves on the early handle) was fitted to the door skin, under the end of the handle. This meant a shorter door handle was made to allow fitment for the boss. Originally only one lock was fitted to these cars, the exterior handle on the driver's side and the interior passenger side. In the inside of the car, the reverse was the case, with the passenger's lock assembly incorporating a safety catch and the driver's side lock assembly not. All door handles we now supply are of the locking type.

Req. Details

#### **Door Handles & Seals**

Mk	I, 1959 - 1965				
1	24A1140P	NCA	HANDLE SET, doors only	1 1	2 piece, with keys
2	24A1140S	£116.30	HANDLE SET, doors & boot	1	3 piece, with keys
3	14A7194	£59.40	HANDLE, boot lid, chrome, with key	1	Mkl-II, 1959-65
4	24A1140LB	£45.60	LOCK BARREL SET, 2 piece, with keys	1	
5	24A1140	£32.40	DOOR HANDLE, locking, RH, with keys		
	14A6829	£32.40	DOOR HANDLE, locking, LH, with keys		
6	17H6596	NCA	BOLT, locking	2	
7	27H8618	NCA	PIN, retaining	2	
8	24A2245	£12.60	ESCUTCHEON, locking handle	1]	1
	24A2246	£12.60	ESCUTCHEON, non locking handle	1	Mkl-II
9	ADA3817	£3.08	SEAL, escutcheon to door	2	
10	PWZ203	£0.17	WASHER, plain	4	
11	WL700101	£0.19	WASHER, locking	4	to 1966
12	PMZ308	£0.28	SCREW, escutcheon to door	4	
	I-II, 1966-On				
	24A2083P	NCA	HANDLE SET, doors only	1	2 piece, with keys
	24A2083S	£115.20	HANDLE SET, doors & boot	1	3 piece, with keys
	14A7194	£59.40	HANDLE, boot lid, chrome, with key	1	Mkl-II, 1966-70
	24A1140LB	£45.60	LOCK BARREL SET, 2 piece, with keys		
19	24A2083	£36.00	DOOR HANDLE, RH, with keys	1	
	24A1833	NCA	DOOR HANDLE, LH, with keys	1.	
	17H6596	NCA	BOLT, locking	2	
21	27H8618	NCA	PIN, retaining	2	
22	24A2245	£12.60	ESCUTCHEON, locking handle	1	
	24A2246	£12.60	ESCUTCHEON, non locking handle	1	Mkl-II
23	ADA3817	£3.08	SEAL, escutcheon to door	2	
24		NCA	SPACER	4	4000 0
	PWZ203	£0.17	WASHER, plain	4	1966-0n
	WL700101	£0.19	WASHER, locking	4	
27	PMZ308	£0.28	SCREW, escutcheon to door	4	
	24A1834	£9.60	BOSS, door handle	2	1000 0-
	24A1835	£1.25	SEAL, boss to door	2	1966-0n
	WL700101	£0.19	WASHER, shakeproof	2	
31	PMZ308	£0.28	SCREW	2 .	I
Do	or Lock Ass	omhly			

#### **Door Lock Assembly**

35 36 37 38 39 40 41	24A2145 24A2146 24A2144 24A2143 14A8568 RMZ316 PWZ103 WL700101 FNZ103	NCA £36.00 £36.00 £36.00 NCA £1.70 £0.19 £0.19 £0.28	LOCK ASSEMBLY, no safety catch, RH LOCK ASSEMBLY, no safety catch, LH LOCK ASSEMBLY, safety catch, LH LOCK ASSEMBLY, safety catch, RH SEAL, lock to door SCREW WASHER, plain WASHER, spring NUT		RHD, drivers side LHD, drivers side RHD, passengers side LHD, passengers side
--	---	--	---	--	--

## **Door Lock Strikers**

45	14A6832	NCA	STRIKER PLATE, door lock	2
46	RMZ310	£0.62	SCREW, striker plate retainer	6
47	14A6835	£3.40	PLATE, buffer	2
48	CMZ204	£0.42	SCREW, buffer plate retainer	4
49	CMZ210	NCA	SCREW, buffer to door	4
50	14A6834	NCA	PLATE, buffer fixing	2
51	14A6833	£3.20	BUFFER, nylon	2
52	WL700101	£0.19	WASHER, locking	4
53	CNZ102	£0.28	NUT	4
54	14A7680	NCA	PLATE, tapped, buffer inside door	2

# Check Strans

GII	eck suaps				
60	ALE1221	£11.50	CHECK STRAP, black	2	
	14E4289	£15.00	CHECK STRAP, red	2	
	DC3005P	£11.50	CHECK STRAP, grey	2	
61	14A764	£1.80	BRACKET, check strap, 2 per strap	4	
62	14A6744	£2.20	BRACKET, check strap	2	1959-69
63	14A6745	£2.15	BRACKET, check strap	2	
64	SG604083	£1.32	SCREW, countersunk, chrome	8	
65	GHF331	£0.17	WASHER, spring	4	
66	GHF200	£0.19	NUT	4	

‡ ill.	Part Number	Price £ea.	Description	Req.	Details
--------	-------------	------------	-------------	------	---------

## Kick Plate & Trim

70	14A7176	£24.00	KICK PLATE, RH	1	l
	14A7177	£24.00	KICK PLATE, LH	1	1959-69
71	GHF600	£0.13	RIVET, kick plate to door pocket	8 .	
72	24A1169	£13.70	FINISHER, door pocket, chrome	2	MkI-II, van &
73	EYC10048	£2.23	CLIP, door pocket	8 .	pick-up

#### **Interior Door Pulls**

75	24A664	NCA	CABLE, door pull	2	
76	PMZ308	£0.28	SCREW, clamping cable to lock	2	1959-68, standard,
77	PWZ103	£0.19	WASHER, plain	2	deluxe, van &
78	PMZ308	£0.28	SCREW, cable to door	2	pick-up models
¦ 79	WL700101	£0.19	WASHER, locking	2	
80	FNZ103	£0.28	NUT	2	
81	GLZ119A	£28.00	HANDLE, interior, black	2 ]	
82	PMZ314	£0.28	SCREW, clamping handle to lock	2	1968-On, all models
83	WE702101	£0.28	WASHER, shakeproof	2	

## **Window Channel**

85	14A7167	NCA	CHANNEL UPPER	2
	14A7167Z	£16.50	CHANNEL UPPER	2 aftermarket
86	EAM8530	£10.00	WEATHER STRIP, RH/LH	2
87	24A88	£22.00	CHANNEL, lower	2
88	24A1303	£20.70	CHANNEL PLATE, RH	1   1961-0n
	24A1304	£20.70	CHANNEL PLATE, LH	1 J


#### **Window Catch**

90	24A1194	£7.25	WINDOW CATCH, front, RH	1 ]	
	24A1195	£7.25	WINDOW CATCH, front, LH	1	
	24A1196	£7.25	WINDOW CATCH, rear, RH	1	
	24A1197	£7.25	WINDOW CATCH, rear, LH	1	1963-0n
91	24A1198	£3.50	SEAL, catch to glass	4	
92	RMP307	£2.32	SCREW, window catch	4	
93	14A8151	£5.20	BOSS, window catch, chrome	4	
94	14A7065B	£0.60	WASHER, for chrome boss	4	

## **Early Door With External Hinges**

100 14A68	18KA £135.00	HINGE SET, external	1	l
101 14A68	18 NCA	HINGE, RH, upper	1	
14A68	19 NCA	HINGE, LH, upper	1	
102 14A68	20 NCA	HINGE, RH, lower	1	
14A68	21 NCA	HINGE, LH, lower	1	
103 BMP13	£0.73	GASKET, large	4	
104 BMP13	£0.89	GASKET, small	4	1959-69
105 37H30	43 £1.80	BUSH, hinge, repair	4	
106 37H30	44 £1.32	PIN, hinge, repair	4	
107 GHF20	0 £0.19	NUT	10	
108 GHF33	1 £0.17	WASHER, spring	16	
109 GHF30	0 £0.19	WASHER, flat	12	
110 SE604	061 £0.62	SCREW, pan head	6 .	

80




ill. Part Number Price £ea. Description

Req. Details

				- 1		1				- 1	
	Door Fittings						CFB10047	£14.50		2	
						29	CZH886	£57.00	HANDLE, locking, chrome, RH	1	
	ater Door W	ith Intern	al Hinges				CZH887	£57.00	HANDLE, locking, chrome, LH	1	
							CZH886/7	£91.80	HANDLES, chrome, (pair)	1	1970-On inc: keys
1	CZH3121	£6.46	BRACKET, check arm	2			JRC2841/2	£60.00	HANDLES, black, (pair)	1	1970-On inc keys
2		£180.00	HINGE SET, upper & lower	11			CZH1784S	£98.90	HANDLE SET, chrome, MkI boot hand	le 1	1970-0n
-	CZH202	£32.15	HINGE, upper, RH	1	0E		WPA9019X	£144.00	HANDLE SET, chrome, MkIII boot hand	le 1	1970-0n
	CZH203	£32.15	HINGE, upper, LH	1	from 1970		CZH1785LB	£55.20	BARREL SET	1	1970-On includes
	CZH212	£30.30	HINGE, lower	2	110111 1970						doors & boot
			- ,		aftarmarkat	30	13H2899	£1.66	LINK CLIP	4	
	CZH202K CZH203K	£18.10	HINGE SET, RH, pair	1]	aftermarket	00	10112000	21100			
			HINGE SET, LH, pair		from 1970	! Not	e. We sunnly ex	terior lock s	ets with matching keys.		
			(The RH & LH hinge sets include a low		nd handed upper hinge).	1401	o. we supply on	itorior look o	oto with matering Reyo.		
3		£2.40	, ,	a/r		31	PMZ306	50 43	SCREW, exterior handle to door	4	
4		£0.37	NUT, nyloc, hinge to body	8		1 '	WL700101	£0.42	WASHER, locking	4	
5		£0.37	, ,	10			GHF306		WASHER WASHER	4	
6	ADA5671	£16.00	CHECK STRAP, door	2		33		£0.28			
7	CLZ413	£1.20	CLEVIS PIN, check strap to body	2		34	ALA5795	£1.45	GASKET, handle large	2	
8	GHF500	£0.19	SPLIT PIN	2		35	CZH1729	£1.04	GASKET, handle small	2	
ç	CZH4052	£4.00	SEAL, check strap, rubber, RH	1]	To VIN 324224	36	CZH646	£84.20	REGULATOR, RH	1	
	CZH4053	£4.00	SEAL, check strap, rubber, LH	1]			CZH647	£71.40	REGULATOR, LH	1	
	CGE10038	£5.50	SEAL, check strap, foam, RH	1]	From VIN 324225						
CGE10039 £5.50 SEAL, check strap, foam, LH				1]		! Not	e: See Accessor	ries section r	for electric window kits.		
1	0 CZH627	£16.80	STRIKER, door lock	2		i					
	1 CZD1184	NCA	STRIKER PLATE, RH	1		37	CZA7109	£4.94	HANDLE, window winder	2	
	CZD1185	NCA	STRIKER PLATE, LH	1			YGA4330	£9.70	HANDLE, window winder	2	late type
	CZG5254	£1.32	STRIKER PLATE	2	1990-0n	38	ZKC3317	£2.00	SCREW, window winder handle	2	
1	2 CZD1351	NCA	BUFFER, door to striker plate	2	1330 011	39	CZH701PA	£5.40	HANDLE SURROUND, black	2	
	3 CZD1350	NCA	RETAINER, door buffer	2			GAC8495X	£77.10	HANDLE SET, alloy	1	8 piece set
	4 SF604051	£0.28	SCREW, striker to B post	4		i			(Includes winders, openers, door pull	s and	l lock bezels).
	CZH628	NCA	PLUG, B post, behind catch	2		40	ALA5723	£41.00	DOOR GLASS, RH/LH	2	clear
1	5 CZH3528	£87.00	LOCK ASSEMBLY, RH	1			CZH4007	£65.00	DOOR GLASS, RH/LH	2	green tint
	CZH3529	£87.00	LOCK ASSEMBLY, LH	1		41	PAM3076	£11.50	RUBBER SEAL, glass upper, RH	1	
4			*				PAM3077	£11.50	RUBBER SEAL, glass upper, LH	1	
	6 ZCT410	£1.36	SCREW, lock to door	8		42	ALA5746	£34.90	CHANNEL, lower glass, front	2	
	7 37H6519	NCA	RETAINER, operating link	2			ALA5747	NCA	CHANNEL, lower glass, rear	2	
- 1	8 CZH616	£3.92	LOCK CONTROL, RH	1		44	ALA5746/7	£41.30	CHANNEL SET, lower glass, (pair)	2	
	CZH617	£3.92	LOCK CONTROL, LH	1		45		£3.18	GLAZING STRIP, rubber	4	0.5m length
	9 GHF1030	£0.54	NUT, plastic	4	alternative	46	EJU10003	£15.50	WEATHER STRIP, inner	2	with moulding
	0 AB608031	£0.19	SCREW, self tapping	4	door lock to frame	47	EYC10048	£2.23	CLIP, inner weather strip	a/r	with inoulaing
	1 CZH611PA	£12.00	BEZEL, lock control, plastic	2						a/1	
2	2 CZH640	£5.35	RELEASE MECHANISM, RH	1		48		£17.00	WEATHER STRIP, outer, RH	1	
	CZH641	£5.35	RELEASE MECHANISM, LH	1		1	PAM1015	£17.00	WEATHER STRIP, outer, LH		-4-1-1
2	3 PMZ305	£0.32	SCREW, release mechanism	4			HMP841007	£60.00	WEATHER STRIP KIT	1	stainless steel
2	4 WL700101	£0.19	WASHER, locking	4		i			(Includes pair of outer weather strips		ps).
2	5 JPC8387PA	£6.30	HANDLE, opening, black	2	plastic	49	ADH3809	£0.50	CLIP, outer moulding	a/r	
2	6 PMP308	£0.62	SCREW, release handle to spigot	2		50		£37.00	MOULDING, frame surround, RH		1970-0n
2	7 WE702101	£0.28	WASHER, locking	2		i	MS68	£37.00	MOULDING, frame surround, LH	1	
2	8 24A1351	£11.20	SEAL, door aperture, black	2	Mkl 1959-69	¦ 51	13H743	£1.30	CLIP, frame surround	24	
						-					

Req. Details



ill.	Part Number	Price £ea.	Description	Req.	Details					
Gl	Glazing									
W	Windscreen, Side & Rear Glass									
1	24A2236	£53.80	WINDSCREEN, laminated	1	clear					
	24A2236H	£193.40	WINDSCREEN, laminated, heated	1	clear					
	24A2236HM	£269.60	WINDSCREEN, laminated, heated	1]	clear Monte Carlo style					
	CZH4048	£55.90	WINDSCREEN, laminated	1	green tint					
	CZH4048H	£211.80	WINDSCREEN, laminated, heated	1	green tint					
	MS85	£62.00	WINDSCREEN, laminated	1	green tint/green top tint					
	MS85H	£213.00	WINDSCREEN, laminated, heated	1	green tint/green top tint					
Not	e: Special shipp	oing applies t	o all windscreens. Please see page	02 for n	nore information.					
2	JRC2671	£13.20	SEAL, windscreen, front	1						
	CCB100130	£14.60	SEAL, windscreen, front	1	latest wide type seal					
3	24A1466	£4.52	FILLER STRIP, front, chrome	2	pre-cut for front					
	24A1466R	£5.12	FILLER STRIP, rear, chrome	2	pre-cut for rear					
	JPC2017	£7.00	CLIP, filler strip end finisher	2						
4	13H7323	£71.30	REAR SCREEN, heated	1	clear					
	CZH4013	£92.80	REAR SCREEN, heated	1	green tint					

Note: Special shipping applies to all windscreens. Please see page 02 for more information.

1 1959-67

1 clear

2 clear

1 green tint

1 clear

1967-0n

£17.30 SEAL, rear screen

£12.55 SEAL, rear screen

£268.40 QUARTER LIGHT, RH

NCA QUARTER LIGHT, LH

NCA GLASS, quarter light

NCA QUARTER LIGHT, RH

14A8744

JRC2674

CZH3522

CZH3523

JRC5142

CZH4010


2

i	ill.	Part Number	Price £ea.	Description	Req.	Details
		CZH4011	NCA	QUARTER LIGHT, LH	1	green tint
		JRC5143	£31.10	GLASS, quarter light	2	green tint
	7	24A2131	£4.02	RUBBER, glazing	2	
į	8	JRC5142	NCA	GLASS, opening quarter light	2	clear
		JRC5143	£31.10	GLASS, opening quarter light	2	green tint
	9	CZH3537	£98.20	FRAME, quarter light, RH	1	
		CZH3538	£98.20	FRAME, quarter light, LH	1	
į	10	PAM1019	£12.00	SEAL, opening quarter light	2	
į		JRC2673	£12.20	SEAL, fixed quarter light	2	
		ALA5897	£7.80	SEAL, opening quarter light	2	Mkl
	11	CZH1315	£30.50	GLASS, fixed quarter light	2	clear
	12	14A7210	£32.40	SEAL, rear door windows	2	van & estate
į	13	14A7631	£9.50	CHANNEL, front	2	
i	14	14A7630	£10.40	CHANNEL, rear	2	estate rear side windows
	15	14A7632	£22.30	CHANNEL, upper	2	
	16	14A7633	£25.00	CHANNEL, lower	2	

## Windscreen Tool

This is the best tool for fitting windscreens and insert strips. Supplied with a variety of hooks and eyes to allow easy fitting of the screen and rubber or plastic insert. Not suitable for metal inserts. Tech tip don't rush this job! Use a little washing up liquid to lubricate the tool and seals.

17 WBT001 NCA WINDSCREEN INSERT FITTING TOOL 1



Fr	Front Grille & Fittings								
Note	e: Please see the	Accessorie	es section for our full range of grille	S.					
1	24A2158 24A2159	£78.00 £75.00	GRILLE, stainless steel GRILLE, stainless steel (With full slats for internal bonnet	1 1 release)	Mkl Morris Cooper Mkl Morris Cooper				
	14A7781FK	£6.00	MOUSTACHE KIT, complete	1 ]	includes end mouldings				
	14A7781	£90.00	MOUSTACHE	1					
	14A7782	£10.00	MOULDING, RH	1	for 14A7781				
	14A7783	£10.00	MOULDING, LH	1	for 14A7781				
	ADA3583	£0.60	CLIP		for left/right end mouldings				
	24A198	£82.00	GRILLE	!	Austin MkI Cooper and S				
	14A7299	£86.00	GRILLE	!	Austin Mkl wavy grille				
	ALA6654Z	£58.00	GRILLE, chrome	1	To 1977 & Mini 30				
	HMP841003	£102.50	GRILLE KIT	1]	inc: ALA6654Z and surrounds				
	DHB10150PME	£60.00	GRILLE, black	1	1977-81				
	CZH4015Z	NCA	GRILLE, black	1	1977-81				
2	PAM1878	NCA	GRILLE, black with shield	1	1981-84				
3	ALA6668	£63.70	GRILLE, chrome (External bonnet release).	1	Cooper MkII				
	ALA6669	£54.00	GRILLE, chrome	1	Cooper MkII				

(Internal bonnet release).

(With 6in holes for spot lamp fitment,

(With 6in holes for spot lamp fitment, internal bonnet release).

external bonnet release access).

GRILLE

£98.00 GRILLE, stainless steel

Req. Details

1 ] Cooper MkII

1 Cooper MkII

stainless steel

ill. Part Number Price £ea. Description


8B12502

8B12503

£96.00

	ill.	Part Number	Price £ea.	Description	Req.	Details
		GAC8434X	£123.70	GRILLE KIT	!	inc: 8B12502 grille and lamps
		GAC8420X	£123.70	GRILLE KIT	1 ]	inc: 8B12503 grille and lamps
		8B12504	£75.00	GRILLE, stainless steel	1	Cooper MkII
				(External bonnet release access).		
		8B12505	£75.00	GRILLE, stainless steel	1	Cooper MkII
				(Internal bonnet release).		
		8B12507	£82.00	GRILLE, stainless steel	1	as Austin wavy MkII
				(External bonnet release access).		
		8B12508	£80.00	GRILLE, stainless steel	1	as Austin wavy MkII
				(Internal bonnet release).		
		ALA6669	£54.00	GRILLE, Cooper	1	Cooper 1.3i
		GAC8421X	£9.70	GRILLE BUTTON KIT	1	
		GAC8439X	£15.30	BONNET LOCK, black	1	fits externally
				(Covers access to bonnet release).		
	4	JRC7084	NCA	BADGE, grille, Austin	1	
	5	JPC9935	NCA	BADGE, grille, Mini	1	
	6	DAH10003	NCA	BADGE, grille, Mini	1	Mayfair and City
	7	AB608021	£0.17	SCREW, self tapping	4	top of grille to body
	l	AB606031	£0.32	SCREW, self tapping		side edges of grille
						to body
	8	ALA6508	£10.00	SURROUND, RH	1	
	9	ALA6509	£10.00	SURROUND, LH	1	Designer
		AB606028	£0.42	FIXING SCREW,	13	surrounds and top
	10	37H8108M	£6.96	SEATING STRIP, chrome	1	per metre
	11	ALA6559	£17.00	FINISHER, grille top	1	
		ALA6559Z	£28.80	MOULDING TOP	1	
į		24A2708	£21.70	SURROUND seating strip, 29"	2	
	13	ALA6747	NCA	PLUG, grille		' - AL AOFOO (O (FO
		HMP841009	£44.40	MOULDING KIT	1	inc: ALA6508/9/59
		CZH3553	£25.90	SURROUND, headlamp, LH	1	GT and Clubman

(Contains over riders and fixings, no corner bars).



 ill.	Part Number F	Price £ea.	Description	 Req.	Details	ill.	Part Number	Price £ea.	Description	Req.	Details
D		=					GAC9400X	£28.30	PRACKET for lamp relocation	1	1 required when
Bu	mpers & F	-itting:	5				UAU9400A	120.30	BRACKET, fog lamp relocation	'	fitting overriders
1	DDD101667	020.00	DUMPED stainless steel	2	aftermarket	i					and corner bars
1	DPB10166Z 14A6779Z	£38.00 £42.00	,	2	alternative						2 dila comor baro
	14A6779SS	£42.00 £53.20	BUMPER, chrome	2	alternative	M	ouldings &	& Finis	hers		
		£70.00	BUMPER, stainless steel		with holes for		3-				
	14A9871	£70.00	BUMPER, stainless steel	2	corner bars	6	GZF105	£9.60	MOULDING, wheel arch, chrome	2	fluted
	EAM9219	£32.80	BUMPER, black	2	Clubman	Ţ	GZF107	£6.00	MOULDING, wheel arch, chrome	2	
	DPB10085PMG	£32.00 £43.00	BUMPER, black	2	Ciubiliali		GZF108M	£3.30	MOULDING, wheel arch, black	8	fluted, per metre
	JRC8268Z	£43.00	BUMPER, nimbus	2	1984-88 and				, , , , , , , , , , , , , , , , , , , ,		
	J11002002	243.00	DOWN EN, MINDUS	2	Mini 25	Not	te: Wheel arch ex	ctensions ar	re available in sets, please see the Acc	cesso	ries section.
	CZH600Z	NCA	BUMPER, front	1	Clubman	l I					
	CZH605		BUMPER, rear	1	Clubman	7	YGA1106	NCA	MOULDING, roof gutter, black, RH	1	
	14A7550	£12.10	BUMPER, quarter, chrome	2	Mini van		YGA1107	NCA	MOULDING, roof gutter, black, LH	1	
	14A7550Z	NCA	BUMPER, quarter, chrome, aftermarke		Mini van		JRC8260LP	NCA	MOULDING, roof gutter, nimbus, RH	1	
	EAM9248	£45.10	BUMPER, quarter, black	2	Mini van		JRC8261LP	NCA	MOULDING, roof gutter, nimbus, LH	1	
2	GHF200	£0.19	· · ·	6			GAC8494X	£14.00	MOULDING, roof gutter, chrome	1	p
	PWZ204	NCA	WASHER, plain, 1/4"	6		l I					] plastic
	WC108051	£0.28	WASHER, plain, 5/16"		for bumper	8	DBE10006PMD		CLIP, roof moulding joint, black	2	
			,,, . ,		EAM9219		DBE10006LMP	NCA	CLIP, roof moulding joint, nimbus	2	
4	GHF331	£0.17	WASHER, spring, 1/4"	6	all except EAM9219						
	GHF332	£0.28	WASHER, spring, 5/16"	8	for bumper	; VV	heel Arch	Extens	sions		
5	SH605051	£0.32	BOLT, bumper to body, 5/16"	8 .	EAM9219						
	14A9923	£20.00	OVERRIDER	2	Mkl	l I	AJM1117Z		ARCH KIT, black	1	
			(With holes for corner bars. Right ha	nd fro	nt and left hand rear).		CZH4312Z	£7.20	EXTENSION, wheel arch, black, RH	1	
	14A9924	£20.00	OVERRIDER	2	Mkl		CZH4313Z	£7.20	EXTENSION, wheel arch, black, LH	1	front
			(With holes for corner bars. Left hand	d fron	t and right hand rear).		CZH4314Z	£7.20	EXTENSION, wheel arch, black, RH	1	rear
	14A9877	£15.00	CORNER BAR, front, RH	1			CZH4315Z	£7.20	EXTENSION, wheel arch, black, LH	1	rear
	14A9878	£15.00	CORNER BAR, front, LH	1			CZH4316Z	£4.70	SILL FINISHER	2	
	14A9919	£14.00	CORNER BAR, rear, RH	1		l I Nad	ha. Milaaal ayala ay		o alas available in anta Can Assassa		ation for dataile
	14A9920	£15.30	CORNER BAR, rear, LH	1		I NOT	e: wheel arch ex	ctensions ar	e also available in sets. See Accessor	ies se	ection for details.
	14A7598	£1.25	BRACKET	4	for fitment of		CZH4316	NCA	MOULDING, black	2	1 between arch
					overrider		02114310	NOA	WOOLDING, DIACK		extensions
	SH605101	£0.84	BOLT	4		9	DYQ100140	£2.00	RIVET, arch extension to body	a/r	1 extensions
	0711007484	04.50	OF ATIMO DUDDED		overrider	J	DFJ100240LML		EXTENSION, wheel arch		1 front, RH,
	37H9871M	£1.50	SEATING RUBBER	1	sold by the metre	l I	DI 0100240LIVIL	2121.00	(Important: see note*).	'	sportspack Mini
	14A9879	£1.50	DISTANCE PIECE	4	bumper to		DFJ100250LML	£121 00	EXTENSION, wheel arch	1	] front, LH,
	CUETOO	00.40	DOLT	4	corner bar		DIGIOOLOGENIE	2121.00	(Important: see note*).	•	sportspack Mini
	GHF102	£0.42	BOLT	4	bumper to		DFK100460I MI	£107 46	EXTENSION, wheel arch	1	rear, RH,
	0.11514.7	00.00	DOLT		corner bar	i	DI ICTOO-FOOLINE	2107.40	(Important: see note*).		sportspack Mini
	GHF117	£0.28	BOLT	4		l I	DFK100470I MI	£107 46	EXTENSION, wheel arch	1	rear, LH,
	WPA9006X	£310.00	OVERRIDER AND BUMPER KIT	1	corner bar				(Important: see note*).	-	sportspack Mini
	WPA9000X	£310.00	(Kit includes 2 bumpers pre drilled 4	-	or hara. A ayar		GAC4606Z	NCA	SPORTSPACK ARCH KIT	1	
			riders and all fixings).	COITIE	er bars, 4 over		G 10 1000 <u></u>		(Important: see note*).	·	complete cot
	14A8738SS	£20.00	OVERRIDER	4	MkII plain overriders				, , ,		
	14401 3033	220.00	(No holes for corner bars).	4	wini piaili uvelliueis	*No	ote: As fitted to Ro	over sports:	pack Minis, made from rubber. They pr	otrud	e 3.5". The metal arch require
	14A7598	£1.25	BRACKET	1	for fitment of		dification for fitm				
	17/1/000	41.40	DINONEI	7	overrider				•		
	SH605101	£0.84	BOLT	4	for fitment of		DDJ10002	£21.80	SILL FINISHER	2	rubber strip
	0.1000101	20.07	202.	7	overrider				(Fits along the sill between the front	and i	rear arch extensions).
	37H9871M	£1.50	SEATING RUBBER	1	sold by the metre		MRAC401	£77.50	ARCH KIT, Group 2	1	,
	WPA9005X	£86.40	OVERRIDERS ONLY KIT	1	22.2 0, 0.0000		MRAC405	£115.00	ARCH KIT, Group 5	1	

ill.	Part Number	Price £ea.	Description	Req.	Details				
Mudflaps									
	CAT10044 AJM164	£43.30 £41.40	MUDFLAPS, pair MUDFLAPS, pair	1 1	Cooper logo Mini wording				
Ηι	Hub Caps								
	88G337Z	£32.00	HUB CAP, chrome	4	10" wheels				



Reg. Details


## **Door Mirrors**

1	JPC9848	£22.00	DOOR MIRROR, black plastic, RH	1
	JPC9849	£22.00	DOOR MIRROR, black plastic, LH	1
	CRB10184LML	£57.20	DOOR MIRROR, plastic, primed, RH	1   requires painting
	CRB10185LML	£67.60	DOOR MIRROR, plastic, primed, LH	1 I to suit body colour

Note: These late type plastic door mirrors are available in black plastic or primed. Later models have the plastic door mirror painted in either white or body colour. Pre-painted mirrors are no longer available. Primed mirrors should be purchased and painted to suit your car.

GAM215A	£34.00	MIRROR, door, chrome, RH	1	convex glass
GAM216A	£34.00	MIRROR, door, chrome, LH	1	convex glass
GAM217X	£31.00	MIRROR, door, chrome, RH	1	flat glass
GAM218X	£31.00	MIRROR, door, chrome, LH	1	flat glass

Note: Please see Accessories section for our full range of mirrors.



ill. Part Number Price £ea. Description

Req. Details

## Badges

24A71	£11.20	BADGE, bonnet		Austin Cooper and S Mkl
24A72	£28.00	BADGE, bonnet		Morris Cooper and S Mkl
ADA3580	£40.00	BADGE, bonnet	1	Morris Mini Mkl
24G1201	£11.70	BADGE INSERT, bonnet	1	Austin Mkl
14A6837	£21.00	BADGE SURROUND, bonnet	1]	Austin insert
			j	surround
14A6802	£12.10	BADGE, boot	1	Austin script Mkl
24A23	£8.20	BADGE, boot	1	Cooper script Mkl
24A997	£8.75	BADGE, boot	1	Mini script
14A6853	£8.50	BADGE, boot	1	Seven script
24A1401	£9.20	BADGE, boot, small	1	S script
24A1402	£9.20	BADGE, boot, large	1	S script
24A24	£35.00	BADGE, boot	1	Morris Cooper script
ADA3730	£18.00	BADGE, boot	1	Mini Minor script
ALA6622	£13.00	BADGE, boot	1	Austin Mini script
ALA6694	£7.50	BADGE, boot	1	850 script
ALA6695	£15.00	BADGE, boot	1	1000 script
ALA6696	£12.40	BADGE, boot	1	1275 script
ALA6519	£10.50	BADGE SURROUND, bonnet	1	Cooper S MkII
ALA6514	£12.60	BADGE INSERT, bonnet	1	Austin Cooper S MkII
ALA6515	£13.00	BADGE INSERT, bonnet	1	Morris Cooper S MkII
ALA6542	£16.00	BADGE SURROUND, boot	1	Cooper S MkII
ALA6513	£14.50	BADGE INSERT, bonnet	1	Austin Cooper MkII
ALA6517	£20.00	BADGE SURROUND, bonnet	1	Austin Cooper MkII
ALA6511	NCA	BADGE INSERT, bonnet	1	Morris Cooper MkII
ALA6518	£20.00	BADGE SURROUND, bonnet	1	Morris Cooper MkII

i	ill.	Part Number	Price £ea.	Description	Req.	Details
ŀ		ALA6536	£13.20	BADGE INSERT, boot	1	Cooper S MkII
i		ALA6537	£17.50	BADGE INSERT, boot	1	Morris Cooper MkII
i		ALA6538	£12.10	BADGE INSERT, boot	1	Austin Cooper MkII
ŀ		AVB192	£4.20	BADGE	1	MkII script
į		CZH1220	£16.30	BADGE, front grille	1	Clubman GT red
į		CZH4016	£15.00	BADGE, boot	1	Mini Special
i		CZH1269	£15.30	BADGE, boot	1	1275 GT
i		CZH4154	£15.30	BADGE, boot	1	1275 GT late
i		CZH4154F	£4.20	BADGE FOIL, boot badge	1	1275 GT late
ŀ		CZH1220	£16.30	BADGE, boot	1	GT, red
į		CZH1381	£15.30	BADGE, boot	1	MkIII Cooper S
i	1	CZH4378	£33.00	BADGE, bonnet	1	To VIN 349159
i		CZH1305	£21.50	BADGE, bonnet	1	blue on silver
i	2	KPC1002	£19.80	BADGE, bonnet	1 ]	VIN349160 To
ŀ					]	463576
ŀ	3	DAB10076	£34.20	BADGE, bonnet		VIN 463577 To
į					]	493180
i	4	DAH10036	£14.00	BADGE, bonnet	1	Cooper models
i		DAB101130	NCA	BADGE, bonnet	1	Italian job
ŀ		DAB10038	£26.40	BADGE, bonnet	1	Checkmate
į		DAB10085	NCA	BADGE, bonnet	1	Rover
į		DAH100410	NCA	BADGE, boot	1]	
i					]	Italian Job
i		DAH100590MMI	W £15.00	BADGE, boot, self adhesive	1 ]	1997-On Mini
l					]	winged badge
į	5	GHF1531	£0.28	LIP, badge retaining	3	




ill. Part Number Price £ea. Description

Req. Details

## Decals

	DAE10119NMN	£43.90	COACHLINE, white	1
	JRC2679NMN	NCA	COACHLINE, white	1
	DAE10119PMA	NCA	COACHLINE, black	1
	DAF10380NMN	£6.50	COOPER LAUREL, white	1
1	DAF10380PMA	£5.90	COOPER LAUREL, black	1
	DAF10402NMN	£42.40	BONNET STRIPE, white, RH	1
	DAF10403NMN	£42.40	BONNET STRIPE, white, LH	1
	DAF10402PMA	NCA	BONNET STRIPE, black, RH	1
	DAF10403PMA	£42.40	BONNET STRIPE, black, LH	1
	DAF104090RHR	NCA	BOOT DECAL	1 ] Italian Job for
				] white cars
	DAF104090RHS	£14.90	BOOT DECAL	1   Italian Job for
				green, red or
				black cars
	DAF104520RAU	£32.30	BOOT DECAL	<ol> <li>Monte Carlo</li> </ol>
	DAF104530RAU	NCA	BODY SIDE DECAL	<ol> <li>Monte Carlo</li> </ol>
	DAF104540RAU	£22.60	BONNET DECAL	<ol> <li>Monte Carlo</li> </ol>
	DAF105120	£77.90	ROOF DECAL	1 Union flag




ill. Part Number Price £ea. Description Req. Details

## **Chassis Plates**

1	CRCP314	£5.10	CHASSIS PLATE, Austin	1	not stamped
	CRCP316	£4.50	CHASSIS PLATE, Morris	1	not stamped

Req. Details



#### Req. Details

## **Carpet Sets**

Minis can get very noisy when driving at speed, our carpet sets are made with this in mind. The front sections of carpet feature 12mm thick sections of sound deadening laminated to the carpet backing to keep the sound levels as low as possible. Carpet set includes all fittings.

CSA9000X	£214.20	CARPET SET, black	1
CSR9000X	£209.40	CARPET SET, red	1
CSEQUUNY	£21/L20	CARPET SET gray	1

These moulded carpet sets are produced by the original manufacturer. They do not have sound deadening backing material, however, we offer a sound deadening kit made of the same material as fitted to the carpet sets listed above. See Sound Insulation listed below.

CSA9002X CSA9002Z	£214.20 £40.00	CARPET SET, black CARPET SET, black	1 To 1973 1 budget type, beaded edge
CSF9002X	£214.20	CARPET SET, grey	1 To 1973
CSF9002Z	£70.00	CARPET SET, grey	1 ] budget type, J beaded edge
CSN9001Z	£43.70	CARPET SET, blue	1 ] budget type, J beaded edge
CSR9002X	£209.40	CARPET SET, red	1 To 1973
CSR9002Z	£40.00	CARPET SET, red	1 ] budget type, J beaded edge
610624	£0.56	FASTENER, fitted to floor	4
GHF600	£0.13	RIVET, for 610624	4
2H8445	£0.37	CLIP, carpet to floor	4
14G8736	£0.28	RING, spiked, through carpet	4

#### **Sound Insulation Kits**

Keeping the volume of noise in your Mini down to a minimum can be a problem, any of the products listed below should help to solve the problem.

GAC8417X	£52.70	INSULATION KIT, engine bay	1	bonnet & bulkhead
GAC8429X	£56.20	INSULATION KIT, interior	1	under carpet

#### **Boot Floor Kit**

Tidy the boot space with one of these carpeted wood false floor kits. Installed it provides a flat floor tidying the boot area and helping to protect the battery and spare wheel.

BFK9001X	£98.60	FLOOR KIT, 5.5 gallon	1	1974-79
BFK9002X	£98.60	FLOOR KIT, 7.5 gallon	1	1980-0n
BFK9004X	£127.30	BRACKET SET, boot floor	1	165 section tyres

## ill. Part Number Price £ea. Description

#### **Dash Panel Kits**

DPK9000X	£53.00	DASH PANEL KIT, centre speedo	1	speedo only
DPK9001X	£53.00	DASH PANEL KIT, centre binnacle	1	3 gauge no vents
DPK9002X	£53.00	DASH PANEL KIT, centre binnacle	1	3 gauge with vents
DPK9003X	£81.60	DASH PANEL KIT, offset binnacle	1	2 & 3 gauge, RHD
DPK9004X	£81.60	DASH PANEL KIT, offset binnacle	1	2 & 3 gauge, LHD

#### **Trim Panel Kits**

Enhance the interior of your Mini, available in Black, Red or Nimbus (grey). These high quality trim panel kits feature a horizontal seam welded design styled on the original Cooper trim design.

TKF9000X TKF9008X	£395.90 £428.00	TRIM PANEL KIT, deluxe, grey TRIM PANEL KIT, standard, grey	1	Mkl & II Mkl & II
TKR9000X	£395.90	TRIM PANEL KIT, deluxe, red	1	Mkl & II
TKA9008X TKA9042X	£428.00 £249.30	TRIM PANEL KIT, standard, black TRIM PANEL KIT, black	1 1	Mkl & II Mklll On
TKR9042X	£249.30	TRIM PANEL KIT, red	1	MkIII On
TKF9042X GHF1222	£249.30 £0.37	TRIM PANEL KIT, grey CLIP, trim panel to door	1 a/r	MkIII On MkIII On
YGA452	£17.30	POCKET, door, plastic	2	MkIII On

# **Headlining & Sun Visors**

Our headlinings feature a ready stitched vinyl replacement main section with all loops stitched in place. The kit also contains a pair of rear pillar covers in matching material.

HLK30	00C	£117.40	HEADLINING KIT, cream crackle	1	MkI
			(Inc: Both rear C post material panels,	shap	e rods not included).
PAM54	101LNG	£209.20	HEADLINING KIT, grey	1	MkIII On
			(Inc: Both rear C post material panels,	shap	e rods not included).
HLK30	12P	£117.40	HEADLINING KIT, light grey	1	
HLK30	12W	£117.40	HEADLINING KIT, white	1	
EEB10	0060	£15.00	HEADLINING RAIL	1	number 1
EEB10	0070	£15.00	HEADLINING RAIL	2	number 2 and 3
EEB10	0800	£15.00	HEADLINING RAIL	1	number 4
EEB10	0090	£17.20	HEADLINING RAIL	1	number 5
EEB10	0100	£15.00	HEADLINING RAIL	1	number 6
YGX41	73LNG	NCA	SUN VISOR, light grey	1	
GAC84	65X	£36.00	VISOR, black	1	no mirror
GAC84	66X	£39.10	VISOR, black	1	with mirror

## **Parcel Shelf Kits**

DPK9010X	£52.00	DASH LINER KIT, parcel shelf	1	central binnacle
DPK9010CARDS	£20.30	DASH LINER SUPPORTS	1	

a/r

£15.00 ADHESIVE, 0.5 litre

## **Trim Adhesive**

UBS110

GAC8418X

GAC8419X

0200	2.0.00	7151120112, 010 11110		
UBS203	£8.30	ADHESIVE, 370g aerosol	a/r	
Miscella	neous			
EEP11Z	£12.30	AERIAL, stainless steel	1	
GAC7999	X £11.65	HEADLAMP EYEBROWS, chrome	1	pair
KRH1000	3 £71.40	SUMPGUARD, Cooper	1	
EBF1001	50 £64.00	LOAD LINER, boot	1	
24A1169	£13.70	FINISHER, rear pocket	2	Mkl & II
24A1538	£15.00	ASHTRAY, flat lid	1	
8D2490	£15.00	ASHTRAY, slotted lid	1	
MT9301	£9.00	AIR VENT COVERS, chrome	1	
		(Includes vent surrounds and adj	uster knol	o covers).
105-467	NCA	CARBON FIBRE SHEET	1	

£53.00 TOOL BAG, black hardura

£41.60 JACK BAG, black hardura

## **Hardware and Fixings**

Following is a listing of the common fasteners used on BL cars. These fasteners are for general use and are not intended to replace those listed for specific applications elsewhere in this catalogue.

To aid identification by terminology, a screw is threaded for its full length. A bolt is only part threaded with a plain unthreaded shank area between the head and the thread. The part number two letter prefix of SH means that the item is a Screw with a Hexagon head. The prefix BH means a Bolt with a Hexagon head. The first number defines the thread type, UNF = 6, UNC = 5. The second and third numbers give the thread diameter in increments of 1/16", e.g. 04 = 1/4", 05 = 5/16", 10 = 5/8". The fourth and fifth digits show the length in increments of 1/8", e.g. 04 =1/2", 16 = 2", 23 = 27/8". The last digit defines finish, 1 = zinc plated. This coding system is only applicable to bolts and screws: nuts & washers are coded by a similar system that follows some of the above principles.

#### 3/16" UNF Bolts & Set Screws Hexagon Headed 3/8" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	3/8"	HU503
N/A	1/2"	HU504
N/A	5/8"	HU505
N/A	3/4"	HU506
N/A	7/8"	HU507
N/A	1"	HU508

#### 1/4" UNF Bolts & Set Screws Hexagon Headed 7/16" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	3/8"	SH604031
N/A	1/2"	SH604041
N/A	5/8"	SH604051
N/A	3/4"	SH604061
N/A	7/8"	SH604071
BH604081	1"	SH604081
BH604091	1 1/8"	SH604091
BH604101	1 1/4"	SH604101
BH604111	1 3/8"	SH604111
BH604121	1 1/2"	SH604121
BH604141	1 3/4"	SH604141
BH604161	2"	SH604161
BH604181	2 1/4"	N/A
BH604201	2 1/2"	N/A
BH604241	3"	N/A

#### 5/16" UNF Bolts & Set Screws Hexagon Headed 1/2" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	3/8"	SH605031
N/A	1/2"	SH605041
N/A	5/8"	SH605051
N/A	3/4"	SH605061
N/A	7/8"	SH605071
N/A	1"	SH605081
BH605091	1 1/8"	SH605091
BH605101	1 1/4"	SH605101
BH605111	1 3/8"	SH605111
BH605121	1 1/2"	SH605121
BH605141	1 3/4"	SH605141
BH605151	1 7/8"	SH605151
BH605161	2"	SH605161
BH605181	2 1/4"	SH605181
BH605201	2 1/2"	SH605201
BH605221	2 3/4"	SH605221
BH605241	3"	SH605241

## 3/8" UNF Bolts & Set Screws Hexagon Headed 9/16" A.F. Spanner Size

N/A	1/2"	SH606041
N/A	5/8"	SH606051
N/A	3/4"	SH606061
N/A	7/8"	SH606071
BH606081	1"	SH606081
BH606091	1 1/8"	SH606091
BH606101	1 1/4"	SH606101

#### 3/8" UNF Bolts & Set Screws Hexagon Headed 9/16" A.F. Spanner Size

Bolt	Length	Set Screw
BH606111	1 3/8"	SH606111
BH606121	1 1/2"	SH606121
BH606141	1 3/4"	SH606141
BH606161	2"	SH606161
BH606181	2 1/4"	SH606181
BH606201	2 1/2"	SH606201
BH606221	2 3/4"	N/A
BH606241	3"	N/A
BH606281	3 1/2"	N/A
BH606321	4"	N/A

## 7/16" UNF Bolts & Set Screws Hexagon Headed 5/8" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	5/8"	SH607051
N/A	3/4"	SH607061
N/A	7/8"	SH607071
N/A	1"	SH607081
N/A	1 1/8"	SH607091
N/A	1 1/4"	SH607101
N/A	1 3/8"	SH607111
BH607121	1 1/2"	SH607121
BH607141	1 3/4"	SH607141
BH607161	2"	SH607161
BH607181	2 1/4"	SH607181
BH607201	2 1/2"	N/A
BH607241	3"	BH607241

## 1/2" UNF Bolts & Set Screws Hexagon Headed 3/4" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	1/2"	SH608041
N/A	5/8"	SH608051
N/A	1"	SH608081
N/A	1 1/2"	SH608121
BH608141	1 3/4"	SH608141
BH608161	2"	N/A
BH608181	2 1/4"	N/A
BH608201	2 1/2"	SH608201
BH608241	3"	N/A

#### 1/4" UNC Bolts & Set Screws Hexagon Headed 7/16" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	3/8"	SH504031
N/A	1/2"	SH504041
N/A	5/8"	SH504051
N/A	3/4"	SH504061
N/A	7/8"	SH504071
N/A	1"	SH504081
BH504091	1 1/8"	SH504091
N/A	1 1/4"	SH504101
BH504111	1 3/8"	SH504111
BH504121	1 1/2"	SH504121
N/A	1 3/4"	SH504141
BH504161	2"	N/A
BH504181	2 1/4"	SH504181
BH504201	2 1/2"	N/A

## 5/16" UNC Bolts & Set Screws Hexagon Headed 1/2" A.F. Spanner Size

Bolt	Length	Set Screw
N/A	3/8"	SH505031
N/A	1/2"	SH505041
N/A	5/8"	SH505051
N/A	3/4"	SH505061
N/A	7/8"	SH505071
N/A	1"	SH505081
N/A	1 1/8"	SH505091

BH505101	1 1/4"	SH505101
BH505111	1 3/8"	SH505111
BH505121	1 1/2"	SH505121
BH505141	1 3/4"	SH505141
BH505161	2"	N/A
BH505181	2 1/4"	N/A
BH505201	2 1/2"	SH505201
BH505241	3"	N/A

#### 3/8" UNC Bolts & Set Screws Hexagon Headed 9/16" A.F. Spanner Size

Length	Set Screw
1/2"	SH506041
3/4"	SH506061
7/8"	SH506071
1"	SH506081
1 1/8"	SH506091
1 1/4"	SH506101
1 3/8"	SH506111
1 1/2"	SH506121
1 3/4"	N/A
2"	SH506161
2 1/4"	N/A
2 1/2"	N/A
3"	SH506241
	1/2" 3/4" 7/8" 1" 1 1/8" 1 1/4" 1 3/8" 1 1/2" 1 3/4" 2" 2 1/4" 2 1/2"

## **Self Tapping Screws**

Pan Head	Size	Length	Countersunk
			Head
AB604021	No.4	1/4"	AC604021
AB606021	No.6	1/4"	N/A
AB606031	No.6	3/8"	N/A
AB606041	No.6	1/2"	AC606041
AB606061	No.6	3/4"	AC606061
AB606081	No.6	1"	AC606081
AB608041	No.8	1/2"	AC608041
AB608061	No.8	3/4"	AC608061
AB608081	No.8	1"	N/A
AB610041	No.10	1/2"	AC610041
AB610061	No.10	3/4"	AC610061
AB610081	No.10	1"	AC610081
AB612041	No.12	1/2"	AC612041
AB612061	No.12	3/4"	N/A
AB612081	No.12	1"	AC612081
AB614061	No.14	3/4"	N/A
AB614081	No.14	1"	AC614081

В	=	Pan Head
C	=	Countersunk Head
1st digit	=	thread type (coarse or fine
2nd/3rd digit	=	diameter
4th/5th	=	length in 1/8" increments
6th	=	finish (1 = zinc plated)

#### **Cross Slot Screws**

Pan Head	Size	Length	Countersunk
			Head
PMZ204	No.6 UNC	1/4"	CMZ204
PMZ208	No.6 UNC	1/2"	N/A
PMZ304	No.10 UNF	1/4"	N/A
PMZ305	No.10 UNF	5/16"	CMZ305
PMZ306	No.10 UNF	3/8"	CMZ306
PMZ307	No.10 UNF	7/16"	CMZ307
PMZ308	No.10 UNF	1/2"	CMZ308
PMZ310	No.10 UNF	5/8"	CMZ310
PMZ312	No.10 UNF	3/4"	CMZ312
PMZ314	No.10 UNF	7/8"	N/A
PMZ316	No.10 UNF	1"	CMZ316
SE604041	1/4" UNF	1/2"	SF604041
SE604051	1/4" UNF	5/8"	SF604051
SE604061	1/4" UNF	3/4"	SF604061
N/A	1/4" UNF	7/8"	SF604071
SE604081	1/4" UNF	1"	SF604081
SE604121	1/4" UNF	1 1/2"	SF604121
SE605061	5/16" UNF	3/4"	SF605061
SE605081	5/16" UNF	1"	SF605081

## **Plain Nuts**

HN2003	No. 6 UNF	5/16"	N/A
	Size	Size	
Full Nut	Thread	Spanner	Half Nut

HN2005	3/16" UNF	3/8"	N/A
GHF206	3/16" UNF	5/16"	N/A
HN2007	1/4" UNF	7/16"	JN2107
HN2008	5/16" UNF	1/2"	JN2108
HN2009	3/8" UNF	9/16"	JN2109
HN2010	7/16" UNF	5/8"	JN2110
HN2011	1/2" UNF	3/4"	JN2111
HN2012	9/16" UNF	7/8"	JN2112
N/A	5/8" UNF	15/16"	JN2113
HN2057	1/4" UNC	7/16"	JN2157
HN2058	5/16" UNC	1/2"	JN2158
HN2059	3/8" UNC	9/16"	JN2159

## **Nyloc Self Locking Nuts**

Full Nut	Thread Size	Spanner Size	Half Nut
YN2905	3/16" UNF	5/16"	N/A
YN2907	1/4" UNF	7/16"	GHF271
YN2908	5/16" UNF	1/2"	TN3208
YN2909	3/8" UNF	9/16"	TN3209
YN2910	7/16" UNF	5/8"	TN3210
YN2911	1/2" UNF	3/4"	TN3211
YN2912	9/16" UNF	7/8"	TN3212
YN2913	5/8" UNF	15/16"	TN3213

## 'Aero' Or All Metal, 'Phillidas' **Self Locking Nuts**

Thread	Spanner	Half Nut
Size	Size	
1/4" UNF	7/16"	N/A
5/16" UNF	1/2"	N/A
3/8" UNF	9/16"	N/A
7/16" UNF	5/8"	N/A
1/2" UNF	3/4"	N/A
	Size 1/4" UNF 5/16" UNF 3/8" UNF 7/16" UNF	Size Size 1/4" UNF 7/16" 5/16" UNF 1/2" 3/8" UNF 9/16" 7/16" UNF 5/8"

#### **Slotted Nuts**

Full Nut	Thread	Spanner	Half Nut
	Size	Size	
ND606041	3/8" UNF	9/16"	LN2209
ND607041	7/16" UNF	5/8"	NL60704
ND608041	1/2" UNF	3/4"	LN2211
ND609041	9/16" UNF	7/8"	LN2212
ND610041	5/8" UNF	15/16"	NL61004

## **Plain Brass - Manifold Nuts**

Full Nut	Thread Size	Spanner
		Size
GHF261	5/16" UNF	1/2"
GHF262	3/8" UNF	9/16"
GHF270	5/16" UNC	1/2"
GHF269	3/8" UNC	9/16"

## **Spring/Spire Nut**

Flat Type	Screw Size	'U' Type
GHF700	No. 6	GHF711
GHF701	No. 8	GHF712
GHF702	No. 10	GHF713
GHF703	No. 12	GHF714
GHF704	No. 14	N/A

## **Captive Nuts**

Captive nuts consist of a square nut and cage which we supply individually as required. Always match nut and cage A.F. sizes.

Part Number	Description	Thread Size
NQ2707	Nut, 7/16" AF	1/4"
NQ2708	Nut, 5/8" AF	5/16"
CN4	Nut, fits CN3 cage	1/4"
CN5	Nut, /2" AF	5/16"
Part Number	Description	Spanner Size (AF)
CN2	Cage, square	7/16"
CN3	Cage, oblong	7/16"
600032	Cage, square	1/2"

	oof Washer	S	TE506161	3/8"	2"	CLZ415	15/16"	1/4"	Bleed Scr	ews
			TE506201	3/8"	2 1/2"	CLZ416	1"	1/4"		
Internal Star	Hole Size	External	TE506361	3/8"	3 1/2"	CLZ417	1 1/16"	1/4"	Part Number	Thread Size
		Star	I I			CLZ427	1 11/16"	1/4"	556508A	3/8" UNF
WF704061	No. 6	WE704061	Note: The follo	owing list is of	f studs have fine	N/A	1/2"	5/16"	608400A	10mm metric
WF702101	3/16"	WE702101	(UNF) threads	at both ends.		N/A	9/16"	5/16"	27H7166	3/8" BSF
	1/4"		1			CLZ510	5/8"	5/16"	27117100	3/0 031
WF600041		WE600041	Part Number	Diameter	Overall	CLZ511	11/16"	5/16"	Dina Clina	
WF600051	5/16"	WE600051	I art Nulliber	Diameter					Pipe Clips	
WF600061	3/8"	WE600061	TECO 4004	4 / 4 22	Length	CLZ512	3/4"	5/16"	I I	
WF600071	7/16"	WE600071	TE604081	1/4"	1"	CLZ513	13/16"	5/16"	Part Number	Capacity
WF600081	1/2"	WE600081	TE604091	1/4"	1 1/8"	CLZ514	7/8"	5/16"	GHF1191	SINGLE, 3/16"
WF600091	9/16"	WE600091	TE604101	1/4"	1 1/4"	CLZ515	15/16"	5/16"	GHF1192	SINGLE, 1/4"
WF600101	5/8"	WE600101	TE605101	5/16"	1 1/4"	CLZ516	1"	5/16"	624155	DOUBLE, 3/16"
			TE605111	5/16"	1 3/8"	CLZ517	1 1/16"	5/16"		,
Spring Typ	e Locking	Washers	TE605121	5/16"	1 1/2"	CLZ518	1 1/18"	5/16"	Petrol Pine	e Clips (Metric)
opinig typ	o Looking	vvaoiioio	TE605131	5/16"	1 5/8"	i i i i			('Enots' Type)	•
Cinala Cail	Holo Cizo	Daubla Cail	TE605141	5/16"	1 3/4"	Split Pins			( Liluts Type)	
Single Coil	Hole Size	Double Coil	TE605151	5/16"	1 7/8"	. opiici iiis			1	T 0 ! D!
WL700061	No. 6	N/A				David Mirrordo au	Lanadh	Diameter.	Part Number	To Suit Diameter
WL700081	No. 8	N/A	TE605181	5/16"	2 1/4"	Part Number	Length	Diameter	GGT1108X	8mm
WL700101	3/16"	AJD7721	TE605201	5/16"	2 1/2"	GHF500	1 1/2"	1/16"	GGT1109X	9mm
GHF331	1/4"	AJD7722	TE605221	5/16"	2 3/4"	GHF501	1 1/2"	5/64"	GGT1110X	10mm
GHF332	5/16"	AJD7731	TE605251	5/16"	3 1/8"	GHF502	1 1/2"	3/32"	GGT1111X	11mm
GHF333	3/8"	AJD7742	TE605291	5/16"	3 5/8"	GHF503	2 1/4"	7/64"	GGT1112X	12mm
GHF334	7/16"	N/A	TE606101	3/8"	1 1/4"	GHF504	2 1/4"	1/8"	GGT1113X	13mm
GHF335	1/2"	N/A	TE606111	3/8"	1 3/8"	GHF505	2 1/4"	9/64"	GGT1114X	14mm
GHF336	5/8"	N/A	TE606121	3/8"	1 1/2"	GHF506	2 1/4"	5/32"	GGT1115X	15mm
arii ooo	3/0	IV/A	TE606141	3/8"	1 3/4"				GGT1116X	16mm
Plain Was	horo		TE606151	3/8"	1 7/8"	Brake & F	uel Pine			
Fidili vvas	sile12		12000131	3/0	1 7/0				GGT1117X	17mm
		<b>.</b>	Note: The fall	uning of the	avo course (LINO)	(Supplied in 2	LO TOUL TOTIS)		110011	While of Total
Standard Type		Repair Type		0	ave course (UNC)	I Destate t	Material	Diamet		s ('Jubilee' Type)
N/A	No. 6	WP3	threads at both	i ends.		Part Number	Material	Diameter	Mild Steel (In	nperial)
N/A	No. 8	WP4	I I			MPKF125	Cupro-nickel	3/16"	1	
GHF306	3/16"	WP5	Part Number	Diameter	Overall	MPKF225	Cupro-nickel	1/4"	Part Number	To Suit Diameter
GHF300	1/4"	WP120	i		Length	MPKF325	Cupro-nickel	5/16"	GHC304	3/8" - 1/2"
GHF301	5/16"	WP105	101442	3/8"	1 5/8"	EF125	Steel	3/16"	GHC405	7/16" - 5/8"
GHF302	3/8"	WP130	058688	3/8"	1 11/16"	EF225	Steel	1/4"	GHC11020	1/2" - 3/4"
GHF303	7/16"	WM69	115696	3/8"	1 13/16"	EF325	Steel	5/16"	GHC11022	5/8" - 7/8"
			058917	3/8"	1 15/16"	1 2.020	01001	0, 10		3/4" - 1"
GHF304	1/2"	N/A	102474	3/8"	2 1/16"	Grease Ni	nnlae		GHC11025	
N/A	9/16"	WP12	107055	3/8"	2 3/8"	Grease Wi	phics		GHC11030	5/8" - 1 1/8"
N/A	5/8"	PWZ110	107033	3/0	2 3/0	Dowl Mousehou	Thursd Cine	America	GHC811	1" - 1 3/8"
0 1: 14	, ,		Dowels			Part Number	Thread Size	Angle	GHC11035	1 1/8" - 1 5/8"
Sealing W	/ashers		Dowels			UHN400	1/8" BSP	straight, short	GHC1015	1 3/8" - 2"
			l		0 "	UHN445	1/8" BSP	45° angle	GHC1217	1 1/2" - 2 1/4"
Fibre Washer	Hole Size	Copper	Part Number	Diameter	Overall	LN30041	1/8" BSP	90° angle	GHC1622	2" - 2 3/4"
		Washer	i		Length	144825	1/8" BSP	straight, long	GHC2228	2 3/4" - 3 1/2"
WF505	3/16"	N/A	DP204	1/8"	1/4"	056935	1/4" BSP	straight	GHC2632	3 1/4" - 4"
GHF342	1/4"	GHF361	DP205	1/8"	5/16"	125361	1/4" BSP	45° angle	GHC3036	3 3/4" - 4 1/2"
GHF343	5/16"	GHF362	DP306	3/16"	3/8"	056934	1/4" BSP	90° angle	GHC3340	4 1/8" - 5"
GHF344	3/8"	GHF363	DP407	1/4"	7/16"			•	u1100010	1 1/0 0
	3/0		DP408	1/4"	1/2"	Dina Nuta	- Male, Stee		Hose Cline	s ('Jubilee' Type)
	7/16"					: Pide Nuts				
GHF345	7/16"	GHF364				; Pipe Nuts	- Maic, Stee			
GHF346	1/2"	GHF364 GHF365	DP410	1/4"	5/8"				Stainless Ste	
GHF346 GHF347	1/2" 9/16"	GHF364 GHF365 N/A	DP410 DP411	1/4" 1/4"	5/8" 11/16"	Part Number	Thread Size	Pipe Bore	Stainless Ste	el (Metric)
GHF346	1/2"	GHF364 GHF365	DP410 DP411 DP414	1/4" 1/4" 1/4"	5/8" 11/16" 7/8"	Part Number TM606031	Thread Size 3/8" UNF	Pipe Bore 3/16"	Stainless Ste	el (Metric)  To Suit Diameter
GHF346 GHF347 GHF348	1/2" 9/16"	GHF364 GHF365 N/A	DP410 DP411 DP414 DP508	1/4" 1/4" 1/4" 5/16"	5/8" 11/16" 7/8" 1/2"	Part Number TM606031 TM110051	Thread Size 3/8" UNF 10mm x 1mm	Pipe Bore 3/16"	Stainless Ste Part Number GHC10408	el (Metric)
GHF346 GHF347	1/2" 9/16"	GHF364 GHF365 N/A	DP410 DP411 DP414 DP508 DP514	1/4" 1/4" 1/4" 5/16" 5/16"	5/8" 11/16" 7/8" 1/2" 7/8"	Part Number TM606031 TM110051 LK21994	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF	Pipe Bore 3/16" 3/16" 3/16"	Stainless Ste	el (Metric)  To Suit Diameter
GHF346 GHF347 GHF348	1/2" 9/16"	GHF364 GHF365 N/A	DP410 DP411 DP414 DP508 DP514 DP608	1/4" 1/4" 1/4" 5/16" 5/16" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2"	Part Number TM606031 TM110051 LK21994 BCA4370	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4"	Stainless Ste Part Number GHC10408	el (Metric)  To Suit Diameter 8 - 12 mm
GHF346 GHF347 GHF348 Studs	1/2" 9/16" 5/8"	GHF364 GHF365 N/A	DP410 DP411 DP414 DP508 DP514	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16"	Part Number GHC10408 GHC10410	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm
GHF346 GHF347 GHF348 Studs A stud is a leng	1/2" 9/16" 5/8" gth of round bar	GHF364 GHF365 N/A N/A	DP410 DP411 DP414 DP508 DP514 DP608	1/4" 1/4" 1/4" 5/16" 5/16" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2"	Part Number TM606031 TM110051 LK21994 BCA4370	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4"	Part Number GHC10408 GHC10410 GHC10411	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends.	1/2" 9/16" 5/8"  gth of round bar	GHF364 GHF365 N/A N/A	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends.	1/2" 9/16" 5/8" gth of round bar	GHF364 GHF365 N/A N/A	DP410 DP411 DP414 DP508 DP514 DP608 DP610	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends the lengends that way vary	1/2" 9/16" 5/8"  gth of round bar gth of thread at	GHF364 GHF365 N/A N/A r threaded at both t each end of the plications.	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengstud may vary	1/2" 9/16" 5/8"  gth of round bar gth of thread at or specific applications of the specific application of the spe	GHF364 GHF365 N/A N/A  Tr threaded at both teach end of the plications.	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengstud may vary	1/2" 9/16" 5/8"  gth of round bar gth of thread at	GHF364 GHF365 N/A N/A  Tr threaded at both teach end of the plications.	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured free	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size	Pipe Bore 3/16" 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends stud may vary Note: The followat one end and	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a	GHF364 GHF365 N/A N/A  Tr threaded at both t each end of the plications.  fine (UNF) threads the other.	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 5 om under hea	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5/16" S	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengstud may vary	1/2" 9/16" 5/8"  gth of round bar gth of thread at or specific applications of the specific application of the spe	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications. fine (UNF) threads t the other.  Overall	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pin: (Measured from 108326	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  som under hea  Length 1/2"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm	Pipe Bore 3/16" 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5/16" 5  Pipe Bore 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10411 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengstud may vary Note: The followat one end and	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from 108326 PJ8504	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  Length 1/2" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts Part Number AEHU1 AEHU2 AEHU3	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16" 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends to lengend may vary Note: The followed one end and Part Number	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter 1/4"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length 1"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pin: (Measured from 108326 PJ8504 CLZ307	1/4" 1/4" 1/4" 5/16" 5/16" 5/16" 3/8" 3/8" 3/8"  Length 1/2" 3/8" 7/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1/2" 5/8" 1 3/16"  Diameter 1/8" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm	Pipe Bore 3/16" 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5/16" 5  Pipe Bore 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10411 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends wary Note: The followat one end and Part Number TE504081 TE504131	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter 1/4" 1/4"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 1 5/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured from 108326 PJ8504 CLZ307 CLZ308	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" bm under hea  Length 1/2" 3/8" 7/16" 1/2"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2 AEHU3 AEHU3 AEHU7	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16" 3/16" 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10418 GHC10420 GHC10421	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends wary Note: The followat one end and Part Number TE504081 TE504131 53K2171	1/2" 9/16" 5/8"  gth of round bar gth of thread at for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads it the other.  Overall Length 1" 1 5/8" 1 1/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from 108326 PJ8504 CLZ307 CLZ308 CLZ309	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2 AEHU3 AEHU3 AEHU7	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16" 3/16" 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC104112 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10419 GHC10420 GHC10421 Hose Clips	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends wary Note: The followat one end and Part Number TE504081 TE504131	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 15/8" 11/8" 13/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2 AEHU3 AEHU7 Pipe Nuts	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC104112 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10419 GHC10420 GHC10421 Hose Clips	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends wary Note: The followat one end and Part Number TE504081 TE504131 53K2171	1/2" 9/16" 5/8"  gth of round bar gth of thread at for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads it the other.  Overall Length 1" 1 5/8" 1 1/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste Thread Size	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" Pipe Bore	Part Number GHC10408 GHC10410 GHC10411 GHC104112 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10419 GHC10420 GHC10421 Hose Clips	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm
GHF346 GHF347 GHF348 Studs A stud is a lengends. The lengends. The lengends wary Note: The followed at one end and Part Number TE504081 TE504131 53K2171 TE505111	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 15/8" 11/8" 13/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ311	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A Pipe Nuts Part Number AEHU1 AEHU2 AEHU3 AEHU7 Pipe Nuts	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3	Part Number GHC10408 GHC10410 GHC10411 GHC104112 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10419 GHC10420 GHC10421 Hose Clips	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and are lengendered by the lengendered by the lengendered by the lengendered by the lengendered by the lengendered by the length of lengt	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Tr threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length 1" 15/8" 11/2" 15/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 Clevis Pins (Measured from 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste Thread Size	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" Pipe Bore	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10420 GHC10421  Hose Clips (With Single	To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head) To Suit Diameters
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends and lengends at one end and lengends at one end and lengends at one end and lengends le	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Tr threaded at both t each end of the plications.  fine (UNF) threads the other.  Overall Length 1" 15/8" 11/8" 13/8" 13/8" 13/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured free  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"  d to end)  Diameter 1/8" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1 AEHU7	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Sta Thread Size 3/8" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm 8 ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and and and and and and and and and a	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Trithreaded at both teach end of the plications.  fine (UNF) threads the other.  Overall Length 1" 15/8" 11/8" 11/2" 15/8" 13/4" 17/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured free  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8"  bm under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 5/8" 13/16" 7/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm s ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and and and and and and and and and a	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Trithreaded at both t each end of the plications.  fine (UNF) threads the other.  Overall Length 1" 1 5/8" 1 1/8" 1 1/2" 1 5/8" 1 3/4" 1 7/8" 2"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured free  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" 3/8" 3/8" 5m under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Sta Thread Size 3/8" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" 5/16" 5  Pipe Bore 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and lengends.  Part Number  TE504081 TE504131 53K2171 TE505111 TE505121 TE505131 TE505141 TE505151 TE505161 TE505181	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Trithreaded at both t each end of the plications.  fine (UNF) threads the other.  Overall Length 1" 1 5/8" 1 1/8" 1 3/8" 1 1/2" 1 5/8" 1 3/4" 1 7/8" 2" 2 1/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured free  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ311 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315 CLZ316	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" 5m under hea  Length 1/2" 9/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 17/8" 15/16" 1"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1 AEHU4 AEHU	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" S  Pipe Bore 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 5/16" 1/4" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and lengends.  Part Number  TE504081 TE504131 53K2171 TE505121 TE505121 TE505131 TE505141 TE505151 TE505161 TE505181 TE5050201	1/2" 9/16" 5/8"  gth of round bar gth of thread at for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  Trithreaded at both t each end of the plications.  fine (UNF) threads the other.  Overall Length 1" 1 5/8" 1 1/8" 1 3/8" 1 1/2" 1 5/8" 1 3/4" 1 7/8" 2" 2 1/4" 2 1/2"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ312 CLZ312 CLZ313 CLZ314 CLZ315 CLZ316 CLZ317	1/4" 1/4" 1/4" 5/16" 5/16" 5/16" 3/8" 3/8" 3/8" bm under hea  Length 1/2" 9/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1 AEHU4 AEHU	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" S  Pipe Bore 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 5/16" 1/4" 5/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and the lengends at one end and lengends. TE504131 53K2171 TE505111 TE505121 TE505131 TE505141 TE505161 TE505161 TE505161 TE505181 TE505221	1/2" 9/16" 5/8"  gth of round bai gth of thread ai r for specific api wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length 1" 1 5/8" 1 1/8" 1 3/8" 1 1/2" 1 5/8" 1 3/4" 1 7/8" 2" 2 1/4" 2 1/2" 2 3/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315 CLZ315 CLZ316 CLZ317 N/A	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8"  bm under hea  Length 1/2" 9/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF - Male, Bras Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF	Pipe Bore 3/16" 3/16" 3/16" 1/4" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/1	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  s ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends is a lengends. The followat one end and lengends. The stud may vary lengends in the stud may vary lengends. Tesource is supported by the students of the students in the students of the students in the students of the students in the students of the students in the students of the students in the students of the students in the students of the student	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 15/8" 11/8" 13/8" 11/2" 25/8" 13/4" 17/8" 2" 21/4" 21/2" 23/4" 3"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 DP610 Clevis Pins (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314 CLZ314 CLZ315 CLZ316 CLZ317 N/A N/A	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 5 m under hea  Length 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A SU2A SU4A POPE Nuts  Part Number AEHU1A SU2A SU4A POPE Nuts	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 5/	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and the lengends at one end and lengends. TE504131 53K2171 TE505111 TE505121 TE505131 TE505141 TE505161 TE505161 TE505161 TE505181 TE505221	1/2" 9/16" 5/8"  gth of round bai gth of thread ai r for specific api wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length 1" 1 5/8" 1 1/8" 1 3/8" 1 1/2" 1 5/8" 1 3/4" 1 7/8" 2" 2 1/4" 2 1/2" 2 3/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 DP610  Clevis Pins (Measured from the company of	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 5 m under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 1/2" UNF - Female, Bras  Thread Size 3/8" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  s ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends is a lengends. The followat one end and lengends. The stud may vary  Note: The followat one end and lengends. Te504081 TE504081 TE504131 TE505111 TE505121 TE505121 TE505131 TE505141 TE505161 TE505161 TE505181 TE505201 TE505221 TE505221	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16"	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 15/8" 11/8" 13/8" 11/2" 25/8" 13/4" 17/8" 2" 21/4" 21/2" 23/4" 3"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pin: (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315 CLZ316 CLZ317 N/A N/A CLZ408 CLZ408 CLZ408	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8"  som under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2" 9/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A AEHU2A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF  - Female, Bras  Thread Size 3/8" UNF 10mm x 1mm 7/10" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends is a lengends in the lengends in	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  Tr threaded at both t each end of the plications.  fine (UNF) threads tt the other.  Overall Length 1" 15/8" 11/8" 11/2" 15/8" 13/4" 17/8" 2" 21/4" 21/2" 23/4" 3" 31/4" 33/8"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610 DP610  Clevis Pins (Measured from the company of	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 5 m under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 1/2" UNF - Female, Bras  Thread Size 3/8" UNF	Pipe Bore 3/16" 3/16" 3/16" 3/16" 5/16" S  Pipe Bore 3/16" 3	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017 CS4018 CS4020	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  s ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16" 7/8" - 1 1/8" 1" - 1 1/4"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends is a lengends in the lengends in	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  If threaded at both t each end of the plications.  fine (UNF) threads the other.  Overall Length 1" 15/8" 11/8" 11/2" 15/8" 13/4" 17/8" 2" 21/4" 21/2" 23/4" 3" 31/4" 33/8" 31/2"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pin: (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ310 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315 CLZ316 CLZ317 N/A N/A CLZ408 CLZ408 CLZ408	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8"  som under hea  Length 1/2" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2" 9/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A AEHU2A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF  - Female, Bras  Thread Size 3/8" UNF 10mm x 1mm 7/10" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017 CS4018 CS4020 CS4022	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  s ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16" 7/8" - 1 1/8" 1" - 1 1/4" 1 1/8" - 1 3/8"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and lengends. The stud may vary  Note: The followat one end and lengends. The stud may vary  Note: The followat one end and lengends. The students at one end and lengends. The students at length students at length students at length students at length students. The students at length students a	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  If threaded at both teach end of the plications.  fine (UNF) threads the other.  Overall Length 1" 1 5/8" 1 1/8" 1 1/8" 1 1/8" 2" 2 1/4" 2 1/2" 2 3/4" 3" 3 1/4" 3 3/8" 3 1/2" 4 1/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pin: (Measured from the company of the c	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" 3/8"  Som under hea  Length 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2" 9/16" 5/8"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A AEHU2A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF  - Female, Bras  Thread Size 3/8" UNF 10mm x 1mm 7/10" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017 CS4018 CS4020 CS4022 CS4023	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16" 7/8" - 1 1/8" 1 1/8" - 1 3/8" 1 1/4" - 1 7/16"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and lengends. The following the lengends at one end and lengends. Te504131 Te504131 Te504131 Te505121 Te505121 Te505141 Te505151 Te505161 Te505161 Te505201 Te505201 Te505221 Te505221 Te505221 Te505221 Te505221 Te505231 Te505231 Te505231 Te505231 Te505341 Te506101	1/2" 9/16" 5/8"  gth of round bal gth of thread at of rospecific application of the second of the se	GHF364 GHF365 N/A N/A  r threaded at both t each end of the plications.  fine (UNF) threads t the other.  Overall Length 1" 1 5/8" 1 1/8" 1 1/8" 1 1/8" 2" 2 1/4" 2 1/2" 2 3/4" 3" 3 1/4" 3 3/8" 3 1/2" 4 1/4" 1 5/16"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured fro  Part Number 108326 PJ8504 CLZ307 CLZ308 CLZ309 CLZ311 CLZ311 CLZ312 CLZ313 CLZ314 CLZ315 CLZ316 CLZ317 N/A N/A N/A N/A CLZ408 CLZ409 CLZ410 CLZ411 CLZ411	1/4" 1/4" 1/4" 5/16" 5/16" 5/16" 3/8" 3/8" 3/8" 5m under hea  Length 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 1/8" 7/16" 1" 1 1/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/8" 11/16" 3/8" 11/16" 3/8" 11/16" 3/8" 11/16" 3/4"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A AEHU2A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF  - Female, Bras  Thread Size 3/8" UNF 10mm x 1mm 7/10" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11035 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017 CS4018 CS4020 CS4022 CS4023 CS4024	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16" 7/8" - 1 1/4" 1 1/8" - 1 3/8" 1 1/4" - 1 7/16" 1 5/16" - 1 1/2"
GHF346 GHF347 GHF348  Studs  A stud is a lengends. The lengends. The lengends at one end and the lengends at one end and lengends. The stud may vary  Note: The followat one end and lengends. The stud may vary  Note: The followat one end and lengends. The students at one end and lengends. The students at length students at length students at length students at length students. The students at length students a	1/2" 9/16" 5/8"  gth of round bar gth of thread at r for specific app wing studs have d course (UNC) a  Diameter  1/4" 1/4" 5/16"	GHF364 GHF365 N/A N/A  If threaded at both teach end of the plications.  fine (UNF) threads the other.  Overall Length 1" 1 5/8" 1 1/8" 1 1/8" 1 1/8" 2" 2 1/4" 2 1/2" 2 3/4" 3" 3 1/4" 3 3/8" 3 1/2" 4 1/4"	DP410 DP411 DP414 DP508 DP514 DP608 DP610 DP610  Clevis Pins (Measured from the company of the c	1/4" 1/4" 1/4" 5/16" 5/16" 3/8" 3/8" 3/8" 3/8" 3/8" 5m under hea  Length 1/2" 9/16" 5/8" 11/16" 1/8" 15/16" 1" 1 1/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 5/8" 11/16"	5/8" 11/16" 7/8" 1/2" 7/8" 1/2" 5/8" 1 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 3/16" 1/4" 1/4" 1/4" 1/4" 1/4"	Part Number TM606031 TM110051 LK21994 BCA4370 BHA4706 AUSU40A  Pipe Nuts  Part Number AEHU1 AEHU2 AEHU3 AEHU7  Pipe Nuts  Part Number AEHU1A SU2A SU4A HU41A  Pipe Nuts  Part Number AEHU1A AEHU2A	Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF 7/16" UNF 1/2" UNF  - Male, Bras  Thread Size 3/8" UNF 10mm x 1mm 3/8" BSF 7/16" UNF  - Female, Ste 3/8" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 10mm x 1mm 7/16" UNF 1/2" UNF  - Female, Bras  Thread Size 3/8" UNF 10mm x 1mm 7/10" UNF	Pipe Bore 3/16" 3/16" 3/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 5/16" 3/16"	Part Number GHC10408 GHC10410 GHC10411 GHC10412 GHC10413 GHC11030 GHC11035 GHC10416 GHC10417 GHC10418 GHC10419 GHC10420 GHC10421  Hose Clips (With Single  Part Number CS4009 CS4011 CS4012 CS4013 CS4014 CS4016 CS4017 CS4018 CS4020 CS4022 CS4023	el (Metric)  To Suit Diameter 8 - 12 mm 12 - 18 mm 8 - 16 mm 12 - 20 mm 16 - 25 mm 20 - 32 mm 25 - 40 mm 32 - 50 mm 46 - 60 mm 50 - 70 mm 60 - 80 mm 70 - 90 mm 80 - 100 mm  S ('Supergrip' Type) Slotted Hexagon Head)  To Suit Diameters 7/16" - 9/16" 1/2" - 11/16" 9/16" - 3/4" 5/8" - 13/16" 11/16" - 7/8" 3/4" - 1" 13/16" - 1 1/16" 7/8" - 1 1/8" 1 1/8" - 1 3/8" 1 1/4" - 1 7/16"

CS4028	1 9/16" -1 3/4"
CS4029	1 5/8" - 1 13/16"
CS4030	1 11/16" - 1 7/8"
CS4032	1 7/8" - 2"
CS4034	1 15/16" - 2 1/8"
CS4036	2 1/16" - 2 1/4"
CS4037	2 1/8" - 2 5/16"
CS4038	2 3/16" - 2 7/16"
CS4039	2 1/4" - 2 7/16"
CS4040	2 5/16" - 2 1/2"
CS4041	2 3/8" - 2 9/16"
CS4042	2 7/16" - 2 5/8"
CS4048	2 13/16" - 3"
CS4052	3 1/16" - 3 1/4"

Note: Original "Supergrip" clips were supplied with a single slotted round-head screw. The modern replacement comes with a hexagon headed screw. For the authentic look we have resourced the original type screw, (sold separately).

## CS4099 (Round-Head Screw).

# 'P' Clips - Imperial

Deat Manager	0.1.1. D'	11-1-01
Part Number	Cable Diameter	
PCR207	1/8"	7/32"
PCR307	3/16"	7/32"
PCR309	3/16"	9/32"
PCR311	3/16"	11/32"
PCR407	1/4"	7/32"
PCR409	1/4"	9/32"
PCR411	1/4"	11/32"
PCR507	5/16"	7/32"
PCR509	5/16"	9/32"
PCR511	5/16"	11/32"
PCR607	3/8"	7/32"
PCR609	3/8"	9/32"
PCR611	3/8"	11/32"
PCR707	7/16"	7/32"
PCR709	7/16"	9/32"
PCR711	7/16"	11/32"
PCR807	1/2"	7/32"
PCR809	1/2"	9/32"
PCR811	1/2"	11/32"
PCR813	1/2"	13/32"
PCR1007	5/8"	7/32"
PCR1009	5/8"	9/32"
PCR1011	5/8"	11/32"
PCR1207	3/4"	7/32"
PCR1209	3/4"	9/32"
PCR1211	3/4"	11/32"
PCR1407	7/8"	7/32"
PCR1409	7/8"	9/32"
PCR1411	7/8"	11/32"
PCR1607	1"	7/32"

# 'P' Clips - Metric

Part Number	Cable Diameter	Fixing Hole
		Size
CP105081	8mm	5mm
PCR611	10mm	8mm
CP108121	12mm	8mm
CP106161	16mm	6mm
CP108165	16mm	8mm

# Steel Balls

Part Number	Diameter
BLS106	3/16"
BLS108	1/4"
BLS110	5/16"
BLS112	3/8"
BI S28	7/16"

# Pop Rivets - Open End Type

Part Number	Diameter
RA607096	2.9 x 5mm
RA608126	1/8" x 3/16"
RA608176	1/8" x 1/4"
RA608236	1/8" x 5/16"
RA608253	1/8" x 3/8"

# **Pop Rivets - Closed End Type**

Part Number	Diameter
RU608123	1/8" x 3/8"
RU608313	1/8" x 1/2"
RU612123	3/16" x 5/16'

## **Cable Ties**

Length
3 1/2"
5 1/4"
6"
8 3/4"
11"



## **PAINT COLOURS**

Due to the longevity of the Mini production, which combines 41 years of paints and colour codes, there are far too many to be shown here. Therefore we suggest that you contact your nearest Moss branch and discuss your requirements.

The colours that we supply are carefully blended to be an exact match to the original paint as used by the factory, but it is worth observing that your car may well have faded from its original colour over the years. For this reason before you start, we recommend that you do a test spray of any aerosol on a piece of old metal or a carefully selected area of the car where a mismatch will not be noticed. The boot or spare wheel area is often a convenient place to do your testing.

We can supply paint in either aerosol or brush-on format. The aerosols come in 400ml cans and the brush-on paints are available in 125ml cans with a brush in the cap (except for engine and chassis paints, which are supplied in 500ml tins).

# **TRIM COLOURS**

There are many trim colours for the Mini over the 41 years of production. However Moss only stock, red, black and grey. We can supply these colours throughout the whole range of trim including: boot trim, headlining and sun visors, interior trim panel kits, dash liner kits, carpet sets, footwell cover mats, seat cover kits, gear lever gaiters. For more information please contact your nearest Moss branch.



Please note: Colours may vary slightly to samples shown here, due to the limitations of the colour printing press, and should be used as a guide only.



Classic Car Colours Stockist: Moss Europe Ltd







Dynolite Oil produces high quality oils and lubricants for vintage, classic and racing applications. Including lubricants for engines, gearboxes, steering boxes and greases. Dynolite lubricants are specially developed for historic vehicles to offer far superior mechanical protection.

## www.dynolite.com

Dynolite Stockist: Moss Europe Ltd





## LONDON

Unit 16, Hampton Business Park Bolney Way, Feltham

TW13 6DB

London Tel

+44 (0)20 8867 2020

E-mail

sales@moss-europe.co.uk

Fax

+44 (0)20 8867 2030





## **BRADFORD**

Unit 12-13, Acorn Park Ind. Est. Otley Road, Shipley

**BD17 7SW** 

**Bradford Tel** 

+44 (0)1274 539 999

Email

bradford@moss-europe.co.uk

+44 (0)1274 539 990





BRISTOL

## **BRISTOL**

1-3 Elton Street Bristol

BS2 9EH

Bristol Tel +44 (0)117 923 2523

Email

bristol@moss-europe.co.uk

+44 (0)117 942 8236



## **MANCHESTER**

111-117 Stockport Road Stockport, Cheshire

SK3 0JE

Manchester Tel

+44 (0)161 480 6402

Email

manchester@moss-europe.co.uk

+44 (0)161 429 0349





## **PARIS**

7 rue Chaponval ZAC du Cornouiller 78870 Bailly, France

Paris Tel

+33 (0)1 30 80 20 30

Email

sales@moss-europe.fr

+33 (0)1 30 80 21 50





